SOMERSET

1911 - 1920

ABBOTTS LEIGH.	1911 - 1912.
AISHOLT TIMBERCOMBE	1917 - 1919
ANGERSLEIGH LEIGH RES	1911 - 1920
ANGERSLEIGH LEIGH COURT	1911 - 1920
AXBRIDGE WEBBINGTON FARM	- 1920
BACKWELL HILL HOUSE	1911 - 1920
BAGBOROUGH RECTORY	- 1920
BANWELL EVERSLEY	1911 - 1920
BATH CLAVERTON DOWN STATUTORY HOSPITAL	1911 - 1920
BATH CLAVERTON. MANOR	1911 - 14, 1916.
BATH COMBE PARK	1911
BATH HENRIETTA PARK	1911 - 1920
BATH. KINGSWOOD SCHOOL	1911 - 1914
BATH LANSDOWN PLACE WEST.	1920
BATH SOMERSET ROAD	1911 - 1916
BATHEASTON	1911 - 1920
BECKINGTON THE CEDARS	1915 - 1919
BICKNOLLER WEACOMBE HOUSE	1911 - 1920
BICKNOLLER FORD	1919 - 1920.
BICKNOLLER WILLET	1918 - 1920
BLAGDON NORDRACH-UPON-MENDIP	1911, 1914 - 1917
BRIDGEWATER	1914
BRIDGEWATER.	1911 - 1918
BRIDGEWATER ASHFORD	1911 - 1920
BRIDGE WATER BLAKE GARDENS	1911 - 1920
BRIDGEWATER FORE STREET.	1913 - 1914.
BRIDGEWATER KEENTHORNE HOUSE	1914 - 1915
BRISTOL CORONATION ROAD	1911 - 1915
BRUSHFORD NURSERIES	1913 - 1920
BRUSHFORD RECTORY	1911 - 1920
BRUTON REDLYNCH PARK.	1919 - 1920
BRUTON KINGS SCHOOL	1911 - 1918.
BRUTON PITCOMB VICARAGE	1917 - 1920.
BRUTON	1913 - 1918.
BRUTON SUNNY HILL	1911 - 1912
BUCKLAND ST MARY	1919 - 1920
BURNHAM BRENT KNOLL	1911 - 1920.
BURNHAM.	1914, 1917 - 1918.
BURNHAM DUNSTAN HO CHALBURY	1911 - 1920.
BURRINGTON LANGFORD	1911 - 1920
CANNINGTON BRYMORE	1911 - 1920.
CARHAMPTON VICARAGE	1919 - 1920
CASTLE CARY.	1917 - 1919.

CASTLE CARY ALFORD HOUSE	1911 - 1920
CHARD TATWORTH VICARAGE	1915 - 1916
CHARD COMBE HEAD	1920
CHARD HIGH ST. COUNCIL SCHOOL	1919 - 1920
CHARD VICARAGE	1911 - 1916
CHARD CRICKET HOUSE	1914 - 1920
CHARLCOMBE	1911 - 1920
CHELWOOD RECTORY	1911
CHEWTON MENDIP WALDERGROVE HOUSE	1915 - 1919
CHEWTON MENDIP THE PRIORY	1911 - 1920
CHILTON - UPON - POLDEN	1917 - 1918
CLEVEDON MOUNT HEBER COTTAGE	1920
CLEVEDON BOWLING GREEN	1912 - 1920
CLEVEDON P.S.	1912 - 1920
CLEVEDON OLD STREET	1911, 17, 19-1920
CLEVEDON W.W. TICKENHAM ROAD	1911 -
CLUTTON COUNCIL SCHOOL	1911 - 15, 17 - 1920
COMBE ST NICHOLAS VICARAGE	1917 - 1920
COMBEDOWN	1911 - 1918
CRANMORE HALL	1911 - 1917
CREWKERNE	1917 - 1920
CREWKERNE RES.	1912 - 1920
CREWKERNE BINCOMBE HOUSE	1911 - 1920
CREWKERNE MEREFIELD HOUSE	1911 - 1920
CUTCOMBE WHEDDON CROSS	1911 - 1920
DITCHEAT RECTORY	1911-14, 16-1920
DOULTING MANOR FARM	1911 - 1912
DOWNSIDE ABBEY	1911 - 1920
DULVERTON EXE VALLEY FISHERIES	1911 - 1920
DUNKERTON RECTORY	1912 - 1918
DUNSTER COUNCIL SCHOOL	1916 - 1920
EDINGTON	1919
ENMORE	1920
EVERCREECH THE VICARAGE	1911 - 1915
FAILAND HOUSE	1911 - 1920
FAILAND SCHOOL	1911 -
FLAX BOURTON	1911 - 1920
FRESHFORD THE OLD HOUSE	1915 -
FROME EGFORD WW	1911 - 1920
FROME BECKINGTON	1911 - 1920
FROME MARSTON RECTORY	1911 -
FROME SELWOOD SCHOOL	1911 - 1920
FROME & LULLINGTON	1920

GLASTONBURY, ST MICHAEL'S / WELLS VICARAGE	1917 1920
GLASTONBURY WYRRAL	1915 - 1920
GLASTONBURY YNYSWYTRYN	1911 - 1912
GURNEY SLADE	1911 - 1920
HAWKRIDGE LISCOMBE	1911 - 1920
HENSTRIDGE INWOOD HOUSE GARDENS	1911 - 1915
HOLFORD WOODLANDS HOUSE	1911 1912
HOLFORD	1913, 1915
HORSINGTON	1913 - 1915
HUNSTRETE HOUSE	1917 - 1920
HUTTON RECTORY	1911
ILMINSTER DILLINTON PARK	1911 - 1920
ILMINSTER	1911 - 1920
ILMINSTER WHITELACKINGTON HOUSE	1911 - 1920
KEYNSHAM WEST VIEW ROAD	1911 - 1916
KILVE	1919 - 1920
LANGFORD HYBBROKE	1914
LANGFORD BUDVILLE BINDON	1911 - 1914
LANGFORD BUDVILLE RITHERDENS	1911 - 1916
LANGFORD HUISH EPISCOPI BROOKLANDS	1911 - 1920
LANGPORT THE GRANGE	1911 - 1920
LITTON SHERBORNE RES	1911 - 1920
LONG ASHTON.	1911 - 17, 19 - 1920
LONG ASHTON RESEARCH STN	1913, 1915 - 17, 1920
MAPERTON RECTORY	1911 - 1912
MELLS SELWOOD	1911 - 1920
MENDIP SANATORIUM	1918
MIDSOMER NORTON DYMBORO	1911 - 1920
MIDSOMER NORTON	1912 - 1913
MIDSOMER NORTON ISLAND HOUSE	1911 - 1917, 19 - 1920
MILVERTON SPRINGROVE	1911 - 1918
MILVERTON OLD HALLS	1911 - 13, 1915
MILVERTON THE MOUNT HALSE	1911 - 1919
MINEHEAD EDEN LODGE	1920
MINEHEAD MARIANSLEIGH	1911 - 1919
MINEHEAD	1916
MINEHEAD	1911 - 1915
MONKTON COMBE CROSSWAYS	1911 - 1920
MONTACUTE ODCOMBE RECTORY	1911 - 1916
NORTH CADBURY	1911 - 1920
NORTH CADBURY WOOLSTON HOUSE	1911
NORTH PETHERTON SHOVELL	1911 - 1914, 16 - 1917
NORTH PETHERTON OLD RECTORY HOUSE	1911 - 1917

ORCHARDLEIGH PARK	1911 - 13, 1915.
OTTERHEAD, BLACKDOWN HILLS	1914 - 1916
PENSFORD NORTON COURT	1911 - 1915
PENSFORD PUBLOW SCHOOL	1911, 1913 - 1920
PENSELWOOD RECTORY	1911 - 1916
PORTISHED WEST HILL	1920
PRIDDY.	1911 - 1914
PUBLOW VICARAGE	1911 -
QUANTOCKSHEAD ST. AUDRIES	1911 - 1920
QUEENS CAMEL SCHOOL.	1920
RADSTOCK	1911 - 1920
RIMPTON.	1911 - 1914
SALTFORD	1911 - 1919
SAMPFORD BRETT.	1918 - 1919.
SAMPFORD BRETT. RECTORY.	1911 -
SHEPTON MALLET. CHARLTON.	1911 - 1920.
SHEPTON MALLET. FIELD HOUSE	1911 - 15, 17 - 1920
SHEPTON MALLET. GRAMMAR SCHOOL	1911 - 1918.
SHEPTON MALLET. OAKHILL HILLYLANDS	1911 - 1917
SHEPTON MALLET. PILTON.	1911 - 1920
SHEPTON MALLET. PONDSMEAD	1911, 13.
SHEPTON MALLET SEWAGE FARM	1911 - 16, 18 - 1920
SHEPTON MALLET. THE CLOISTERS	1913 - 1914.
SIDCOT. SCHOOL	1911
SIMONSBATH.	1911 - 16, 1919
SOMERTON BUTLEIGH. COURT.	1911 - 1920
SOMERTON KINGWESTON.	1911 - 1916
SOUTH PETHERTON. YEABRIDGE	1911 - 1916
STOKE - UNDER - HAM.	1911 - 1920
STREET (MILLFIELD)	1911 - 1920
STREET. HIND HAYES	1911 - 1920
STREET. OVERLEIGH. HOUSE	1913 - 1920
SUTTON COURT PENSFORD	1911 - 1920
SUTTON MONTIS RECTORY.	1911 -
TAUNTON BLAGDON HILL RESERVOIR	1911 - 1920
TAUNTON LINDON GROVE	1911 - 1915
TAUNTON THE PARK.	1911 - 1920
TEMPLE CLOUD	1911 - 1920.
TEMPLE COMBE CHERITON HOUSE	1911 - 16, 18 - 1920
TEMPLE COMBE RECTORY	1911 - 1920
TINTINHULL MANOR HOUSE	1911 - 1920
WADBURY HOUSE	1911 - 1916
WANSTROW	1913 - 1920

WELLINGTON. OLDWAY HOUSE	1911 – 1920
WELLINGTON WATTON	1913
WELLS. DINDER COTTAGE	1914 - 1916
WELLS. SOMERSET & BATH ASYLUM.	1911 – 1920
WELLS WOOKEY HOLE PAPER MILLS	1911 - 1920
WESTON-SUPER-MARE CLARENCE PARK	1911 - 1920
WESTON-SUPER-MARE WORLE	1911 - 1913
WESTON-SUPER-MARE WORLE SPRINGFIELD HOUSE	1920
WESTON-SUPER-MARE KEWSTOKE	1914 - 1917
WESTON-SUPER-MARE LEYCROFT HOUSE	1911 – 1917
WEST COKER.	1913 - 1915
WEST COKER	1911 - 1920
WILLITON CAPTON.	1914 - 1916
WILLITON THE WHITE HOUSE	1919 - 1920
WINCANTON HOLBROOK	1911
WINCANTON, MAPERTON HOUSE GARDEN	1912 - 1920
WINCANTON ROUNDHILL GRANGE	1911 - 1920
WINSCOMBE THE DOWN	1911 - 1920
WINSFORD SCHOOL	1911 - 1920
WINSCOMBE KAMIAM.	1918.
WINSCOMBE WINTRATH.	1911 – 1912
WINSCOMBE YEW TREE HOUSE	1918 - 1920
WIVELLSCOMBE CULVERHEAD	1911 - 1920
WRINGTON RECTORY	1911 - 1920
WRINGTON THE COTTAGE	1911 - 1920
WRINGTON WEST HAY	1916 - 1920
YEOVIL PEN HILL S. W.	1911
YEOVIL	1911, 1913 - 1920

REGI ~~ABBOTS~~ ABBOTS LEIGH 911

SOMERSET

1911-12

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Abbots Leigh

in the County of Somer

by Sir Henry Mi

op .... in.
above Ground .... ft. .... in.
,, Sea Level .... ft.

ion { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01		04	10	02			15			05		1
2			01	39	20			32		05	33	20	2
3			07		34			05			15	10	3
4			25	03					02	02	36	37	4
5	12							26		02	36		5
6	20		10					18			15	32	6
7	03										46		7
8	33		18								03	33	8
9	18										15	30	9
10	05	07	25		03							21	10
11	34		01		08						1·05	25	11
12	01		69						04		53	18	12
13					25				62	08		40	13
14		05								01		98	14
15		04									30	19	15
16		08				15					30	23	16
17		09									12	30	17
18		56	06	15		37				04		28	18
19		10		04		03			25	08	01	24	19
20	02		15	10					19	08		39	20
21		18	12					05		30		27	21
22	01		29	05		90				25		42	22
23	01	22	33			04			08	15		25	23
24	01	12				43		14		38	02	15	24
25		06	03	19		12		02	01			12	25
26		07		61	04	01	09	07		30	10	26	26
27		45	10					35	20		04	13	27
28		44		56		03		33			04	02	28
29				07		60			10	26			29
30				01		03		05		29		02	30
31										21			31
Total	1·32	2·53	2·68	2·30	·96	2·71	·09	1·97	1·51	2·52	4·55	6·91	TOTAL for year 30·05
No. of Rain Days.	13	14	16	12	7	11	1	12	9	16	19	26	156

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Abbots Leigh

in the County of Somerset

by Sir Henry Miles Bt

Rain Gauge
- Pattern
- Diameter of top ... in.
- Height of top above Ground ... ft. ... in.
- ,, ,, ,, Sea Level ... ft.

Time of Observation

Nearest Railway Station
- Name
- Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01		04	10	02			15			05		1
2			01	39	20			32		05	33	20	2
3			07		34			05			15	10	3
4			25	03					02	02	36	37	4
5	12							26		02	36		5
6	20		10					18			15	32	6
7	03										46		7
8	33		18								03	33	8
9	18										15	30	9
10	05	07	25		03							21	10
11	34		01		08						1·05	25	11
12	01		69						04		53	18	12
13					25				62	08		40	13
14		05								01		98	14
15		04									30	19	15
16		08				15					30	23	16
17		09									12	30	17
18		56	06	15		37				04		28	18
19		10		04		03			25	08	01	24	19
20	02		15	10					19	08		39	20
21		18	12					05		30		27	21
22	01		29	05		90				25		42	22
23	01	22	33			04			08	15		25	23
24	01	12				43		14		38	02	15	24
25		06	03	19		12		02	01			12	25
26		07		61	04	01	09	07		30	10	26	26
27		45	10					35	20		04	13	27
28		44		56		03		33			04	02	28
29				07		60			10	26			29
30				01		03		05		29		02	30
31										21			31
Total	1·32	2·53	2·68	2·30	·96	2·71	·09	1·97	1·51	2·52	4·55	6·91	TOTAL for year 3005
No. of Rain Days.	13	14	16	12	7	11	1	12	9	16	19	26	156

W. 8,000, X. '11.

card for auth.
- by own date } 26.11.13

W F C

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Leigh Court

in the County of Somerset

by Sir Henry Miles Bt

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 170 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bristol
Distance 6 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			15			37	15			80		25	1
2			15	01		50	38			01			2
3	01		15				02	49	10		04	01	3
4	20		54		02	36		06			15		4
5	50	09	20		13			50			02	08	5
6	25	12	02		05		24	49				05	6
7	03	15			10	45		16			01	05	7
8	40	16	27			10	11					23	8
9	02	05	20	17		12	02	10			03	36	9
10	09	05	02			02		02			11	05	10
11	09											02	11
12	02	35	07	09	04	07	03					10	12
13		01	03					05				42	13
14	08		75			01		02				05	14
15	09	12	02		53	73		05				56	15
16	55		24		01	03		28		(·15)	03	05	16
17	65		22			14		80			03	50	17
18	15	02	33		02			20		03		10	18
19	04	08	03			15	24	80		15	01	02	19
20	02		25		30		06	16		53			20
21	01	05	12		82		03	39		11			21
22	46	39	15		23	02	20	24		03	02	10	22
23	31	40	47			04		90		12	05	30	23
24	06	02	25			17	04	04		04		29	24
25			01			75		76		19	44	49	25
26		05					15	33		46	85	25	26
27						24	98			80		67	27
28		08				15	72	69	05	50	42	86	28
29		13	02			01	48	04	30	40		17	29
30						08	18		07	16			30
31			16		06		45	03				20	31
Total	4·03	2·22	4·82	27	2·31	4·50	4·48	7·60 7·60	52	4·49	2·21	6·64 664	TOTAL for Year 44·19
No. of Rain Days.	21	18	25	3	12	21	16	24	4	15	14	26	2[illegible]1

W. 8,000, X. '11.

spade

REGIS

AISHOLT
TIMBERCOMBE

SOMERSET
1917 - 1919

FORM A.
BRITISH RAINFALL.

Kept at Timbercom
Ais

in the County of Somer

by W. T. Whit

3°.8'. W

5 ½ miles

auge 5 in.

Ground 1 ft. 2 in.

Sea Level 700 ft.

IMPORTANT NOTE he result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi in the space provided for it at the end of this ent of rain, the selection and placing sh Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·11			·16		·49	·09		·01		1
2	·14		·18	·35		·03		·15	·03		·08		2
3	·25		·04	·10						·07	·19		3
4		·20	·06	·12			·75	·03		·85		·02	4
5		·08	·34	·14		·07	·05		·20	·05	·16	·02	5
6	·12		·18	·14						·14	·24	·01	6
7	·06		·04							·24	·09	·02	7
8	·18			·03		·16	·51	·59		·34	·08	·05	8
9			·18	·08			·28	·15	·10	·39	·13		9
10			·29	·07	·04		·02	1·02		·03	·01		10
11	·39		·34	·29				·37		·14	·11		11
12	·19		·80	·35	·54			·70		·42			12
13	·03		·03						·18	·03		·02	13
14			·20	·14				·17	·08				14
15			~~·08~~	·03			·05			·09			15
16				·12			·03	·03		·29		·28	16
17		·15			·04		·03	·05	·08	·08			17
18		·04		·10			·65		·47	·02	·02		18
19		·05				·10		·04	·50		·03		19
20		·46	·08		·64	·07		·23	·05		·02		20
21			·01		·01	·06		·02		·03			21
22			·16					·08		·08	·01		22
23		·23			·06			·19		·08		·05	23
24		·01			·11	·27		·30		·13	·06		24
25		·05					·15			·12	·06		25
26		·05			·45	·03		·62	·15	·11	·01		26
27					·32	·05	·04	·50		·12	·04		27
28						8·39		·77		~~·31~~			28
29			·01			·43	·01			·31 ~~·09~~	·03	·20	29
30		╳	·25				·25	·18		·09	·03		30
31		╳	·10	╳		╳			╳	·19	╳	·05	31
Total	1·39	1·32	3·40	2·06	2·21	9·82	2·52	6·68	1·93	4·44	1·41	·72	YEAR'S TOTAL 38·20
Rain Days.	9	10	19	14	9	12	13	21	11	25	20	10	173

W. 8,000, IX. 17.

spade

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Timbercombe Aisholt

in the County of Somerset

by W. T. White

Lat. 51°·5′ Long. 3°·8′ W

Time of Observation 9. am

Nearest Railway Station Taunton 5½ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·11			·16		·49	·09		·01		1
2	·14		·18	·35		·03		·15	·03		·08		2
3	·25		·04	·10						·07	·19		3
4		·20	·06	·12			·75	·03		·85		·02	4
5		·08	·34	·14		·07	·05		·20	·05	·16	·02	5
6	·12		·18	·14						·14	·24	·01	6
7	·06		·04							·24	·09	·02	7
8	·18			·03		·16	·51	·59		·34	·08	·05	8
9			·18	·08			·28	·15	·10	·39	·13		9
10			·29	·07	·04		·02	1·02		·03	·01		10
11	·39		·34	·29				·37		·14	·11		11
12	·19		·80	·35	·54			·70		·42			12
13	·03		·03						·18	·03		·02	13
14			·20	·14				·17	·08				14
15			~~·08~~	·03			·05			·09			15
16				·12			·03	·03		·29		·28	16
17		·15			·04		·03	·05	·08	·08			17
18		·04		·10			·65		·47	·02	·02		18
19		·05				·10		·04	·50		·03		19
20		·46	·08		·64	·07		·23	·05		·02		20
21			·01		·01	·06		·02		·03			21
22			·16					·08		·08	·01		22
23		·23			·06			·19		·08		·05	23
24		·01			·11	·27		·30		·13	·06		24
25		·05					·16			·12	·06		25
26		·05			·45	·03		·62	·15	·11	·01		26
27					·32	·05	·04	·50		·12	·04		27
28						8·39		·77		~~·33~~			28
29			·01			·43	·01			·31 ~~·09~~	·03	·20	29
30			·25				·25	·18		·09	·03		30
31			·10							·19		·05	31
Total	1·39	1·32	3·40	2·06	2·21	9·82	2·52	6·68	1·93	4·44	1·41	·72	YEAR'S TOTAL 38·20
Rain Days.	9	10	19	14	9	12	13	21	11	25	20	10	173

W. 8,000, IX. 17.

Ex JL

114

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1.

Kept at Timbercombe - Aisholt

in the County of Somerset

by William T. White

Lat. 51·5 Long. 3·8 W

Time of Observation 9 am

Nearest Railway Station Taunton 5½ [illegible]

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 1918	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·07		·11	·11			·82	·02	·03	·78		1
2		·04		·09				·73		·02	·04	·13	2
3		·08		·10	·04				·04	·07	·08		3
4		·08						·04			·54	·14	4
5			·08	·05				·28	·26	·21	·01	·04	5
6	·17	·19		·19						·17	·01	·12	6
7		·17		·08	·30	·03		·04	·45	·17	·24	·02	7
8	·15	·03							·37	·41		·08	8
9		·18		·15		·16	·23		·37	·03		·15	9
10	·03			·20			·68		·26	·09	·02	·14	10
11		·01	·07	·04	·01		·46		·22	·24	·11		11
12		·12	·17		·24		·24		·08	·02			12
13	·41				·09		·11		·41	·03		·34	13
14			·02		·02	·06	·43		·29	·41		·06	14
15	1·68			·42	·08	·16	·37		·03	·14		·28	15
16	·66		·03	·74		·12	·04		·23	·12		·16	16
17	·30		·01	·22			·26	·02	·15	·02		·19	17
18	·83		·03			·67	·10	·01	·96	·13		·19	18
19	·10	·12	·07	·03			·09		·13	·05		·07	19
20	·19	·08		·17		·06	·96		·21	·18			20
21	·04	·06		·03		·04	·04		·42	·05		·23	21
22					·15		·29		·19	·01		·29	22
23	·04				·10		·20		·08			·11	23
24		·16					·16		·24		·14	·04	24
25					·15		·04	·68		·05	·12	·03	25
26							·55		·11	·03	·09	·04	26
27	·01	·09	·04				·14	·23	·16		·34	·04	27
28		·07	·14						·02	·01	·04		28
29			·07						1·09	·08	·02	·11	29
30			·23						·01	·06	·17	·13	30
31			·09					·08				·06	31
Total	4·61	1.55	1.05	2.62	1.29	1.30	5.39	2.93	6·80	2.83	2.75	3.19	YEAR'S TOTAL 36·31
Rain Days.	13	16	13	15	11	8	19	10	26	26	16	25	198

W. 6,500, VII. 18. W W O

From original MS and [illegible] (a copy) Dec [illegible])

right day

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919. Entd

Kept at Timbercombe, Bridgwater

in the County of Somerset

by Late Mr White

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28		·04	·07	·11		·83		·05	·20	·08	·34	1
2			·03		·01		·05		·04		·12	·29	2
3	·43				·03				·12		·02	·20	3
4	·96		·81			·12	·51	·11	·31		·10	·07	4
5		·55	·42				·08		·45	·31		·15	5
6	·76	·26	·13							·34		·15	6
7	·41		·16	·09	·01				·12	·04			7
8			·26			·07							8
9	·14		·01	·20							·73		9
10			·23		·09							·18	10
11	·02		·14	·08	·11								11
12	·19		·17	·03		·05	·09		·06		·10		12
13	·04		·10	·26									13
14	·36			·66	·19		·14						14
15	·31			·06						·06			15
16	·08	1·03		·02				·13			·05		16
17		·81						·10			·18		17
18	·16	·04	·92					·24	·06			(3·00)	18
19	·38	·21	1·05				·88		·50		·21		19
20	·43	·02	·13			·22		·22	·04				20
21		·71	·02				·45		·16		·01		21
22		·07					·06		·07		·03		22
23										1·39			23
24				·02						1·16	·12		24
25	·11	·08		·01		·11		·72	·02				25
26			·14	·30				·15	·17				26
27	·24		·11	·19		·03		·83					27
28			·49					·12			·38		28
29	·04			·18				·19		·11	·33		29
30		✕	·03	·15		·33		·53			·37		30
31	·02	✕		✕		✕	·06		✕		✕		31
TOTAL	5·36 ~~5·56~~	3·78	5·39	2·32	·55	·93	3·15	3·34	2·17	3·61 ~~3·71~~	2·83	(4·38)	YEAR'S TOTAL 37·81
Days with ·01 in. or more	19	10	20	15	7	7	10	11	14	8	15		
Days with ·04 in. or more	17	9	16	11	4	6	10	11	13	8	12		

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ANGERSLEIGH
LEIGH RES.
SOMERSET
1911 - 1920.

Dec. corr. for audit · 20·XI·1912

1 JUN 1912

Rainfall Measure ervoir, 1911

merset 3

1911	Jan.	Feb:	Mar						Sept:	Oct:	Nov:	Dec:
1	0.00	0.00	0.3						0.00	0.00	0.06	0.21
2	0.00	0.00	0.0						0.00	0.00	0.00	0.05
3	0.00	0.00	0.0						0.00	0.12	0.25	0.41
4	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.16	0.08
5	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.51
6	0.20	0.00	0.14	0.00	0.00	0.00	0.00	0.16	0.00	0.09	0.15	0.00
7	0.38	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.12	0.73
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00
9	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.77
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.71
11	0.00	0.00	0.55	0.00	0.67	0.00	0.00	0.00	0.00	0.00	0.00	0.42
12	0.20	0.00	0.08	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.42	0.13
13	0.00	0.00	0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.47
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.71
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.55
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34	0.06
17	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.51	0.41
18	0.00	0.00	0.21	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.17	0.79
19	0.00	0.37	0.08	0.37	0.00	0.30	0.00	0.00	0.00	0.17	0.09	0.77
20	0.00	0.07	0.00	0.06	0.00	0.00	0.00	0.00	0.28	0.19	0.06	0.55
21	0.00	0.06	0.12	0.09	0.00	0.00	0.00	0.00	0.07	0.17	0.00	0.94
22	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.28	0.00	0.14
23	0.00	0.06	0.06	0.00	0.00	0.00	0.00	0.00	0.06	0.31	0.06	0.43
24	0.00	0.18	0.06	0.00	0.00	0.38	0.00	0.00	0.05	0.17	0.00	0.14
25	0.00	0.22	0.00	0.00	0.00	0.46	0.00	0.11	0.00	0.36	0.00	0.18
26	0.00	0.08	0.00	0.11	0.00	0.09	0.00	0.00	0.00	0.12	0.00	0.16
27	0.00	0.07	0.00	0.30	0.07	0.00	0.00	0.00	0.00	0.08	0.10	0.25
28	0.00	0.08	0.15	0.10	0.42	0.00	0.00	0.00	0.00	0.50	0.00	0.08
29	0.00	X	0.00	0.42	0.00	0.00	0.00	0.13	0.00	0.00	0.12	0.00
30	0.00		0.00	0.00	0.00	0.24	0.16	0.00	0.00	0.21	0.21	0.00
31	0.00		0.00		0.00		0.00	0.00		0.10		0.00
	—	·32	—	—	—	—	—	—	—	·06	·21	—
	·78	1·70	2·77	1·69	1·69	1·82	·16	1·77	·75	2·99	4·17	11.44
Totals	~~0.78~~	~~1.38~~	~~3.09~~	~~1.69~~	~~1.69~~	~~1.82~~	~~0.16~~	~~1.79~~	~~0.45~~	~~2.93~~	~~4.08~~	~~11.65~~
	3	11	14	9	6	7	1	4	6	16	20	25

Note. — The records are taken at 9.0 a.m., so that each one given above is really that for the previous day.
The record on Dec. 31st, 1910, was 0.00

Total

3[illegible]·7

Dec. corr. for [illegible] 20·XI·1912

Rainfall Measurements taken at Leigh Reservoir, 1912

1 JUN 1912

Somerset 3

21·VI·12

1912	Jan.	Feb:	March	April	May	June	July	August	Sept:	Oct:	Nov:	Dec:
1	0.00	0.00	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.21
2	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
3	0.00	0.00	0.04	0.10	0.28	0.00	0.00	0.37	0.00	0.12	0.25	0.41
4	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.16	0.08
5	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.51
6	0.20	0.00	0.14	0.00	0.00	0.00	0.00	0.16	0.00	0.09	0.15	0.00
7	0.38	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.12	0.73
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00
9	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.77
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.71
11	0.00	0.00	0.55	0.00	0.67	0.00	0.00	0.00	0.00	0.00	0.00	0.42
12	0.20	0.00	0.08	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.42	0.13
13	0.00	0.00	0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.47
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.71
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.55
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34	0.06
17	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.51	0.41
18	0.00	0.00	0.21	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.17	0.79
19	0.00	0.37	0.08	0.37	0.00	0.30	0.00	0.00	0.00	0.17	0.09	0.77
20	0.00	0.07	0.00	0.06	0.00	0.00	0.00	0.00	0.28	0.19	0.06	0.55
21	0.00	0.06	0.12	0.09	0.00	0.00	0.00	0.00	0.04	0.17	0.00	0.94
22	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.28	0.00	0.14
23	0.00	0.06	0.06	0.00	0.00	0.00	0.00	0.00	0.06	0.31	0.06	0.43
24	0.00	0.18	0.06	0.00	0.00	0.38	0.00	0.00	0.05	0.17	0.00	0.14
25	0.00	0.22	0.00	0.00	0.00	0.46	0.00	0.11	0.00	0.36	0.00	0.18
26	0.00	0.08	0.00	0.11	0.00	0.09	0.00	0.00	0.00	0.12	0.00	0.16
27	0.00	0.07	0.00	0.30	0.07	0.00	0.00	0.00	0.00	0.08	0.10	0.25
28	0.00	0.08	0.15	0.10	0.42	0.00	0.00	0.00	0.00	0.50	0.00	0.08
29	0.00	X	0.00	0.42	0.00	0.00	0.00	0.13	0.00	0.00	0.12	0.00
30	0.00		0.00	0.00	0.00	0.24	0.16	0.00	0.00	0.21	0.21	0.00
31	0.00		0.00		0.00		0.00	0.00		0.10		0.00
	—	·32	—	—	—	—	—	—	—	·06	·21	—
	·78	1·70	2·77	1·69	1·69	1·82	·16	1·77	·75	2·99	4·17	10·44
Totals	~~0.78~~	~~1.38~~	~~3.09~~	~~1.69~~	~~1.69~~	~~1.82~~	~~0.16~~	~~1.79~~	~~0.45~~	~~2.93~~	~~4.08~~	~~11.65~~
	3	11	14	9	6	7	1	4	6	16	20	25

Note. — The records are taken at 9.0 a.m., so that each one given above is really that for the previous day. The record on Dec. 31st, 1910, was 0.00.

Total

31st

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

6 - JAN 1913

Kept at Leigh Reservoir (Angersleigh),
in the County of Somerset. 3
by H. T. Coles.

Lat. Long.
Time of Observation 9.0 am.
Nearest Railway Station Taunton.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Results in each case entered to previous day

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·19	0·00	0·00	1·00	0·05	0·14	0·08	0·75	0·00	0·42	1
2	0·00	0·00	0·25	0·00	0·03	0·07	0·14	0·10	0·00	0·04	0·04	0·00	2
3	0·00	0·00	0·11	0·00	0·05	0·36	0·32	0·66	0·00	0·00	0·00	0·00	3
4	0·15	0·00	1·12	0·00	0·06	0·33	0·00	0·12	0·00	0·00	0·17	0·00	4
5	0·46	0·08	0·21	0·00	0·04	0·11	0·00	0·60	0·00	0·00	0·00	0·11	5
6	0·44	0·18	0·07	0·00	0·19	0·10	0·22	1·05	0·00	0·00	0·00	0·06	6
7	0·00	0·69	0·21	0·00	0·07	0·82	0·00	0·21	0·00	0·00	0·00	0·14	7
8	0·47	0·33	0·45	0·00	0·00	0·22	0·06	0·08	0·00	0·00	0·00	0·04	8
9	0·08	0·06	0·00	0·11	0·00	0·31	0·03	0·00	0·00	0·00	0·00	0·46	9
10	0·10	0·18	0·00	0·00	0·00	0·00	0·00	0·09	0·04	0·00	0·04	0·17	10
11	0·08	0·12	0·08	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·07	0·43	11
12	0·00	0·00	0·08	0·00	0·03	0·03	0·03	0·10	0·00	0·00	0·00	0·07	12
13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·00	0·00	0·00	0·21	13
14	0·00	0·00	0·77	0·00	0·23	0·00	0·00	0·03	0·00	0·00	0·00	0·14	14
15	0·53	0·06	0·00	0·00	0·51	0·59	0·00	0·00	0·00	0·00	0·00	0·38	15
16	0·00	0·00	0·27	0·00	0·04	0·07	0·00	0·06	0·00	0·06	0·14	0·12	16
17	0·14	0·00	0·31	0·00	0·00	0·04	0·00	0·79	0·00	0·00	0·03	0·08	17
18	0·11	0·00	0·40	0·00	0·00	0·00	0·00	0·31	0·00	0·00	0·00	0·05	18
19	0·12	0·06	0·09	0·00	0·00	0·06	0·11	0·16	0·00	0·00	0·00	0·00	19
20	0·15	0·00	0·42	0·00	0·00	0·00	0·04	0·15	0·00	0·52	0·00	0·00	20
21	0·00	0·10	0·14	0·00	0·34	0·00	0·00	0·23	0·00	0·15	0·00	0·00	21
22	0·33	0·26	0·07	0·00	0·18	0·00	0·07	0·10	0·00	0·14	0·05	0·07	22
23	0·55	0·54	0·20	0·00	0·00	0·06	0·00	0·67	0·00	0·16	0·08	0·35	23
24	0·21	0·00	0·00	0·00	0·00	0·27	0·00	0·04	0·00	0·05	0·00	0·26	24
25	0·07	0·00	0·00	0·00	0·00	0·14	0·00	0·44	0·00	0·10	0·26	0·61	25
26	0·00	0·07	0·00	0·00	0·00	0·00	0·00	0·29	0·00	0·20	0·51	0·22	26
27	0·00	0·00	0·00	0·00	0·00	0·00	0·88	0·00	0·00	1·39	0·05	0·40	27
28	0·00	0·12	0·00	0·00	0·00	0·19	0·26	0·55	0·34	0·32	0·59	0·50	28
29	0·00	0·49	0·00	0·00	0·00	0·08	0·16	0·12	0·62	0·50	0·00	0·05	29
30	0·00		0·00	0·00	0·00	0·26	0·14	0·00	0·19	0·20	0·00	0·00	30
31	0·00		0·29		0·00		0·29	0·09		0·07		0·09	31
Total	3·99	3·34	5·73	0·11	1·77	5·11	2·80	7·11	1·27	4·65	2·03	5·43	YEAR'S TOTAL 43·34
Rain Days.	16	14	20	1	12	19	15	26	5	15	12	24	179
		16				20		25					180

? Jan 4
2 days late
Written 27.III.14

Cor.–2 days late 6.IV.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

6- JAN 1914

Kept at Leigh Hill,
in the County of Somerset,
by H.V. John. Waterworks Manager

Lat. .... Long. ....
Time of Observation 9.0 a.m.
Nearest Railway Station Taunton.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

BOROUGH OF TAUNTON
DEFENDAMUS
H. T. COLES,
WATERWORKS MANAGER.

Municipal Buildings,
Taunton.

March 31st, 1914.

C. Salter, Esq.,
62 Camden Square, London, N.W.

Dear Sir,

I very much regret that you were put to the trouble of writing with regard to the rainfall records for last year. I am sending hereunder the readings for the last three days of the year, which I trust will enable you to put the matter right.

I find that the readings on Jan. 4th were wrongly entered as 0.15 & 0.10; these should be 1.15 and 1.10, and I am much obliged to you for drawing my attention to the error.

Trusting that you will now have no further trouble in the matter,

I am, dear Sir,
Yours faithfully,
H.V. John
Waterworks Manager.

[Over.

1913.	Blagdon	Leigh.
Dec. 29	0.04	0.04
" 30	0.11	0.12
" 31	0.00	0.00
1914.		
Jan. 1st	0.00	0.00.

The above records were taken at nine o'clock in the morning of the day on which they are entered, so that they should be entered for the day previous in each case.

H.V.J.

31	0.10 ·50		0.82	·33	0.00	—	0.00	0.14	—	0.24 ·58	·05	0.12	31
Total	·15 5·04	1·83	·08 4·81	·33 4·11	3·82	0·69	0·72	1·70 0·82	2·87	3·61	4·23	2·35	YEAR'S TOTAL 34·90
Rain Days.	~~22~~ 23	~~11~~ 9	~~14~~ 18	~~18~~ 19	~~16~~ 14	8	6	~~9~~ 10	~~13~~ 12	~~14~~ 15	20	~~13~~ 12	~~167~~ 166
	5·60	1·18	4·89	4·69	3·16	·69	·72	1·92	1·77	4·19	3·70	2·30	35·81

W.7,000, XI. 13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.50	0.00	0.00	0.33	0.00	0.00	0.00	0.00	0.00	0.58	0.05	1
2	0.09	0.15	0.00	0.08	0.33	0.00	0.00	0.00	1.10	0.00	0.00	0.00	2
3	0.00	0.21	0.28	0.04	0.49	0.00	0.00	0.00	0.13	0.00	0.10	0.07	3
4	0.30	0.20	0.00	0.08	0.08	0.00	0.00	0.00	0.04	0.11	0.20	0.00	4
5	0.37	0.00	0.16	0.05	0.09	0.00	0.00	0.00	0.18	0.21	0.00	0.27	5
6	0.10	0.00	0.05	0.00	0.18	0.00	0.00	0.00	0.17	0.09	0.04	0.21	6
7	0.10	0.04	0.00	0.00	0.17	0.19	0.02	0.00	0.00	0.00	0.08	0.20	7
8	0.06	0.03	0.17	0.00	0.07	0.08	0.06	0.00	0.00	0.86	0.10	0.30	8
9	0.03	0.41	0.03	0.00	0.61	0.06	0.14	0.00	0.00	0.49	0.19	0.00	9
10	0.04	0.07	0.00	0.00	0.55	0.00	0.00	0.00	0.03	0.00	0.00	0.00	10
11	0.00	0.05	0.00	0.04	0.16	0.17	0.44	0.09	0.00	0.00	0.45	0.02	11
12	(0.89) 0.89	0.00	0.00	0.00	0.06	0.00	0.00	0.02	0.00	0.57	0.12	0.00	12
13	0.00	0.00	0.00	0.06	0.32	0.00	0.00	0.03	0.00	0.05	1.27	0.00	13
14	0.06	0.00	0.00	0.00	0.24	0.04	0.00	0.00	0.03	0.00	0.22	0.00	14
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.42	0.00	0.09	0.00	15
16	0.54	0.00	0.18	0.00	0.03	0.00	0.00	0.00	0.00	0.02	0.14	0.00	16
17	0.38	0.00	0.33	0.77	0.00	0.00	0.00	0.00	0.06	0.00	0.04	0.00	17
18	0.16	0.00	0.51	0.04	0.00	0.00	0.00	0.14	0.19	0.00	0.00	0.00	18
19	0.05	0.00	0.04	0.08	0.00	0.00	0.02	0.00	0.00	0.00	0.05	0.00	19
20	0.19	0.00	0.37	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	20
21	0.57	0.00	0.18	0.00	0.00	0.06	0.00	0.00	0.37	0.03	0.00	0.00	21
22	0.20	0.00	0.09	0.09	0.00	0.05	0.00	0.00	0.00	0.06	0.37	0.00	22
23	0.00	0.00	0.50	0.07	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23
24	0.59	0.00	0.70	0.12	0.00	0.04	0.04	0.02	0.10	0.00	0.07	0.09	24
25	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.02	0.70	25
26	0.00	0.10	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26
27	0.00	0.07	0.00	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	27
28	0.00	0.00	0.00	1.39	0.00	0.00	0.00	0.15	0.05	0.02	0.00	0.22	28
29	0.04	—	0.36	0.45	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.06	29
30	0.15	—	0.04	0.28	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.04	30
31	0.10		0.82	·33	0.00	—	0.00	0.14	—	0.24	·05	0.12	31
Total	·50 ·15 ~~5~~.04	1.83	·08 4.81	·33 4.11	3.82	0.69	0.72	1.70 0.82	2.87	·58 3.61	4.23	2.35	YEAR'S TOTAL 34.90
Rain Days.	22 23	~~11~~ 9	~~14~~ 18	~~18~~ 19	~~16~~ 14	8	6	~~9~~ 10	~~13~~ 12	~~14~~ 15	20	~~13~~ 12	~~167~~ 166
	660	1.18	4.89	4.69	3.16	·69	·72	1.92	1.77	4.19	3.70	2.30	35.81

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at Leigh Hill Reservoir.
in the County of Somerset 3
by H T. Coles

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Taunton.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.00	0.05	0.00	0.03	0.23	0.50	0.00	0.00	0.45	0.09	1
2	0.00	0.00	0.00	0.10	0.00	0.03	0.50	0.00	0.00	0.00	0.32	0.58	2
3	0.05	0.00	0.08	0.18	0.42	0.00	0.00	0.20	0.00	0.00	0.09	0.15	3
4	0.13	0.00	0.04	0.19	0.14	0.00	0.18	0.19	0.00	0.00	0.77	0.58	4
5	0.06	0.00	0.05	0.44	0.07	0.00	0.07	0.00	0.00	0.00	0.00	0.08	5
6	0.00	0.14	0.03	0.13	0.03	0.00	0.50	0.03	0.00	0.00	0.08	0.34	6
7	0.00	1.16	0.15	0.11	0.14	0.04	0.27	0.00	0.05	0.00	0.00	0.14	7
8	0.04	0.00	1.28	0.03	0.08	0.44	0.00	0.00	0.00	0.00	0.00	0.05	8
9	0.05	0.00	0.40	0.23	0.00	0.58	0.00	0.00	0.98	0.00	0.00	0.00	9
10	0.00	0.19	0.02	0.13	0.06	0.05	0.00	0.00	0.75	0.00	0.00	0.05	10
11	0.00	0.09	0.05	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.06	0.50	11
12	0.00	0.23	0.07	0.00	0.00	0.00	0.00	0.00	0.18	0.04	0.03	0.58	12
13	0.00	0.27	0.55	0.00	0.00	0.00	0.04	0.00	0.10	0.42	0.23	0.30	13
14	0.00	0.16	0.37	0.00	0.00	0.46	0.00	0.76	0.04	0.20	0.24	0.03	14
15	0.00	0.00	0.13	0.00	0.00	0.00	0.02	0.73	0.10	0.07	0.14	0.00	15
16	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	16
17	0.00	0.40	0.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.90	17
18	0.00	0.06	0.04	0.00	0.00	1.03	0.11	0.00	0.12	0.00	0.00	0.30	18
19	0.00	0.00	0.31	0.00	0.00	0.00	3.25	0.00	0.00	0.00	0.09	0.35	19
20	0.00	0.40	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20
21	0.00	1.12	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.36	0.00	0.00	21
22	0.00	0.04	0.00	0.00	0.09	0.22	0.00	0.00	0.00	0.52	0.00	0.00	22
23	0.00	0.06	0.27	0.00	0.00	0.02	0.02	0.00	0.00	0.46	0.00	0.00	23
24	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.29	0.14	0.15	24
25	0.21	0.00	0.29	0.00	0.00	0.00	0.00	0.52	0.00	0.25	0.00	0.18	25
26	0.04	0.00	0.19	0.00	0.00	0.00	0.10	0.12	0.00	0.04	0.23	0.70	26
27	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.19	0.21	27
28	0.00	0.13	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.11	0.26	0.81	28
29	0.19		0.19	0.00	0.07	0.00	0.00	0.00	0.00	0.21	0.44	0.08	29
30	0.00		0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.43	0.35	1.18	30
31	0.02		0.00		0.02		0.31	0.00		0.88		0.42	31
Total	0.81	4.45	5.15	1.59	1.38	3.08	5.81	3.05	2.46	4.35	4.11	8.75	YEAR'S TOTAL 4499
Rain Days.	10	14	23	10	12	11	14	8	9	15	17	24	167

W. 8,000. X. 14.

Sent for WD 15.0.16

2171

FORM A.
BRITISH RAINFALL.
10 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Leigh Reservoir,
in the County of Somerset,
by H Wolls. Manager

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·42	0·15	0·04	0·00	0·00	0·00	0·03	0·08	0·00	0·00	1·03	0·24	1
2	0·62	0·09	0·00	0·00	0·00	0·00	0·00	0·63	0·05	0·26	0·00	0·24	2
3	0·18	0·47	0·06	0·10	0·00	0·00	0·00	0·52	0·19	0·08	0·00	0·41	3
4	0·07	0·27	0·08	0·05	0·13	0·00	0·13	0·00	0·00	0·00	0·00	0·52	4
5	0·10	0·10	0·00	0·00	0·03	0·00	0·18	0·00	0·00	0·00	0·00	0·24	5
6	0·10	0·62	0·00	0·07	0·00	0·00	0·00	0·15	0·00	0·00	0·00	0·63	6
7	0·77	0·21	0·00	0·31	0·00	0·00	0·80	0·00	0·00	0·00	0·00	0·21	7
8	0·16	0·46	0·00	0·10	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·27	8
9	0·23	0·57	0·00	0·00	0·00	0·00	0·00	0·12	0·00	0·00	0·00	0·11	9
10	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·55	0·82	10
11	0·28	0·16	0·00	0·08	0·00	0·00	0·00	0·37	0·00	0·18	0·03	0·06	11
12	0·23	0·93	0·00	0·00	0·00	0·00	0·00	0·55	0·00	0·00	0·96	0·00	12
13	0·17	0·80	0·00	0·10	0·57	0·00	0·00	0·36	0·00	0·10	0·26	0·05	13
14	0·05	0·60	0·00	0·00	0·75	0·00	0·00	0·30	0·07	0·00	0·22	0·00	14
15	0·08	0·00	0·00	0·00	0·00	0·00	0·00	0·41	0·09	0·06	0·00	0·61	15
16	0·25	0·00	0·00	0·00	0·21	0·00	0·11	0·00	0·00	0·08	0·34	0·23	16
17	0·00	0·91	0·00	0·00	0·08	0·00	0·72	0·00	0·00	0·00	0·00	0·04	17
18	0·00	0·57	0·00	0·00	0·28	0·00	0·00	0·00	0·00	0·00	0·00	0·00	18
19	0·00	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	19
20	0·00	0·00	0·00	0·00	0·14	0·00	0·19	0·00	0·00	0·00	0·00	0·00	20
21	0·02	0·00	0·00	0·12	0·00	0·06	0·00	0·00	0·00	0·10	0·00	0·09	21
22	0·12	0·00	0·00	0·00	0·00	0·00	0·15	0·00	0·00	0·13	0·00	0·03	22
23	0·09	0·10	0·36	0·07	0·00	0·05	0·54	0·00	0·00	0·00	0·00	0·18	23
24	0·00	0·00	0·06	0·00	0·00	0·00	0·22	0·00	0·05	1·20	0·04	0·53	24
25	0·00	0·00	0·00	0·04	0·00	0·00	0·2[illegible]	0·00	0·16	0·69	0·00	0·36	25
26	0·00	0·00	0·03	0·11	0·00	0·27	0·[illegible]	0·00	0·00	0·00	0·00	0·41	26
27	0·33	0·15	0·00	0·00	0·00	0·11	0·06	0·00	0·09	0·00	0·00	0·41	27
28	0·00	0·14	0·00	0·00	0·00	0·18	0·05	0·00	0·00	0·47	0·00	0·04	28
29	0·00		0·00	0·00	0·00	0·00	0·00	0·00	0·57	0·46	0·00	0·00	29
30	0·00	X	0·00	0·00	0·00	0·03	0·03	0·00	0·00	0·00	0·14	0·14	30
31	0·00	X	0·00	X	0·00	X	0·00	0·00	X	1·24	X	0·35	31
	·15	·04	–	–	–	·03	·08	–	–	~~1·05~~	·24	·20	YEAR'S TOTAL
Total	~~4·27~~	~~7·46~~	~~0·63~~	1·15	2·19	~~0·70~~	~~4·14~~	~~3·49~~	1·27	~~5·08~~	~~3·57~~	~~7·52~~	~~41·47~~
Rain Days.	4·00 19	7·35 20	·59 ~~6~~ 5	1·15 11	2·19 8	·73 ~~6~~ 7	4·19 15	3·41 ~~10~~ 9	1·27 8	6·11 ~~13~~ 14	2·78 9	7·48 25	41·25 150

W. 8,000. X. 15.

cnd pr WD Exd FW

FORM A.
BRITISH RAINFALL.

27. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Leigh Hill Reservoir
in the County of Somerset
by A. W. Coles

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.12	0.00	1
2	0.24	0.00	0.00	0.00	1.21	0.04	0.17	0.00	0.11	0.00	0.11	0.00	2
3	0.20	0.15	0.00	0.00	0.06	0.00	0.00	0.00	0.04	0.26	0.37	0.00	3
4	0.00	1.12	0.00	0.00	0.17	0.00	0.00	0.00	0.16	0.52	0.44	0.00	4
5	0.18	0.22	0.00	0.00	0.15	0.41	0.00	0.00	0.18	0.13	1.05	0.00	5
6	0.03	0.06	0.09	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.61	0.00	6
7	0.09	0.18	0.00	0.00	0.30	0.05	0.45	0.00	0.00	0.06	0.53	0.00	7
8	0.00	0.23	0.09	0.00	0.00	0.03	0.00	0.00	0.00	0.07	0.87	0.09	8
9	0.00	0.19	0.11	0.00	0.27	0.16	0.00	0.00	0.00	0.00	0.56	0.11	9
10	0.00	0.09	0.00	0.00	0.05	0.14	0.00	0.00	0.00	0.22	0.10	0.41	10
11	0.00	0.23	0.00	0.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.21	11
12	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12
13	0.04	0.07	0.09	0.03	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	13
14	0.00	0.22	0.20	0.00	0.14	0.00	0.00	0.40	0.00	0.00	0.00	0.00	14
15	0.00	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.00	15
16	0.00	0.14	0.12	0.00	0.07	0.00	0.00	0.14	0.00	0.05	0.00	0.00	16
17	0.16	0.12	0.00	0.20	0.00	0.00	0.00	~~1.91~~	0.00	0.00	0.00	0.00	17
18	0.10	1.09	0.00	0.04	0.00	0.00	0.00	0.35	0.20	0.60	0.45	0.00	18
19	0.00	0.11	0.30	0.00	0.00	0.00	0.00	0.00	0.22	0.09	0.06	0.00	19
20	0.08	0.37	0.60	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.06	20
21	0.11	0.31	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.95	21
22	0.15	0.16	0.31	0.00	0.11	0.00	0.00	0.00	0.00	0.17	0.00	0.49	22
23	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.04	0.00	0.38	0.05	0.45	23
24	0.00	0.25	0.00	0.00	0.00	0.09	0.00	0.28	0.00	0.15	0.15	0.09	24
25	0.00	0.25	0.00	0.04	0.00	0.00	0.00	0.06	0.00	1.06	0.00	0.31	25
26	0.00	0.33	0.10	0.00	0.00	0.00	0.00	0.43	0.00	0.00	0.13	0.04	26
27	0.00	0.34	0.14	0.00	0.00	0.50	0.00	0.10	0.82	1.22	0.06	0.00	27
28	0.00	0.20	1.13	0.00	0.00	0.00	0.00	0.14	0.47	0.45	0.00	0.30	28
29	0.00	0.21	0.00	0.00	0.28	0.00	0.00	0.07	0.41	0.60	0.00	0.50	29
30	0.00	X	0.09	0.00	0.00	0.30	0.00	~~1.91~~	0.28	0.26	0.00	0.39	30
31	0.00	X	0.08	X	0.00	X	0.00	0.00	X	0.28	X	0.00	31
Total	~~1.58~~ 1.38	4.07	3.43	0.52	2.85	1.88	0.62	.06 ~~5.93~~ 5.99	2.95 2.89	.12 6.74 6.86	~~6.04~~ 5.92	4.40	YEAR'S TOTAL ~~44.31~~ ~~44.10~~
Rain Days.	12 11	25	15	7	12	11	2	~~13~~ 14	~~11~~ 10	~~19~~ 20	~~18~~ 17	13	~~158~~ 157

W. 8,000, VIII. 16

TELEPHONE TAUNTON 56.

BOROUGH OF TAUNTON

Municipal Buildings,
Taunton.

H. T. COLES,
WATERWORKS MANAGER.

January, 26th, 1917.

Dr. H. R. Mill,
Director, British Rainfall Organization,
62 Camden Square, LONDON, N.W.

Dear Sir,

I am enclosing the Rainfall Measurements for the year 1916. Please note that the rain for the 1st January at 9 a.m. is that which fell on December 31st.

I am, dear Sir,

Yours obediently,

H.T. Coles

Waterworks Manager.

[illegible] WD

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

18. JAN 1918

Kept at Leigh Hill.
in the County of Somerset.
by H. D. Coles, Waterworks Manager.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.09	0.05	0.00	0.08	0.00	0.00	0.00	0.00	0.11	0.00	1
2	0.08	0.00	0.17	0.25	0.00	0.24	0.00	0.46	0.13	0.00	0.05	0.00	2
3	0.00	0.00	0.00	0.03	0.00	0.03	0.00	0.00	0.06	0.00	0.00	0.00	3
4	0.00	0.00	0.00	0.11	0.00	0.00	0.55	0.00	0.00	0.41	0.48	0.00	4
5	0.00	0.07	0.40	0.00	0.00	0.00	0.04	0.00	0.03	0.09	0.00	0.00	5
6	0.19	0.00	0.50	0.29	0.00	0.04	0.00	0.20	0.16	0.24	0.09	0.00	6
7	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.06	0.00	0.13	0.20	0.00	7
8	0.23	0.00	0.00	0.00	0.00	0.00	0.32	0.22	0.00	0.16	0.03	0.00	8
9	0.00	0.00	0.09	0.09	0.00	0.06	0.50	0.17	0.00	0.47	0.10	0.06	9
10	0.00	0.00	0.05	0.00	0.00	0.00	0.09	0.05	0.06	0.33	0.04	0.00	10
11	0.22	0.00	0.21	0.18	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	11
12	0.04	0.00	1.13	0.24	0.00	0.00	0.00	0.81	0.02	0.13	0.09	0.00	12
13	0.09	0.00	0.00	0.02	0.51	0.00	0.00	0.00	0.00	0.48	0.00	0.00	13
14	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.37	0.03	0.06	0.00	0.00	14
15	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.63	0.00	0.00	0.00	0.00	15
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.15	0.00	0.22	16
17	0.00	0.09	0.00	0.12	0.00	0.09	0.10	0.00	0.00	0.31	0.00	0.26	17
18	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.09	0.25	0.07	0.00	0.00	18
19	0.00	0.04	0.00	0.00	0.00	0.06	0.31	0.00	0.80	0.00	0.00	0.00	19
20	0.00	0.34	0.08	0.00	0.56	0.10	0.00	0.00	0.11	0.00	0.00	0.00	20
21	0.00	0.13	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	21
22	0.00	0.00	0.05	0.00	0.00	0.24	0.00	0.00	0.00	0.00	0.00	0.00	22
23	0.00	0.00	0.16	0.00	0.22	0.00	0.00	0.56	0.00	0.08	0.00	0.00	23
24	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.05	0.00	0.00	24
25	0.00	0.00	0.06	0.00	0.00	0.14	0.25	0.12	0.00	0.11	0.00	0.00	25
26	0.00	0.06	0.12	0.00	0.00	0.00	0.00	0.06	0.00	0.11	0.09	0.00	26
27	0.00	0.00	0.00	0.00	0.51	0.00	0.00	0.80	0.00	0.06	0.00	0.00	27
28	0.00	0.00	0.00	0.00	0.24	0.26	0.00	0.85	0.00	0.09	0.00	0.00	28
29	0.00	0.00	0.09	0.00	0.21	1.18	0.00	0.38	0.00	0.00	0.02	0.00	29
30	0.00	X	0.14	0.00	0.00	0.48	0.03	0.00	0.00	0.50	0.00	0.00	30
31	0.00	X	0.10	X	0.00	X	0.35	0.12	X	0.07	X	0.00	31
Total	0.85	·09 ~~0.59~~	.05 ~~3.84~~	1.46 ~~1.46~~	.08 ~~2.25~~	~~3.06~~	2.84	6.90	1.65	·11 ~~4.10~~	~~1.30~~	0.54	YEAR'S TOTAL 29.63
Rain Days.	6	·98 9	3.80 18	1.41 10	2.33 6	2.98 14	11	20	10	4.21 21	1.19 10	3	29.68 138

W. 8 000, IX. 17.

FORM A.
BRITISH RAINFALL

10 . 19

REGISTER OF RAINFALL IN 1918

Kept at Leigh Hill,
in the County of Somerset.
by A. D. Coles, Waterworks Manager.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.00

Date.	Jan.	Feb.	March.	April.	May.	June	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.08	0.49	0.00	0.00	0.00	0.00	0.14	0.03	0.00	0.14	1
2	0.00	0.00	0.00	0.13	0.09	0.00	0.00	0.57	0.00	0.00	1.12	0.00	2
3	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.12	3
4	0.00	0.12	0.00	0.16	0.07	0.16	0.00	0.12	0.00	0.13	0.05	0.00	4
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.22	0.00	0.80	0.00	5
6	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.21	0.22	0.24	0.00	0.34	6
7	0.36	0.25	0.00	0.28	0.00	0.00	0.00	0.15	0.07	0.17	0.00	0.00	7
8	0.00	0.14	0.00	0.00	0.31	0.00	0.00	0.00	0.37	0.09	0.41	0.34	8
9	0.19	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.22	0.00	0.00	9
10	0.00	0.00	0.00	0.00	0.00	0.13	0.25	0.00	0.35	0.00	0.00	0.29	10
11	0.14	0.00	0.00	0.36	0.00	0.00	0.23	0.00	0.46	0.21	0.00	0.60	11
12	0.00	0.00	0.08	0.03	0.00	0.00	0.45	0.00	0.12	0.12	0.00	0.14	12
13	0.00	0.10	0.17	0.00	0.21	0.00	0.14	0.00	0.06	0.10	0.00	0.00	13
14	0.00	0.00	0.00	0.00	0.14	0.00	0.13	0.00	0.51	0.04	0.00	0.25	14
15	0.59	0.00	0.00	0.00	0.00	0.07	0.15	0.00	0.11	0.17	0.00	0.07	15
16	1.39	0.00	0.00	0.26	0.00	0.00	0.40	0.00	0.00	0.23	0.00	0.28	16
17	0.32	0.00	0.00	0.53	0.00	0.00	0.00	0.00	0.22	0.04	0.00	0.18	17
18	0.95	0.00	0.06	0.30	0.00	0.00	0.27	0.00	0.11	0.00	0.00	0.27	18
19	0.92	0.00	0.00	0.00	0.00	0.73	0.11	0.00	0.73	0.00	0.00	0.24	19
20	0.12	0.00	0.18	0.00	0.00	0.00	0.08	0.00	0.06	0.16	0.00	0.08	20
21	0.21	0.07	0.00	0.00	0.00	0.00	0.28	0.00	0.14	0.17	0.00	0.00	21
22	0.04	0.08	0.00	0.00	0.00	0.00	0.11	0.00	0.69	0.04	0.00	0.38	22
23	0.00	0.00	0.00	0.00	0.09	0.00	0.58	0.00	0.11	0.00	0.00	0.09	23
24	0.00	0.00	0.00	0.00	0.14	0.00	0.45	0.00	0.11	0.00	0.00	0.03	24
25	0.00	0.14	0.00	0.00	0.00	0.04	0.00	0.00	0.06	0.00	0.18	0.10	25
26	0.00	0.00	0.00	0.06	0.28	0.00	0.17	0.64	0.00	0.00	0.10	0.00	26
27	0.00	0.00	0.00	0.05	0.00	0.00	0.52	0.00	0.04	0.07	0.07	0.04	27
28	0.00	0.12	0.00	0.00	0.00	0.00	0.07	0.12	0.28	0.00	0.00	0.00	28
29	0.00		0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	29
30	0.00	X	0.11	0.00	0.00	0.00	0.00	0.00	1.12	0.09	0.00	0.06	30
31	0.00	X	0.33	X	0.00	X	0.00	0.00	X	0.05	X	0.00	31
Total	5.23	·08 ~~1.21~~	·49 ~~1.43~~	2.65	1.33	1.13	4.39	·14 ~~2.08~~	·03 ~~6.42~~	~~2.37~~	·14 ~~2.73~~	4.15	YEAR'S TOTAL 35.12
Rain Days	11	1.29 9	1.84 8	2.16 18	8	5	17	2.22 9	6.31 24	2.34 8	2.87 8	4.29 20	149

W, 6,500, VII. 18. W W C

corrd for WD Ex. HOb 1890

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

26 JAN 20

Kept at Leigh Hill
in the County of Somerset,
by H. S. Coles, Waterworks Manager

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.53

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.00	0.00	0.06	0.00	0.14	0.00	0.00	0.00	0.00	0.77	1
2	0.61	0.00	0.10	0.00	0.17	0.00	0.74	0.00	0.03	0.27	0.00	1.16	2
3	0.09	0.00	0.00	0.00	0.07	0.00	0.14	0.00	0.00	0.00	0.00	0.05	3
4	0.33	0.00	0.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.16	4
5	0.51	0.57	0.42	0.00	0.00	0.08	0.16	0.00	0.34	0.00	0.00	0.28	5
6	0.25	0.25	1.14	0.00	0.00	0.00	0.14	0.00	0.52	0.00	0.00	0.12	6
7	1.31	0.57	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	7
8	0.39	0.00	0.42	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	8
9	0.16	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9
10	0.12	0.00	0.00	0.09	0.07	0.00	0.00	0.00	0.00	0.00	0.76	0.00	10
11	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.40	11
12	0.00	0.00	0.26	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.33	12
13	0.22	0.00	0.06	0.00	0.00	0.08	0.00	0.00	0.00	0.07	0.06	0.09	13
14	0.32	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	14
15	0.83	0.00	0.00	0.95	0.68	0.00	0.00	0.00	0.06	0.03	0.00	0.28	15
16	0.29	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.29	16
17	0.00	0.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17
18	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.00	18
19	0.33	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	0.24	0.00	19
20	0.31	0.46	0.41	0.00	0.00	0.00	1.03	0.00	0.49	0.00	0.26	0.03	20
21	0.66	0.00	0.22	0.00	0.00	0.23	0.00	0.14	0.00	0.00	0.00	0.07	21
22	0.00	0.72	0.00	0.00	0.00	0.00	0.06	0.00	0.09	0.00	0.00	0.09	22
23	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.29	0.00	0.00	0.04	23
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.08	0.03	24
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.31	0.00	0.41	25
26	0.17	0.00	0.00	0.00	0.00	0.12	0.00	0.92	0.00	0.00	0.07	0.29	26
27	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.40	27
28	0.23	0.00	0.09	0.25	0.00	0.00	0.00	0.85	0.00	0.00	0.00	0.07	28
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.33	0.30	29
30	0.00	X	0.00	0.15	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.03	30
31	0.00	X	0.00	X	0.00	X	0.00	0.44	X	0.00	X	0.56	31
	–	–	–	·06	–	·14	–	–	–	–	·77	·53	YEAR'S TOTAL
TOTAL	7.24	3.72	3.90	~~1.65~~ 1.71	~~1.18~~ 1.12	~~0.51~~ ·65	~~2.51~~ 2.37	3.13	1.98	272	~~2.22~~ 2.99	~~6.78~~ 6.54	~~37.54~~ 38.07 ✓
Days with ·01 in. or more	19	7	14	~~6~~ 7	~~6~~ 5	~~4~~ 5	~~8~~ 7	7	8	7	~~9~~ 10	26	~~121~~ 122 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WD 1804

21 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Leigh Reservoir
in the County of Somerset
by H. T. Coles, Waterworks Manager.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.15

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.53	0.00	0.00	0.56	0.00	0.00	0.13	0.00	0.00	0.42	0.98	0.41	1
2	0.00	0.00	0.00	0.19	0.38	0.00	0.27	0.10	0.07	0.33	0.24	0.42	2
3	0.51	0.00	0.00	0.19	0.00	0.00	0.45	0.19	0.04	0.12	0.00	0.05	3
4	0.26	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.80	0.00	0.04	4
5	0.26	0.00	0.05	0.03	0.00	0.00	0.09	0.54	0.00	0.32	0.00	0.00	5
6	0.00	0.00	0.00	0.17	0.09	0.00	0.28	0.00	0.00	0.16	0.00	0.00	6
7	0.00	0.00	0.33	0.00	0.22	0.00	0.14	0.00	0.00	0.10	0.00	0.00	7
8	0.00	0.00	0.00	0.26	0.00	0.00	0.69	0.00	0.00	0.00	0.00	0.00	8
9	0.12	0.09	0.00	0.25	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.17	9
10	0.44	0.16	0.00	0.00	0.00	0.15	0.07	0.00	0.00	0.00	0.00	0.00	10
11	1.12	0.16	0.00	0.14	0.00	0.37	0.59	0.00	0.00	0.00	0.00	0.00	11
12	0.28	0.00	0.14	0.51	0.09	0.00	0.12	0.00	0.00	0.00	0.00	0.00	12
13	0.49	0.05	0.12	0.35	0.00	0.14	0.07	0.00	0.00	0.00	0.13	0.00	13
14	0.31	0.00	0.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14
15	0.00	0.00	0.30	0.89	0.00	0.00	0.00	0.00	0.00	0.19	0.35	0.00	15
16	0.00	0.23	0.00	0.54	0.00	0.13	0.00	0.00	0.00	0.35	0.00	0.00	16
17	0.00	0.00	0.00	0.03	0.48	0.00	0.19	0.00	0.25	0.39	0.00	0.00	17
18	0.00	0.00	0.00	0.00	0.23	0.11	0.00	0.00	0.29	0.00	0.00	0.00	18
19	0.06	0.00	0.00	0.19	0.11	0.15	0.00	0.38	0.00	0.00	0.00	0.00	19
20	0.00	0.00	0.00	0.37	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	20
21	0.00	0.13	0.00	0.27	0.08	0.19	0.00	0.00	0.00	0.00	0.00	0.36	21
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	22
23	0.00	0.00	0.00	0.03	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.59	23
24	0.00	0.00	0.00	0.00	0.00	0.00	0.80	0.07	0.00	0.00	0.00	0.37	24
25	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.11	25
26	0.06	0.05	0.10	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.00	0.00	26
27	0.26	0.00	0.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.00	27
28	0.53	0.00	0.18	0.05	0.00	0.33	0.03	0.00	0.00	0.00	0.22	0.44	28
29	0.74	0.00	0.06	0.11	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	29
30	0.28	X	0.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.25	30
31	0.11	X	0.00	X	0.07	X	0.05	0.00	X	0.00	X	0.15	31 34.75
TOTAL	~~6.26~~ 5.73	0.87	.56 ~~2.91~~ 3.47	~~5.21~~ 4.65	1.45	.13 ~~1.65~~ 1.78	~~5.02~~ 4.89	1.28	.42 ~~0.65~~ 1.07	.98 ~~3.18~~ 3.74	.41 ~~2.59~~ 2.02	.15 ~~3.46~~ 3.50	YEAR'S TOTAL ~~35.13~~
Days with ·01 in. or more	~~14~~ 16	7	~~12~~ 13	~~20~~ 19	9	~~9~~ 10	~~19~~ 18	5	~~4~~ 5	10	8	13	~~138~~
Days with ·04 in. or more	~~14~~ 16	7	~~12~~ 13	~~14~~ 16	9	~~9~~ 10	~~18~~ 17	5	~~4~~ 5	10	8	13	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ANGERSLEIGH
LEIGH COURT

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REC

Kept at Leigh Court- … r … in.
in the County of Some … ound 1 ft. — in.
… Level 360 ft.
by Arthur Easth … m.
… me Taunton
… tance 5 Mils Direction N

IMPORTANT NOTE.— … result entered to the previous day. If an Observ… l rule, he is earnestly requested to add the reading … in the space provided for it at the end of this p… of rain, the selection and placing o… Rainfall Organization are given in "R… Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.02	.17	.02	—	—	.02	—	.01	—	.03	1
2	—	—	—	.06	.23	.04	—	.24	—	.13	.23	.28	2
3	—	.02	.03	—	.25	—	—	—	—	—	.14	.08	3
4	—	.01	.10	—	—	—	—	—	.05	.04	.16	.46	4
5	.25	—	.09	—	.01	—	—	1.11	—	.08	.16	.01	5
6	.24	—	.29	—	—	—	—	.02	—	.04	.15	.66	6
7	.01	—	—	.02	—	—	—	—	—	—	.52	—	7
8	.02	—	.22	—	—	—	—	—	—	—	.04	.69	8
9	—	—	—	—	—	—	—	—	—	—	.25	.45	9
10	.07	.04	.55	—	.54	—	—	—	—	—	.03	.43	10
11	.28	—	.02	—	.04	—	—	—	—	—	.43	.13	11
12	—	—	.76	—	—	—	—	—	—	.01	.27	.40	12
13	—	—	.02	—	—	—	—	—	.19	—	.02	.74	13
14	—	.02	—	—	—	—	—	—	—	.02	—	1.40	14
15	—	—	—	—	—	.03	—	—	—	—	.36	.06	15
16	—	.04	—	—	—	.25	—	—	—	.02	.43	.28	16
17	—	.02	.16	—	—	.18	.01	—	—	—	.11	.75	17
18	—	.24	.20	.36	.01	.19	—	—	—	.13	.08	.90	18
19	.01	.07	—	.07	—	.03	—	—	.28	.22	.05	.52	19
20	.06	.03	.15	.07	—	—	—	—	.08	.15	—	.88	20
21	—	.11	.01	.02	—	.01		—	.14	.71	—	.23	21
22	.05	.08	.02	.05	—	.02	—	—	.07	.30	—	.42	22
23	—	.17	.03	.04	—	.42	—	—	.05	.16	.05	.11	23
24	—	.18	—	—	—	.43	—	.13	—	.33	—	.22	24
25	—	.11	—	.09	—	.08	—	—	.03	.03	—	.21	25
26	—	.06	—	.35	.04	—	—	—	—	.15	.16	.23	26
27	—	.23	.10	.07	.62	—	—	.05	.05	.49	.01	.09	27
28	—	.38	—	.42	.01	—	—	.16	.01	—	.07	—	28
29	—	×	.02	.72	—	.24	.18	—	.14	.20	—	—	29
30	—	×	—		—	.02	—	—	.02	.15	.14	.02	30
31	—	×	—	×	—	×	.03	—	×	.05	×	—	31
Total	.99	1.81	2.79	~~[illegible]~~ 3.51	1.77	1.94	.22	1.73	1.11	3.42	3.86	10.68	TOTAL for year. 32.83
No. of Rain Days.	9	17	18	14	10	13	3	7	12	21	22	27	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Leigh Court, Angersleigh
in the County of Somerset 3
by Arthur Eastwood

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 360 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Taunton
Distance 5 mls Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.02	.17	.02	—	—	.02	—	.01	—	.03	1
2	—	—	—	.06	.23	.04	—	.24	—	.13	.23	.28	2
3	—	.02	.03	—	.25	—	—	—	—	—	.14	.08	3
4	—	.01	.10	—	—	—	—	—	.05	.04	.16	.46	4
5	.25	—	.09	—	.01	—	—	1.11	—	.08	.16	.01	5
6	.24	—	.29	—	—	—	—	.02	—	.04	.15	.66	6
7	.01	—	—	.02	—	—	—	—	—	—	.52	—	7
8	.02	—	.22	—	—	—	—	—	—	—	.04	.69	8
9	—	—	—	—	—	—	—	—	—	—	.25	.45	9
10	.07	.04	.55	—	.54	—	—	—	—	—	.03	.43	10
11	.28	—	.02	—	.04	—	—	—	—	—	.43	.13	11
12	—	—	.76	—	—	—	—	—	—	.01	.27	.40	12
13	—	—	.02	—	—	—	—	—	.19	—	.02	.74	13
14	—	.02	—	—	—	—	—	—	—	.02	—	1.40	14
15	—	—	—	—	—	.03	—	—	—	—	.36	.06	15
16	—	.04	—	—	—	.25	—	—	—	.02	.43	.28	16
17	—	.02	.16	—	—	.18	.01	—	—	—	.11	.75	17
18	—	.24	.20	.36	.01	.19	—	—	—	.13	.08	.90	18
19	.01	.07	—	.07	—	.03	—	—	.28	.22	.05	.52	19
20	.06	.03	.15	.07	—	—	—	—	.08	.15	—	.88	20
21	—	.11	.01	.02	—	.01	—	—	.14	.71	—	.23	21
22	.05	.08	.02	.05	—	.02	—	—	.07	.30	—	.42	22
23	—	.17	.03	.04	—	.42	—	—	.05	.16	.05	.11	23
24	—	.18	—	—	—	.43	—	.13	—	.33	—	.22	24
25	—	.11	—	.09	—	.08	—	—	.03	.03	—	.21	25
26	—	.06	—	.35	.04	—	—	—	—	.15	.16	.23	26
27	—	.23	.10	.07	.62	—	—	.05	.05	.49	.01	.09	27
28	—	.38	—	.42	.01	—	—	.16	.01	—	.07	—	28
29	—	×	.02	.72	—	.24	.18	—	.14	:20	—	—	29
30	—	×	—		—	.02	—	—	.02	.15	.14	.02	30
31	—	×	—	×	—	×	.03	—	×	.05	×	—	31
Total	.99	1.81	2.79	3.51	1.77	1.94	.22	1.73	1.11	3.42	3.86	10.68	TOTAL for year. 32.83
No. of Rain Days.	9	17	18	14	10	13	3	7	12	21	22	27	173

W. 8,000, X. '11.

Ex 8L

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Leigh Court, Angersleigh
in the County of Somerset 3
by Arthur Eastwood

Lat. .... Long. ....
Time of Observation 8 a.m.
Nearest Railway Station Taunton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 360 - ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.16	—	—	.90	.05	.09	.10	.92	—	.45	1
2	—	—	.29	—	.08	.12	.16	.12	—	.05	.03	.02	2
3	—	.02	.08	—	.04	.30	.22	.68	—	—	.02	—	3
4	.14	.01	1.05	—	.05	.21	—	.12	—	—	.15	—	4
5	.47	.14	.29	—	.02	.15	.03	.46	—	—	.01	.08	5
6	.47	.16	.03	—	.13	.17	.31	1.23	—	—	—	.11	6
7	.02	.62	.16	—	.08	.80	—	.22	—	—	—	.14	7
8	.39	.27	.41	.01	—	.30	.09	.11	—	—	—	.12	8
9	.07	.02	.02	.10	—	.23	—	.10	—	—	.03	.35	9
10	.06	.15	.02	—	—	.03	—	.07	.06	.02	.03	.24	10
11	.13	.13	—	—	—	—	—	—	—	—	.07	.43	11
12	.02	.60	.06	.03	.03	—	.03	.10	—	.01	—	.06	12
13	.01	—	.01	—	—	—	.02	.05	—	.02	—	.20	13
14	.16	—	.68	—	.24	—	—	.03	—	—	—	.04	14
15	.53	.02	.01	—	.35	.47	—	.01	—	—	—	.33	15
16	.42	.01	.30	—	.04	.06	—	.05	—	.04	.17	.07	16
17	.39	.01	.25	—	.02	.06	—	.67	—	—	—	.04	17
18	.15	—	.39	—	—	—	—	.19	—	.02	.02	.11	18
19	.05	.05	.12	—	—	.02	.12	.20	—	.02	.02	.03	19
20	.12	.03	.40	—	.40	—	.03	.68	—	.45	.02	—	20
21	.01	.04	.53	—	.29	—	.02	.20	—	.18	—	—	21
22	.33	.26	.09	—	.12	—	.10	.05	—	.14	—	.10	22
23	.58	.56	.21	—	—	.02	.01	.38	—	.16	.10	.22	23
24	.14	.02	.03	—	—	.23	—	.12	—	.05	—	.20	24
25	.06	—	—	—	—	.18	—	.46	—	.10	.26	.57	25
26	—	.05	—	—	—	—	.01	.20	—	.42	.52	.25	26
27	—	—	—	—	—	.38	.62	—	—	1.29	.04	.35	27
28	—	.15	—	—	—	.10	.37	.48	.32	.29	.53	.57	28
29	—	.40	.04	—	—	.21	.20	.10	.58	.47	.05	.03	29
30	—	X	.02	—	—	.38	.17	.02	.17	.44	—	—	30
31	—	X	.35	X	—	X	.31	—	X	.06	X	.06	31
Total	4.72	3.72	6.00	.14	1.89	5.32	2.87	7.19	1.23	5.15	2.07	5.17	YEAR'S TOTAL 45.47
Rain Days.	22	22	26	3	14	21	19	28	5	20	17	26	223

W. 7,500, XI. 12

Ex Dl

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4- JAN 1914

✓

Kept at Leigh Court Taunton
in the County of Somerset 3
by Arthur Eastwood

Lat. Long.
Time of Observation 8. a.m
Nearest Railway Station Taunton
Diameter of Rain Gauge 8. in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.20	.23	.05	.50	—	—	—	.16	.02	.10	.05	1
2	.21	.15	.01	.12	.08	—	—	—	.01	.11	.26	.01	2
3	.28	—	.14	.03	.13	—	.03	—	.12	.12	—	.37	3
4	1.17	—	.05	—	.23	—	.02	—	.13	.07	.02	.16	4
5	.04	.03	—	—	.13	.15	—	—	.63	—	.09	.18	5
6	.04	.06	.15	—	.04	.09	.08	—	—	.75	.06	.31	6
7	.02	.40	.03	—	.50	.02	.15	—	—	.40	.19	—	7
8	.03	.05	—	.01	.58	.06	.01	—	—	.01	.01	—	8
9	—	.05	—	.05	.16	.11	.50	.13	.03	.01	.39	.02	9
10	.34	.01	.01	.02	.09	.01	—	.02	—	.49	.14	—	10
11	.86	—	—	.06	.24	.02	—	.02	—	.09	1.09	.01	11
12	—	.02	—	—	.25	.04	—	—	.02	.01	.26	.02	12
13	.09	.02	.02	—	—	—	.01	.16	.41	—	.07	—	13
14	.46	.01	.18	.04	.04	—	.01	—	—	.01	.15	—	14
15	.43	—	.35	.69	—	—	—	—	.03	—	.05	—	15
16	.12	—	.56	.09	—	.02	—	.09	.17	—	—	—	16
17	.02	—	.03	.04	—	—	—	—	—	—	.03	—	17
18	.18	—	.32	.13	—	.01	—	—	—	—	.05	—	18
19	.70	—	.22	.01	—	.08	.01	—	.39	.02	.04	—	19
20	.28	—	.17	.06	—	.08	—	—	—	.03	.05	—	20
21	—	—	.44	.17	.08	—	—	—	—	—	.47	—	21
22	.61	—	.78	.05	—	.03	.06	.02	.08	—	—	.05	22
23	.03	—	—	—	—	.01	—	.03	—	—	.05	.66	23
24	.02	.08	—	.04	—	—	—	—	—	.02	.02	—	24
25	—	.06	—	.31	—	—	—	—	.02	.01	.02	.05	25
26	—	—	—	1.17	—	—	—	.17	.01	.01	—	.23	26
27	.07	—	.29	.55	—	—	—	.02	—	.24	—	.05	27
28	.10	—	.07	.35	—	—	—	—	—	.53	—	.25	28
29	.09	X	.72	.27	.01	—	—	.08	—	.32	—	—	29
30	.48	X	—	—	—	—	—	—	—	.52	.02	—	30
31	.26	X	.07	X	.17	X	.04	1.05	X	.01	X	—	31
Total	6.93	1.14	4.84	4.31	3.23	.73	.92	1.79	2.21	3.80	3.63	2.42	YEAR'S TOTAL 35.95
Rain Days.	25	13	21	22	16	14	11	11	14	22	23	15	207

W. 7,500, XI. 12

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Leigh Court, Angersleigh
in the County of Somerset 3
by Arthur Eastwood

Lat. 50° 58' Long. 3° 8'
Time of Observation 8 am.
Nearest Railway Station Taunton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.04	.04	—	.03	.23	.46	—	—	.38	.07	1
2	—	—	.02	.10	.02	—	.48	—	—	—	.35	.52	2
3	—	—	.09	.14	.33	—	—	.13	—	—	.06	.06	3
4	.08	—	.03	.23	.15	—	.26	.12	—	—	.60	.69	4
5	.08	—	.07	.38	.16	—	.02	—	—	—	.02	.08	5
6	—	.09	.03	.19	.03	—	.48	.02	—	—	.05	.32	6
7	.02	.90	.18	.10	.17	.04	.18	.09	.05	—	.01	.16	7
8	.01	.01	1.18	.05	.14	.42	—	.10	—	—	—	.01	8
9	.02	.02	.44	.22	.04	.57	—	.09	.84	—	—	—	9
10	.03	.16	.03	.12	.04	.05	—	—	.60	—	.02	.03	10
11	—	.12	.41	—	.09	.20	.25	—	—	—	.05	.48	11
12	—	.26	.07	—	—	—	—	—	.19	.05	—	.53	12
13	—	.26	.39	—	—	—	.04	—	.08	.37	.20	.26	13
14	—	.17	.52	—	—	.63	.01	.80	.02	.20	.31	.03	14
15	—	—	.12	—	—	—	.04	.64	.10	.08	.14	.02	15
16	—	—	.06	—	—	—	—	—	.16	—	—	—	16
17	—	.36	.39	—	—	—	.02	—	—	—	—	.60	17
18	—	.09	.02	—	—	.53	.06	—	.13	—	—	.64	18
19	—	.02	.33	—	—	.01	2.80	.02	.02	—	.07	.19	19
20	—	.37	.34	—	—	.04	—	—	—	—	—	.39	20
21	—	.96	.03	—	—	.08	—	—	—	.31	—	.08	21
22	—	.11	—	—	.10	.20	—	.01	—	.44	—	—	22
23	—	.09	.20	—	.03	.05	.01	—	—	.29	—	—	23
24	.02	—	.02	—	.16	—	.02	.04	—	.39	.09	.09	24
25	.19	—	.26	—	.02	—	.10	.40	—	.34	.01	.25	25
26	.05	—	.22	—	—	—	.03	.11	—	.03	.23	.54	26
27	.03	—	—	—	—	—	.03	—	—	.02	.13	.22	27
28	.02	.05	.22	—	.05	—	—	—	—	.15	.23	.80	28
29	.20	✕	.07	—	.07	—	.01	—	—	.20	.36	.04	29
30	—	✕	.09	—	—	—	—	—	—	.38	.45	1.00	30
31	.03	✕	—	✕	.03	✕	.30	—	✕	.75	✕	.35	31
Total	.78	4.04	5.87	1.57	1.63	2.85	5.37	3.03	2.19	4.00	3.76	8.45	YEAR'S TOTAL 43.54
Rain Days.	19	17	28	10	17	13	20	14	10	15	20	27	~~204~~

W. 8,000. X. 14.

242

FORM A.
BRITISH RAINFALL.

6 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Leigh Court, Angersleigh
in the County of Somerset
by Arthur Eastwood

Lat. 50°58' Long. 3°8' W
Time of Observation 8 am
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 360 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.56	.08	—	.04	—	—	—	.38	.05	.26	.06	.12	1
2	.25	.47	.08	.05	—	.01	—	.72	.22	.09	—	14	2
3	.04	.22	.08	.04	.14	—	.09	—	—		—	.46	3
4	.08	.14	—	—	.03	—	.26	—	—		—	.34	4
5	.09	.70	—	—	—	—	—	.08	—		—	.46	5
6	.66	.16	—	.37	—	—	.75	—	—		—	.16	6
7	.23	.33	—	.13	.02	—	.19	—	—		—	.32	7
8	.27	51. [illegible]	—	—	—	—	—	.12	—		.01	.03	8
9	.04	.03	—	.06	—	—	—	.02	—	.01	.46	.77	9
10	.22	.16	.03	.07	—	—	—	.53	—	.11	.02	.04	10
11	.22	.96	—	.01	.02	.02	.03	.44	—	—	.80	.06	11
12	.16	.75	—	.13	.51	—	—	.33	—	.07	.20	—	12
13	.02	.50	—	—	.80	—	—	.10	.09	—	.20	—	13
14	.08	—	—	—	—	—	.04	.28	.04	.04	—	.69	14
15	.21	—	—	—	.22	—	.05	.06	—	.04	.30	.11	15
16	.02	1.20	—	—	.07	—	.67	—	—	—	—	.06	16
17	—	.35	—	—	.27	—	—	—	—	—	—	—	17
18	—	.23	—	—	—	—	—	—	—	.02	—	—	18
19	—	—	—	—	.08	—	.15	—	—	—	—	—	19
20	.15	—	—	.12	—	.05	—	—	—	.06	—	.06	20
21	.23	.02	—	—	—	—	.09	—	.08	.13	—	.06	21
22	.08	.10	.29	.07	—	.04	.42	—	.02	.02	—	.19	22
23	.06	.03	.15	—	—	.06	.20	—	.04	1.23	.03	.39	23
24	—	—	.04	.04	—	—	.20	—	.08	.47	—	.55	24
25	—	—	—	.07	—	.38	.37	—	—	—	—	.29	25
26	.28	.14	—	—	—	.04	.03	—	.05	—	—	.68	26
27	—	.13	—	—	—	.14	.05	—	.04	.42	—	—	27
28	—	.04	—	—	—	.05	—	.02	.56	.27	—	.02	28
29	—	X	—	—	—	.14	.03	—	—	—	.16	.08	29
30	.14	X	—	—	—	.02	—	—	—	1.11	.22	.37	30
31	.02	X	—	X	—	X	.06	.02	X	1.06	X	.19	31
Total	4.11	7.25	.67	1.20	2.16	.95	3.68	3.10	1.27	5.41	2.46	6.64	YEAR'S TOTAL 38.90
Rain Days.	23	22	6	13	10	11	18	13	11	17	11	25	180

W. 8,000. X. 15.

2110

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Leigh Court; Angersleigh
in the County of Somerset
by Arthur Eastwood

Lat. 50° Long. 3° 8' W.
Time of Observation 8. a m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16	—	.05	—	.95	.04	.29	—	.10	.13	.22	—	1
2	.34	.08	—	—	.08	—	—	—	.06	.33	.28	—	2
3	—	1.28	—	—	.13	—	.02	—	.11	.38	.52	—	3
4	.12	.21	—	.03	.22	.46	.01	—	.17	.12	1.25	—	4
5	.03	.01	.11	—	.06	.05	—	—	—	.02	.35	—	5
6	.03	.26	—	—	.23	.05	.33	—	—	.06	.56	—	6
7	.05	.20	.08	—	.04	.08	.02	—	—	.10	.93	.16	7
8	—	.14	.11	—	.23	.12	—	—	—	—	.33	.10	8
9	—	.07	—	—	.05	.11	—	—	—	.15	.09	.44	9
10	—	.29	.03	.05	.03	—	.01	—	—	.02	—	.23	10
11	—	.02	—	.05	—	—	—	—	—	—	—	—	11
12	.04	.06	.09	.05	.10	—	.03	.13	—	.02	.02	—	12
13	—	.37	.14	.04	—	—	.02	.30	—	—	—	—	13
14	—	.40	—	—	.08	—	—	.02	—	.10	.01	—	14
15	—	.19	.11	.04	—	—	—	.23	—	.04	—	—	15
16	.10	.15	—	.17	—	—	.02	1.67	.01	.05	—	—	16
17	.08	.09	—	.04	—	—	—	.49	.16	.35	.44	—	17
18	.02	.12	.20	.02	—	—	—	—	.24	.08	.16	.05	18
19	.16	.01	.59	.05	—	—	—	—	—	—	.11	.04	19
20	.20	.52	.28	—	—	—	—	—	—	—	.06	.83	20
21	.06	.27	.20	—	.13	.02	—	—	—	—	—	.41	21
22	.02	—	.03	—	.02	.06	—	—	—	.34	.03	.77	22
23	.01	.08	—	—	—	.05	—	.32	—	.15	.14	.13	23
24	—	.43	—	.05	.51	.03	—	.03	—	1.00	.02	.26	24
25	—	.31	.19	—	.01	—	—	.39	.03	.02	.16	.05	25
26	.02	.05	.12	—	—	.42	—	.05	.87	1.07	.05	—	26
27	.02	.02	1.66	—	—	.02	—	.20	.40	.38	—	—	27
28	—	.35	—	—	.22	—	—	.05	.41	.48	—	.39	28
29	—	.60	.09	—	—	.26	—	1.69	.22	.21	—	.31	29
30	—	X	—	—	—	—	—	—	—	.33	—	—	30
31	—	X	—	X	—	X	—	.06	X	.08	X	.01	31
Total	1.46	6.58	4.08	.59	3.09	1.77	.75	5.63	2.78	6.01	5.73	4.18	YEAR'S TOTAL 42.65
Rain Days.	17	27	17	11	17	14	9	14	12	25	20	15	198

W. 8,000, VIII. 16

2015

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
3. JAN 1918

Kept at Leigh Court, Angersleigh
in the County of Somerset
by Arthur Eastwood

Lat. 50° 58' Long. 3° 8' W
Time of Observation 8. am.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	—	.15	.38	—	.17	—	.42	.10	—	.06	—	1
2	.03	—	.02	.05	—	.07	—	.03	.09	—	—	—	2
3	.04	—	—	.09	—	—	.41	.01	—	.19	.32	—	3
4	—	.21	.43	—	—	—	.07	—	.05	.47	—	.02	4
5	.09	—	.55	.28	—	.03	—	.11	.13	.11	.09	—	5
6	—	—	.19	—	—	—	—	.07	—	.03	.21	.02	6
7	.23	—	—	—	—	—	.25	.19	—	.21	.05	.02	7
8	.04	—	.12	.12	—	.07	.40	.19	.03	.37	.08	.06	8
9	—	—	.02	.01	.02	—	.08	.05	.04	.31	.03	—	9
10	.32	—	.20	.22	—	.01	.03	.25	—	.02	—	—	10
11	.04	—	1.01	.24	—	—	—	.71	.02	.20	.06	—	11
12	.14	—	—	—	.35	—	—	.02	—	.31	—	—	12
13	—	—	.17	.02	—	—	—	.38	.02	.08	—	—	13
14	—	—	—	.11	—	—	.02	.85	.02	—	—	—	14
15	—	—	—	.05	—	—	.25	.24	—	.19	—	.24	15
16	—	.09	—	.10	—	.15	.10	.03	—	.30	—	.12	16
17	—	—	—	.04	.01	—	.29	.09	.39	.08	—	—	17
18	—	.03	—	—	.04	.02	.28	—	.61	—	—	—	18
19	—	.33	.08	—	—	.15	—	—	.16	—	—	—	19
20	.01	.16	.02	—	.55	.07	.03	.16	.03	—	—	—	20
21	—	—	.16	—	—	.15	—	—	—	.03	.01	—	21
22	—	—	—	—	—	—	—	.44	—	.05	—	—	22
23	—	.14	—	—	.21	—	—	.50	—	.04	—	.02	23
24	—	—	.01	—	—	.18	.18	.11	—	.11	.08	—	24
25	—	.07	.05	—	—	—	—	.07	.02	.05	.06	—	25
26	—	—	—	—	.50	—	—	.63	.17	.08	.03	—	26
27	—	—	—	—	.27	.23	—	.76	—	.06	.03	—	27
28	—	.05	.12	—	.16	2.66	—	.34	—	—	—	.03	28
29	—	X	.13	—	—	.53	.04	—	—	.41	—	.16	29
30	—	X	.06	—	—	—	.30	.11	—	.04	.02	—	30
31	—	X	.03	X	—	X	—	.02	X	.09	X	—	31
Total	.98	1.08	3.52	1.71	2.11	4.49	2.73	6.78	1.88	3.83	1.13	.69	YEAR'S TOTAL 30.93
Rain Days.	10	8	19	13	9	14	15	26	15	24	14	9	176

W. 8 000. IX. 17.

80

FORM A.
BRITISH RAINFALL.

2 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Leigh Court, Angersleigh
in the County of Somerset
by Arthur Eastwood

Lat. 50° 58 N. Long. 3° 8' W.
Time of Observation 8. a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.07	—	.03	.10	—	—	.52	—	—	1.20	—	1
2	.02	.08	—	.14	—	—	—	.24	—	.04	.01	.15	2
3	—	.10	—	.10	.07	.21	—	.18	.03	.08	.05	.02	3
4	—	.07	.02	.02	—	—	—	.05	.09	.02	.62	.12	4
5	—	—	.16	—	—	—	—	.29	.33	.17	—	.05	5
6	.19	.25	—	.31	—	—	—	.06	.07	.20	—	.11	6
7	—	.14	—	.02	.29	.01	—	.02	.16	.09	.34	.10	7
8	.19	.12	—	—	—	—	—	—	.42	.21	—	.03	8
9	.06	.12	—	.06	—	.09	.24	—	.29	.04	—	.10	9
10	.12	—	—	.25	—	—	.20	—	.38	.14	—	.59	10
11	—	—	.04	.03	—	—	.47	—	.10	.05	.04	.07	11
12	—	.08	.18	—	.18	—	.19	—	.05	.10	—	.05	12
13	.49	—	—	—	.24	—	.14	—	.42	.03	—	.12	13
14	.13	—	—	—	—	.03	.11	—	.10	.10	—	.19	14
15	1.65	—	—	.18	.13	.02	.35	—	—	.12	—	.21	15
16	.16	—	—	.69	—	—	.03	—	.18	.04	—	.25	16
17	.69	—	.02	.26	—	—	.20	—	.14	—	—	.19	17
18	.99	—	.02	—	—	.63	.14	—	.52	.08	—	.21	18
19	.15	—	.12	.01	—	—	.18	.01	.01	.05	—	.11	19
20	.18	.06	—	.11	—	.02	.39	—	.12	.08	—	—	20
21	.04	.07	—	.02	—	.02	.03	—	.69	.11	—	.26	21
22	—	.02	—	—	.06	—	.28	—	.15	.03	—	.17	22
23	.05	—	—	—	.18	—	.74	.04	.10	—	.02	.05	23
24	—	.12	—	—	—	.03	.03	.03	.05	—	.09	—	24
25	—	—	—	.08	.27	—	.22	.54	—	.04	.08	.08	25
26	—	—	—	.05	—	—	.48	—	.02	.04	.07	.07	26
27	.02	.13	.03	—	—	—	.04	.14	.30	.01	.10	.02	27
28	—	.10	.28	.02	—	—	—	—	—	—	.02	.10	28
29	—	✕	.09	—	—	—	—	—	1.13	.08	—	.02	29
30	—	✕	.34	—	—	—	—	—	.05	.05	.04	.05	30
31	—	✕	.31	✕	—	✕	—	.09	✕	—	✕	—	31
Total	5.13	1.53	1.61	2.38	1.52	1.06	4.46	2.21	5.90	2.00	2.68	3.49	YEAR'S TOTAL 33.97
Rain Days.	16	15	12	18	9	9	19	13	25	25	13	27	201

W, 6,500, VII. 18. W W G

1891

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Leigh Court, Angersleigh
in the County of Somerset
by Arthur Eastwood

Lat. 50° 58' N Long. 3° 8' W
Time of Observation 8 am.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	—	.04	.03	.14	—	.74	—	.03	.23	—	1.16	1
2	.13	—	.02	—	.05	—	.19	—	—	—	.02	.02	2
3	.53	—	.27	—	—	—	—	—	.10	—	.13	.25	3
4	.80	.49	.43	—	—	.11	.17	.03	.27	—	—	.06	4
5	.07	.29	1.08	—	—	—	.27	—	.43	—	.10	.10	5
6	1.18	.47	.09	—	—	—	—	—	—	—	.02	.26	6
7	.39	—	.31	.16	—	—	—	—	.03	—	—	.10	7
8	.25	—	.15	—	.01	.03	—	—	—	—	—	—	8
9	.14	—	.02	.15	.05	—	—	—	—	—	.55	—	9
10	.03	—	.13	—	.02	—	—	—	—	.05	.03	.32	10
11	.01	—	.25	.14	.14	—	.15	—	—	—	—	.31	11
12	.22	—	.09	.04	—	.10	.02	—	.02	.03	.06	.09	12
13	.03	.03	.06	.30	—	—	—	—	.02	.04	—	.05	13
14	.64	.07	—	1.04	.69	—	.04	—	.04	.03	—	.25	14
15	.39	.04	—	.10	—	—	—	—	—	.10	—	.26	15
16	.12	.72	—	—	—	—	—	.12	—	—	.04	.02	16
17	—	.33	—	.03	—	—	—	.05	—	—	.23	—	17
18	.09	.04	.51	—	—	—	.11	.16	.02	—	.14	.02	18
19	.40	.21	.38	—	—	.02	.90	.63	.42	—	.28	.04	19
20	.54	.05	.18	—	—	.23	—	.23	.08	—	.02	.04	20
21	.03	.61	—	—	—	—	.04	—	.04	—	—	.13	21
22	—	.04	—	—	—	.02	.10	—	.16	—	—	.08	22
23	—	—	.04	—	—	—	—	—	—	.64	.06	.09	23
24	—	—	—	.06	—	.07	—	—	.02	1.77	.05	.57	24
25	.06	.01	—	.14	—	.06	—	.99	—	—	.02	.12	25
26	.11	.03	.08	—	—	—	—	.12	.15	—	—	.37	26
27	.22	—	.01	.32	—	.04	—	.55	—	—	—	.07	27
28	.02	—	.39	—	—	—	—	.39	—	—	.53	.29	28
29	.02	✕	.02	.15	—	—	—	.18	—	.09	—	.04	29
30	—	✕	—	.07	—	.12	—	.55	—	.03	.23	.50	30
31	—	✕	—	✕	—	✕	.03	—	✕	—	✕	.40	31
TOTAL	6.87	3.43	4.55	2.73	1.10	.80	2.76	4.00	1.83	3.01	2.51	6.01	YEAR'S TOTAL 39.60
Days with ·01 in. or more	26	15	21	14	7	10	12	12	15	10	17	28	186
Days with ·04 in.	19	12	17	12	5	7	10	11	9	7	12	25	146

(44,283). Wt. 21,958—218. 7500. 10/19. Gp. 132. A.&E.W.

1805

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Leigh Court, Angersleigh

in the County of Somerset

by Arthur Eastwood

Lat. 50° 58′ Long. 3° 8′

Time of Observation 8 a.m.

Nearest Railway Station Taunton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .15

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.01	.18	.28	—	.27	.03	.06	.22	.20	.85	1
2	.61	—	.02	.20	—	—	.29	.20	.03	.12	—	.05	2
3	.29	.05	—	.06	—	—	.07	.02	.02	.86	—	.04	3
4	—	—	.06	.04	—	.02	.05	.46	—	.30	—	—	4
5	—	—	.14	.05	.13	—	.19	.06	—	.05	—	—	5
6	—	—	.32	—	.16	—	.19	—	—	.18	—	—	6
7	.02	—	.02	.20	—	—	.57	—	—	—	—	—	7
8	.10	.08	—	.26	.06	—	.47	—	—	—	—	.15	8
9	.56	.11	—	.06	—	.15	.10	—	—	—	.01	—	9
10	.90	.21	.03	.11	—	.35	.42	—	—	—	—	—	10
11	.66	—	.13	.59	.22	—	.17	—	—	—	—	—	11
12	.23	.05	.11	.24	.01	.13	.03	—	—	—	.13	.02	12
13	.20	.07	.59	.06	—	—	.01	—	—	.03	—	.02	13
14	.02	.08	.30	.82	—	—	.02	—	.06	.18	.35	—	14
15	—	.15	.07	.48	.46	.30	—	—	.03	.40	.08	—	15
16	—	.01	.01	.07	.04	.15	.15	—	.18	.35	.03	—	16
17	.02	—	—	.12	.21	.01	—	—	.28	—	—	—	17
18	.06	.01	.06	.05	.11	.13	.02	.36	.18	—	—	—	18
19	.02	.02	—	.42	.03	.15	—	.02	.04	.01	—	.03	19
20	—	.14	—	.37	.13	.09	—	—	—	—	—	.27	20
21	—	—	—	.02	—	—	.03	—	—	.02	—	.10	21
22	.02	—	—	.03	—	—	.03	—	—	—	—	.52	22
23	—	—	—	—	—	—	.66	.06	—	.02	—	.33	23
24	.01	—	.19	—	—	—	—	—	—	—	.11	.09	24
25	.01	.11	.10	—	.09	—	.39	—	—	—	—	.01	25
26	.31	—	.36	—	.02	.03	.01	—	—	—	.22	.13	26
27	.48	.01	.14	.07	—	.25	.01	—	—	—	.23	.32	27
28	.66	.01	.12	.13	.01	—	.07	—	—	—	—	.02	28
29	.25	—	.55	.06	.02	—	—	—	—	—	.16	.22	29
30	.08	X	—	.02	.13	.12	.07	—	.53	.02	.42	.22	30
31	.05	X	.48	X	.02	X	.01	—	X	.85	X	.15	31
Total	5.56	1.11	3.81	4.71	2.13	1.88	4.30	1.21	1.41	3.61	1.94	3.54	Year's Total 35.21
Days with ·01 in. or more	22 7	15 5	21 5	25 3	18 7	15 3	25 9	8 3	16 3	15 5	11 2	[illegible] 5	202 57
Days with ·04 in. or more	15	10	16	22	11	10	16	5	7	10	9	14	145

AXBRIDGE
WEBBINGTON FARM
SOMERSET
1920

FORM A. 1. METEOROLOGIC ORGANIZATION.

REGIS 1920.

1 FEB 1921

Kept at Webbingto ong 2° · 53' · 16" W.
9 am.
in the County of Axbr tion Winscombe.
of Rain Gauge 8 in.
by H. A. Tiar ge above Ground 1 ft. 6 in.
W. H. Stephe ,, Sea Level 40 ft.

IMPORTANT NOTE.—R esult entered to the previous day.
If an Observer prefers not to conform to this almost y requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·19			18	11		17		5	21	8	33	1
2	12			11	2		40	27	30	42			2
3	31	3		6			21	12	3	24			3
4			4	13	50		10	51		19			4
5			11	31			5			18			5
6			15	3	34		10						6
7				10			17						7
8	03			57			31						8
9		3	11	50		19	25	3	01				9
10	75	21	10	5		24	44				2		10
11	10			21		5	6						11
12		2	3	6		44	7				10		12
13		11	33	16		8	5						13
14	12	02	18	55		13	4			55	23		14
15	4	14	3	16	15				40	30	9		15
16	3		1	2	30	41	20		33		23		16
17	7				17	29		41	25			3	17
18	5			9	2	11		4	25				18
19	4	3		16	4		4						19
20	4	30		13		36						7	20
21	2			5			9					10	21
22				7		3	3	15	2			35	22
23	1		3					3				45	23
24			1				7				2	4	24
25	29	5	14				38						25
26	23		13		1		2				5	5	26
27	41		5	4		91						11	27
28	23		10	2		3	7				14	3	28
29	18	1	12		3		7				44	21	29
30	10		1	11	10	40	33			40		3	30
31			33									15	31
TOTAL	3·36	0·95	2·01	3·87	1·79	3·67	3·72	1·56	1·64	2·49	1·40	1·95	YEAR'S TOTAL 28·41
Days with ·01 in. or more	21	11	19	24	12	14	24	8	9	8	10	13	173
Days with ·04 in. or more	17	5	13	21	8	12	22	6	6	8	8	10	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at Webbington Farm

in the County of Axbridge, Som.

by H. A. Tiarks Esqre.
W. H. Stephens, Head Gardener

Lat. 51°17′43″N. Long. 2°·53′·16″ W.

Time of Observation 9 am.

Nearest Railway Station Winscombe.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. /

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·19			18	11		17		5	21	8	33	1
2	12			11	2		40	27	30	42			2
3	31	3		6			21	12	3	24			3
4			4	13	50		10	51		19			4
5			11	31			5			18			5
6			15	3	34		10						6
7				10			17						7
8	03			57			31						8
9		3	11	50		19	25	3	01				9
10	75	21	10	5		24	44				2		10
11	10			21		5	6						11
12		2	3	6		44	7				10		12
13		11	33	16		8	5						13
14	12	02	18	55		13	4			55	23		14
15	4	14	3	16	15				40	30	9		15
16	3		1	2	30	41	20		33		23		16
17	7				17	29		41	25			3	17
18	5			9	2	11		4	25				18
19	4	3		16	4		4						19
20	4	30		13		36						7	20
21	2			5			9					10	21
22				7		3	3	15	2			35	22
23	1		3					3				45	23
24			1				7				2	4	24
25	29	5	14				38						25
26	23		13		1		2				5	5	26
27	41		5	4		91						11	27
28	23		10	2		3	7				14	3	28
29	18	1	12		3		7				44	21	29
30	10	✕	1	11	10	40	33			40		3	30
31		✕	33	✕		✕			✕		✕	15	31
TOTAL	3·36	0·95	2·01	3·87	1·79	3·67	3·72	1·56	1·64	2·49	1·40	1·95	YEAR'S TOTAL 28·41
Days with ·01 in. or more	21	11	19	24	12	14	24	8	9	8	10	13	173
Days with ·04 in. or more	17	5	13	21	8	12	22	6	6	8	8	10	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.

BRITISH RAINFALL 4 JAN 1912

RE

Kept at Backwe

in the County of Som

by W. Gaun

BACKWELL HILL
HOUSE

SOMERSET

1911 - 1920

and

" in.

round 1 ft. in. 6

ea Level ~~520~~ 490 ft.

AM

ame Nailsea

istance 7 Direction W.S.W.

IMPORTANT NOTE ... the result entered to the previous day. If an Ob... ersal rule, he is earnestly requested to add the read... r in the space provided for it at the end of this ... ent of rain, the selection and placin... ish Rainfall Organization are given in ... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.04	.04			.05			.04		1
2	.01			.18	.29			.35		.04	.39		2
3			.04		.36			.04			.10	.01	3
4			.29	.01						.03	.28	.46	4
5	.18		.03					.33		.02	.44	.02	5
6	.29		.06					.08			.15	.51	6
7	.01										.40		7
8	.20		.21								.01	.20	8
9	.11										.16	.38	9
10	.08	.05	.42								.02	.26	10
11	.31	.05	.01								.46	.36	11
12			.46						.05		.34	.18	12
13					.01				.54		.01	.39	13
14		.05								.02	.01	.46	14
15		.06				.05				.01	.31	.09	15
16		.05				.04					.26	.23	16
17		.04				.04					.05	.25	17
18		.35	.12	.20		.33				.01	.01	.25	18
19		.03		.05		.16			.26	.05	.02	.34	19
20		.02	.05	.13		.01			.24	.10		.25	20
21		.18	.04	.10				.34	.01	.38		.24	21
22	.03	.02	.45	.04		1.04				.12		.51	22
23	.03	.15	.20			.04			.10	.16	.02	.18	23
24	.01	.15				.43		.12		.55		.18	24
25		.12		.19		.12			.01	.04		.22	25
26		.01		.32			.04	.05		.31	.06	.26	26
27		.34	.15		.12			.29	.12		.02	.12	27
28		.60		.55				.42			.04	.01	28
29				.14		.55			.21	.35			29
30			.01			.01		.20	.01	.19	.01	.06	30
31										.26			31
Total	1.26	2.30	2.83	2.01	.82	2.95	.04	2.27	1.56	2.63	3.98 3.99	6.44	TOTAL for year 29.42 29.47
No. of Rain Days	11	14	15	12	5	12	1	11	10	14	24	26	161

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL
4 JAN 1912

REGISTER OF RAINFALL IN

Kept at Backwell Hill House
in the County of Somerset 2
by W. Garnett

RAIN GAUGE
Pattern Standard
Diameter of top 8" in.
Height of top above Ground 1 ft. in.
" " " Sea Level ~~520~~ 490 ft.

Time of Observation 9.0 AM

Nearest Railway Station
Name Nailsea
Distance 2 Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.04	.04			.05			.04		1
2	.01			.18	.29			.35		.04	.39		2
3			.04		.36			.04			.10	.01	3
4			.29	.01						.03	.28	.46	4
5	.18		.03					.33		.02	.44	.02	5
6	.29		.05					.08			.15	.51	6
7	.01										.40		7
8	.20		.21								.01	.20	8
9	.11										.16	.35	9
10	.08	.05	.42								.02	.26	10
11	.31	.05	.01								.46	.36	11
12			.46						.05		.34	.18	12
13					.01				.54		.01	.39	13
14		.05								.02	.01	.46	14
15		.06				.05				.01	.31	.09	15
16		.05				.04					.26	.23	16
17		.04				.04					.05	.25	17
18		.35	.12	.20		.33				.01	.01	.25	18
19		.03		.05		.16			.26	.05	.02	.34	19
20		.02	.05	.13		.01			.24	.10		.25	20
21		.18	.04	.10				.34	.01	.38		.24	21
22	.03	.02	.45	.04		1.04				.17		.51	22
23	.03	.15	.20			.04			.10	.16	.02	.18	23
24	.01	.15				.43		.12		.55		.18	24
25		.12		.19		.13			.01	.04		.22	25
26		.01		.32			.04	.05		.31	.06	.25	26
27		.34	.15		.12			.29	.12		.02	.12	27
28		.60		.55				.42			.04	.01	28
29				.14		.55			.21	.35			29
30			.01			.01		.20	.01	.19	.01	.06	30
31										.26			31
Total	1.26	2.30	2.83	2.01	.83	2.95	.04	2.24	1.56	2.63	3.98 3.99	6.44	TOTAL for year 29.42 29.47
No. of Rain Days	11	14	15	12	5	12	1	11	10	14	24	26	161

9,000, IX. '10.

cwd for auth 26.11.13

FORM A2. BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Backwell Hill House
in the County of Somerset 2
by W. Garnett

RAIN GAUGE
Pattern ordinary
Diameter of top 8 in.
Height of top above Ground 1 ft. 8 in.
" " " Sea Level ~~500~~ 490 ft.

Time of Observation 9.0 AM

Nearest Railway Station
Name Nailsea
Distance 1¾ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.19			.24	.08		.01	.48		·19	1
2			.12			.14	.30		~~.08~~	.01			2
3	.01		.10	.02		.13	.01	.50	.09		·03	·01	3
4	.25		.53		.26	.16		.11			·15		4
5	.35	.10	.13		.01			.41				·11	5
6	.34	.04			.06		.29	.36				·05	6
7		.24	.10		.19	.54		.18			·03		7
8	.32	.15	.13				.20	.01			·02	·22	8
9	.01	.02	.08	.14			.01	.05			·12	·49	9
10	.11	.24		[illegible]		.11		.05				·04	10
11	.06	.05	.01									·47	11
12	.02	.51	.04	.11		.04	.02	.01				·04	12
13	.01	.01	.03									·28	13
14	.06		.69		.26	.01		.04				·02	14
15	.09	.09	.01		.25	.81		.04				·50	15
16	.64		.26		.06	.05		.44		.15	.12	·06	16
17	note 1.04		.31			.12		.98			·02	·37	17
18	.16	.01	.51					.09		.10		·15	18
19	.02	.04	.13			.03	.28	.98		.12	.01	·02	19
20	.01	.01	.25		.39		.08	.18		.51			20
21	.01	.12	.16		.64		.03	.22		.26			21
22	.66	.36	.06		.16	.04	.04	.35		.03	·04	·19	22
23	.41	.55	.35					1.22		.10	·05	·35	23
24	.09		.12			.23		.02		.02	[illegible]	·10	24
25		.01				.40		.46		.11	·40	·43	25
26		.03					.10	.24		.52 66	·66	·23	26
27	Snow					.14	.41			·88	·11	·52	27
28		.11				.14	.63	.66	.04	·31	·44	·94	28
29		.15				.01	.51	.06	.40	·35		·10	29
30					.01	.05	.14		.04	·22		·01	30
31			.26				.34	.02				·14	31
Total	4.62	2.43	4.62	.30	2.32	3.84	4.03	8.32	.64	4.47	2.20	6.09	TOTAL for year 44.22
	4.72				2.32	3.78		8.32					
No. of Rain Days.	21	20	23	3	17	19	14	25	6	16	14	26.	44.22 200

W. 8,000, X. '11. Jan 17. chiefly snow

cond for auth 25.III.14 ~~W~~ DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Backwell Hill House, West Town

in the County of Somerset

by W. Garnett

2

RAIN GAUGE
Pattern ordinary
Diameter of top 8 in.
Height of top above Ground 1 ft. 8 in.
„ „ „ Sea Level 490 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Nailsea & Backwell G.W.R.
Distance 1¼ M. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·12		·06	·15				·32		·04	·12	1
2	·04	·12	·25	·04	·05					·10	·21	·02	2
3	·12	·01	·18		·40					·33	·02	·31	3
4	1·19		·20		·25				·96	·30	·03	·13	4
5	·02	·09	·02		·15	·32			·43	·66		·11	5
6	·02	·05	·15		·13	·15	·12				·31	·44	6
7		·16	·09		·19	·30				·09	·18	·02	7
8		·05			·24	·02				·06		·03	8
9		·10	·03		·02	·42		·18	·11		·12		9
10	·24		·01	·09	·09			·21		·40	·12		10
11	·65			·11	·07			·02		·22	·90	·68	11
12	·04		·06		·11				·08		·20		12
13	·20			·03				·10	·63		·18		13
14	·09		·26						·04	·18	·10		14
15	·21	·04	·39	·85				·03	·12		·11	·12	15
16	·24		·39	·04					·06		·02		16
17	·05			·06			·08		·08		·10		17
18	·14		·12	·14							·08		18
19	·25				·04	·15			·26				19
20	·25		·12	·04						·12	·12		20
21			·05	·13	·25		·20				·32		21
22	·70		·62	·06	·05	·08			·26	·05			22
23	·02					·03		·45			·15		23
24	·16			·02				·02			·02	·36	24
25				·14						·03	·03		25
26		·09		·25				·14				·19	26
27	·04		·14	·42						·11			27
28	·20		·10	·32						·14			28
29			·54	·25				·12		·14	·02	·15	29
30	·55				·51					·41	·04		30
31	·14		·04					·10					31
Total	5·6~~5~~4 5.64	·86	3·79 3.79	3·17	2·43	1·47	·40	1·37	3·38	3·37	3·48	2·[illegible]8	TOTAL for year 31·74
No. of Rain Days.	24.	10	20	18	16.	8	3	10	12.	16	23.	13	173.

W. 8,000, X. '11.

✓

Wi/100 Diff

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Backwell Hill House

in the County of Somerset 2

by William Garnett

Lat. 51° 24·5 N. Long. 2° 43" W

Time of Observation 9 a.m

Nearest Railway Station Nailsea & Backwell G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·12		·03	·62	·44			·04		1
2				·02		·01	·72	·20			·65	·53	2
3			·10	·16	·26		·03	·90			·04	·20	3
4	·12		·11	·27	·15		·13	·05			·75	·56	4
5	·05		·09	·44	·03		·05	·07			·14		5
6		·05	·09	·09	·05		·17	·26			·02	·45	6
7		·76	·44	·32	·40		·65	·09				·08	7
8	·32		·86	·07	·05	·50	·13	·06	·19			·03	8
9	·23		·35	·10	·03	·70		·16	·30		·03		9
10	·02	·16		·08	·08				·30				10
11		·09	·42		·25	·27	·47				·07	·46	11
12		·15	·12				·02		·24		·06	·24	12
13		·40	·32				·03		·41	·26	·04	·29	13
14		·12	·48					·26	·06	·16	·30		14
15		·02	·21					·38	·21	·02	·23		15
16							·07		·16				16
17		·42	·27				·07		·02			·55	17
18		·03	·06				·21					·35	18
19		·15	·30				·93					·05	19
20		·25	·07			·08						·17	20
21		·55				·03				·13			21
22		·02	·07		·40	·36		·15		·06			22
23		·09	·27		·06	·02		·02		·16	·16		23
24			·05				·32			·12	·02		24
25	·13		·13				·05	·43		·43	·30		25
26			·05				·08			·07	·35	·84	26
27	·10		·11							·15	·78	·25	27
28	·02	·15	·47		·10					·02	·25	·70	28
29	·32		·03		·12		·02	·04		·14	·37	·61	29
30	·02	×								·28			30
31		×		×	·02	×	·21		×	·20	×	·13	31
Total	1·33	3·41	5·47	1·67	2·00	2·00	4·98	3·51	1·89	2·20	4·60	6·49	YEAR'S TOTAL 39·55
Rain Days.	10	16	24	10	14	9	20	15	9	14	19	18	~~169~~ 178

W. 8,000. X. 14.

Cnd for auth Hyp. 6. V. 16

2146

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Backwell Hill House West Town

in the County of Bristol Somerset

by William Garnett

2

Lat. Long.

Time of Observation 9 a. m

Nearest Railway Station Nailsea Backwell GWR

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~	~~Nov.~~	Dec.	*Date.*
1	·25	·14	·13	–	·18		–	·10	·15	·30	·03	·11	1
2	·18	·13	·11	·25	–		–	·50	·14	·02	–	·16	2
3	·15	·08	–	·19	·12		·10	·05	–	–	–	·22	3
4	·03	·05	–	–	·05		1·14	–	–	–	–	·94	4
5	·07	·49	·01	–	–		–	·12	–	–	–	·21	5
6	·38	·06	–	·32	–		·34	·03	–	–	–	·33	6
7	·38	·26	–	·06	–		·58	·04	–	–	–	·24	7
8	·30	·27	–	–	–		–	·12	–	–	–	·04	8
9	·03	·06	–	·06	–		–	·09	–	–	·14	·84	9
10	·21	·02	·11	·09	–		–	·03	–	–	·30	·04	10
11	·02	–	·08	·03	–		–	·25	–	–	–	·02	11
12	·16	·26	–	·30	42		–	·05	–	·03	·86	·02	12
13	·01	·47	–	–	·90		·13	·57	·25	·11	·25	·03	13
14	·10	–	–	–	–		·24	·95	·03	–	·03	·80	14
15	·30	–	–	·05	·10		·10	·07	·12	·03	–	·02	15
16	–	·83	–	–	·40		·84	·07	–	–	09	·04	16
17	–	·22	–	–	–		–	–	–	–	–	·02	17
18	–	·32	–	–	–		–	–	–	03	–	–	18
19	–	·02	–	–	·04		·26	–	–	–	–	–	19
20	·27		–	·22	–		–	–	–	04	–	·10	20
21	·04	·10	–	–	·25		·02	–	–	·14	–	·16	21
22	·07	·13	–	·04	–		·85	–	–	–	–	·23	22
23	–	–	·45	–	–		·03	–	–	1·55	–	·70	23
24	–	–	·20	·03	–		·10	–	·09	·65	–	·29	24
25	–	–	·03	–	–	·20	·05	–	·34	·03	–	·32	25
26	–	·07	–	–	–	·11	·44	–	–	–	–	–	26
27	–	·02	–	–	–	·25	·25	–	02	·32	–	42	27
28	–	·08	–	–	–	02	–	–	·02	·08	–	·04	28
29	–	–		–	–	·28	–	·02	·65	–	·12	·02	29
30	·25	X		–	–	·12	–			·30	·08	·17	30
31		X		X	–	X	·03	·38	X	·82	X	·34	31
Total	3·20	4·08	1·12	1·64	2·46 2·46	·98	5·50	3·44	1·81 1·85	4·45	1·90	6·83	YEAR'S TOTAL ~~37·44~~ 37·41
Rain Days.	19	21	8	12	9	6	17	17	10	15	9	27	170

W. 8,000. X. 15.

2085

FORM A.
BRITISH RAINFALL.

8 JAN

REGISTER OF RAINFALL IN 1916

Kept at Backwell Hill House

in the County of Somerset

by Wm Garrett

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Nailsea & Backwell

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·05		"	·14	·15	·30			·20	·06	·01	1
2	·97		·02	"	·06	·07	·02			1·07	·16		2
3	·42	1·02		"	·20	·05			·10	·48	·02		3
4	·07	·18		"	·32	·72			·25	·04	·20		4
5				"	·15	·14				·02	·90		5
6	·08	32		"	·32	·31	·35			·15	·04		6
7	·02	·14	·16 snow	"	·12						·85	·01	7
8		·20		"	·18	·05	·08				·64	·21	8
9		·03		"	·22	·47					·05	·02	9
10		·46	·07	·11	·04	·04				·14	·07	·01	10
11	·02		(07)	·21	·12					·05			11
12	·02	·20		·03	·42		·27	·01					12
13		·48	·17					·34		·30	·01		13
14	·02	·46	·07	·09	·25			·40		·02	·01		14
15		·15	·05	·10				1·07		·09			15
16		·10		·38				·36		·01			16
17	·03	·17		·09				·54	·42	·03			17
18	·10	·02	·22	·03					·02	·41	·02	·05	18
19	·12		·35	·15						·30	·02 snow	·52 snow	19
20	·25	·04	·72	·06							·21	·47	20
21	·30	·18	·54	·03	·10						·16	·01	21
22						·13						·38	22
23	·03	·32 snow		·20		·05		·30		·22	·12	·20	23
24		·07		·04		·12		·07		·11	·16	·02	24
25		·36 snow	·18		1·02	·02		·52		·63	·09		25
26	·04	·06	·10			·32		·65	·51	·05	·11		26
27	·10	·13	·82 snow			·09		1·	·31	·47	·26		27
28		·46				·02		1·95	·02	·96	·05	·99	28
29		·29	·07			·36			·01	1·32		·87	29
30		X						·03	·36	·58		·03	30
31		X		X		X		·06	X	1·00	X	·06	31
Total	2·61	5·83	3·60	1·52	3·66	3·21	1·02	7·30	2·00	8·64	4·23	3·86	YEAR'S TOTAL 47·48
Rain Days.	17	24	15	13	15	17	5	14	9	24	22	16	192

W. 8,000, VIII. 16

1993

FORM A.
BRITISH RAINFALL.
JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Backwell Hill House

in the County of Somerset

by Head Gardener to William Garnett

Lat. 51 23·5 Long. 2 43" W.

Time of Observation 9 a.m.

Nearest Railway Station Nailsea & Backwell

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	·	·37	1.05	·	·16	·	1·43	·42	·03	·07	·	1
2	·02	·	·22	·	·	·23	·	·17	·	1·72	·13	·	2
3	·08	·	·	·	·	·	·16	·02	·	·30	·	·	3
4	·01	·40	·13	·	·	·	·17	·	·	·60	·	·	4
5	·27	·	·25	·	·	·56	·	·02	·64	·12	·19	·	5
6	·01	·	·49	·68	·	·	·	·	·	·40	·43	·	6
7	·18	·	·	·	·	·06	·26	·27	·	·89	·03	·04	7
8	·11	·	·	·	·	·	·87	1·18	·13	·38	·27	·13	8
9	·	·	·46	·07	·	·	·	·51	·~~8~~08	·	·02	·	9
10	·26	·	·52	·	·13	·	·	·31	·	·16	·	·	10
11	·05	·	·	·16	·	·	·	·11	·28	·91	·06	·	11
12	·	·	·13	·53	·62	·	·	·33	·	·04	·02	·03	12
13	·	·	·13	·	·39	·07	·	·26	·17	·	·	·01	13
14	·	·	·	0·11	·	·	·	·31	·03	·21	·	·	14
15	·	·	·12	·09	·	·	·63	·02	·02	·30	·	·19	15
16	·	·13	·	·	·	·	·	·	·	·28	·	·15	16
17	·02	·03	·	·32	·14	·	·64	·12	·54	·	·05	·	17
18	·03	·04	·050	·21	·02	·02	·71	·16	1·17	·	·02	·	18
19	·02	·58	·070	·	·	·10	·	·42	·06	·	·02	·	19
20	·	·35	·56	·	·52	·32	·	·	·02	·03	·	·	20
21	·	·02	~~·30~~	·	·	·04	·	·12	·	·15	·	·	21
22	·	·	·	·	·04	·14	·	·38	·	·02	·	·	22
23	·	·20	·030	·	·	·	·	·24	·	·20	·02	~~2~~·05	23
24	·	·020	·030	·	·	·22	·02	·09	·	·42	·02	·	24
25	·	·12	·	·	·	·01	·	·04	·03	·23	·	·	25
26	·	·	·	·	·06	·	·	1·04	·34	·	·09	·	26
27	·	·	·	·	1·46	·17	·	·98	·	·	·02	·	27
28	·	·	·14	·	·09	2·02	·	1·39	·01	·72	·	·04	28
29	·	·	·16	·	·	·32	·	·04	·	·39	·02	·24	29
30	·	×	·020	·	·	·	·27	·44	·	·07	·	·	30
31	·	×	·16	×	·	×	·	·08	×	·	×	·	31
Total	1·02	1·89 ~~2·09~~	40·4	3·22	2·87	4·44	3·73	10·48	~~2~~3·94 3·94	8·57	1·48	·88	YEAR'S TOTAL 4559 46·56
Rain Days.	13	10	19	9	10	15	9	27	15	23	17	9	176

all readings brought the forward one day

W. 8,000, IX. 17.

80

~~at~~ 950 [illegible]

REGISTER OF ~~RAINFALL~~ IN 1918

FORM A. BRITISH RAINFALL

6. 1. 19

Kept at Backwell Hill House N. Bristol
in the County of Somerset
by William Garnett

Lat. 51° 23′ N Long. 2° 44′ W
Time of Observation 9. a. m
Nearest Railway Station Nailsea / Backwell G.W.R
Diameter of Funnel of Rain Gauge 8″ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
										·08			
1	-	·05	-	·11	·09	-	-	·31	-	·01	·63	-	1
2	-	·06	-	·12	-	-	-	·60	-	·04	-	·67	2
3	-	·02	-	·39	·11	-	-	·06	·10	·10	·04	-	3
4	-	·11	-	·07	-	-	-	·04	·06	·30	·75	·17	4
5	-	-	-	-	·15	-	-	·30	·09	·23	·08	·01	5
6	·30	1·09	-	·52	-	-	-	-	·52	·82	-	·75	6
7	-	·26	-	·14	·87	-	-	-	·41	·28	·45	-	7
8	-	·03	-	-	-	-	-	-	1·96	·11	-	·07	8
9	-	·09	-	·66	-	-	·41	-	1·06	·12	-	·24	9
10	·04	·10	·10	·18	-	·42	·77 ·77	-	·42	·47	-	·47	10
11	·06	·19	·10	-	-	-	·23	-	1·77	-	·09	·37	11
12	·19	·14	·19	-	·27	-	·12	-	·08	·04	-	·10	12
13	-	·03	-	-	·07	-	·06	-	·48	·03	-	·66	13
14	·80	-	·07	-	-	-	·95 ·98	-	·24	·01	-	·08	14
15	1·58	-	-	-	·12	·08	·26	-	·01	-	-	·18	15
16	·35	-	-	1·05	-	·32	·01	-	·18	·02	-	·04	16
17	·25	-	·13	·20	-	-	·45	·31	·08	·09	-	·20	17
18	1·05	-	-	-	-	-	·48	-	1·31	·03	-	·17	18
19	·08	-	·20	·01	-	·53 ·58	·05	·05	·35	·05	-	·05	19
20	-	·26	-	·13	-	-	·45	-	·76	·02	-	-	20
21	-	·07	-	-	-	·03	·17	-	·81	·04	-	·09	21
22	-	-	-	-	·31	·01	·54	-	·26	-	-	·50	22
23	·16	·31	-	-	-		·61	-	-	-	·04	-	23
24	-	-	-	-	·23	·01	·03	·26	·26	·09	·06	-	24
25	-	-	-	-	-	-	·30	1·29	-	·03	·05	-	25
26	-	-	-	·91	·09	-	·98	·05	·13	-	·17	·48	26
27	-	-	-	-	-	-	-	·32	·23	-	·13	·04	27
28	-	·70	·44	-	-	-	-	-	·01	·03	·01	·17	28
29	-		·07	-	-	-	-	-	1·27	·02	·01	·11	29
30	-		·46	-	-	-	-	-	·12	·02	·11	·17	30
31	-		·35		-		-	-				-	31
Total	4·83	2·88 ~~2·87~~	2·11 ~~1·12~~	4·49	2·31	1·40	6·87	3·59	12·97	3·08	2·62	5·79	YEAR'S TOTAL 52·64 ~~61·64~~
Rain Days.	11	16	10	13	10	7	19 18	11	26	25	14	23	184

W, 6,500, VII. 18. w w c

7, big

1868

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Backwell Hill House
in the County of Somerset
by William Garrett

Lat. 51.5 N Long. 2.42 W
Time of Observation 9 a.m.
Nearest Railway Station Nailsea & Backwell
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
x 1	·46		·02		x ·15		·90		·06	·46		·87	1
2	·14		·01		·03		·19		·30		·08	·57	2
3	·57		·40		·04				·10		·11	·70	3
4	·68	·10	·50			·10	·26	·07	·30			·11	4
x 5	·03	·33	x ·70		·02				·65		·02	·55	5
6	·32	·11	·27									·22	6
7	·32		·36	·25									7
8	·21		·14	·08		·05							8
9	·12		·06	·07	·02						·26		9
10			·40							·09		·29	10
11	·06		·25	·24	·14		·25					·10	11
x 12	·05		·07	·05		x ·60				·07		·02	12
13	·15			·45					·04	·05		·10	13
x 14	x ·98	·09		·70			·28			·02		·11	14
15	·42			·07						·02		·26	15
x 16	·15	x 1·09									·32	·02	16
17	~~·05~~	·35	·50	·03		·13					·14		17
18	·06	·01	·50				·08	·55			·19	·08	18
x 19	·36	·20	·45			·25	x 1·18	·60	·12		·10	·09	19
20	·45	·18				·17		·27	·07			·10	20
21		·67					·06	·02			·02	·02	21
x 22		·08					·11		x ·75		·02	·32	22
x 23									·08	x 1·56	·11	·01	23
x 24						·17			·06	1·32	·26	x 1·03	24
x 25	·14					·02		x ·70			·07	·07	25
26	·12		·11	·16		·02		·30	·15		·05	·64	26
x 27	·16			x ·85		·02		·55				·04	27
28	·04		·45					·49				·68	28
29	·02			·22						·08		·35	29
x 30				·30		·28	·03	·08		·03	x ·95	·59	30
31								·65		·02		·22	31
TOTAL	6·01	3·21	5·19 ~~5·49~~	3·47 ~~2·47~~	·40	1·81	3·34	4·28	2·68	3·81	2·70	8·06 ~~8·01~~	YEAR'S TOTAL 44·96 ~~44·18~~
Days with ·01 in. or more	23	11	17	13	6	11	10	11	12	11	15	27	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W D 1781

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Backwell Hill Ho
in the County of Somerset
by William Garnett

Lat. 51·19′ N. Long. 2·40′ W.
Time of Observation 9 a m
Nearest Railway Station Nailsea & Backwell GWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·07~~	–	–	·35	3·3	–	·75	·13	·22	·20	·32	·63	1
2	·07	–	–	·10	–	–	·08	·50	·06	·24	–	·17	2
3	·05	–	–	·07	–	–	·54	–	·02	·40	–	·30	3
4	–	–	·02	·12	–	–	·06	1·24	–	·31	–	–	4
5	–	–	·10	·06	·15	–	1·12	·01	–	·11	·01	–	5
6	–	–	·21	–	·40	–	·07	–	–	·14	·05	–	6
7	·06	–	–	·09	·11	–	·25	–	–	–	·01	–	7
8	·02	·07	~~·0~~	·55	·17	–	·37	·05	–	–	–	–	8
9	·48	·28	·07	·87	–	·13	·03	·07	–	–	–	–	9
10	1·32	·41	·08	·02	–	·29	·42	–	–	–	–	–	10
11	·12	–	·10	·55	·42	·09	·11	–	–	–	·12	–	11
12	·20	·08	–	·13	·02	·90	·08	–	–	–	–	–	12
13	·05	·08	·46	·34	–	–	–	–	–	–	·56	–	13
14	·05	·07	·40	·37	·11	·03	–	–	·14	·63	·14	–	14
15	·08	·30	·02	·27	–	·08	·02	–	·13	·66	·63	–	15
16	·01	–	·01	·06	·32	·15	·45	–	·57	·12	–	–	16
17	·20	–	–	·02	·03	·91	·05	·08	·59	–	–	–	17
18	·11	–	–	·23	–	·07	–	·42	·44	–	–	–	18
19	·01	·57	–	·22	–	·15	–	–	–	–	–	–	19
20	·01	·07	–	·22	–	·51	·06	–	·19	–	–	·37	20
21	–	–	–	–	–	–	·15	–	·01	·01	–	·04	21
22	·02	–	·27	·06	–	·01	·07	·20	–	–	–	·54	22
23	–	–	·08	–	–	–	·90	·07	–	–	–	·57	23
24	–	–	–	–	–	–	·06	·03	–	–	·10	·10	24
25	–	·15	·36	–	–	·01	·51	–	–	–	·01	–	25
26	·46	·02	·10	–	–	·01	·05	–	–	–	·12	·03	26
27	·35	·07	·08	·03	·03	1·05	·05	–	–	–	–	·19	27
28	·82	·01	·12	·03	·01	·02	·04	–	–	–	–	·03	28
29	·16	–	·21	·04	·08	–	·35	–	–	–	·22	·49	29
30	·04	X	·12	·10	–	·70	·54	–	·35	–	·37	·45	30
31	·26	X	·33	X	·01	X	·01	–	X	·48	X	·40	31
Total	4·95	2·09	3·14	4·90	2·19	5·11	7·19	2·80	2·72	3·24	2·66	4·04	Year's Total 45·03
Days with ·01 in. or more	23	13	19	24	14	17	27	11	11	11	13	14	~~198~~ 197
Days with ·04 in. or more	18	10	16	20	9	12	24	9	9	10	10	12	~~160~~ 159

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOG … ANIZATION.

REC … ....

12 FEB 1921

BAGBOROUGH
RECTORY

SOMERSET

Kept at Bagborou… … a.m

… Crowcombe

in the County of Som… … Gauge 5 in.

… ve Ground - ft. 7 in.

by C. Huvlet … Sea Level … ft.

IMPORTANT NOTE. … ntered to the previous day.

If an Observer prefers not … ested to add the reading at 9 a.m. on 1s… at the end of this paragraph. Full instruc… f rain gauges, and particulars as to the … ll Observers," sent post-free on applicati… 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should … n.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	-	-	·21	·26	-	·19	·16	·16	·12	·29	·53	1
2	·21	-	·01	·27	·02	-	·55	·14	·13	·05	-	·12	2
3	·08	·05	-	·24	·03	·02	·03	-	-	·66	-	·03	3
4	-	-	·05	·06	·01	-	·04	·40	-	·18	-	-	4
5	-	-	·17	-	·05	-	·62	·11	-	·10	-	-	5
6	-	-	·37	·02	(·10)	-	·02	-	-	·09	·05	-	6
7	·03	-	·02	·14	·03	-	·35	-	-	-	·01	-	7
8	·12	·12	-	·25	·10	-	·38	-	-	-	-	·03	8
9	·60	·08	·03	·14	-	·20	·18	-	·02	-	-	-	9
10	1·23	·13	·04	·01	-	·21	·27	-	-	-	-	-	10
11	·21	-	·16	·33	·40	·01	·12	-	-	-	-	-	11
12	·20	·12	·04	·15	·02	·14	·03	-	-	-	·10	-	12
13	·13	·05	·50	·06	-	-	-	-	-	·12	-	-	13
14	·01	·03	·37	·65	-	-	·09	-	·07	·23	·53	-	14
15	·01	·11	·07	·34	·72	·10	-	-	·08	·59	·07	-	15
16	-	·01	·03	·02	·16	·12	·32	-	·19	·27	·03	-	16
17	·02	-	·02	·07	·26	·10	-	-	·45	-	-	-	17
18	·14	·04	·03	·02	·11	·15	·16	·36	·08	-	-	·04	18
19	·07	·19	-	·39	·05	·29	-	·02	·02	-	-	·01	19
20	·04	·07	-	·14	·01	·10	·06	-	-	-	-	·17	20
21	-	-	-	·04	-	-	·14	·04	-	-	-	·13	21
22	·05	-	-	·04	-	-	·07	·03	-	-	-	·70	22
23	-	-	-	-	-	-	·45	·14	-	-	-	·57	23
24	·09	-	·23	-	·04	-	-	-	-	-	·10	·15	24
25	·01	·05	·18	-	·19	-	·48	-	-	-	-	·02	25
26	·20	-	·20	·02	-	·11	-	-	-	-	·08	·11	26
27	·20	·08	·09	·10	·23	·31	·14	-	-	-	·34	·20	27
28	·58	·03	·08	·05	·06	·17	·06	-	-	-	·02	·05	28
29	·20	·01	·49	-	·10	·03	-	-	-	-	·10	·20	29
30	·13		-	·06	·03	·09	·08	-	·30	-	·27	·27	30
31	·08		·48		·02		·10	-		·60		·11	31
TOTAL	4·71	1·17	3·66	3·82	3·00	2·15	4·93	1·40	1·50	3·01	1·99	3·44	YEAR'S TOTAL 34·78
Days with ·01 in. or more	25	16	22	25	23	16	24	9	10	11	13	18	212
Days with ·04 in. or more	20	12	16	20	15	13	21	7	8	11	10	14	167

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

12 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bagborough Rectory

in the County of Somerset

by C. Hubert Lance

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Crowcombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 7 in.

" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	-	-	·21	·26	[illegible]	·19	·16	·16	·12	·29	·53	1
2	·21	-	·01	·27	·02	-	·55	·14	·13	·05	-	·12	2
3	·08	·05	-	·24	·03	·02	·03	-	-	·66	-	·03	3
4	-	-	·05	·06	·01	-	·04	·40	-	·18	-	-	4
5	-	-	·17	-	·05	-	·62	·11	-	·10	-	-	5
6	-	-	·37	·02	(·14)	-	·02	-	-	·09	·05	-	6
7	·03	-	·02	·14	·03	-	·35	-	-	-	·01	-	7
8	·12	·12	-	·25	·10	-	·38	-	-	-	-	·03	8
9	·60	·08	·03	·14	-	·20	·18	-	·02	-	-	-	9
10	1·23	·13	·04	·01	-	·21	·27	-	-	-	-	-	10
11	·21	-	·16	·33	·40	·01	·12	-	-	-	-	-	11
12	·20	·12	·04	·15	·02	·14	·03	-	-	-	·10	-	12
13	·13	·05	·50	·06	-	-	-	-	-	·12	-	-	13
14	·01	·03	·37	·65	-	-	·09	-	·07	·23	·53	-	14
15	·01	·11	·07	·34	·72	·10	-	-	·08	·59	·07	-	15
16	-	·01	·03	·02	·16	·12	·32	-	·19	·27	·03	-	16
17	·02	-	·02	·07	·26	·10	-	-	·45	-	-	-	17
18	·14	·04	·03	·02	·11	·15	·16	·36	·08	-	-	·04	18
19	·07	·19	-	·39	·05	·29	-	·02	·02	-	-	·01	19
20	·04	·07	-	·14	·01	·10	·06	-	-	-	-	·17	20
21	-	-	-	·04	-	-	·14	·04	-	-	-	·13	21
22	·05	-	-	·04	-	-	·07	·03	-	-	-	·70	22
23	-	-	-	-	-	-	·45	·14	-	-	-	·57	23
24	·09	-	·23	-	·04	-	-	-	-	-	·10	·15	24
25	·01	·05	·18	-	·19	-	·48	-	-	-	-	·02	25
26	·20	-	·20	·02	-	·11	-	-	-	-	·08	·11	26
27	·20	·08	·09	·10	·23	·31	·14	-	-	-	·34	·20	27
28	·58	·03	·08	·05	·06	·17	·06	-	-	-	·02	·05	28
29	·20	·01	·49	-	·10	·03	-	-	-	-	·10	·20	29
30	·13	☒	-	·06	·03	·09	·08	-	·30	-	·27	·27	30
31	·08	☒	·48	☒	·02	☒	·10	-	☒	·60	☒	·11	31
TOTAL	4·71	1·17	3·66	3·82	3·00 4	2·15	4·93	1·40	1·50	3·01	1·99	3·44	YEAR'S TOTAL 34·78
Days with ·01 in. or more	25	16	22	25	23	16	24	9	10	11	13	18	212
Days with ·04 in. or more	20	12	16	20	15	13	21	7	8	11	10	14	167

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

19.II.12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

BANWELL

EVERSLEY
SOMERSET

1911 — 1920

RI 1911

Kept at Eversleigh.

in the County of Som

by Kennett G

f top 5 in.

op above Ground 1 ft. 6 in.

„ Sea Level 50 ft.

9 a.m.

ation Name Sandford & Banwell, G.W.R.
Distance 1 mile Direction E

IMPORTANT NOT ., and the result entered to the previous day. If an C st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.05	0.07	0.00	0.00	0.00	0.24	0.00	0.00	0.07	0.02	1
2	0.00	0.00	0.00	0.34	0.33	0.00	0.00	0.32	0.00	0.05	0.41	0.04	2
3	0.00	0.00	0.04	0.00	0.30	0.00	0.00	0.00	0.00	0.00	0.09	0.02	3
4	0.00	0.00	0.18	0.00	0.01	0.00	0.00	0.00	0.03	0.03	0.26	0.39	4
5	0.07	0.00	0.07	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.63	0.03	5
6	0.13	0.00	0.04	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.17	0.44	6
7	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.00	7
8	0.26	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	8
9	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.39	9
10	0.14	0.04	0.29	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.02	0.26	10
11	0.40	0.02	0.01	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.63	0.38	11
12	0.00	0.00	0.73	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.33	0.18	12
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.02	0.08	0.41	13
14	0.00	0.14	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.83	14
15	0.00	0.09	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00		0.03	15
16	0.00	0.08	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00		0.16	16
17	0.00	0.06	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.73	0.15	17
18	0.00	0.26	0.07	0.15	0.00	0.55	0.00	0.00	0.00	0.02		0.15	18
19	0.00	0.09	0.00	0.06	0.00	0.10	0.00	0.00	0.44	0.05		0.42	19
20	0.02	0.05	0.07	0.01	0.00	0.02	0.00	0.00	0.29	0.05	0.00	0.30	20
21	0.00	0.24	0.02	0.08	0.00	0.01	0.00	0.00	0.25	0.45	0.00	0.26	21
22	0.07	0.02	0.22	0.04	0.00	0.61	0.00	0.00	0.02	0.21	0.00	0.61	22
23	0.02	0.11	0.14	0.01	0.00	0.04	0.00	0.00	0.11	0.12	0.00	0.18	23
24	0.02	0.31	0.00	0.00	0.00	0.56	0.00	0.24	0.01	0.71	0.00	0.24	24
25	0.00	0.14	0.00	0.22	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.50	25
26	0.00	0.11	0.00	0.41	0.03	0.01	0.08	0.06	0.00	0.21	0.06	0.34	26
27	0.00	0.42	0.08	0.00	0.00	0.00	0.00	0.24	0.09	0.00	0.03	0.14	27
28	0.00	0.40	0.00	0.64	0.00	0.00	0.00	0.11	0.00	0.00	0.07	0.00	28
29	0.00		0.00	0.21	0.00	0.46	0.05	0.06	0.11	0.50	0.00	0.01	29
30	0.00		0.00	0.08	0.00	0.01	0.00	0.00	0.00	0.24	0.07	0.05	30
31	0.00		0.00		0.02		0.00	0.00		0.25		0.01	31
Total	1.33	2.58	2.29	2.32	1.02	2.77	0.13	1.62	1.85	2.91	4.23	7.29	TOTAL for year 30.34
	1.33		2.29							2.91			30.34
No. of Rain Days	11	17	15	13	8	14	2	9	11	14	21	29	164.

9,000, IX. '10.

19·II·12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912
6

Kept at Eversleigh, Banwell,

in the County of Somerset 2

by Kenneth Anderson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 50 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Sandford & Banwell, G.W.R.
Distance 1 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.05	0.07	0.00	0.00	0.00	0.24	0.00	0.00	0.07	0.02	1
2	0.00	0.00	0.00	0.34	0.33	0.00	0.00	0.32	0.00	0.05	0.41	0.04	2
3	0.00	0.00	0.04	0.00	0.30	0.00	0.00	0.00	0.00	0.00	0.09	0.02	3
4	0.00	0.00	0.18	0.00	0.01	0.00	0.00	0.00	0.03	0.03	0.26	0.39	4
5	0.07	0.00	0.07	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.63	0.03	5
6	0.13	0.00	0.04	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.17	0.44	6
7	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.00	7
8	0.26	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	8
9	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.39	9
10	0.14	0.04	0.29	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.02	0.26	10
11	0.40	0.02	0.01	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.63	0.38	11
12	0.00	0.00	0.73	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.33	0.18	12
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.02	0.08	0.41	13
14	0.00	0.14	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.83	14
15	0.00	0.09	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00		0.03	15
16	0.00	0.08	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00		0.16	16
17	0.00	0.06	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.73	0.15	17
18	0.00	0.26	0.07	0.15	0.00	0.55	0.00	0.00	0.00	0.02		0.15	18
19	0.00	0.09	0.00	0.06	0.00	0.10	0.00	0.00	0.44	0.05		0.42	19
20	0.02	0.05	0.07	0.01	0.00	0.02	0.00	0.00	0.29	0.05	0.00	0.30	20
21	0.00	0.24	0.02	0.08	0.00	0.01	0.00	0.00	0.25	0.45	0.00	0.26	21
22	0.07	0.02	0.22	0.04	0.00	0.61	0.00	0.00	0.02	0.21	0.00	0.61	22
23	0.02	0.11	0.14	0.01	0.00	0.04	0.00	0.00	0.11	0.12	0.00	0.18	23
24	0.02	0.31	0.00	0.00	0.00	0.56	0.00	0.24	0.01	0.71	0.00	0.24	24
25	0.00	0.14	0.00	0.22	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.50	25
26	0.00	0.11	0.00	0.41	0.03	0.01	0.08	0.06	0.00	0.21	0.06	0.34	26
27	0.00	0.42	0.08	0.00	0.00	0.00	0.00	0.24	0.09	0.00	0.03	0.14	27
28	0.00	0.40	0.00	0.64	0.00	0.00	0.00	0.11	0.00	0.00	0.07	0.00	28
29	0.00		0.00	0.21	0.00	0.46	0.05	0.06	0.11	0.50	0.00	0.01	29
30	0.00		0.00	0.08	0.00	0.01	0.00	0.00	0.00	0.24	0.07	0.05	30
31	0.00		0.00		0.02		0.00	0.00		0.25		0.01	31
Total	1.33	2.58	2.29	2.32	1.02	2.77	0.13	1.62	1.85	2.93	4.23	7.29	TOTAL for year 30.34
	1.33		2.29							2.91			30.34
No. of Rain Days	11	17	15	13	8	14	2	9	11	14	21	29	164.

9,000, IX. '10.

Cord for [illegible] 26.11.13 ~~W~~ DL

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Eversleigh, Banwell

in the County of Somerset 2

by Kenneth Anderson M.B.

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 6 in.
	" " " Sea Level	58 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Sandford & Banwell G.W.R. — Distance 1 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.27	0.00	0.00	0.30	0.00	0.00	0.02	0.60	0.00	0.21	1
2	0.00	0.00	0.09	0.00	0.00	0.18	0.26	0.00	0.00	0.00	0.04	0.00	2
3	0.02	0.00	0.13	0.01	0.00	0.21	0.04	0.47	0.11	0.00	0.05	0.07	3
4	0.34	0.00	0.62	0.00	0.01?	0.12	0.00	0.07	0.02	0.00	0.20	0.00	4
5	0.40	0.11	0.16	0.00	0.02	0.00	0.00	0.40	0.00	0.00	0.00	0.15	5
6	0.44	0.13	0.10	0.00	0.12	0.00	0.22	0.81	0.00	0.90	0.00	0.03	6
7	0.03	0.23	0.15	0.00	0.17	0.70	0.00	0.01	0.00	0.00	0.04	0.10	7
8	0.35	0.20	0.17	0.01	0.00	0.11	0.21	0.06	0.00	0.00	0.00	0.07	8
9	0.03	0.02	0.06	0.13	0.00	0.06	0.03	0.00	0.00	0.00	0.02	0.57	9
10	0.16	0.09	0.00	0.00	0.00	0.22	0.00	0.01	0.00	0.00	0.08	0.07	10
11	0.06	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.56	11
12	0.07	0.61	0.11	0.13	0.02	0.~~0~~15	0.04	0.00	0.00	0.02	0.00	0.12	12
13	0.00	0.00	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	13
14	0.11	0.08	0.76	0.00	0.19	0.00	0.00	0.33	0.00	0.00	0.00	0.02	14
15	0.07	0.10	0.00	0.00	0.23	0.60	0.09	0.02	0.00	0.00	0.00	0.71	15
16	0.51	0.00	0.33	0.00	0.20?	0.05	0.00	0.71	0.00	0.12	0.22	0.15	16
17	0.21	0.00	0.30	0.00	0.04	0.15	0.00	0.89	0.00	0.00	0.03	0.25	17
18	0.50+	0.01	0.63	0.00	0.00	0.00	0.00	0.09	0.00	0.11	0.01	0.15	18
19	snow + rain	0.05	0.07	0.00	0.00	0.03	0.30	0.17	0.00	0.31	0.00	0.03	19
20	0.03	0.06	0.28	0.00	0.27	0.00	0.01	0.61	0.00	0.57	0.01	0.00	20
21	0.00	0.30	0.21	0.00	0.76	0.00	0.07	0.20	0.00	0.16	0.01	0.00	21
22	0.52	0.14	0.07	0.00	0.30	0.01	0.15	0.42	0.00	0.03	0.03	0.10	22
23	0.28	0.65	0.41	0.00	0.00	0.01	0.00	1.12	0.00	0.08	0.10	0.37	23
24	0.10	0.02	0.06	0.00	0.00	0.22	0.00	0.01	0.00	0.01	0.00	0.13	24
25	0.00	0.00	0.01	0.00	0.00	0.69	0.00	0.67	0.00	0.12	0.40	0.46	25
26	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.35	0.00	0.49	0.61	0.21	26
27	0.00	0.08	0.00	0.00	0.00	0.25	0.71	0.00	0.00	0.71	0.10	0.57	27
28	0.00	0.00	0.00	0.00	0.00	0.09	0.25	0.47	0.07	0.24	0.57	0.73	28
29	0.00	0.10	0.00	0.00	0.00	0.00	0.44	0.04	0.49	0.44	0.00	0.11	29
30	0.00		0.01	0.00	0.02	0.10	0.30	0.00	0.07	0.40	0.00	0.01	30
31	0.00		0.34		0.09		0.33	0.07		0.02		0.13	31
Total	4.23	3.08	5.36	0.29	2.38 2.38	4.25	3.36 3.36	8.00	0.78	4.43	2.57	6.23	TOTAL for year 45.36 44.96
No. of Rain Days.	20	20	24	5	14	20	15	23	6	17	18	27	229 209

W. 8,000, X. '11.

Cnd. 25.111.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL
9 - JAN 1914

Kept at Eversleigh, Banwell
in the County of Somerset
by Kenneth Anderson

2

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Sandford & Banwell GWR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.18	0.17	0.05	0.14	0.00	0.00	0.00	0.26	0.00	0.03	0.18	1
2	0.06	0.05	0.00	0.12	0.08	0.00	0.01	0.00	0.03	0.35	0.16	0.02	2
3	0.07	0.00	0.08	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.02	0.54	3
4	1.49	0.00	0.07	0.00	0.18	0.01	0.00	0.00	0.66	0.08	0.01	0.18	4
5	0.03	0.08	0.00	0.00	0.20	0.50	0.08	0.00	0.24	0.00	0.09	0.12	5
6	0.03	0.09	0.18	0.00	0.04	0.20	0.06	0.00	0.00	0.47	0.23	0.46	6
7	0.00	0.12	0.07	0.00	0.30	0.23	0.16	0.00	0.00	0.54	0.20	0.02	7
8	0.01	0.03	0.00	0.00	0.21	0.02	0.00	0.00	0.06	0.13	0.00	0.00	8
9	0.00	0.13	0.05	0.00	0.08	0.39	0.00	0.24	0.03	0.00	0.09	0.02	9
10	0.32	0.00	0.02	0.00	0.10	0.00	0.00	0.12	0.00	0.37	0.21	0.00	10
11	0.58	0.00	0.00	0.17	0.11	0.07	0.00	0.18	0.00	0.08	0.59	0.11	11
12	0.14	0.00	0.00	0.00	0.10	0.00	0.03	0.05	0.10	0.00	0.22	0.00	12
13	0.10	0.00	0.08	0.00	0.00	0.00	0.06	0.11	0.40	0.00	0.14	0.00	13
14	0.10	0.00	0.20	0.05	0.00	0.00	0.00	0.00	0.05	0.07	0.26	0.03	14
15	0.19	0.09	0.35	0.63	0.00	0.00	0.00	0.00	0.17	0.00	0.23	0.06	15
16	0.23	0.00	0.37	0.03	0.00	0.00	0.00	0.05	0.12	0.00	0.04	0.00	16
17	0.12	0.00	0.03	0.10	0.00	0.00	0.08	0.00	0.00	0.00	0.05	0.00	17
18	0.16	0.00	0.18	0.16	0.00	0.01	0.00	0.00	0.00	0.00	0.05	0.00	18
19	0.27	0.00	0.00	0.00	0.05	0.25	0.00	0.00	0.40	0.00	0.00	0.00	19
20	0.19	0.00	0.12	0.07	0.00	0.00	0.00	0.00	0.00	0.20	0.10	0.00	20
21	0.00	0.00	0.05	0.61	0.16	0.00	0.10	0.02	0.00	0.00	0.30	0.00	21
22	0.66	0.00	0.67	0.15	0.04	0.13	0.00	0.04	0.24	0.00	0.00	0.00	22
23	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.60	0.03	0.00	0.14	0.32	23
24	0.09	0.00	0.00	0.05	0.00	0.00	0.00	0.02	0.00	0.00	0.01	0.00	24
25	0.00	0.05	0.00	0.19	0.00	0.00	0.06	0.00	0.02	0.00	0.04	0.18	25
26	0.00	0.04	0.00	0.22	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.11	26
27	0.10	0.00	0.10	0.24	0.00	0.00	0.00	0.00	0.00	0.11	0.01	0.04	27
28	0.14	0.00	0.02	0.25	0.03	0.00	0.00	0.00	0.00	0.26	0.00	part snow 0.08	28
29	0.02		0.46	0.29	0.02	0.00	0.06	0.15	0.06	0.20	0.02	0.00	29
30	0.40		0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.61	0.09	0.00	30
31	0.12		0.06		0.25		0.00	0.12		0.00		0.00	31
Total	5.64	0.86	3.33	3.38	2.45	1.82	0.58	1.80	2.75	3.47	3.33	2.47	YEAR'S TOTAL 31.88
Rain Days.	25	10	20	17	18	11	8	13	14	13	25	16	190

3.47 31.88

W. 7,500, XI. ·12

[illegible] 18.V.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

21 APR 1915

Kept at Everleigh, Banwell

in the County of Somerset 2

by Kenneth Anderson

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station Sandford & Banwell

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0·00	0.00	0·14	0·00	0·06	0·45	0·57	0.00	0.00	0.04	0.00	1
2	0.00	0·00	0.00	0·04	0·03	0·03	0·65	0·10	0.00	0.00	0.84	0·35	2
3	0.00	0·00	0·11	0·21	0·12	0·00	0·00	1·24	0.00	0.00	0.07	0.44	3
4	0.30	0·00	0·14	0·19	0·28	0·00	0·17	0.06	0·00	0.00	0·54	0.30	4
5	0·07	0·00	0·20	0·46	0.02	0·00	0.05	0·02	0·00	0·00	0·03	0·34	5
6	0·00	0·11	0·05	0·28	0·03	0·00	0·20	0·21	0·00	0.00	0·04	0·16	6
7	0·03	0·67	0·30	0·34	0·22	0·12	0·55	0·25	0·00	0·00	0·00	0·10	7
8	0·17	0·00	0·79	0·03	0·11	0·45	0·12	0·09	0·04	0·00	0·00	0·05	8
9	0·15	0·03	0·25	0·10	0·02	0·69	0·00	0·13	0·26	0·00	0·00	0·00	9
10	0·01	0·10	0·00	0·12	0·18	0·00	0·00	0·00	1·00	0·00	0·02	0·00	10
11	0·00	0·09	0·64	0·00	0·14	0·22	0·48	0·00	0·04	0·00	0·05	0·46	11
12	0·00	0·12	0·14	0·00	0·00	0·00	0·03	0·00	0·23	0·00	0·07	0·09	12
13	0·00	0·21	0·31	0·00	0·00	0·00	0·04	0·00	0·44	0·41	0·10	0·22	13
14	0·00	0·11	0·21	0·00	0·00	0·00	0·00	0·43	0·06	0·10	0·30	0·00	14
15	0·00	0·00	0·20	0·00	0·00	0·00	0·00	0·47	0·03	0·03	0·20	0·00	15
16	0·02	0·00	0·02	0·00	0·00	0·00	0·08	0·00	0·17	0·00	0·00	0·00	16
17	0·00	0·47	0·28	0·00	0·00	0·00	0·05	0·00	0·00	0·00	0·00	0·30	17
18	0·00	0·07	0·05	0·00	0·00	0·00	0·20	0·00	0·03	0·00	0·00	0·30	18
19	0·00	0·07	0·21	0·00	0·00	0·00	0·94	0·00	0·00	0·00	0·10	0·07	19
20	0·00	0·18	0·09	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·20	20
21	0·00	0·59	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·15	0·05	0·00	21
22	0·00	0·03	0·10	0·00	0·55	0·19	0·03	0·22	0·00	0·04	0·00	0·00	22
23	0·00	0·09	0·27	0·00	0·08	0·07	0·03	0·00	0·00	0·25	0·00	0·00	23
24	0·00	0·00	0·05	0·00	0·17	0·00	0·00	0·07	0·00	0·11	0·26	0·00	24
25	0·10	0·00	0·14	0·00	0·00	0·00	0·00	0·71	0·00	0·43	0·02	0·40	25
26	0·00	0·02	0·09	0·00	0·00	0·00	0·03	0·03	0·00	0·13	0·31	0·41	26
27	0·05	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·22	0·20	0·07	27
28	0·00	0·13	0·12	0·00	0·08	0·00	0·00	0·00	0·00	0·12	0·73	0·72	28
29	0·25		0·38	0·00	0·18	0·00	0·04	0·00	0·00	0·06	0·10	0·00	29
30	0·00		0·02	0·00	0·01	0·02	0·00	0·00	0·00	0·20	0·20	0·43	30
31	0·00		0·00		0·07		0·18	0·00		0·24		0·12	31
Total	1·15 1·15	3·09	5·16	1·91	2·29	1·87	4·32	4·60	2·30	2·49	4·27	5·53	YEAR'S TOTAL 38·95 38·98
Rain Days.	10	17	25	10	17	11	19	15	10	14	21	20	189

W.7,000, XI. 13

W DL   cnd from auth 6.V.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

2130

Kept at Eversleigh, Banwell

in the County of ~~B~~ Somerset

by Kenneth Anderson

2

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Sandford + Banwell

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.25	0.20	0.00	0.00	0.12	0.00	0.00	0.10	0.50	0.27	0.02	0.11	1
2	0.09	0.20	0.20	0.27	0.00	0.09	0.00	0.41	0.16	0.03	0.00	0.25	2
3	0.03	0.06	0.15	0.32	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.20	3
4	0.05	0.02	0.00	0.00	0.00	0.00	0.51	0.04	0.00	0.00	0.00	0.81	4
5	0.10	0.27	0.03	0.03	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.24	5
6	0.41	0.09	0.00	0.28	0.00	0.00	0.45	0.15	0.00	0.00	0.00	0.13	6
7	0.47	0.38	0.06	0.04	0.00	0.00	0.30	0.01	0.00	0.00	0.00	0.23	7
8	0.37	0.34	0.00	0.11	0.00	0.00	0.00	0.14	0.00	0.00	0.15	0.00	8
9	0.01	0.07	0.00	0.08	0.00	0.00	0.00	0.02	0.00	0.00	0.30	0.72	9
10	0.30	0.08	0.10	0.07	0.00	0.00	0.00	0.08	0.00	0.03	0.00	0.05	10
11	0.00	0.00	0.07	0.07	0.00	0.00	0.00	0.06	0.00	0.00	0.74	0.04	11
12	0.15	0.37	0.00	0.10	0.42	0.00	0.00	0.11	0.00	0.16	0.12	0.00	12
13	0.05	0.42	0.00	0.00	0.64	0.00	0.28	0.09	0.16	0.00	0.00	0.00	13
14	0.09	0.00	0.00	0.00	0.00	0.00	0.25	0.71	0.08	0.00	0.00	0.70	14
15	0.24	0.00	0.00	0.00	0.12	0.00	0.22	0.06	0.10	0.07	0.12	0.05	15
16	0.00	0.52	0.00	0.00	0.10	0.00	0.80	0.04	0.00	0.00	0.00	0.04	16
17	0.00	0.22	0.00	0.00	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17
18	0.00	0.32	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18
19	0.00	0.03	0.00	0.00	0.06	0.00	0.22	0.00	0.00	0.00	0.00	0.00	19
20	0.40	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.07	20
21	0.09	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.03	21
22	0.06	0.10	0.21	0.06	0.00	0.04	0.76	0.00	0.05	0.00	0.00	0.10	22
23	0.00	0.00	0.58	0.00	0.00	0.00	0.07	0.00	0.05	0.81	0.00	0.65	23
24	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.15	0.63	0.00	0.29	24
25	0.00	0.00	0.00	0.00	0.00	0.19	0.18	0.00	0.00	0.05	0.00	0.27	25
26	0.00	0.03	0.00	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.00	0.39	26
27	0.00	0.02	0.00	0.00	0.00	0.06	0.39	0.00	0.00	0.42	0.00	0.00	27
28	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.02	0.58	0.20	0.00	0.02	28
29	0.00		0.00	0.00	0.00	0.67	0.00	0.03	0.00	0.00	0.07	0.06	29
30	0.30	✕	0.00	0.05	0.00	0.57	0.00	0.00	0.00	0.24	0.09	0.21	30
31	0.05	✕	0.00	✕	0.00	✕	0.03	0.18	✕	0.53	✕	0.18	31
Total	3.51	3.94	1.34 1.34	1.61	2.45	1.62	5.02	2.35 2.35	1.83	3.66	1.61 1.61	5.84	YEAR'S TOTAL 34.78 34.78
Rain Days.	19	21	7	13	9	6	15	18	9	14	8	24	163 163

W. 8,000. X. 14.

~~W~~ [illegible] cnd p. month 20

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL

9 JAN 1917

Kept at Everleigh, Banwell

in the County of Somerset

by Kenneth Anderson

Lat. ______ Long. ______

Time of Observation 9 AM

Nearest Railway Station Sandford & Banwell G.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.15	0.00	0.00	0.00	0.13	0.17	0.35	0.00	0.03	0.65	0.18	0.00	1
2	0.70	0.07	0.00	0.00	0.08	0.00	0.00	0.00	0.02	0.60	0.08	0.00	2
3	0.00	0.70	0.00	0.00	0.20	0.02	0.02	0.00	0.01	0.35	0.14	0.00	3
4	0.32	0.20	0.00	0.03	0.21	0.56	0.00	0.00	0.19	0.09	0.45	0.00	4
5	0.14	0.02	0.00	0.00	0.25	0.21	0.00	0.00	0.00	0.04	0.07	0.00	5
6	0.10	0.26	0.00	0.00	0.18	0.39	0.40	0.00	0.00	0.14	0.37	0.00	6
7	0.10	0.11	rain & snow 0.15	0.00	0.11	0.08	0.00	0.00	0.00	0.13	0.52	0.16	7
8	0.00	0.20	0.03	0.00	0.15	0.09	0.00	0.00	0.00	0.00	0.01	0.17	8
9	0.00	0.04	0.00	0.00	0.21	0.02	0.00	0.00	0.00	0.07	0.06	0.04	9
10	0.00	0.37	0.00	0.10	0.06	0.03	0.00	0.00	0.00	0.03	0.00	0.06	10
11	0.04	0.00	0.05	0.33	0.07	0.09	0.00	0.00	0.02	0.00	0.02	0.00	11
12	0.05	0.20	0.05	0.01	0.38	0.00	0.17	0.08	0.00	0.19	0.00	0.00	12
13	0.00	0.54	0.20	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	13
14	0.04	0.36	0.00	0.14	0.35	0.00	0.00	0.32	0.00	0.09	0.00	0.00	14
15	0.03	0.19	0.05	0.10	0.03	0.00	0.00	0.74	0.18	0.00	0.00	0.00	15
16	0.07	0.04	0.00	0.52	0.02	0.00	0.05	0.49	0.00	0.06	0.00	0.00	16
17	0.14	0.24	0.00	0.05	0.00	0.00	0.00	0.16	0.40	0.43	0.17	0.00	17
18	0.02	0.04	0.21	0.06	0.00	0.00	0.00	0.00	0.02	0.14	0.15	0.05	18
19	0.24	0.06	0.48	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	19
20	0.12	0.06	0.35	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.80	20
21	0.16	0.08	0.40	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	snow & rain 0.27	21
22	0.03	0.00	0.00	0.07	0.00	0.18	0.00	0.00	0.00	0.16	0.10	0.56	22
23	0.05		0.00	0.28	0.00	0.09	0.00	0.25	0.00	0.12	0.23	0.16	23
24	0.00		0.02	0.07	1.42	0.06	0.00	0.06	0.00	0.50	0.00	0.25	24
25	0.00	0.45 Snow	0.20	0.00	0.00	0.00	0.00	0.36	0.00	0.07	0.20	0.07	25
26	0.05		0.15	0.00	0.00	0.21	0.00	0.62	0.65	0.42	0.00	0.00	26
27	0.05	0.15	rain & snow 1.10	0.00	0.05	0.09	0.00	0.25	0.29	0.60	0.00	0.00	27
28	0.00	snow & rain 0.21 snow	0.00	0.00	0.00	0.03	0.00	0.00	0.12	0.85	0.00	0.69	28
29	0.00	0.32	0.15	0.00	0.00	0.43	0.00	1.39	0.05	0.57	0.00	0.58	29
30	0.00	X	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.00	0.03	30
31	0.00	X	0.00	X	0.00	X	0.00	0.05	X	0.09	X	0.08	31
Total	2.60	4.85 4.85	3.59	2.07	4.00	2.75	0.99	4.98	1.98	6.74	3.09	3.91	YEAR'S TOTAL 41.55 41.55
Rain Days.	20	25	15	14	18	17	5	13	12	24	17	14	194

W. 8,000. X. 15.

1978

cond pr autho ~~A~~ R

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4 JAN 1918

Kept at Eversleigh, Banwell
in the County of Somerset
by Kenneth Anderson

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Sandford & Banwell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00		0.35	snow 0.44		0.17		0.93	0.30		0.10		1
2	0.05			snow 0.03		0.27		0.12		0.04	0.07		2
3	0.00			snow 0.02			0.24			1.07	0.04		3
4	0.00	snow. 0.20	0.11				0.09	0.06		0.15		0.02	4
5	0.29		0.24	0.50		0.20			0.28	0.57	0.20		5
6	0.00		0.10							0.13	0.20		6
7	0.38						0.78	0.39		0.17	0.03	0.02	7
8	0.00		snow 0.12	0.13		0.02		0.53	0.13	0.78	0.18	0.04	8
9	0.00			snow 0.03	0.08		0.02	0.37	0.10	0.41	0.07		9
10	0.03		0.20	part snow 0.21				0.27	0.04				10
11			0.86	part-snow 0.35	0.10			0.14	0.18	0.13	0.05		11
12					0.63			0.42		0.88			12
13			0.12	0.05		0.05		0.16	0.13	0.12			13
14			0.09	0.12				0.78	0.30				14
15							0.28	0.20		~~0.40~~		0.24	15
16		0.24		0.17				0.02	0.03	0.40		0.20	16
17				0.09	0.10		0.45	0.07	0.36	0.12	0.07		17
18						0.04	0.35	0.10					18
19		0.56	0.04			0.08		0.43	0.05		0.06		19
20		0.15			0.25	0.16			0.07			0.03	20
21			snow 0.09			0.19							21
22		0.02				0.06		0.14		0.20			22
23		0.13			0.02			0.25			0.05	0.02	23
24						0.16	0.04	0.24		0.25	0.02		24
25		0.13				0.02		0.05		0.61			25
26					0.20			0.67	0.31	0.37	0.07		26
27					0.62	0.15		1.14			0.02		27
28			0.12		0.03	1.88		0.59					28
29			0.10			0.16	0.03	0.02		0.42		0.15	29
30		X	0.02				0.12	0.26		0.18			30
31		X	0.17	X		X		0.05	X	0.06	X	0.03	31
Total	0·75	1·43	2·73	2·14 2·1~~5~~4	2·03	3·61	2·40	8·40 8·40	2·28	7·06 6·56	1·23	0·75	YEAR'S TOTAL 34·81 34·81
Rain Days.	4	7	15	12	9	15	11 ~~10~~	26	13	20	15	9	156

W. 8,000, VIII. 16

Smaller

REGISTER OF RAINFALL IN 19/8

FORM A.
BRITISH RAINFALL.

9. 1. 19

64

Kept at Eversleigh Banwell
in the County of Somerset
by Kenneth Anderson

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Sandford & Banwell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.06		0.11	0.10			0.37		0.06	0.55		1
2		0.03		0.07				0.44					2
3		0.04		0.13	0.13				0.06		0.10		3
4		0.10		0.07				0.05	0.02	0.10			4
5			0.02		0.08			0.33	0.12	0.18			5
6	0.17	0.54		0.40					0.23	0.15			6
7		0.20			0.65				0.36	0.47	0.31		7
8	0.02	0.02							1.29	0.35			8
9		0.12		0.53		0.11	0.39		0.79	0.08			9
10	0.02	0.01		0.13			0.50		0.18	0.10			10
11	0.12	0.13	0.09	0.01			0.32		0.46	0.20			11
12		0.10	0.13		0.29		0.24		0.06				12
13	snow 0.27						0.05		0.43	0.16			13
14			0.03			0.05	0.33		0.20	0.11			14
15	part snow 1.00			0.19	0.10	0.22	0.26		0.02				15
16	0.30			0.58			0.03		0.17				16
17	0.28		0.03	0.07			0.49		0.15	0.03			17
18	0.76					0.73	0.32	0.14	0.77	0.07			18
19	0.05		0.22				0.06	0.05	1.11	0.03			19
20	0.02	0.21		0.08		0.03	0.66		0.08	0.01			20
21		0.05		0.04			0.29		0.51	0.04			21
22					0.18		0.79		0.20	0.05			22
23	0.20				0.09		0.30		0.02				23
24		0.13					0.10	0.12	0.26				24
25					0.04		0.29	0.87					25
26				0.10			0.46	0.07	0.06	0.07			26
27		0.05					0.02	0.27	0.46				27
28		0.08	0.13										28
29			0.07						0.88	0.08			29
30		X	0.45						0.02				30
31		X	0.16	X		X		0.05	X		X		31
Total	3.21	1.87	1.33	2.51	1.66	1.14	5.90	2.76	8.91	2.34			YEAR'S TOTAL
Rain Days.	12	16	10	14	9	5	19	11	26	19			

W. 8,000, IX. 17.

notified 12-3-20 ~~W. M. E.~~ Corrymarsh

FORM A. BRITISH RAINFALL JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Eversley

in the County of Banwell

by Somerset

Lat. ______ Long. ______

Time of Observation 9 AM

Nearest Railway Station Sandford & Banwell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
												C	
1	0.49		0.01	0.02	0.10		0.43		0.02	0.23		0.70	1
2	0.12						0.14		0.14		0.02	0.32	2
3	0.35		0.21	0	0.05				0.10		0.11	0.60	3
4	part snow 0.30	0.21	0.37			0.11	0.39	0.09	0.18	0.02		0.14	4
5	0.05	0.33	0.55						0.45		0.05	0.50	5
6	0.45	0.12	0.15									0.13	6
7	0.24		0.35	0.15									7
8	0.10		0.17			0.04							8
9	0.11		0.08	0.15	0.09						0.12		9
10	0.03		0.29	0.02	0.03					0.05		0.34	10
11	0.04		0.19	0.15	0.10		0.20			0.01		0.25	11
12	0.09		0.07	0.04		0.35				0.08	part snow 0.17		12
13	0.18		0.02	0.25			0.05		0.01			0.04	13
14	0.43	0.09		0.62	0.11		0.23		0.06			0.16	14
15	0.40	0.02		0.05						0.07		0.22	15
16	0.23	0.70									0.17		16
17	0.03	0.24		0.04		0.08					0.31	0.02	17
18	0.02		0.44				0.10	0.47	0.07		0.25	0.05	18
19	0.33		0.96			0.12	0.90	0.32	0.25		0.11	0.06	19
20	0.45	1.12	0.24			0.20		0.19			0.02	0.07	20
21							0.09	0.02			0.01	0.11	21
22						0.01	0.10		0.30		0.01	0.10	22
23								0.01		1.06	0.05	0.03	23
24				0.12		0.17			0.04	0.85	0.22	0.66	24
25	0.12			0.01		0.03		1.15	0.01		0.09	0.13	25
26	0.06	0.04	0.08	0.05		0.02		0.22	0.18			0.36	26
27	part snow 0.14	0.02	0.03	0.35				0.43				0.08	27
28	Snow 0.02		part snow 0.42					0.20			0.15	0.50	28
29	0.02			0.11				0.01		0.05	0.03	0.20	29
30		X	snow 0.05	0.18		0.23		0.25		0.03	0.11	0.32	30
31		X		X		X	0.04		X	0.02	X	0.18	31
Total	4.80	2.89	4.68	2.31 ~~2.01~~	0.48	1.36	2.07	3.36	1.81	2.47	2.00	6.27	YEAR'S TOTAL 35.10 ~~32.80~~
Rain Days.	25	14	19	16	6	11	11	12	13	11	18	26	182

W. 6,500, VII. 18. w w c

1767

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Eversleigh, Banwell

in the County of Somerset

by Kenneth Andbson

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Sandford & Banwell GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02			0.18	0.26		0.26	0.04	0.20	0.10	0.14	0.36	1
2	0.11		0.03	0.14			0.14	0.28	0.08	0.19		0.05	2
3	0.05	0.04		0.06			0.55	0.01	0.01	0.25		~~0.07~~	3
4			0.05	0.10			0.08	0.63		0.28			4
5			0.12	0.72	0.31		0.44			0.14			5
6			0.11	0.04	0.51		0.06			0.08		0.02	6
7	0.03			0.10	0.03		0.12				0.04		7
8	0.04	0.06		0.56	0.12		0.19	0.02					8
9	0.57	0.10	0.08	0.54		0.22	0.11	0.09	0.01				9
10	0.73	0.25	0.08	0.09		0.22	0.46						10
11	0.20		0.12	0.23	0.33	0.04	0.08						11
12	0.21	0.06	0.03	0.12		0.50	0.07				0.11		12
13	0.11	0.12	0.40	0.17									13
14	0.15	0.02	0.24	0.44			0.09		0.15	0.57	0.37		14
15	0.04	0.15	0.05	0.15	0.16	0.07	0.05		0.18	0.41	0.15		15
16			0.02	0.05	0.03	0.81	0.24		0.38	0.14	0.43		16
17	0.12				0.15	0.36		0.05	0.25			0.02	17
18	0.07			0.10	0.03	0.12	0.05	0.43	0.38			0.01	18
19	0.03	0.29		0.20	0.08	0.15		0.08					19
20	0.03	0.03		0.14		0.40	0.06					0.10	20
21				0.05			0.10			0.01		0.12	21
22	0.03			0.10		0.03	0.06					0.30	22
23							0.64					0.48	23
24	0.01		0.13	0.02				0.02			0.02	0.08	24
25		0.10	0.12		0.02	0.02	0.50	0.02					25
26	0.26		0.20		0.02	0.02	0.02				0.12	0.06	26
27	0.28		0.04	0.04	0.05	0.80	0.03				0.01	0.18	27
28	0.63		0.12	0.05	0.01	0.04	0.07					0.04	28
29	0.08	0.02	0.17		0.11	0.02	0.07				0.16	0.25	29
30	0.07	✕		0.08		0.42	0.40		0.35	0.03	0.43	0.13	30
31	0.25	✕	0.39	✕	0.03	✕	0.02		✕	0.28	✕	0.18	31
TOTAL	4.12	1.24	2.50	4.47	2.25	4.24	4.96	1.67	1.99	2.48	1.98	2.38	YEAR'S TOTAL 34.28
Days with ·01 in. or more	24	12	19	25	17	17	27	11	10	12	11	16	201
	18	9	16	24	10	13	24	8	8	10	9	13	15.2

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

BATH
CLAV~~ERT~~ON MANOR
SOMERSET
1911-14, 1916

REG … 9 11

4.VI.12

FORM A2.
BRITISH RAINFALL.
13 JUN 1912

Kept at Claverto…

in the County of S…

by Robert W…
gdnr to E. A. Whittuck Esq.

Negretti & Zamb…
…top 5 inches
…p above Ground 1 ft. in.
„ Sea Level 238 ft.
9. a.m.
…ation { Name Limpley Stoke
Distance 2 miles Direction south

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	·47	"	"	"	·06	·03	"	"	·25	·02	1
2	·09	"	·04	·18	"	"	"	"	"	"	·01	"	2
3	·01	"	"	·11	·26	"	"	·17	"	·09	·28	·15	3
4	"	"	·01	"	·29	"	"	·01	"	"	·06	·16	4
5	"	"	·17	"	"	"	"	"	"	·03	·19	·41	5
6	"	"	·05	"	"	"	"	·61	"	·01	·45	"	6
7	·30	"	·13	"	"	"	"	·05	"	"	·09	·42	7
8	"	"	"	"	"	"	"	"	"	"	·46	"	8
9	·02	"	·18	"	"	"	"	"	"	"	·01	·34	9
10	·12	"	·12	"	"	"	"	·02	"	"	·07	·41	10
11	·10	·09	·30	"	·08	"	"	"	"	"	"	·18	11
12	·01	"	"	"	·01	"	"	"	"	"	·69	·18	12
13	·22	"	·60	"	"	"	"	"	·03	"	·35	·11	13
14	"	"	·01	"	"	"	"	"	·35	·01	"	·49	14
15	"	·02	"	"	·01	"	"	"	"	"	"	·66	15
16	"	·01	·03	"	"	·01	"	"	"	"	·40	·10	16
17	"	·03	"	"	"	·24	"	"	"	"	·41	·38	17
18	"	·05	·01	"	"	·12	"	"	"	"	"	·29	18
19	"	·42	·09	·10	·09	·22	"	"	"	·02	·01	·34	19
20	"	·01	"	·05	"	·18	"	"	·39	·28	·13	·30	20
21	"	·01	·14	·03	"	·06	"	"	·08	·05	·11	·47	21
22	"	·19	·04	"	"	·03	"	·17	"	·57	"	·16	22
23	"	"	·48	·02	"	·03	"	"	"	·14	"	·69	23
24	"	·34	·20	"	"	·06	"	"	·05	·08	"	·14	24
25	"	·12	"	"	"	·36	"	·10	"	·60	"	·13	25
26	"	·14	"	·10	"	·10	"	"	"	·06	"	·19	26
27	"	·02	"	·25	·15	·05	"	·01	"	·14	"	·27	27
28	"	·25	"	·02	"	"	"	·15	·11	"	·11	·18	28
29	"		·22	·37	"	·02	"	·03	"	"	·03	·01	29
30	"		"	·09	"	·31	"	"	·19	·24	"	"	30
31	"		"		"		"	"		·19		"	31
Total	·87	·47 1.70	3.29	1.32	·89	·06 1.79	·03 ~~·06~~	~~1.35~~	~~1.20~~	·25 ~~2.48~~	·02 ~~4.11~~	~~7.18~~	TOTAL for year 26·24
No. of Rain Days.	8.	15.	18.	11.	7.	14.	1.	10.	7.	16.	19.	26.	152
	·87	2.17	2.82	1.32	·89	1.85	·03	1.32	1.20	2.73	3.88	7.16	26.24

W. 8,000, X. '11.

.VI.12

FORM A2.
BRITISH RAINFALL.
13 JUN 1912

REGISTER OF RAINFALL IN 1911

Kept at Claverton Manor, Bath

in the County of Somerset

by Robert Witty. (The Gardens)
gdnr to E. A. Whittuck Esq.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 inches
Height of top above Ground 1 ft. in.
" " " Sea Level 238 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Limpley Stoke
Distance 2 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	·47	"	"	"	·06	·03	"	"	·25	·02	1
2	·09	"	·04	·18	"	"	"	"	"	"	·01	"	2
3	·01	"	"	·11	·26	"	"	·17	"	·09	·28	·15	3
4	"	"	·01	"	·29	"	"	·01	"	"	·06	·16	4
5	"	"	·17	"	"	"	"	"	"	·03	·19	·41	5
6	"	"	·05	"	"	"	"	·61	"	·07	·45	"	6
7	·30	"	·13	"	"	"	"	·05	"	"	·09	·42	7
8	"	"	"	"	"	"	"	"	"	"	·46	"	8
9	·02	"	·18	"	"	"	"	"	"	"	·01	·34	9
10	·12	"	·12	"	"	"	"	·02	"	"	·07	·41	10
11	·10	·09	·30	"	·08	"	"	"	"	"	"	·18	11
12	·01	"	"	"	·01	"	"	"	"	"	·69	·18	12
13	·22	"	·60	"	"	"	"	"	·03	"	·35	·11	13
14	"	"	·01	"	"	"	"	"	·35	·01	"	·49	14
15	"	·02	"	"	·01	"	"	"	"	"	"	·66	15
16	"	·01	·03	"	"	·01	"	"	"	"	·40	·10	16
17	"	·03	"	"	"	·24	"	"	"	"	·41	·38	17
18	"	·05	·01	"	"	·12	"	"	"	"	"	·29	18
19	"	·42	·09	·10	·09	·22	"	"	"	·02	·01	·34	19
20	"	·01	"	·05	"	·18	"	"	·39	·28	·13	·30	20
21	"	·01	·14	·03	"	·06	"	"	·08	·05	·11	·47	21
22	"	·19	·04	"	"	·03	"	·17	"	·57	"	·16	22
23	"	"	·48	·02	"	·03	"	"	"	·14	"	·69	23
24	"	·34	·20	"	"	·06	"	"	·05	·08	"	·14	24
25	"	·12	"	"	"	·36	"	·10	"	·60	"	·13	25
26	"	·14	"	·10	"	·10	"	"	"	·06	"	·19	26
27	"	·02	"	·25	·15	·05	"	·01	"	·14	"	·27	27
28	"	·25	"	·02	"	"	"	·15	·11	"	·11	·18	28
29	"		·22	·37	"	·02	"	·03	"	"	·03	·01	29
30	"		"	·09	"	·31	"	"	·19	·24	"	"	30
31	"		"		"		"	"		·19		"	31
Total	·87	1·70 ·47	3·29	1·32	·89	1·79 ·06	·06 ·03	1·35	1·20	2·48 ·25	4·11 ·02	7·18	TOTAL for year 26·24
No. of Rain Days.	8.	15.	18.	11.	7.	15.	1.	10.	7.	16.	19.	25.	152
W. 8,000, X. '11.	·87	2·17	2·82	1·32	·89	1·85	·03	1·32	1·20	2·73	3·88	7·16	26·24

make

[illegible] months ? part. 25·11·13

REGISTER OF ~~RAINFALL IN~~ 1912

FORM A.
BRITISH RAINFALL.

9 JAN 1913

Kept at Claverton Manor Garden (Bath)

in the County of Somersetshire

by Robert Witty

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·19 inches

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	″	·05	·15	..	·14	·12	..	·03	·75	..	·22	1
2	·02	..	·13	·01	..	·10	·24	..	..	·02	..	..	2
3	·	..	·17	..	..	·20	·07	·41	·06	″	·03	·03	3
4	·02	..	·09	″	..	·45	-	·12	″	..	·22	..	4
5	·21	..	1·05	..	·05	·03	..	·73	″	..	..	·18	5
6	·39	..	·26	″	·12	″	..	1·05	..	..	·01	·17	6
7	·39	·19	·04	·	·10	·41	..	·17	″	″	″	·14	7
8	..	·22	·09	″	·05	·08	·04	·03	·02	″	″	·02	8
9	·33	·16	·36	·15	″	·20	·01	″	″	″	″	·22	9
10	·02	..	·34 ~~·24~~	″	..	·10	..	″	..	″	·09	·13	10
11	..	·10	·01	·	″	·02	″	·10	″	″	″	·30	11
12	·13	·06	·01	·	″	..	·02	″	..	..	..	·08	12
13	·02	·41	·05	·04	″	..	″	·02	″	..	·07	·12	13
14	·	..	·01	..	..	·	″	·06	″	″	″	·05	14
15	·15	·04	·32	·	·35	·44	″	·01	″	..	·02	·50	15
16	..	·05	·01	·	·18	·01	″	·11	·	·08	·03	·06	16
17	·92	..	·11	..	·01	·12	″	·57	·	..	·01	·15	17
18	·50	″	·03	..	..	..	″	·10	·	·08	·01	·10	18
19	·11	″	·86	″	·	·08	·14	·42	″	..	″	·05	19
20	·73	·10	·16	″	·01	..	·04	·12	″	·46	″	″	20
21	·02	·01	·39	..	·71	..	·02	·21	..	·25	″	″	21
22	·01	·07	·26	..	·09	..	·09	·20	″	·04	·04	·08	22
23	·50	·22	·16	..	..	·04	..	·58	″	·16	·14	·74	23
24	·29	·37	·41	..	..	·34	..	·19	″	·04	″	·26	24
25	·05	·03	·08	″	..	·22	·01	·70	″	·06	·35	·38	25
26	..	″	·01	″	..	..	·35	·17	″	·40	·55	·23	26
27	..	·05	·05	..	..	·16	1·14	..	..	·88	·10	·46	27
28	..	·03	..	″	″	·02	·08	·40	·10	·49	·41	·65	28
29	..	·07	..	″	..	·01	·33	·03	·52	·33	·01	·03	29
30	..		..	″	..	·10	·23	·02	·17	·32	″	″	30
31	..		..		·05		·35	·04		·01		·10	31
		·05	·15	–	~~·14~~	~~·12~~		~~·03~~	~~·75~~		~~·22~~		
Total	inches 4·81	inches 2·08	inches 5·54	·35	1·72	3·27	3·28	6·56	·90	4·37	2·09	5·45	YEAR'S TOTAL inches 40·49 ✓
	4·81	2·23	5·61	·20	~~1·81~~	~~3·25~~	~~3·16~~	~~6·59~~	~~1·62~~	~~3·62~~	~~2·34~~	~~5·23~~	
Rain Days.	19 ✓	~~17~~	27	~~4~~	~~11~~	21	~~17~~	25	6	~~16~~	~~16~~	~~26~~	205 days ✓
		18		3	~~12~~ 11		~~16~~ 17	~~26~~ 25		15	16	26	

FORM A.
BRITISH RAINFALL.
16 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Claverton Manor Gdns. Bath
in the County of Somersetshire
by Robert Witty.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Limpley Stoke
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	.25	.17	.01	"	"	"	"	.56	"	.18	.25	1
2	.04	.12	"	.10	.02	"	.04	"	.01	.04	.11	.01	2
3	.05	.01	.11	.01	.70	"	"	"	"	.19	"	.52	3
4	.80	.02	.12	"	.41	"	"	"	1.84	.39	.04	.10	4
5	"	.05	"	"	.07	.21	.10	"	.20	"	"	.11	5
6	"	.06	.12	"	.25	.08	.07	"	"	.42	.15	.70	6
7	"	.29	.02	"	.19	.18	.06	"	"	.32	.14	.19	7
8		.05	"	"	.21	.04	"	"	"	.39	"	.01	8
9	"	.19	.04	"	.05	.06	"	.74	.08	"	.08	.04	9
10	.21	"	.04	.03	.01	"	"	.07	"	.13	.19	"	10
11	.70	"	.01	.19	.19	"	"	.05	"	.10	.40	.01	11
12	.01	.02	"	"	.15	"	"	"	"	"	.09	.03	12
13	.03	"	.02	"	.01	.01	.05	.04	.10	"	.16	"	13
14	.08	01	.17	.05	"	"	"	.04	"	.14	.07	.03	14
15	.17	.04	.45	.65	"	"	"	.07	.04	"	.17	"	15
16	.30	"	.68	.22	"	"	"	"	.01	"	.01	"	16
17	.06	"	.02	.06	"	.02	.06	"	.02	"	.05	"	17
18	.03	"	.27	.20	"	.03	"	"	"	"	.05	"	18
19	.58	"	.02	"	.02	.01	.09	"	.42	.02	.04	"	19
20	"	"	.10	.05	.16	"	"	"	"	.17	.09	"	20
21	.06	"	.58	.19	"	"	.11	"	"	"	.45	"	21
22	.67	"	.16	"	.02	.01	"	.02	.23	.03	"	"	22
23	"	"	"	"	"	.08	"	.03	.01	"	.05	.28	23
24	"	"	"	.05	"	"	"	.16	"	"	"	.04	24
25	"	.10	"	.10	"	"	"	"	"	"	01	"	25
26	"	.04	"	.41	"	"	"	.21	"	.01	"	.23	26
27	"	.01	.15	.31	"	"	"	"	"	.12	.02	"	27
28	.25	"	.11	.27	"	"	"	"	"	.11	"	"	28
29	.03		.40	.50	.01	"	"	.11	"	.14	.02	"	29
30	.53		"	"	"	"	"	"	"	.35	.07	"	30
31	.21		.08		.02		"	.24		.11		"	31
Total	4.81	1.26	3.84	3.40	2.49	.73	.58	1.78	3.75	3.08	2.64	2.55	YEAR'S TOTAL 30.91
Rain Days.	19	15	22	18	17	11	8	12	12	18	23	15	190

W.7,000, XI. 13

Cord fr smith [illegible] ~~[illegible]~~

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at Claverton Manor Gardens
in the County of (Bath) Somerset.
by Robert Witty

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Limpley Stoke
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " not certain Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	·02	"	·01	·01	·46	"	"	·16	·03	1
2	"	"	"	·07	"	"	·74	"	"	"	·73	·42	2
3	"	"	·06	·25	·20	·01	"	·15	"	"	·16	·35	3
4	·16	"	·10	·23	·23	"	·20	·27	"	"	·50	·33	4
5	·04	"	·14	·41	·05	"	·38	"	"	"	·17	·14	5
6	"	·07	·65	·16	"	·01	·18	·12	"	"	·02	·30	6
7	"	·49	·19	·24	·85	"	·22	·04	"	"	"	·10	7
8	·69	·01	·80	·09	·07	·44	·16	·02	·04	"	"	"	8
9	·17	"	·44	·19	·03	·80	"	·05	·16	"	"	"	9
10	"	·20	"	·10	·01	"	"	"	·32	"	"	"	10
11	"	·10	·25	"	"	·21	·09	"	"	"	"	·42	11
12	"	·11	·08	"	·08	"	"	"	·19	"	·04	·16	12
13	"	·30	·33	"	"	"	"	"	·32	·16	·25	·66	13
14	"	·37	·29	"	"	"	"	·14	·03	·48	·20	"	14
15	"	"	·23	"	"	"	"	·43	·01	·04	·15	"	15
16	"	"	·25	"	"	"	·07	"	·24	"	"	"	16
17	"	·37	"	"	"	"	"	"	"	"	"	·55	17
18	"	"	·03	"	"	"	·29	"	"	"	"	·54	18
19	"	·15	·48	"	"	"	·53	"	"	"	"	·12	19
20	"	·35	·23	"	"	"	"	"	"	"	"	·32	20
21	"	·42	·03	"	"	·11	"	"	"	·15	"	"	21
22	"	"	"	"	·08	·35	"	·06	"	·16	"	"	22
23	"	·08	·16	"	·18	"	"	"	"	·27	·15	"	23
24	"	·05	·06	"	"	"	·04	"	"	·17	·02	"	24
25	"	"	·14	"	"	"	"	·31	"	·30	"	·27	25
26	"	"	"	"	"	"	·10	"	"	·08	·41	·47	26
27	·10	"	"	"	"	"	"	"	"	"	·14	·09	27
28	"	·07	·18	"	·03	"	"	"	"	·09	·41	in. 1·18	28
29	·15		·04	"	·04	"	"	·03	"	·15	·27	·01	29
30	"	X	·01	"	·01	·01	"	"	"	·25	·53	·72	30
31	"	X	"	X	·04	X	·17	"	X	·41	X	·05	31
Total	1·31	3·14	4·57	1·76	1·90	1·95	3·18	2·08 2·08	1·31	2·71	4·31	7·23	YEAR'S TOTAL 35·45 35·45
Rain Days.	6.	15.	23.	10.	14.	9.	14.	12.	8.	13.	17.	21.	162.

W. 8,000. X. 14.

Exd CFE

FORM A.
BRITISH RAINF[ALL]
2? JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Claverton Manor Gdns
in the County of Somersetshire
by Robert Witty

Lat. ...... Long. ......
Time of Observation 9 a. m.
Nearest Railway Station Limpley Stoke
Diameter of Funnel of Rain Gauge ...... in.
Height of top of Gauge above Ground ...... ft. ...... in.
" " " " Sea Level about 250 – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	~~[illegible]~~	·01	..	·17	·08	·26	..	·05	·24	·35	..	1
2	·60	·08	·04	..	·08	..	..	..	..	1·15	·02	..	2
3	..	1·07	..	..	·06	..	..	..	·14	·35	·18	..	3
4	·17	·09	..	..	·12	·59	..	..	·19	·11	·58	..	4
5	..	..	..	..	·35	·10	..	..	..	·03	·19	..	5
6	·12	·16	·03	..	·17	..	·41	..	..	·12	·75	..	6
7	·06	..	·29	..	·03	·15	..	..	..	·05	·38	·24	7
8	·01	·05	..	..	·21	·78	..	..	..	×5 ·05	..	·16	8
9	..	..	..	..	·12	·19	·02	..	..	..	·02	·07	9
10	..	·45	·15	·12	·03	·07	..	..	..	·07	..	·10	10
11	·04	..	..	·08	·24	·03	..	..	..	..	..	..	11
12	..	·07	..	·04	..	..	·15	..	..	..	..	..	12
13	..	·40	·16	..	..	..	..	·23	..	..	..	..	13
14	..	·50	·08	·03	·12	..	..	·22	..	·07	..	..	14
15	..	·30	·09	·06	..	..	..	·35	..	..	..	..	15
16	·10	·06	..	·31	·06	..	·08	·71	..	·03	..	..	16
17	·11	·17	..	·02	..	..	..	·18	·38	·63	·04	..	17
18	·02	·02	·07	·05	..	..	..	..	·02	..	·24	·11	18
19	·18	..	·38	·25	..	..	..	..	..	..	·12	..	19
20	·18	·03	·48	·01	..	..	..	..	..	..	·07	·77	20
21	..	·02	·75	..	·12	..	..	..	..	..	·04	·72	21
22	..	..	..	..	..	..	..	..	..	·35	·01	·68	22
23	·09	..	..	·10	..	·04	..	·18	..	·31	·18	·12	23
24	..	·30	..	·04	·43	..	..	·07	..	·48	·02	·38	24
25	..	·40	·11	..	..	·13	..	·27	·21	..	·16	..	25
26	·01	·22	·12	..	..	·23	..	·80	..	·32	·01	..	26
27	·11	·14	1·58	·14	..	..	·26	·15	·30	·26	..	..	27
28	..	·40	·29	..	..	·13	..	·02	..	·92	..	·50	28
29	..	·60	·17	..	..	·30	..	1·42	·04	·72	..	·58	29
30	..	X	..	..	..	..	..	..	..	·59	..	..	30
31	..	X	..	X	..	X	..	·04	X	·10	X	·05	31
Total	1·91	5·53	4·80	1·25	2·31	2·82	1·18	4·64	1·33	6·95	3·36	4·48	YEAR'S TOTAL 40·56
Rain Days.	15	21	17	13	15	13	6	13	8	21	18	13	173

W. 8,000, VIII. 16

BATH
COMBE PARK
SOMERSET
1911

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGIST

11

Kept at 39 Combe Par

owdon

5 in.

ve Ground 1 ft. in.

in the County of Somer

Sea Level 165 ft.

by Dr W. H. Sy

ain.

Name

Distance Direction

IMPORTANT NOTE.—Ra and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	–	·03	·10	–	–	–	·01	–	–	·02	·02	1
2	–	–	–	·03	·22	–	–	·20	–	·10	·37	·18	2
3	–	–	·01	–	·27	–	–	–	–	–	·11	·03	3
4	–	–	·17	–	–	–	–	–	–	·05	·22	·40	4
5	·10	–	·06	–	–	–	–	·65	–	·02	·40	·02	5
6	·27	–	·12	–	–	–	–	·07	–	–	·14	·47	6
7	·03	–	–	–	–	–	–	–	–	–	·47	~~·46~~	7
8	·10	–	·15	–	–	–	–	–	–	–	–	·46	8
9	·18	–	·02	–	–	–	–	–	–	–	·11	·44	9
10	·08	·08	·36	–	·04	–	–	–	–	–	–	·29	10
11	·28	–	·01	–	–	–	–	–	–	–	·65	·20	11
12	–	·02	·66	–	mm	–	–	–	mm	–	·50	·17	12
13		–	–	–	·04	–	–	–	·40	·04	–	·51	13
14	–	–	–	–	–	–	–	–	–	–	–	·81	14
15	–	·01	·02	–	–	–	–	–	–	·01	·52	·06	15
16	–	·05	–	–	–	·22	–	–	–	–	·38	·48	16
17	–	·07	–	–	–	–	–	–	–	–	·02	32	17
18	–	·38	·12	·08	·04	·45	–	–	–	·03	·02	·35	18
19	–	·04	–	·03	–	·12	–	–	·28	·15	·09	·39	19
20	–	·02	·12	·04	–	·04	–	–	·10	·04	–	·52	20
21	–	·27	·09	–	–	–	–	·12	·02	·73	–	·23	21
22	–	·01	·46	–	–	·08	–	–	–	·11	–	·62	22
23	–	·30	·20	–	–	·04	–	–	·05	·13	·02	·13	23
24	mm	·02	–	–	–	·50	–	·06	–	·66	–	·10	24
25	–	·08	–	·08	–	·08	–	–	–	·03	–	·12	25
26	·01	·10	–	·23	·09	·03	·01	·02	–	·12	·03	·23	26
27	–	·31	·20	·05	–	–	–	·10	·12	–	·06	·25	27
28	–	·35	–	·63	–	mm	–	·06	–	–	·03	·15	28
29	–		–	·08	–	·34	mm	–	·13	·21	–	mm	29
30	–		–	–	–	·03	–	–	–	·19	–	·02	30
31	–		–		–		–	–		·32		—	31
Total	1·11	2·11	2·80	1·35	0·70	1·93	0·01	1·29	1·10	2·94	4·16	7·97	TOTAL for year 27·47
No. of Rain Days	9	16	17	10	6	11	1.	9.	7	17	19	28	150

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at 39 Combe Park Bath

in the County of Somerset

by Dr. W. H. Symons

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 165 ft.

Time of Observation 9 am.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	–	.03	.10	–	–	–	.01	–	–	.02	.02	1
2	–	–	–	.03	.22	–	–	.20	–	.10	.37	.18	2
3	–	–	.01	–	.27	–	–	–	–	–	.11	.03	3
4	–	–	.17	–	–	–	–	–	–	.05	.22	.40	4
5	.10	–	.06	–	–	–	–	.65	–	.02	.40	.02	5
6	.27	–	.12	–	–	–	–	.07	–	–	.14	.47	6
7	.03	–	–	–	–	–	–	–	–	–	.47	~~.46~~	7
8	.10	–	.15	–	–	–	–	–	–	–	–	.46	8
9	.18	–	.02	–	–	–	–	–	–	–	.11	.44	9
10	.08	.08	.36	–	.04	–	–	–	–	–	–	.29	10
11	.28	–	.01	–	–	–	–	–	–	–	.65	.20	11
12	–	.02	.66	–	~	–	–	–	~	–	.50	.17	12
13	–	–	–	–	.04	–	–	–	.40	.04	–	.51	13
14	–	–	–	–	–	–	–	–	–	–	–	.81	14
15	–	.01	.02	–	–	–	–	–	–	.01	.52	.06	15
16	–	.05	–	–	–	.22	–	–	–	–	.38	.48	16
17	–	.07	–	–	–	–	–	–	–	–	.02	32	17
18	–	.38	.12	.08	.04	.45	–	–	–	.03	.02	.35	18
19	–	.04	–	.03	–	.12	–	–	.28	.15	.09	.39	19
20	–	.02	.12	.04	–	.04	–	–	.10	.04	–	.52	20
21	–	.27	.09	–	–	–	–	.12	.02	.73	–	.23	21
22	–	.01	.46	–	–	.08	–	–	–	.11	–	.62	22
23	–	.30	.20	–	–	.04	–	–	.05	.13	.02	.13	23
24	~	.02	–	–	–	.50	–	.06	–	.66	–	.10	24
25	–	.08	–	.08	–	.08	–	–	–	.03	–	.12	25
26	.01	.10	–	.23	.09	.03	.01	.02	–	.12	.03	.23	26
27	–	.31	.20	.05	–	–	–	.10	.12	–	.06	.25	27
28	–	.35	–	.63	–	~	–	.06	–	–	.03	.15	28
29	–		–	.08	–	.34	~	–	.13	.21	–	~	29
30	–		–	–	–	.03	–	–	–	.19	–	.02	30
31	–		–		–		–	–		.32		–	31
Total	1.11	2.11	2.80	1.35	0.70	1.93	0.01	1.29	1.10	2.94	4.16	7.97	TOTAL for year 27.47 ✓
No. of Rain Days	9	16	17	10	6	11	1.	9.	7	17	19	28	150 ✓

BATH

KINGSWOOD SCHOOL

SOMERSET

1911- 1914.

REGIS

11.

Snowdon

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

Kept at Kingswood Sc

p 5 in.

in the County of Somer

bove Ground 1 ft. – in.

„ Sea Level 620 ft.

by Bath Corpor

9am.

on { Name
Distance Direction

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	–	·03	·12	–	–	–	–	–	–	·02	–	1
2	–	–	–	·01	·21	–	–	·19	–	·10	·35	·19	2
3	–	–	·01	–	·66	–	–	–	–	–	·09	·02	3
4	–	–	·07	–	–	–	–	–	–	·06	·21	·42	4
5	·04	–	·02	–	–	–	–	·60	–	·02	·39	–	5
6	·37	–	·10	–	–	–	–	·07	–	–	·12	·51	6
7	·01	–	–	–	–	–	–	–	–	–	·41	–	7
8	·12	–	·12	–	–	–	–	–	–	–	–	·36	8
9	·16	–	·03	–	–	–	–	–	–	–	·08	·33	9
10	·01	·08	·32	–	·08	–	–	–	–	–	–	·25	10
11	·24	–	·02	–	·02	–	–	–	–	–	·60	·15	11
12	–	–	·55	–	–	–	–	–	–	–	·32	·15	12
13	–	–	·04	–	·01	–	–	–	–	·02	–	·60	13
14	–	–	–	–	–	–	–	–	·43	–	–	·80	14
15	–	·02	–	–	–	–	–	–	–	–	·39	·05	15
16	–	·05	–	–	–	·23	–	–	–	–	·40	·27	16
17	–	·07	–	–	–	·03	–	–	–	–	·01	·35	17
18	–	·40	·10	–	–	·38	–	–	–	·03	–	·34	18
19	–	·03	–	·02	–	·16	–	–	–	·14	·10	·31	19
20	–	·01	·13	·02	–	·02	–	–	·27	·04	–	·50	20
21	–	·28	·09	–	–	–	–	·04	·09	·70	–	·35	21
22	–	–	·43	–	–	·07	–	–	–	·11	–	·68	22
23	–	·30	·22	–	–	·03	–	–	–	·10	·02	·13	23
24	–	·10	–	–	–	·41	–	·05	·07	·75	–	·12	24
25	–	·09	–	·11	–	·08	–	–	–	–	–	·17	25
26	–	·08	–	·16	·12	·04	–	–	–	·12	·02	·24	26
27	–	·22	·15	·12	–	–	–	·14	–	–	·07	·17	27
28	–	·41	–	·58	–	–	–	·05	·14	–	·03	–	28
29	–		–	·26	–	·33	·02	–	–	·20	–	–	29
30	–		–	–	–	·03	–	·06	·12	·15	·01	·02	30
31	–		–		–		–	–		·30		–	31
Total	1·02	2·14	2·53	1·40	1·10	1·81	·02	1·20	1·12	2·84	3·64	7·48	TOTAL for year 26·30
No. of Rain Days	8	14	17	9	6	12	1	8	6	15	19	25	140

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Kingswood School. Lansdown Bath

in the County of Somerset.

by Bath Corporation.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 620 ft.

Time of Observation 9am.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	-	.03	.12	-	-	-	-	-	-	.02	-	1
2	-	-	-	.01	.21	-	-	.19	-	.10	.35	.19	2
3	-	-	.01	-	.66	-	-	-	-	-	.09	.02	3
4	-	-	.07	-	-	-	-	-	-	.06	.21	.42	4
5	.04	-	.02	-	-	-	-	.60	-	.02	.39	-	5
6	.37	-	.10	-	-	-	-	.07	-	-	.12	.51	6
7	.01	-	-	-	-	-	-	-	-	-	.41	-	7
8	.12	-	.12	-	-	-	-	-	-	-	-	.36	8
9	.16	-	.03	-	-	-	-	-	-	-	.08	33	9
10	.01	.08	.32	-	.08	-	-	-	-	-	-	.25	10
11	.24	-	.02	-	.02	-	-	-	-	-	.60	.15	11
12	-	-	.55	-	-	-	-	-	-	-	.32	.15	12
13	-	-	.04	-	.01	-	-	-	-	.02	-	.60	13
14	-	-	-	-	-	-	-	-	.43	-	-	.80	14
15	-	.02	-	-	-	-	-	-	-	-	.39	.05	15
16	-	.05	-	-	-	.23	-	-	-	-	.40	27	16
17	-	.07	-	-	-	.03	-	-	-	-	.01	.35	17
18	-	.40	.10	-	-	.38	-	-	-	.03	-	.34	18
19	-	.03	-	.02	-	.16	-	-	-	.14	.10	.31	19
20	-	.01	.13	.02	-	.02	-	-	.27	.04	-	.50	20
21	-	.28	.09	-	-	-	-	.04	.09	.70	-	35	21
22	-	-	.43	-	-	.07	-	-	-	.11	-	.68	22
23	-	.30	.22	-	-	.03	-	-	-	.10	.02	.13	23
24	-	.10	-	-	-	.41	-	.05	.07	.75	-	.12	24
25	-	.09	-	.11	-	.08	-	-	-	-	-	.17	25
26	-	.08	-	.16	.12	.04	-	-	-	.12	.02	.24	26
27	-	.22	.15	.12	-	-	-	.14	-	-	.07	.17	27
28	-	.41	-	.58	-	-	-	.05	.14	-	.03	-	28
29	-		-	.26	-	.33	.02	-	-	.20	-	-	29
30	-		-	-	-	.03	-	.06	.12	.15	.01	.02	30
31	-		-		-		-	-		.30		-	31
Total	1.02	2.14	2.53	1.40	1.10	1.81	.02	1.20	1.12	2.84	3.64	7.48	TOTAL for year 26.30
No. of Rain Days	8	14	17	9	6	12	1	8	6	15	19	25	140

9,000, IX. '10.

Cox 9113

FORM A2.
BRITISH RAINFALL.

14 MAR 1913

REGISTER OF RAINFALL IN 1912.

Kept at Kingswood School, Bath.

in the County of Somerset.

by Bath Corporation

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 620 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name M.R. Bath
Distance ½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·13	-	-	·20	·16	-	-	·73	-	·22	1
2	-	·01	·22	·03	-	·19	·30	-	-	·01	-	-	2
3	·01	-	·05	-	-	·22	·12	·40	·12	-	·03	·01	3
4	·24	-	·95	-	·07	·46	-	·12	-	-	·20	-	4
5	·31	-	·30	-	·05	·08	-	·53	-	-	·01	·18	5
6	·50	·21	·05	-	·05	-	-	·82	-	-	·01	·16	6
7	·01	·20	·09	-	·05	·39	-	·13	-	-	-	·03	7
8	·65	·16	·41	-		·04	·07	·02	-	-	-	·05	8
9	·08	·04	·77	·11		·08	-	·01	-	-	-	·25	9
10	-	·05	-	-		·06	-	·01	-	-	·05	·13	10
11	-	·05	-	-		-	-	-	-	-	-	·32	11
12	-	·42	·03	·03		·01	-	-	-	-	·06	·05	12
13	-	·02	·01	-		-	-	-	-	-	·02	·13	13
14	·17	-	·44	-	·44	-	-	·04	-	-	-	·12	14
15	·05	·08	-	-	·22	·46	-	-	-	-	-	·48	15
16	·61	-	·10	-	·01	·01	-	·10	-	·08	·06	·02	16
17	1·07	-	·04	-		·16	-	·54	-		·01	·15	17
18	·23	-	·58	-		-	-	·05	-	·05	-	·11	18
19	·02	·10	·04	-		·10	·11	·45	-	·16	-	-	19
20	·01	-	·48	-	·05	-	·01	·09	-	·46	-	-	20
21	-	·03	·25	-	·68	-	·02	·15	-	·25	-	-	21
22	·43	·27	·18	-	·10	·02	·06	·16	-	·01	·02	·09	22
23	·25	·47	·41	-	-	·04	·07	·76	-	·13	·08	·43	23
24	·04	-	·12	-	-	·21	·02	·12	-	-	-	·13	24
25	-	·01	-	-	-	·26	-	·73	-	·02	·40	·50	25
26	-	·02	·01	-	-	-	·37	·27	-	·49	·53	·19	26
27	-	-	-	-	-	·11	1·25	-	-	·86	·13	·45	27
28	-	·04	-	-	-	·03	·22	·45	·16	·51	·46	·63	28
29	-	·11	-	-	-	·02	·43	-	·45	·27	-	·04	29
30	-		-	-	-	·09	·18	-	·12	·31	-	-	30
31	-		·13		-		·35	·02		-		·11	31
Total	4·68	2·29	5·79	·17	1·72	3·24	3·74	5·97	·86	4·34	2·07	4·98	TOTAL for year 39·85
No. of Rain Days	17	18	23	3	10	22	16	22	4	15	15	25	190

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
28 JAN 1914

Kept at Kingswood School, Bath
in the County of Somerset 1
by Bath Corporation.

Lat. 51° 23' 27" Long. 2° 22' 5"
Time of Observation 9 a m.
Nearest Railway Station G. W. R. BATH.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·19	·19	-	·03	-	-	-	·46	-	·12	·16	1
2	·02	·14	-	·07	-	-	·07	-	·01	·05	·12	-	2
3	·03	-	·10	-	·59	-	-	-	-	·02	·02	·28	3
4	·93	-	·13	-	·68	-	-	-	1·50	·13	·03	·05	4
5	·01	·04	-	-	·08	·16	·13	-	·27	-	·01	·09	5
6	-	·03	·14	-	·22	·06	·03	-	-	·74	·06	·72	6
7	-	·27	-	-	·23	·08	·03	-	-	·49	·17	·01	7
8	-	·03	-	-	·27	·07	-	-	-	·24	-	-	8
9	-	·16	·03	·01	·01	·10	-	1·10	·08	-	·08	·01	9
10	·24	-	·01	·01	-	·01	-	·05	-	·19	·09	-	10
11	·86	-	·02	·18	·12	-	-	-	-	·07	·70	·02	11
12	·02	-	-	-	·26	-	-	-	-	-	·09	·01	12
13	-	-	·01	-	-	-	-	·03	·20	-	·17	-	13
14	·12	-	·14	·09	-	-	-	·01	-	·18	·05	·01	14
15	·16	·05	·30	·67	-	-	-	·16	·01	-	·21	·02	15
16	·33	-	·53	·11	-	-	-	-	·23	-	·01	-	16
17	·03	-	·01	·02	-	-	·05	-	·07	-	·11	-	17
18	·06	-	·15	·13	-	-	-	-	-	-	·01	-	18
19	·51	-	-	-	-	·04	·07	-	·30	-	-	-	19
20	·07	-	·09	·05	-	-	-	-	-	·09	·04	-	20
21	-	-	·17	·08	·22	-	·10	-	-	-	·40	-	21
22	·55	-	·55	·01	·01	·03	-	-	·20	-	-	-	22
23	-	-	n.m	-	-	·06	-	·17	-	-	·05	·22	23
24	·07	-	-	-	-	-	-	·05	-	-	-	-	24
25	-	·05	-	·12	-	-	-	-	-	-	·01	·04	25
26	-	·04	-	·39	-	-	-	·21	-	·01	-	·15	26
27	-	-	·13	·30	-	-	-	-	-	·07	-	-	27
28	·30	-	·09	·28	-	-	-	-	-	·08	-	·07	28
29	·01		·40	·59	-	-	-	·17	-	·31	·01	-	29
30	·43		-	-	-	-	-	-	-	·34	·05	-	30
31	·15		·08		-		-	·21		-		-	31
Total	4·91	1·00	3·25	3·11	2·72	·61	·48	2·16	3·33	3·01	2·61	1·86	YEAR'S TOTAL 29·05
Rain Days.	21	10	20	17	12	9	7	10	11	15	23	15	170

W.7,000, XI. 13

Esd 8B

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
14 JAN 1915

Kept at Kingswood School, Bath
in the County of Somersetshire
by Kingswood School Authorityes

Lat. 51° 23′ 27″ N Long. 2° 22′ 16″ W
Time of Observation 9 AM
Nearest Railway Station Great Western Rly, Bath
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1′ ft. — in.
" " " " Sea Level 620′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·44″

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	Readings not taken	–	·04	–	·01	·04	·34	–	–	Readings not taken	·01	1
2	–		–	–	–	–	·59	·13	–	–		·35	2
3	–		·03	·24	·23	–	·01	·39	–	–		·07	3
4	·17		·08	·23	·19	–	·18	·21	–	–		·38	4
5	·05		·13	·39	·08	–	·30	·05	–	–		·07	5
6	·05		·08	·10	·03	·01	·04	·06	–	–		·31	6
7	–		·23	·17	·28	–	·25	·07	–	–		·08	7
8	·06	–	·84	·02	·05	·46	·07	·03	·13	–	–	·01	8
9	·20	·01	·27	·13	·01	·80	–	·03	·11	–	–	–	9
10	–	·24	–	·16	–	–	–	–	·42	–	–	–	10
11	–	·11	·25	–	·07	·22	·10	–	–	–	·06	·62	11
12	–	·12	·12	–	–	·01	–	–	·27	–	·09	·20	12
13	–	·28	·33	–	–	–	–	–	·22	·17	·10	·50	13
14	–	·26	·36	–	–	–	–	·12	·01	·31	·15	–	14
15	–	–	·14	–	–	–	–	·53	·08	·01	·13	–	15
16	–	–	–	–	–	–	·06	–	·19	–	–	–	16
17	–	·32	·16	–	–	–	–	–	·01	–	–	·63	17
18	–	–	·02	–	–	–	·33	–	–	–	–	·48	18
19	–	·16	·35	–	–	–	·60	–	–	–	·02	·05	19
20	–	·34	·17	–	–	–	–	–	–	–	–	·21	20
21	–	·60	–	–	–	·01	–	–	–	·10	–	·01	21
22	–	–	·01	–	·08	·54	–	–	–	·07	–	–	22
23	–	·02	·15	–	·03	·01	–	–	–	·18	–	–	23
24	–	·02	·03	–	·03	–	·04	–	–	·20	·05	–	24
25	·04	–	·12	–	–	–	–	·25	–	Readings not taken	–	·26	25
26	–	–	–	–	–	–	·12	·01	–		·26	·48	26
27	·05	–	–	–	–	–	–	–	–		·22	·07	27
28	–	·06	·13	–	–	–	·11	–	–		·44	1·18	28
29	·14	X	·06	–	·07	–	–	–	–		·21	–	29
30	–	X	·01	–	–	–	–	–	–		·46	·68	30
31	–	X	–	X	·03	X	·16	–	X		X	·06	31
Total	·76		4·07	1·48	1·18	2·07	3·00	2·22	1·44			6·73	YEAR'S TOTAL
Rain Days.	8		23	9	13	9	16	13	9			22	

W. 8,000. X. 14.

FORM A. 1. METEOROLO GANIZATION.

RE o.

Kept at 1. Lansdow 2° 21′ 56″ W

in the County of So a.m.

by Sir Percy K Bath M Ry.

in Gauge 5 in.

ove Ground 1 ft. 2 in.

, Sea Level 410 ft.

IMPORTANT NOTE entered to the previous day.

If an Observer prefers not ested to add
the reading at 9 a.m. on 1st at the end of
this paragraph. Full instruc f rain gauges,
and particulars as to the B *ll Observers,"*
sent post-free on applicatio 62, Camden
Square, London, N.W. 1.

—

BATH
LANSDOWN PLACE WEST

SOMERSET
1920

1736

3 JAN 1921

Jan. 1, following.
·54

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·01	·36	·34	—	·25	·04	·03	·21	·22	·44	1
2	·07	—	—	·11	·02	—	·21	·28	·09	·23	—	·04	2
3	·05	·05	—	·09	—	—	·30	—	—	·57	—	·03	3
4	—	—	·07	·04	—	—	·04	·38	—	·14	—	—	4
5	—	—	·07	·02	·08	—	·45	·02	—	·29	—	—	5
6	—	—	·29	·01	·37	—	·19	—	—	·08	—	—	6
7	·05	—	·07	·10	—	—	·17	—	—	—	—	—	7
8	—	·05	—	·33	·09	—	158	—	—	—	·02	—	8
9	·48	·19	·04	·70	—	·08	·09	·03	—	·01	—	—	9
10	·70	·30	·04	·10	—	·31	·35	—	—	—	·02	·03	10
11	·34	·02	·10	·47	·34	—	·08	—	—	—	—	—	11
12	·20	·05	—	·17	—	·80	·03	—	—	—	·07	—	12
13	·05	·09	·38	·17	—	—	—	—	—	·02	—	—	13
14	·02	·01	·30	·42	—	·05	·03	—	·06	·33	·30	—	14
15	—	·22	·08	·23	·02	·06	·02	—	·04	·65	·11	—	15
16	—	—	—	·15	—	·09	·18	—	·04	·17	·38	—	16
17	·08	—	·03	·14	·19	·46	—	·01	·21	—	—	—	17
18	·11	—	—	·05	·04	—	—	·31	·32	—	—	·08	18
19	·08	·10	—	·40	·11	·20	—	—	—	—	—	—	19
20	·01	·20	—	·17	—	·38	—	·03	—	—	—	·21	20
21	—	—	—	—	—	—	·32	—	·02	·02	—	·10	21
22	·02	—	—	·08	—	—	·06	·10	—	·01	—	·47	22
23	—	—	—	—	—	—	1·25	—	—	—	—	·40	23
24	·07	—	·18	·03	—	—	—	—	—	—	·05	·10	24
25	—	·22	·05	·01	—	—	·34	—	·01	—	—	—	25
26	·19	—	·19	—	—	—	·02	—	—	—	·03	·09	26
27	·33	·05	·03	·20	—	·63	·22	—	—	—	—	·33	27
28	1·12	·01	·08	·09	·29	·03	·02	—	·01	—	—	·01	28
29	·18	—	·20	·01	·01	·02	·03	—	—	—	·11	·14	29
30	·03	×	·01	·04	—	·14	·32	—	·31	·03	·42	·19	30
31	·18	×	·25	×	·02	×	·04	—	×	·42	×	·16	31
TOTAL	4·39	1·56	2·47	4·69	1·92	3·25	5·59	1·20	1·14	3·12	1·73	2·82	YEAR'S TOTAL 33·88 ✓
Days with ·01 in. or more	22	14	20	27	13	13	25	9	11	15	11	16	196 ✓
Days with ·04 in. or more	17	11	16	22	9	11	19	5	7	10	8	13	148 ✓

(44.283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1736

8 JAN 1921

FORM A. 1. METEOROLO GANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 1. Lansdown Place West. Bath
in the County of Somerset
by Sir Percy K. Stothert KBE

Lat. 51° 23′ 15″ N Long. 2° 21′ 56″ W
Time of Observation 9 a.m.
Nearest Railway Station Bath. M Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·54

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·01	·36	·34	—	·25	·04	·03	·21	·22	·44	1
2	·07	—	—	·11	·02	—	·21	·28	·09	·23	—	·04	2
3	·05	·05	—	·09	—	—	·30	—	—	·57	—	·03	3
4	—	—	·07	·04	—	—	·04	·38	—	·14	—	—	4
5	—	—	·07	·02	·08	—	·45	·02	—	·29	—	—	5
6	—	—	·29	·01	·37	—	·19	—	—	·08	—	—	6
7	·05	—	·07	·10	—	—	·17	—	—	—	—	—	7
8	—	·05	—	·33	·09	—	158	—	—	—	·02	—	8
9	·48	·19	·04	·70	—	·08	·09	·03	—	·01	—	—	9
10	·70	·30	·04	·10	—	·31	·35	—	—	—	·02	·03	10
11	·34	·02	·10	·47	·34	—	·08	—	—	—	—	—	11
12	·20	·05	—	·17	—	·80	·03	—	—	—	·07	—	12
13	·05	·09	·38	·17	—	—	—	—	—	·02	—	—	13
14	·02	·01	·30	·42	—	·05	·03	—	·06	·33	·30	—	14
15	—	·22	·08	·23	·02	·06	·02	—	·04	·65	·11	—	15
16	—	—	—	·15	—	·09	·18	—	·04	·17	·38	—	16
17	·08	—	·03	·14	·19	·46	—	·01	·21	—	—	—	17
18	·11	—	—	·05	·04	—	—	·31	·32	—	—	·08	18
19	·08	·10	—	·40	·11	·20	—	—	—	—	—	—	19
20	·01	·20	—	·17	—	·38	—	·03	—	—	—	·21	20
21	—	—	—	—	—	—	·32	—	·02	·02	—	·10	21
22	·02	—	—	·08	—	—	·06	·10	—	·01	—	·47	22
23	—	—	—	—	—	—	1·25	—	—	—	—	·40	23
24	·07	—	·18	·03	—	—	—	—	—	—	·05	·10	24
25	—	·22	·05	·01	—	—	·34	—	·01	—	—	—	25
26	·19	—	·19	—	—	—	·02	—	—	—	·03	·09	26
27	·33	·05	·03	·20	—	·63	·22	—	—	—	—	·33	27
28	1·12	·01	·08	·09	·29	·03	·02	—	·01	—	—	·01	28
29	·18	—	·20	·01	·01	·02	·03	—	—	—	·11	·14	29
30	·03		·01	·04	—	·14	·32	—	·31	·03	·42	·19	30
31	·18		·25		·02		·04	—		·42		·16	31
TOTAL	4·39	1·56	2·47	4·69	1·92	3·25	5·59	1·20	1·14	3·12	1·73	2·82	YEAR'S TOTAL 33·88 ✓
Days with ·01 in. or more	22	14	20	27	13	13	25	9	11	15	11	16	196 ✓
Days with ·04 in. or more	17	11	16	22	9	11	19	5	7	10	8	13	148 ✓

(44.283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

~~BATH~~

CLAVERTON DOWN

STATUTORY HOSPITAL

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REG

Kept at Statutory H Claver wdon

in. ound 1 ft. – in.

in the County of Som , Level 520 ft.

by Bath Co

me

tance Direction

IMPORTANT NOTE. he result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the readi in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	.04	.13	–	–	–	.03	–	–	–	–	1
2	.12	–	–	.07	.27	–	–	.19	–	.09	.30	.25	2
3	–	–	–	–	.30	–	–	–	–	–	.06	.06	3
4	–	–	.02	–	–	–	–	–	–	.03	.25	.43	4
5	.05	–	.04	–	–	–	–	.63	–	–	.49	–	5
6	.33	–	.10	–	–	–	–	.07	–	–	.13	.50	6
7	.03	–	–	–	–	–	–	–	–	–	.50	–	7
8	.13	–	.15	–	–	–	–	–	–	–		.30	8
9	.12	–	.05	–	–	–	–	.02	–	–	.07	.41	9
10	.02	.09	.35	–	.10	–	–	–	–	–		.28	10
11	.22	–	.02	–	.11	–	–	–	–	–	.60	.23	11
12	–	–	.57	–	–	=	–	–	.01	–	.43	.11	12
13	–	–	.03	–	.04	–	–	–	.32	–		.55	13
14	–	.03	–	–	–	–	–	–	–	–		.72	14
15	–	–	–	–	–	–	–	–	–	–	.48	.11	15
16	–	.06	–	–	–	.25	–	–	–	=	.41	.42	16
17	–	.09	–	–	–	.10	–	–	–	–	.02	.40	17
18	–	.46	.15	.12	.08	.53	–	–	–	.02	–	.37	18
19	–	.03	–	.04	–	.16	–	–	.36	.31	.13	.27	19
20	03	.02	.13	.03	–	.02	–	–	.08	.05	–	.50	20
21	–	.24	.08	–	–	.02	–	.15	–	.63	–	.14	21
22	–	–	.30	–	–	.08	–	–	–	.23	–	.66	22
23	–	.37	.21	–	–	.07	–	–	.06	.07	.03	.17	23
24	–	.13	–	–	–	.45	–	.11	–	.57	–	.13	24
25	–	.08	–	.11	–	.09	–	–	–	.03	–	.22	25
26	–	.10	–	.24	.17	.08	–	–	–	.14	–	.28	26
27	–	.25	.17	.84	–	–	–	.10	.10	–	.06	.20	27
28	–	.49	–	.32	–	–	–	.06	–	–	.02	–	28
29	–		–	.12	–	.35	–	–	.19	.26	–	–	29
30	–		–	–	–	–	–	–	–	.21	–	.02	30
31	–		–		–		–	–		.29		–	31
Total	1.05	2.44	2.41	1.28	1.07	2.20	–	1.36	1.12	2.93	3.98	7.73	TOTAL for year 27.57
No. of Rain Days	9	14	16	10	7	12	–	9	7	14	16	25	130

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Statutory Hospital Claverton Down Bath
in the County of Somerset
by Bath Corporation

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
„ „ „ Sea Level 520 ft.

Time of Observation 9 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·04	·13	–	–	–	·03	–	–	–	–	1
2	·12	–	–	·07	·27	–	–	·19	–	·09	·30	·25	2
3	–	–	–	–	·30	–	–	–	–	–	·06	·06	3
4	–	–	·02	–	–	–	–	–	–	·03	·25	·43	4
5	·05	–	·04	–	–	–	–	·63	–	–	·49	–	5
6	·33	–	·10	–	–	–	–	·07	–	–	·13	·50	6
7	·03	–	–	–	–	–	–	–	–	–	·50	–	7
8	·13	–	·15	–	–	–	–	–	–	–		·30	8
9	·12	–	·05	–	–	–	–	·02	–	–	·07	·41	9
10	·02	·09	·35	–	·10	–	–	–	–	–		·28	10
11	·22	–	·02	–	·11	–	–	–	–	–	·60	·23	11
12	–	–	·57	–	–	=	–	–	·01	–	·43	·11	12
13	–	–	·03	–	·04	–	–	–	·32	–		·55	13
14	–	·03	–	–	–	–	–	–	–	–		·72	14
15	–	–	–	–	–	–	–	–	–	–	·48	·11	15
16	–	·06	–	–	–	·25	–	–	–	=	·41	·42	16
17	–	·09	–	–	–	·10	–	–	–	–	·02	·40	17
18	–	·46	·15	·12	·08	·53	–	–	–	·02	–	·37	18
19	–	·03	–	·04	–	·16	–	–	·36	·31	·13	·27	19
20	·03	·02	·13	·03	–	·02	–	–	·08	·05	–	·50	20
21	–	·24	·08	–	–	·02	–	·15	–	·63	–	·14	21
22	–	–	·30	–	–	·08	–	–	–	·23	–	·66	22
23	–	·37	·21	–	–	·07	–	–	·06	·07	·03	·17	23
24	–	·13	–	–	–	·45	–	·11	–	·57	–	·13	24
25	–	·08	–	·11	–	·09	–	–	–	·03	–	·22	25
26	–	·10	–	·24	·17	·08	–	–	–	·14	–	·28	26
27	–	·25	·17	·04	–	–	–	·10	·10	–	·06	·20	27
28	–	·49	–	·32	–	–	–	·06	–	–	·02	–	28
29	–		–	·12	–	·35	–	–	·19	·26	–	–	29
30	–		–	–	–	–	–	–	–	·21	–	·02	30
31	–		–		–		–	–		·29		–	31
Total	1·05	2·44	2·41	1·28	1·07	2·20	–	1·36	1·12	2·93	3·98	7·73	TOTAL for year 27·57
No. of Rain Days	9	14	16	10	7	12	–	9	7	14	16	25	139.

9,000, IX. '10.

cnd by mn stats 22.III.13 ~~W~~

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

14 MAR 1913

Kept at Statutory Hospital, Bath.

in the County of Somerset.

by Bath Corporation.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 520 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Limpley Stoke (G.W.R.)
Distance 2M. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·16	-	-	·14	·13	-	·02	·72	-	·25	1
2	-	-	·21	·03	-	·11	·32	-	-	-	-	-	2
3	·02	-	·09	-	-	·23	·04	·40	·08	-	·03	·03	3
4	·23	-	1·19	-	·07	·44	-	·11	·01	-	·22	-	4
5	·35	-	·28	-	·11	·02	-	·70	·01	-	-	·19	5
6	·46	·19	·03	-	·10	-	-	·08	·01	-	-	·18	6
7	-	·24	·12	-	·05	·50	-	~~1~~·13	-	-	-	·09	7
8	·32	·16	·38	-	-	·04	·03	·05	-	-	-	·08	8
9	·04	·03	·34	·20	-	·16	-	-	-	-	-	·21	9
10	-	·06	-	-	-	·09	-	·18	-	-	·08	·12	10
11	·12	·04	-	-	-	-	-	-	-	-	-	·34	11
12	-	·40	·07	·03	-	-	-	-	-	-	·05	·08	12
13	-	·03	-	-	-	-	-	·05	-	-	-	·14	13
14	·16	-	·37	-	·32	-	-	·08	-	-	-	·07	14
15	·04	·07	-	-	·20	·48	-	-	-	-	-	·57	15
16	·86	-	·13	-	-	·03	-	·12	-	·08	·03	·05	16
17	·45	-	·05	-	-	·08	-	·69	-	-	-	·13	17
18	·18	-	·82	-	-	-	-	·10	-	·08	-	·11	18
19	·14	·10	·05	-	-	·08	·13	·43	-	·13	-	-	19
20	·02	-	·39	-	·02	-	·04	·16	-	·48	-	-	20
21	-	·05	·29	-	·72	-	-	·15	-	·36	-	-	21
22	·40	·27	·12	-	·12	-	·11	·23	-	·04	·04	·06	22
23	·23	·37	·41	-	-	·03	-	·60	-	·16	·14	·70	23
24	·05	·03	·08	-	-	·26	-	·20	-	·05	-	·26	24
25	-	-	-	-	-	·26	-	·68	-	·04	·38	·46	25
26	-	·05	-	-	-	-	·38	·17	-	·42	·58	·26	26
27	-	-	-	-	-	·16	1·31	-	-	·85	·08	·49	27
28	-	·09	-	-	-	·02	·08	·44	·16	·53	·47	·60	28
29	-	·06	-	-	-	·03	·35	·03	·49	·28	-	·04	29
30	-		-	-	-	·11	·15	-	·16	·28	-	-	30
31	-		·17		·04		·30	·04		-		·12	31
Total	4·07	2·24	5·75	·26	1·75	3·27	3·37	6·82 5.82	·94	4·50	2·10	5·63	TOTAL for year 39·70
No. of Rain Days	17	17	21	3	10	20	13	23	8	15	11	25	183

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at Statutory Hospital, Bath
in the County of Somerset
by Bath Corporation

1

Lat. 51°21′52″ Long. 2°19′10.″
Time of Observation 9 a m
Nearest Railway Station Limpley Stoke, G.W.Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·24	·18	-	·05	-	-	-	·49	-	·22	·25	1
2	·03	·13	-	·12	-	-	·03	-	n.m	·04	·13	-	2
3	·06	-	·13	·02	·57	-	-	-	-	·16	-	·58	3
4	·86	-	·09		·52	-	-	-	1·53	·37	-	·08	4
5	-	·04	-		·09	·20	·13	-	·36	-	·03	·13	5
6	-	·05	·17		·20	·10	·10	-	-	·52	·09	·66	6
7	-	·35	·05		·22	·07	·07	-	-	·34	·13	-	7
8	-	·06	-		·21	·20	-	-	-	·23	-	·02	8
9		·19	-		·05	·07	-	·80	·13	-	·07	·04	9
10	·20	-	·04	·04	·03	-	-	·05	-	·12	·19	-	10
11	·71	-	·03	·20	·18	-	-	·06	-	·08	·40	-	11
12	·06	-	-		·16	-	-	-	-	-	·10	·04	12
13	·02	-	·03		-	-	·03	·05	·11	-	·20	-	13
14	·09	-	·23	·08	-	-	-	·03	-	·14	·07	-	14
15	·17	·05	·56	·68	-	-	-	·07	·03	-	·23	·03	15
16	·29	-	·72	·21	-	-	-	-	-	-	-	-	16
17	·09	-	-	·06	-	-	·07	-	·02	-	·07	-	17
18	·08	-	·27	·23	-	·05	-	-	-	-	·04	-	18
19	·61	-	·05	-	·04	-	·05	-	·44	-	-	-	19
20	·06	-	·15	·08	-	-	-	-	-	·18	·10	-	20
21	-	-	·25	·18	·14	-	-	-	-	-	·47	-	21
22	·64	-	·50	-	·04	·07	-	·02	·22	-	-	-	22
23	-	-	-	-	-	·02	-	·14	-	-	·05	·25	23
24	·06	-	-	·03	-	-	-	·06	-	-	-	-	24
25	-	·10	-	·11	-	-	-	-	-	·06	-	·06	25
26	-	·03	-	·50	-	-	-	·19	-	-	-	·25	26
27	-	-	·12	·28	-	-	-	-	-	·14	-	-	27
28	·25	-	·11	·27	-	-	-	-	-	·12	-	·03	28
29	·03		·39	·64	-	-	-	·08	-	·20	·03	-	29
30	·59		-	-	-	-	-	-	-	·41	·11	-	30
31	·15		·07		·02		-	·25		-		-	31
Total	5·05	1·24	4·14	3·73	2·52	0·78	0·48	1·80	3·33	3·11	2·73	2·42	YEAR'S TOTAL 31·33
Rain Days.	20	10	20	17	15	8	7	12	9	15	19	13	165

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
14 JAN 15

Kept at Statutory Hospital, Bath
in the County of Somersetshire
by Bath Corporation

Lat. 51°21'52"N. Long. 2°19'10"W.
Time of Observation 9 A.M.
Nearest Railway Station Midford Station S. & D. Joint Rly.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1' ft. — in.
" " " " Sea Level 520' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·49"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·03	—	·02	—	·32	—	—	·16	·02	1
2	—	—	—	·06	—	—	·75	·12	—	—	·83	·42	2
3	—	—	·04	·25	·21	—	—	·16	—	—	·16	·12	3
4	·13	—	·12	·26	·24	—	·19	·27	—	—	·54	·51	4
5	·06	—	·16	·45	·03	—	·37	·03	—	—	·22	·15	5
6	·04	·08	·06	·23	·03	·03	·13	·11	—	—	—	·31	6
7	—	·58	·18	·25	·78	—	·23	·05	—	—	—	·10	7
8	·05	·03	·81	·14	·09	·41	·11	—	·12	—	—	—	8
9	·16	—	·33	·21	—	·78	—	·05	·13	—	—	—	9
10	—	·22	—	·10	·02	—	—	·06	·29	—	—	—	10
11	—	·15	·27	—	·11	·20	·07	—	—	—	·09	·41	11
12	—	·13	·13	—	—	—	—	—	·38	—	·08	·18	12
13	—	·32	·31	—	—	—	—	—	·22	·18	·15	·63	13
14	—	·38	·38	—	—	—	—	—	·02	·30	·22	—	14
15	—	—	·21	—	—	—	—	·17	—	·02	·17	—	15
16	—	—	—	—	—	—	·10	—	·24	—	—	—	16
17	—	·45	·23	—	—	—	—	—	—	—	—	·68	17
18	—	—	·02	—	—	—	·31	—	—	—	—	·49	18
19	—	·13	·10	—	—	—	·47	—	—	—	·05	·13	19
20	—	·40	·50	—	—	—	—	—	—	—	—	·32	20
21	—	·44	—	—	—	·04	—	—	—	·13	—	—	21
22	—	—	—	—	·09	·30	—	·03	—	·18	—	—	22
23	—	·09	·19	—	·14	—	—	—	—	·21	—	—	23
24	—	·02	·03	—	—	—	·04	—	—	·25	·10	·03	24
25	·04	—	·13	—	—	—	—	·30	—	·33	—	·31	25
26	—	—	—	—	—	—	·13	·04	—	·07	·50	·47	26
27	·03	—	—	—	—	—	—	—	—	—	·10	·10	27
28	—	·08	·16	—	·02	—	—	—	—	·05	·36	1·13	28
29	·17	×	·07	—	·06	—	—	—	—	·25	·32	—	29
30	—	×	·03	—	—	—	—	—	—	·26	·58	·79	30
31	—	×	—	×	·03	×	·18	—	×	·48	×	·08	31
Total	·68	3·50	4·46	1·98	1·85	1·78	3·08	1·71	1·40	2·71	4·63	7·38	YEAR'S TOTAL 35·16
Rain Days.	8	15	22	10	13	7	13	13	7	13	17	21	159

W. 8,000. X. 14.

2093

FORM A.
BRITISH RAINFALL
29 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Statutory Hospital, Bath
in the County of Somersetshire
by Bath Corporation

Lat. 51° 21′ 52″ N Long. 2° 19′ 10″ W
Time of Observation 9 am
Nearest Railway Station Midford Station, S&D. Join Rly
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1′ ft. — in.
" " " " Sea Level 520′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·49	·15	—	—	·06	—	—	·20	·24	·25	—	·14	1
2	·42	·26	·20	·14	—	—	—	·55	—	·24	—	·28	2
3	·90	·07	·04	·08	·11	—	·02	·03	—	—	—	·27	3
4	—	—	—	—	—	—	—	·05	—	—	—	·41	4
5	·06	·70	—	—	—	—	—	·05	—	—	—	·38	5
6	·35	·04	—	·37	—	—	·47	·15	—	—	—	·09	6
7	·41	·50	—	·06	·60	—	·23	·05	—	—	—	·24	7
8	·30	·31	—	·06	—	—	·04	·10	—	—	·03	—	8
9	·03	·04	—	·09	—	—	—	·02	—	—	·34	·95	9
10	·11	—	·13	·05	—	—	—	·02	—	·02	—	·04	10
11	—	—	·05	·02	—	—	—	·03	—	—	·85	·05	11
12	—	·28	—	·18	·46	—	—	·52	—	—	·51	—	12
13	·03	·71	—	—	·82	—	—	·47	·17	—	—	—	13
14	·13	—	—	—	—	—	·20	·09	·05	·09	—	·60	14
15	·40	—	—	·02	·12	—	·09	·15	·03	·03	·17	·07	15
16	—	·89	—	—	·45	—	·93	—	—	—	—	·24	16
17	—	·77	—	—	·67	—	—	—	—	—	—	—	17
18	—	·31	—	—	·04	—	—	—	—	—	—	—	18
19	—	—	—	—	·06	—	·42	—	—	—	—	—	19
20	·30	—	—	—	·03	—	—	—	—	·06	—	·13	20
21	·10	·15	—	—	·06	—	—	—	—	·08	—	·26	21
22	—	·54	·41	—	—	—	·49	—	—	—	—	·22	22
23	·04	·05	·15	—	—	—	·25	—	·24	·96	—	·48	23
24	—	—	—	·13	—	—	·64	—	·55	1·00	—	·30	24
25	—	—	—	·03	—	·29	·02	—	—	—	—	·07	25
26	—	·14	—	—	—	—	·10	—	—	—	—	·55	26
27	—	·10	—	—	—	·48	·03	—	—	·30	—	—	27
28	—	·04	—	—	—	—	—	—	·75	—	—	—	28
29	—	×	—	—	—	·43	—	·09	—	—	·08	·04	29
30	·20	×	—	—	—	·30	—	—	—	·35	·40	·31	30
31	—	×	—	×	—	×	·03	·06	×	·94	×	·36	31
Total	4·27	6·05	·98	1·23	3·48	1·50	3·96	2·63	2·03	4·32	2·38	6·48	YEAR'S TOTAL 39·31
Rain Days.	16	19	6	12	12	4	15	17	7	12	7	23	150

W. 8,000. X. 15.

Exe 81 June 25-27 wd

2030

FORM A.
BRITISH RAINFALL

11 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Statutory Hospital, Bath.
in the County of Somerset.
by Corporation

Lat. 51° 21′ 52″ N Long. 2° 19′ 10″ W
Time of Observation 9. a.m.
Nearest Railway Station Midford Station S&D Jt Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1′ ft. — in.
" " " " Sea Level 520′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	·19	·10	·23	—	·04	0·28	·34	—	1
2	·63	·09	·04	—	·06	—	—	—	·05	1·15	—	—	2
3	—	1·13	—	—	·08	—	—	—	·14	0·36	·21	—	3
4	·17	·09	—	—	·12	·64	—	—	·23	0·23	·68	—	4
5	—	—	·02	—	·34	·06	—	—	—	0·03	·22	—	5
6	·15	·17	—	—	·18	·16	·35	—	—	0·08	·84	—	6
7	·03	·10	·22	—	·03	—	—	—	—	0·13	·38	·18	7
8	—	·06	·12	—	·22	·80	—	—	—	—	—	·15	8
9	—	—	—	—	·11	·19	·03	—	—	0·09	—	·06	9
10	—	·45	—	·15	·03	—	—	—	—	0·03	—	·09	10
11	·03	—	·06	·06	—	·03	—	—	—	—	—	—	11
12	·06	·08	·03	·03	·19	—	·18	—	—	0·06	—	—	12
13	—	·42	·14	—	—	—	—	·21	—	—	—	—	13
14	—	·49	·02	·02	·14	—	—	·10	—	0·06	—	—	14
15	—	·34	·05	·03	—	—	—	·30	—	—	—	—	15
16	—	·04	—	·34	·04	—	·08	·70	—	—	—	—	16
17	·13	·18	—	·03	—	—	—	·15	0·40	0·68	·08	—	17
18	—	—	·07	·05	—	—	—	—	—	0·09	·20	·06	18
19	·22	—	·36	·21	—	—	—	—	—	—	·12	—	19
20	·21	·05	·48	—	—	—	—	—	—	—	·07	·65	20
21	·08	—	·66	—	·12	—	—	—	—	—	·04	·51	21
22	—	—	—	—	—	·04	—	—	—	0·24	—	·65	22
23	·03	·08	—	·10	—	·03	—	·20	—	0·29	·20	·20	23
24	—	·10	—	·03	·40	·11	—	·06	—	0·53	—	·25	24
25	—	·35	·11	—	—	—	—	[illegible]	—	—	·17	·15	25
26	—	·09	·15	—	—	·27	—	(·75?)	0·20	0·36	—	—	26
27	·13	·10	·64	—	—	—	·36		0·33	0·25	—	—	27
28	—	·33	·65	·22	—	·11	—		—	0·72	—	·53	28
29	—	·62	·24	—	—	·28	—	·03	0·04	0·85	—	·65	29
30	—	X	—	—	—	—	—	1·60	—	0·58	—	—	30
31	—	X	—	X	—	X	—	—	X	0·14	X	—	31
Total	1·87	5·36	4·06	1·27	2·25	2·82	1·23	(4·10)	1·43	7·23	3·55	4·13	YEAR'S TOTAL (39·30)
Rain Days.	12	21	18	12	15	13	6	(12)	8	22	13	13	(165)

W. 8,000, VIII. 16

1745

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL ~~IN~~ 1917

Kept at Bath Statutory Hospᵗˡ
in the County of Somerset
by Bath Corporation

Lat. 51°21'52"N Long. 2°19'10"W
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Midford. "Somerset & Dorset Joint Rly."
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	·23	·19	-	·08	-	·87	·29	-	·07	-	1
2	·03	-	-	·35	-	·25	-	·06	-	-	·06	-	2
3	·09	-	-	·03	-	-	·35	·03	-	·71	-	-	3
4	-	·15	·07	-	-	-	·09	·12	-	·26	-	-	4
5	·28	-	·15	·25	-	·11	-	-	·27	·39	·10	-	5
6	-	-	·45	-	-	-	-	-	-	·09	·14	-	6
7	·13	-	-	-	-	-	·17	·12	-	·35	-	-	7
8	·46	-	·08	·11	-	-	·31	·67	·05	·40	·12	·10	8
9	·12	-	·07	-	·10	-	-	·40	·09	·08	·23	-	9
10	·04	-	·25	·11	-	-	-	·11	·03	-	-	-	10
11	·10	-	·54	·31	-	-	-	·14	·02	·11	-	-	11
12	-	-	-	-	·61	-	-	·57	-	·64	-	-	12
13	-	-	·19	-	-	·04	-	·23	·09	·04	-	-	13
14	-	-	·24	·15	-	-	-	·52	-	-	-	-	14
15	-	-	-	-	-	-	·74	·15	-	·04	-	·20	15
16	-	·10	-	·21	-	-	·42	-	-	·45	-	·09	16
17	-	-	-	·27	·26	·06	·63	·10	·50	·07	-	-	17
18	-	-	-	-	-	-	·41	·03	·44	-	·02	-	18
19	-	·42	·08	-	-	·02	-	-	·09	-	-	-	19
20	-	·07	·06	-	·32	·12	-	·03	-	-	-	-	20
21	-	-	·26	-	-	-	-	-	-	·04	-	-	21
22	-	-	·05	-	-	·37	-	·05	-	·06	-	-	22
23	-	·12	-	-	·14	-	-	·50	-	-	-	·03	23
24	-	·06	-	-	-	·20	·08	·17	-	·14	·05	-	24
25	-	·09	-	-	-	-	-	-	·03	·56	-	-	25
26	-	-	·05	-	·10	-	-	·50	·21	·26	·02	-	26
27	-	-	-	-	·90	·02	-	1·00	-	-	-	-	27
28	-	-	·12	-	·09	2·62	-	·55	-	-	-	·03	28
29	-		·11	-	·05	·34	·09	·03	-	·63	-	·13	29
30	-	X	·15	-	-	-	·22	·20	-	·37	-	-	30
31	-	X	·16	X	-	X	-	·05	X	·04	X	-	31
Total	1·25	1·01	3·31	1·98	2·57	4·23	3·51	7·20	2·11	5·73	0·81	0·58	YEAR'S TOTAL 34·29
Rain Days.	8	7	19	10	9	12	11	25	12	21	9	6	149

W. 8,000, IX. 17.

[illegible] [illegible] 27

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Statutory Hospital Bath
in the County of Somerset
by Bath Corporation

Lat. 51° 21′ 52″ N Long. 2° 19′ 10″ W
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·02	–	~~·20~~	·04	–	–	·28	–	–	·56	·04	1
2	–	·02	–	·13	–	–	–	·45	–	·03	–	·30	2
3	–	·04	–	·27	·19	–	–	·33	·06	·05	–	–	3
4	–	–	–	·03	–	–	–	·03	–	–	·95	·07	4
5	–	–	–	–	·24	–	–	·21	–	·19	·07	–	5
6	·09	·32	–	·34	–	–	–	–	·09	·16	–	·12	6
7	–	·24	–	·07	·70	–	–	–	·13	·33	·26	–	7
8	–	·03	–	–	–	–	–	–	·74	·21	–	·04	8
9	–	·31	–	·47	–	·34	·51	–	·46	·12	–	·14	9
10	–	–	–	·14	–	–	·30	–	·37	·14	–	·35	10
11	·03	·08	–	–	–	–	·22	–	·47	·03	·03	·18	11
12	–	·11	·03	–	·38	–	·22	–	·03	–	–	·10	12
13	·11	·03	–	–	·07	–	·18	–	·40	·05	–	·34	13
14	·21	–	·03	–	–	·05	·33	–	·35	·14	–	·17	14
15	·80	–	–	·58	·04	·10	·34	–	–	·02	–	·38	15
16	·35	–	·03	·52	–	·11	–	–	·17	–	–	·07	16
17	·85	–	–	·06	–	–	·34	·17	·19	–	–	·25	17
18	·73	–	–	–	–	·50	·14	–	·22	–	–	·17	18
19	·09	–	·17	·07	–	–	·07	(·04)	·37	·05	–	·08	19
20	–	·08	–	·24	–	–	·30	–	·10	·03	–	–	20
21	·05	·03	–	–	–	–	·05	–	·86	·11	–	·11	21
22	–	–	–	–	–	–	·41	–	·21	–	–	·38	22
23	·09	–	–	–	·26	·02	·58	·05	–	–	–	–	23
24	–	·13	–	–	–	·07	–	–	·13	–	·09	–	24
25	–	–	–	–	–	–	·22	·84	–	–	–	–	25
26	–	–	–	–	–	–	·57	–	·08	–	·14	·16	26
27	–	–	–	–	–	–	–	·20	·20	–	·12	·05	27
28	–	·09	·21	–	–	–	–	–	–	–	·22	·19	28
29	–		·05	–	–	–	–	–	1·19	–	–	–	29
30	–		·30	–	–	–	–	–	·03	–	·07	·13	30
31	–		·20		–		–	·03		·02		–	31
Total	3·40	1·53	1·02	2·92	1·92	1·19	4·78	2·60	6·85	1·68	2·51	3·82	YEAR'S TOTAL 34·22
Rain Days.	11	14	8	12	8	7	16	11	22	16	10	22	157

W. 6,500. VII 18. w w c

1818

8 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Statutory Hospital, Bath

in the County of Somersetshire

by Bath Corporation

Lat. N. 51° 21' 52" Long. W. 2° 19' 10"
Time of Observation 9 a.m.
Nearest Railway Station Midford Station, S.&D. Joint Rly
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft — in.
" " " " Sea Level 520' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	–	·05	·05	·35	–	·09	–	–	·13	–	1·09	1
2	·09	–	–	–	·04	–	–	–	–	–	·16	·20	2
3	·90	–	·08	–	·04	–	–	–	·27	–	–	·52	3
4	·70	·12	·52	–	–	–	·65	·04	·16	–	–	·10	4
5	–	·25	·54	–	·05	–	–	–	·26	–	·09	·25	5
6	·45	·26	·09	–	–	–	–	–	·35	–	–	·16	6
7	·21	–	·36	·08	–	–	–	–	–	–	–	·03	7
8	·19	–	·14	–	–	–	–	–	–	–	–	–	8
9	·04	–	·09	·08	–	–	–	–	–	–	·14	–	9
10	·05	–	·13	·03	–	–	–	–	–	–	–	·22	10
11	·03	–	·26	·14	·15	–	·35	–	–	–	–	·02	11
12	–	–	·13	·03	–	·26	–	–	–	·08	·05	·13	12
13	·04	–	–	·43	–	–	–	–	–	–	–	–	13
14	·60	·07	–	·46	–	–	·10	–	–	·04	–	·05	14
15	·15	–	–	·04	–	–	–	–	–	–	–	·22	15
16	·14	·87	–	–	–	–	–	–	–	–	·19	–	16
17	–	·30	–	–	–	–	–	–	–	–	·22	–	17
18	–	–	·56	–	–	–	·15	·18	·02	–	·15	–	18
19	·33	·27	·75	–	–	·12	1·07	·78	·14	–	·23	·07	19
20	·37	·08	·45	–	–	·36	–	·08	–	–	–	·20	20
21	–	·46	–	–	–	–	·08	–	–	–	–	·05	21
22	–	·23	–	–	–	–	·13	–	·15	–	–	·10	22
23	–	–	–	–	–	–	–	–	–	·30	·11	·05	23
24	–	–	–	–	–	·08	–	–	·02	1·37	·16	·55	24
25	·11	–	–	–	–	–	–	·46	–	–	·05	·30	25
26	·17	–	·18	·11	–	–	–	·24	·20	–	–	·40	26
27	·07	–	–	·32	–	–	–	·77	–	–	–	·05	27
28	·03	–	·24	–	–	–	–	·50	–	–	·36	·42	28
29	–		–	–	–	–	–	–	–	·07	–	·03	29
30	–		·03	·23	–	·20	–	·21	–	–	·22	·53	30
31	–		–		–		–	–		–		·10	31
TOTAL	5·03	2·91	4·60	2·00	·63	1·02	2·62	3·26	1·57	1·99	2·13	5·84	YEAR'S TOTAL 33·60
Days with ·01 in. or more	20	10	17	12	5	5	8	9	9	6	13	25	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1735

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 192

Kept at Statutory Hospital, Claverton, Nr. Bath.
in the County of Somerset.
by Corporation

Lat 51° 21' 52" N. Long 2° 19' 10" W.
Time of Observation 9 A.M.
Nearest Railway Station Midford, S. & D. Joint Rly.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft. — in.
" " " " Sea Level 520' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·35	·39	–	·39	–	·02	·39	·21	·37	1
2	·05	–	·03	·08	–	–	·18	·24	·08	·16	–	·10	2
3	·04	·04	–	·12	–	–	·28	–	–	·50	–	–	3
4	–	–	·04	·03	–	–	·05	·40	–	·15	–	–	4
5	–	–	·07	–	·11	–	·38	–	–	·30	–	–	5
6	–	–	–	–	·28	–	·24	–	–	·08	–	–	6
7	·03	–	·02	·11	–	–	·09	–	–	–	–	–	7
8	–	·04	–	·46	·05	–	·53	–	–	–	–	–	8
9	·48	·17	·04	·44	–	·10	–	–	–	–	–	–	9
10	·98	·27	·05	·04	–	·25	·64	–	–	–	–	–	10
11	·39	–	·11	·60	·30	–	·09	–	–	–	–	–	11
12	·22	–	–	·19	–	·82	·06	–	–	–	·11	–	12
13	·06	·12	·40	·07	–	–	–	–	–	–	–	·02	13
14	·02	–	·34	·41	–	–	–	–	·09	·38	·33	–	14
15	–	·19	·08	·28	–	–	·04	–	·04	·43	·08	–	15
16	–	–	–	·18	–	·07	·13	–	·09	·16	·40	–	16
17	·05	–	·03	·17	·20	·14	–	–	·26	–	–	–	17
18	·08	–	–	·04	·07	1·13	–	·30	·20	–	–	–	18
19	·06	·09	–	·20	·06	·14	–	–	–	–	–		19
20	–	·20	–	·25	–	·39	–	–	–	–	–	–	20
21	–	–	–	–	–	–	·23	–	–	·02	–	·24	21
22	–	–	–	·09	–	–	·03	·07	–	–	–	·05	22
23	–	–	–	–	–	–	1·10	–	–	–	–	·45	23
24	·04	–	·17	·03	–	–	–	–	–	–	·07	·40	24
25	–	·11	·07	–	–	–	·38	–	–	–	–	·07	25
26	·23	–	·15	–	–	–	·04	–	–	–	·03	– ·05	26
27	·30	·05	·02	·19	–	·55	·04	–	–	–	–	·30	27
28	·07	–	·07	·05	·19	–	·03	–	–	–	–	–	28
29	·15	–	·19	–	·04	·02	–	–	–	–	·11	·26	29
30	·04	×	–	·06	–	·14	·30	–	·28	–	·38	·20	30
31	·21	×	·22	×	–	×	·07	–	×	·40	×	·17	31
TOTAL	3·50	1·28	2·10	4·44	1·69	3·75	5·32	1·01	1·06	2·97	1·72	2·68	YEAR'S TOTAL 31·52
Days with ·01 in. or more	19	10	18	23	10	11	22	4	8	11	9	13	158
Days with ·04 in. or more	17	10	14	21	10	10	20	4	7	10	8	12	143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BATH
HENRIETTA PARK

SOMERSET
1911-1920

RE

FORM A.
BRITISH RAINFALL.

4 JAN 1912

1930

Kept at Henrietta

in the County of So

by Bath

°21.14"
G.W.R. & M.R.
5 in.
ve Ground 1 ft. — in.
Sea Level 67 ft.

NOTE.—Rain should be measu
of rain and particulars as to the B
to Dr. H. R. Mill, 62, Camden S

ll instructions for the measurement
rvers," sent post-free on application

Date	Jan.	Feb.	March							Oct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
11 1	·06	-	·0							–	·02	·01	1
2	·01	-	-	-	·24	-	-	·10	-	·09	·38	·18	2
3	–	-	·01	·01	·26	-	-	–	-	–	·08	·03	3
4	-	-	·16	-	-	-	-	-	-	·05	·19	·37	
5	-	-	·04	-	-	-	-	·59	-	·01	·39	·02	
6	·27	-	·08	-	-	-	-	·02	-	–	·11	·39	
7	·03	-	-	-	-	-	-	-	-	-	·43	–	
8	·10	-	·16	-	-	-	-	-	-	-	-	·36	8
9	·10	-	·04	-	-	-	-	·01	-	-	·07	·33	9
10	·01	·08	·37	-	·06	-	-	-	-	-	-	·25	10
11	·24	-	–	-	·02	-	-	-	-	-	·62	·15	11
12	-	-	·67	-	-	-	-	-	·01	-	·29	·11	12
13	-	-	·02	-	·07	-	-	-	·35	·02	–	·66	13
14	-	·01	-	-	-	-	-	-	-	-	-	·76	1
15	-	·01	·03	-	-	·01	-	-	-	·01	·40	·06	
16	-	·03	-	-	-	·24	-	-	-	-	·39	·31	1
17	-	·05	-	-	-	·12	-	-	-	-	·01	·33	17
18	-	·36	·12	·09	·03	·24	-	-	-	·02	·01	·28	18
19	-	·02	-	·08	-	·06	-	-	·31	·18	·10	·36	19
20	·01	·02	·13	·03	-	·03	-	-	·09	·05	-	·40	20
21	-	·19	·08	-	-	-	-	·14	–	·81	-	·19	21
22	-	–	·42	–	-	·08	-	-	-	·10	-	·69	22
23	–	·30	·20	-	-	·03	-	-	·04	·07	·03	·11	23
24	-	·40	–	-	-	·46	-	·06	-	·67	-	·14	24
25	-	·07	–	·07	-	·07	-	·01	-	·02	-	·21	25
26	-	·09	-	·22	·12	·03	–	–	-	·09	·02	·24	26
27	-	·23	·17	–	-	-	-	·08	·09	–	·06	14	27
28	-	·42	–	·69	-	–	-	·06	-	–	·01	–	28
29	-		–	·06	-	·29	–	-	·12	·22	-	-	29
30	-		–	-	-	·02	-	-	–	·18	·01	·01	30 25·1
31	-		–		-		-	-		·29		–	31
al	0·83	1·98	2·72	1·32	0·80	1·68	0·00	1·08	1·01	2·88	3·62	7·09	TOTAL fo
	9	15	17	9	7	13	-	10	7	17	20	27	

X1

DWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
low and Sons Limited, London Wall, Londo

RE

FORM A.
BRITISH RAINFALL.

°21.14

4 - JAN 1912

1930

Kept at Henrietta Park Bath

in the County of Somerset

by Bath Corporation

Nearest Railway Station s. G.W.R. & M.R. ¼ mile

Time of Observation 9 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 67 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	-	·02	·07	-	-	-	·01	[illegible]	-	·02	·01	1
2	·01	-	-	-	·24	-	-	·10	-	·09	·38	·18	2
3	~	-	·01	·01	·26	-	-	~	-	-	·08	·03	3
4	-	-	·16	-	-	-	-	-	-	·05	·19	·37	
5	-	-	·04	-	-	-	-	·59	-	·01	·39	·02	
6	·27	-	·08	-	-	-	-	·02	-	~	·11	·39	
7	·03	-	-	-	-	-	-	-	-	-	·43	~	
8	·10	-	·16	-	-	-	-	-	-	-	-	·36	8
9	·10	-	·04	-	-	-	-	·01	-	-	·07	·33	9
10	·01	·08	·37	-	·06	-	-	-	-	-	-	·25	10
11	·24	-	~	-	·02	-	-	-	-	-	·62	·15	11
12	-	-	·67	-	-	-	-	-	·01	-	·29	·11	12
13	-	-	·02	-	·07	-	-	-	·35	·02	~	·66	13
14	-	·01	-	-	-	-	-	-	-	-	-	·76	1
15	-	·01	·03	-	-	·01	-	-	-	·01	·40	·06	
16	-	·03	-	-	-	·24	-	-	-	-	·39	·31	1
17	-	·05	-	-	-	·12	-	-	-	-	·01	·33	17
18	-	·36	·12	·09	·03	·24	-	-	-	·02	·01	·28	18
19	-	·02	-	·08	-	·06	-	-	·31	·18	·10	·36	19
20	·01	·02	·13	·03	-	·03	-	-	·09	·05	-	·40	20
21	-	·19	·08	-	-	-	-	·14	~	·81	-	·19	21
22	-	~	·42	~	-	·08	-	-	-	·10	-	·69	22
23	~	·30	·20	-	-	·03	-	-	·04	·07	·03	·11	23
24	-	·40	~	-	-	·46	-	·06	-	·67	-	·14	24
25	-	·07	~	·07	-	·07	-	·01	-	·02	-	·21	25
26	-	·09	-	·22	·12	·03	~	-	-	·09	·02	·24	26
27	-	·23	·17	~	-	-	-	·08	·09	-	·06	14	27
28	-	·42	-	·69	-	~	-	·06	-	-	·01	~	28
29	-		-	·06	-	·29	~	-	·12	·22	-	-	29
30	-		-	-	-	·02	-	-	~	·18	·01	·01	30
31	-		-		-		-	-		·29		-	31
l	0·83	1·98	2·72	1·32	0·80	1·68	0·00	1·08	1·01	2·88	3·62	7·09	TOTAL fo
	9	15	17	9	7	13	-	10	7	17	20	27	

25·01

XI

DWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
erlow and Sons Limited, P London Wall, Londo

Cox. 4118

REGISTER OF RAINFALL IN 1912.

FORM A2. BRITISH RAINFALL.

14 MAR 1913

Kept at Henrietta Park, Bath.

in the County of Somerset

by Bath Corporation.

Rain Gauge
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 67 ft. 1960

Time of Observation 9 a.m.

Nearest Railway Station
Name G.W.R & M.R.
Distance ½ m. Direction S & W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

12 Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·11	–	–	·15	·18	–	·02	·75	–	·26	1
2	–	–	·25	·03	–	·11	·25	–	–	~~a.m.~~	–	–	2
3	·01	~~a.m.~~	·09	~~a.m.~~	–	·23	·19	·41	·06	–	·03	–	3
4	·21	~~a.m.~~	1·01	–	·05	·42	~~a.m.~~	·13	–	–	·19	–	4
5	·39	·03	·20	–	·07	·11	–	·53	–	–	~~a.m.~~	·16	5
6	·40	·20	·06	–	·08	–	~~a.m.~~	82 ·83	–	–	~~a.m.~~	·21	6
7	~~a.m.~~	·19	·11	–	·02	·43	~~a.m.~~	·13	–	–	~~a.m.~~	·03	7
8	·33	·15	·43		~~a.m.~~	·03	–	·02	~~a.m.~~	–	–	·06	8
9	·01	·03	·58	·20	–	·13	·05	~~a.m.~~	–	–	–	·21	9
10	·01	·06	~~a.m.~~	–	–	·10	~~a.m.~~	·01	–	–	·06	·12	10
11	·10	·06	·01	–	–	·02	–	–	–	–	~~a.m.~~	·28	11
12	~~a.m.~~	·33	·03	·05	–	~~a.m.~~	·01	–	–	–	·08	·08	1
13	–	·02	–	~~a.m.~~	~~a.m.~~	–	–	·05	–	–	·03	·09	13
14	·14	–	·39	–	–	~~a.m.~~	–	·06	–	–	–	·04	14
15	·06	·08	–	·01	·40	·43	–	·01	–	–	~~a.m.~~	·45	15
16	·78	–	·10	–	·21	·03	–	·10	–	·08	·04	·05	16
17	·98	–	·04	–	·01	·14	–	·51	–	–	·01	·13	17
18	·16	–	·71	–	~~a.m.~~	–	·11	·08	–	·01	–	·07	18
19	·05	·08	·03	–	–	·06	–	·45	–	·18	~~a.m.~~	~~a.m.~~	19
20	·03	~~a.m.~~	·54	–	·05	–	·01	·09	–	·52	–	–	20
21	~~a.m.~~	·02	·20	–	·72	–	~~a.m.~~	·16	–	·26	–	–	21
22	·62	·24	·14	–	·08	·01	·05	·17	–	·02	·01	·07	22
23	·25	·39	·44	–	~~a.m.~~	·01	·04	·61	–	·12	·09	·63	23
24	·04	~~a.m.~~	·07	–	–	·27	·02	·09	–	·02	~~a.m.~~	·17	24
25	–	–	~~a.m.~~	–	–	·19	–	·70	–	·04	·40	·45	25
26	–	·03	~~a.m.~~	–	–	–	·41	·24	–	·48	·60	·26	26
27	–	~~a.m.~~	~~a.m.~~	–	–	·11	1·24	–	–	·78	·09	·44	27
28	–	·07	–	–	–	·04	·24	·45	·18	·50	·57	·66	28
29	–	·07	–	–	–	~~a.m.~~	·32	·03	·42	·26	~~a.m.~~	·08	29
30	–		~~a.m.~~	–	–	·07	·21	–	·12	·35	–	–	30
31	–		·14		·03		·30	·03		–		·08	31
99 Total	4·57	2·05	5·68	·29	1·72	3·09	3·63	5·88	·80	4·29	2·20	5·08	TOTAL for year 39·
No. of in s	18	17	22	4	11	21	16	24	5	15	13	24	

IX. '10.

Ex [illegible]

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
28 JAN 1914

1980

Kept at Henrietta Park, Bath
in the County of Somerset.
by Bath Corporation.

Lat. 51°23′8″ Long. 2°21′14′
Time of Observation 9 a.m.
Nearest Railway Station G.W.R. Bath.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 67 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	-	·20	·17	·01	·12	-	-	-	·45	-	·13	·20	1
2	·01	·16	-	·08	·01	-	·04	-	A.M.	·04	·10	A.M.	2
3	·05	A.M.	·10	A.M.	·53	-	-	-	-	·05	A.M.	·51	3
4	·85	-	·08	-	·62	-	-	-	1·57	·18	·03	·06	4
5	A.M.	·03	-	—	·11	·21	·11	-	·27	-	A.M.	·09	X 5
6	A.M.	·03	·13	—	·19	·05	·07	—	-	·65	·09	·62	6
7	A.M.	·29	·02	—	·22	·17	·02	—	-	·51	·15	A.M.	7
8	-	·03	-	—	·22	·03	A.M.	A.M.	-	·27	-	·01	8
9	-	·15	·02	·02	·04	·08	A.M.	1·00	·08	-	·07	·03	9
10	·24	A.M.	A.M.	·03	A.M.	-	-	·05	—	·15	·10	-	10
11	·71	A.M.	A.M.	·14	·10	-	-	-	—	·08	·62	·01	11
12	01	A.M.	-	-	·23	-	-	-	—	-	·09	·01	12
13	·02	-	·02	-	-	-	·03	·03	·17	-	·17	-	13
14	·10	-	·12	·07	-	-	-	·01	A.M.	·14	·05	-	14
15	·21	·05	·43	·75	-	-	-	·13	·01	-	·22	A.M.	15
16	·28	-	·60	·05	-	-	-	A.M.	·07	-	A.M.	·02	16
17	·04	A.M.	·01	·05	-	A.M.	·04	-	·04	-	·07	A.M.	17
18	·05	-	·18	·13	-	·02	-	-	-	-	·04	-	18
19	·61	-	A.M.	-	·01	·02	·05	-	·30	-	-	-	19
20	·06	-	·10	·06	-	-	-	-	-	·10	·09	-	20
21	-	-	·19	·14	·13	-	·09	-	-	-	·38	-	21
22	·66	-	·55	-	A.M.	·08	A.M.	·01	·20	-	-	-	22
23	A.M.	-	A.M.	-	-	·02	-	·12	A.M.	-	·05	·24	23
24	·06	-	-	·01	-	-	-	·11	-	-	-	-	24
25	-	·06	-	·11	-	A.M.	-	-	A.M.	-	-	·04	25
26	-	·03	-	·35	-	-	-	·21	-	·02	-	·16	26
27	A.M.	-	·14	·36	-	-	-	-	-	·15	-	A.M.	27
28	·23	-	·05	·24	-	-	-	-	-	·09	-	·05	28
29	·02		·45	·53	-	-	-	·08	-	·29	·02	A.M.	29
30	·46		A.M.	A.M.	-	-	-	-	-	·40	·05	-	30
31	·21		·06		-		-	·26		-		-	31
99 Total	4·88	1·03	3·42	3·13	2·53	·68	·45	2·01	3·16	3·12	2·52	2·05	YEAR'S TOTAL 28·98
Rain Days.	20	10	19	18	13	9	8	11	10	15	19	14	166

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915
1960

Kept at Henrietta Park Bath
in the County of Somersetshire
by Bath Corporation

Lat. 51° 23′ 8″ N Long. 2° 21′ 14″ W
Time of Observation 9 AM
Nearest Railway Station Great Western Rly
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1′ ft. — in.
" " " " Sea Level 67 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·45

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·05	–	·01	·01	·28	–	–	·24	·03	1
2	–	–	–	·05	–	~~nm~~	·63	·13	–	–	·80	·34	2
3	–	–	·02	·20	·21	–	~~nm~~	·34	–	–	·08	·08	3
4	·13	–	·07	·21	·19	–	·17	·21	–	–	·53	·54	4
5	·05	–	·10	·40	·03	–	·30	·02	–	–	·11	·11	5
6	–	·06	·06	·14	·03	·02	·17	·09	–	–	·01	·25	6
7	–	·42	·16	·19	·51	·01	·27	·05	–	–	~~nm~~	·08	7
8	·03	·01	·80	·08	·05	·44	·23	·02	·16	–	–	–	8
9	15	–	·30	·11	·03	·78	–	·03	·10	–	–	–	9
10	–	·17	~~nm~~	·17	·01	–	–	–	34	–	~~nm~~	~~nm~~	10
11	–	·11	·22	–	·07	·20	·07	–	–	–	·04	·51	11
12	–	·12	·11	–	–	–	–	–	·23	–	·05	·18	12
13	–	·21	·30	–	–	–	~~nm~~	–	·17	·16	·11	·50	13
14	–	·31	·29	–	–	·01	–	·14	·04	·30	·21	–	14
15	–	–	·20	–	–	–	–	·47	·01	·03	·13	–	15
16	~~nm~~	–	–	–	–	–	·08	–	·17	–	–	–	16
17	–	·37	·20	–	–	–	–	–	·01	–	–	·68	17
18	–	~~nm~~	·08	–	–	–	·28	–	~~nm~~	–	–	·39	18
19	–	·13	·40	–	–	–	·51	–	~~nm~~	–	·03	·09	19
20	–	·33	·20	–	–	–	–	–	–	–	–	·31	20
21	–	·51	~~nm~~	–	–	·02	–	–	–	·09	~~nm~~	~~nm~~	21
22	–	~~nm~~	·01	–	·10	·55	–	·01	–	·11	–	–	22
23	–	·03	·17	–	·06	~~nm~~	·02	–	–	·13	–	–	23
24	–	·03	·02	–	·09	–	·06	–	–	·15	·07	·02	24
25	·04	–	·12	–	–	–	–	·21	–	·30	~~nm~~	·23	25
26	–	–	–	–	–	–	·13	·09	–	·09	·36	·45	26
27	·07	–	–	–	–	–	–	~~nm~~	–	·09	·26	·08	27
28	–	·03	·13	–	·02	–	·02	–	–	·05	·35	1·33	28
29	·11	X	·07	–	·06	–	–	~~nm~~	–	·18	·23	–	29
30	~~nm~~	X	·02	–	–	–	–	–	–	·24	·44	·59	30
31	–	X	–	X	·04	X	·12	–	X	·55	X	·10	31
99 Total	·58	2·84	4·05	1·60	1·50	2·04	3·07	2·09	1·23	2·47	4·05	6·89	YEAR'S TOTAL 32·41
Rain Days.	7	15	23	10	15	9	16	14	9	14	18	21	171

W. 8,000. X. 14.

2092

1980

FORM A.
BRITISH RAINFALL.
29 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Henrietta Park, Bath

in the County of Somersetshire

by Bath Corporation

Lat. 51°23'8"N Long. 2°21'14"W

Time of Observation 9 a.m.

Nearest Railway Station Great Western Railway

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' ft. — in.

" " " " Sea Level 67' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

15 Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	·10	—	—	·08	—	—	·16	·14	·26	~~nm~~	·16	× O.P. 1
2	·39	·24	·14	·13	—	~~nm~~	—	·53	·05	·11	—	·21	2
3	·91	·05	·03	·04	·11	—	~~nm~~	·04	—	—	—	·21	3
4	·02	—	~~nm~~	[illegible]	~~nm~~	—	·06	—	—	—	—	·34	4
5	·04	·64	~~nm~~	~~nm~~	~~nm~~	—	—	·09	—	—	—	·29	5
6	·34	·04	—	·23	—	—	·42	·05	—	—	—	·13	6
7	·40	·36	—	·05	·32	~~nm~~	·22	·02	—	—	—	·25	7
8	·30	·30	—	·05	—	—	·03	·10	—	—	·05	~~nm~~	8
9	·02	·03	—	·10	—	—	—	·01	—	—	·36	·81	9
10	·09	—	·13	·07	—	—	—	·06	—	·02	~~nm~~	·05	10
11	·04	—	·05	·01	~~nm~~	—	·01	·11	—	—	·88	·04	11
12	·18	·35	—	·17	·42	—	—	·37	—	~~nm~~	·35	—	12
13	·03	·68	—	—	·81	—	~~nm~~	·17	·13	—	~~nm~~	~~nm~~	13
14	·07	~~nm~~	—	—	—	—	·11	·68	·03	·05	—	·50	14
15	·31	—	—	·04	·10	—	·11	·08	·02	·05	·13	·04	15
16	—	·72	—	—	·36	—	·69	~~nm~~	—	~~nm~~	—	·18	16
17	—	·65	·01	—	·51	—	~~nm~~	~~nm~~	—	~~nm~~	—	~~nm~~	17
18	~~nm~~	·22	~~nm~~	—	·01	—	—	—	—	—	·01	—	18
19	~~nm~~	·04	—	—	·05	—	·35	—	—	—	—	—	19
20	·23	—	—	·08	~~nm~~	—	—	—	—	·05	~~nm~~	·13	20
21	·09	·14	—	—	·05	—	~~nm~~	—	—	·08	—	·21	21
22	·06	·65	·45	·01	—	—	·46	—	~~nm~~	~~nm~~	—	·19	22
23	—	·02	·12	—	—	~~nm~~	·23	—	·22	·83	—	·45	23
24	—	—	·01	·08	—	—	·80	—	·55	·91	—	·19	24
25	—	—	~~nm~~	·01	—	·42	·14	—	—	·03	—	·13	25
26	—	·11	—	—	—	·08	·12	—	~~nm~~	—	—	·43	26
27	—	·08	—	—	—	·43	·14	—	~~nm~~	·29	—	~~nm~~	27
28	—	·05	—	—	—	·01	—	—	·70	·01	—	—	28
29	—	×	—	—	—	·33	—	·05	~~nm~~	—	·06	·03	29
30	·16	×	—	~~nm~~	—	·34	—	—	—	·37	·26	·34	30
31	—	×	—	×	—	×	·03	·13	×	·97	×	·23	31
99 Total	4·13	5·47	·94	1·07	2·82	1·61	3·92	2·65	1·84	4·03	2·10	5·54	YEAR'S TOTAL 36·12
Rain Days.	19	20	8	14	11	6	16	16	8	14	8	23	163

W. 8,000. X. 15.

Exe D.P.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

11 JAN

1980

Kept at Henrietta Park, Bath.

in the County of Somerset.

by Corporation

Lat. 51°23′8″N Long. 2°21′14″

Time of Observation 9 a.m.

Nearest Railway Station Great Western Rly.

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 67′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	—	nm	—	·16	·04	·33	—	·04	·23	·22	—	1
2	·55	·05	·03	—	·05	—	·01	—	nm	1·16	nm	—	2
3	nm	·84	—	—	·12	—	nm	—	·09	·38	·14	—	3
4	·15	·05	—	—	·10	·55	—	—	·18	·13	·57	—	4
5	nm	nm	·03	—	·33	·08	—	—	—	·01	·21	—	5
6	·12	·22	·04	—	·12	·16	·30	—	—	·04	·65	—	6
7	·03	·07	·22	—	·02	—	—	—	—	·11	·45	·20	7
8	nm	·05	·02	—	·16	·45	—	—	—	nm	nm	·11	8
9	nm	nm	nm	—	·09	1·23	·03	—	—	·02	·01	·09	9
10	—	·50	·02	·10	·03	·02	—	—	—	·09	nm	·07	10
11	·02	·01	·04	·07	nm	·02	—	—	nm	nm	—	—	11
12	·02	·06	·07	·03	·31	—	·11	nm	—	·06	—	—	12
13	—	·42	·12	—	nm	—	—	·15	—	nm	—	—	13
14	—	·60	·06	·03	·12	—	—	·14	—	nm	—	—	14
15	nm	·22	·05	·04	·03	—	—	·47	—	—	—	—	15
16	·03	·05	nm	·24	·02	—	·08	·49	—	·02	—	—	16
17	·10	·15	—	·01	—	—	—	·07	·34	·65	·03	—	17
18	nm	nm	·08	·02	—	—	—	—	·01	·10	·30	·08	18
19	·10	—	·34	·22	—	—	—	—	—	nm	·13	nm	19
20	·13	·04	·48	nm	—	—	—	—	—	—	·08	·76	20
21	·10	·02	·57	nm	·11	—	—	—	—	—	·03	·60	21
22	nm	—	nm	·01	nm	·04	—	—	—	·19	·01	·79	22
23	·01	·17	—	·10	—	·02	—	·16	—	·22	·13	·11	23
24	—	·08	nm	·03	·47	·02	—	·06	—	·56	nm	·37	24
25	nm	·33	·15	—	nm	nm	—	·21	nm	nm	·15	·05	25
26	nm	·04	·14	—	—	·20	—	·44	·18	·36	·01	—	26
27	·12	·04	1·61	—	—	—	·29	·08	·22	·41	—	—	27
28	—	·25	·35	·14	—	·14	—	·04	·03	·76	—	·46	28
29	—	·39	·04	—	—	·24	—	1·55	·03	·84	—	·53	29
30	—	✕	—	—	—	—	—	—	—	·49	—	nm	30
31	—	✕	—	✕	—	✕	—	·03	✕	·17	✕	·01	31
99 Total	1·55	4·65	4·46	1·04	2·24	2·21	1·15	3·89	1·12	7·00	3·12	4·23	YEAR'S TOTAL 36·66
Rain Days.	14	23	20	13	16	14	7	13	9	22	16	14	181
Days	9	21	16	7	12	10	5	12	6	19	11	13	141

W. 8,000, VIII. 16

944

FORM A.
BRITISH RAINFALL.
2 JAN

REGISTER OF RAINFALL IN 1917

Kept at Henrietta Park Bath
in the County of Somerset
by 'Bath Corporation'

Lat. 51° 23' 8" N Long. 2° 21' 14" W
Time of Observation 9 a.m.
Nearest Railway Station Great Western Rly
Diameter of Funnel of Rain Gauge Five in. 1980
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 67 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~trace~~	·02	·24	·22	–	·09	–	·78	·26	–	·05	–	1
2	~~trace~~	–	–	·46	–	·30	–	·05	–	–	·05	–	2
3	·04	·01	–	–	–	~~trace~~	·35	·03	–	·72	·02	–	3
4	–	·11	·09	–	–	–	·05	·05	–	·23	–	~~trace~~	4
5	·25	–	·24	·24	–	·13	–	·01	·35	·36	·10	–	5
6	–	–	·50	–	–	~~trace~~	–	~~trace~~	–	·12	·15	~~trace~~	6
7	·13	–	–	–	–	–	·12	·17	–	·45	~~trace~~	~~trace~~	7
8	·63	–	·10	·08	–	–	·32	·65	·05	·38	·10	·07	8
9	–	–	·11	~~trace~~	·10	–	·02	·32	·06	·10	·22	–	9
10	·19	~~trace~~	·24	·17	·08	–	–	·22	·12	–	–	–	10
11	·06	~~trace~~	·48	·40	–	–	–	1·10	·08	·08	·01	–	11
12	·15	·02	~~trace~~	–	·66	–	–	·18	–	·52	~~trace~~	~~trace~~	12
13	–	–	·12	·01	–	·06	–	·24	·10	·08	–	–	13
14	–	–	·18	·10	–	–	·01	·36	·01	–	–	~~trace~~	14
15	–	–	–	–	–	–	·22	·05	–	·05	–	·22	15
16	~~trace~~	·04	–	·17	·01	–	·10	–	–	·30	–	·10	16
17	–	~~trace~~	–	·23	·28	·08	·46	·10	·70	·08	~~trace~~	–	17
18	·01	~~trace~~	–	–	~~trace~~	~~trace~~	·55	·05	·42	–	~~trace~~	–	18
19	~~trace~~	·40	·04	–	–	·02	~~trace~~	·02	·06	–	~~trace~~	–	19
20	~~trace~~	·08	·08	–	·32	·12	–	·03	~~trace~~	–	–	–	20
21	~~trace~~	–	·28	–	~~trace~~	~~trace~~	–	–	~~trace~~	–	–	–	21
22	~~trace~~	–	·06	–	–	·38	–	·05	–	·08	–	–	22
23	–	·12	–	–	·13	~~trace~~	–	·35	–	~~trace~~	·01	·03	23
24	–	·04	~~trace~~	–	–	·40	·05	·28	–	·10	·02	–	24
25	–	·10	·09	–	–	~~trace~~	·02	~~trace~~	~~trace~~	·42	~~trace~~	–	25
26	–	–	~~trace~~	–	·08	–	–	·65	·16	·20	·03	–	26
27	–	–	–	–	·95	·05	–	·85	–	–	~~trace~~	–	27
28	–	–	·11	–	·04	2·24	–	·76	–	–	~~trace~~	·03	28
29	–	X	·15	–	–	·26	·08	·03	–	·50	·01	·12	29
30	~~trace~~	X	·10	–	–	–	·20	·15	–	·32	–	~~trace~~	30
31	–	X	·12	X	~~trace~~	X	·03	·06	X	·02	X	·04	62 31
99 Total	1·46	·94	3·33	2·08	2·65	4·13	2·58	7·59	2·37	5·11	·77	·61	YEAR'S TOTAL
Rain Days.	8	10	19	10	10	12	15	27	12	20	12	7	
Wet Days	7	7	19	9	9	11	11	22	11	19	6	5	

W. 8,000, IX. 17.

Excd gue

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Henrietta Park Bath
in the County of Somerset
by Bath Corporation

Lat. 51° 23' 8" N Long. 2° 21' 14" W
Time of Observation 9 am G.M.T.
Nearest Railway Station Bath G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 67 ft.

1960

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18													
1	–	~~nm~~	–	·05	·04	–	–	·31	–	·03	·53	~~nm~~	1
2	–	·01	–	·08	–	–	–	·37	–	~~nm~~	·02	·25	2
3	–	·03	~~nm~~	·21	·15	–	–	·28	·10	·08	·02	~~nm~~	3
4	–	·04	–	·02	–	–	–	·02	nm	·01	·68	·04	4
5	–	~~nm~~	–	·06	·23	–	–	·22	·02	·12	·05	~~nm~~	5
6	·09	·30	–	·20	–	–	–	~~nm~~	nm	·14	nm	·07	6
7	·03	·20	–	·06	·58	·02	–	–	·16	·26	·28	~~nm~~	7
8	~~nm~~	~~nm~~	–	–	–	nm	–	–	·77	·15	~~nm~~	·02	8
9	–	·22	–	·44	–	·32	·45	–	·58	·07	~~nm~~	·16	9
10	·01	~~nm~~	–	·07	–	–	·50	–	·25	·12	–	·28	10
11	·04	·10	·01	–	–	–	·28	–	·56	~~nm~~	·04	·17	11
12	–	·13	·05	–	·43	–	·08	~~nm~~	·03	–	·01	·08	12
13	·12	~~nm~~	~~nm~~	–	·01	~~nm~~	·17	–	·42	·09	~~nm~~	·33	13
14	·20	–	~~nm~~	–	–	·03	·32	–	·30	·10	~~nm~~	·13	14
15	1·17	–	–	·60	·06	·06	·28	–	~~nm~~	·03	~~nm~~	·25	15
16	·45	–	·04	·56	–	·08	·01	·01	·18	·03	~~nm~~	·06	16
17	·26	–	~~nm~~	·05	~~nm~~	–	·36	·04	·03	·01	–	·20	17
18	·73	–	~~nm~~	–	–	·45	·22	–	·36	·01	–	·09	18
19	·06	~~nm~~	·13	·05	–	–	·03	~~nm~~	·40	·04	–	·08	19
20	·03	·10	–	·21	–	~~nm~~	·22	–	·12	·02	~~nm~~	~~nm~~	20
21	·05	·04	–	~~nm~~	–	–	·08	–	·80	·05	~~nm~~	·10	21
22	·02	–	–	–	·07	–	·38	–	·20	·01	~~nm~~	·35	2
23	·07	–	–	–	·14	·06	·44	·04	–	–	·03	·06	23
24	~~nm~~	·15	–	–	–	~~nm~~	·01	~~nm~~	·10	–	·05	–	24
25	–	–	–	–	–	–	·11	·87	–	·02	·02	–	25
26	~~nm~~	–	–	–	–	–	·61	~~nm~~	·04	·02	·08	·10	26
27	–	~~nm~~	·02	–	–	~~nm~~	~~nm~~	·19	·17	–	·09	·04	27
28	–	·10	·20	·01	–	–	–	–	·01	–	·17	·13	28
29	–	✗	·05	–	–	–	–	–	1·13	~~nm~~	~~nm~~	·02	29
30	~~nm~~	✗	·25	–	–	–	–	–	·07	·05	·10	·06	30
31	~~nm~~	✗	·26	✗	–	✗	–	·02	✗	·01	✗	~~nm~~	31
99 Total	3·33	1·42	1·01	2·67	1·71	1·02	4·55	2·37	6·80	1·47	2·17	3·07	YEAR'S TOTAL 31·59
Rain Days.	15	12	9	15	9	7	18	11	23	23	15	23	180
Wet Days	11	10	7	13	8	5	15	8	19	12	10	21	139

W. 6,500, VII. 18. W W C

F4132 1817

8 JAN 20 1983

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Henrietta Park, Bath
in the County of Somersetshire
by Bath Corporation

Lat. N 51° 23′ 8″ Long. W. 2° 21′ 14″
Time of Observation 9 a.m.
Nearest Railway Station Great Western Railway
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft – in.
" " " " Sea Level 67′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·01	·04	·03	·30	–	·20	–	–	·16	–	1·12	1
2	·10	–	·02	–	·03	–	·03	–	·23	·01	·12	·23	2
3	1·27	–	·13	–	·04	–	–	–	·11	–	·03	·52	3
4	·34	·18	·48	–	·03	·03	·52	·04	·20	–	·01	·08	4
5	·01	·36	·47	–	·08	–	–	–	·32	–	·06	·24	5
6	·26	·05	·08	–	–	–	–	–	–	–	·04	·14	6
7	·21	–	·40	·06	–	–	–	–	–	–	–	·02	7
8	·13	–	·12	·06	–	–	–	–	–	–	–	–	8
9	·10	–	·04	·15	–	–	–	–	–	–	·11	–	9
10	·06	–	·11	–	–	–	–	–	–	·03	–	·20	10
11	·03	–	·24	·11	·10	·01	·33	–	–	·04	–	·02	11
12	–	–	·18	·03	–	·28	–	–	–	·05	·03	·21	12
13	·03	·01	–	·38	–	–	·02	–	–	·02	–	·02	13
14	·48	·05	–	·45	–	–	·13	–	–	·02	–	·05	14
15	·13	–	–	·04	·01	–	–	–	–	·03	–	·22	15
16	·15	·80	–	–	–	–	–	–	–	–	·15	–	16
17	–	·44	–	–	–	·01	–	–	–	–	·16	–	17
18	·04	·01	·56	–	–	–	·13	·21	·01	–	·07	·03	18
19	·30	·21	1·20	–	–	·13	·90	·53	·10	–	·28	·05	19
20	·26	·06	·26	–	–	·27	–	·18	–	–	·01	·12	20
21	–	·40	·01	–	–	–	·09	–	·01	–	–	·02	21
22	–	·17	–	–	–	–	·05	–	·17	–	–	·15	22
23	–	–	–	–	–	–	–	–	–	·45	·14	·03	23
24	–	–	–	·02	–	·07	–	–	·01	1·11	·17	·63	24
25	·10	–	–	·02	–	–	–	·50	–	–	·02	·13	25
26	·15	·03	·14	·12	–	–	–	·05	·14	–	–	·34	26
27	·06	·04	·02	·41	–	–	–	·66	–	–	–	·03	27
28	·01	–	·23	–	–	–	–	·31	–	–	·37	·35	28
29	·01		–	·03	–	·02	–	·02	–	·13	–	·02	29
30	–		–	·24	–	·20	–	·16	–	·02	·17	1·39	30
31	·01		–		–		–	–		–		·15	31
9 OTAL	4·56	2·82	4·73	2·15	·59	1·02	2·46	2·66	1·30	2·07	1·94	5·51	YEAR'S TOTAL 31·81
ys with ·01 in. more	24	15	19	15	7	9	10	10	10	12	17	27	175
	18	11	16	10	4	5	8	9	7	6	12	19	125

1734

1980

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bath (M O)
in the County of Somerset
by The Corporation (Medical Officer of Health)

Lat. 51° 23' N Long. 2° 21' W
Time of Observation 9h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge 0 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	–	–	0·32	0·32	–	0·25	0·02	0·03	0·08	0·21	0·45	1
2	0·11	–	0·03	0·08	0·02	–	0·18	0·25	0·06	0·26	–	0·06	2
3	0 03	0·04	–	0·09	–	–	0·28	–	–	0·49	–	0·01	3
4	–	–	0·05	0·04	–	–	0·05	0·35	–	0·11	–	–	4
5	–	–	0·05	0 01	0·08	–	0·54	0·01	–	0·31	–	0·01	5
6	–	–	0·30	0·01	0·34	–	0·07	–	–	0·03	–	–	6
7	0 02	–	0·06	0·09	–	–	0·12	–	–	–	–	–	7
8	–	0·03	–	0·37	0·07	–	0·48	–	–	–	–	–	8
9	0·46	0·14	0·03	0·49	–	0·07	0·09	–	–	–	–	–	9
10	0·77	0·27	0·02	0·05	–	0·28	0·53	–	–	–	–	0·01	10
11	0·39	0·03	0·10	0·47	0·34	–	0·08	–	–	–	–	–	11
12	0·19	0·01	–	0·13	–	0·75	0·02	–	–	–	0·07	–	12
13	0·03	0·10	0·44	0·15	–	–	–	–	–	–	0·01	0·03	13
14	0 01	–	0·33	0·38	–	0·04	0·02	–	0·04	0·48	0·25	0·01	14
15	–	0·21	0·05	0·20	0·02	0·04	0·02	–	0·03	0·59	0·10	–	15
16	–	–	–	0·13	–	0·06	0·16	–	0·11	0·13	0·47	–	16
17	0·03	–	0·01	0·08	0·16	0·54	–	–	0·32	–	–	0·01	17
18	0·09	–	–	0·07	0·01	–	–	0·29	0·23	–	–	0·02	X 18
19	0·05	0·17	–	0·34	0·06	0·17	–	–	–	–	–	–	19
20	–	0·13	–	0·15	–	0·27	–	0·03	–	–	–	0·18	20
21	–	–	–	–	–	–	0·26	–	–	0·03	–	0·08	21
22	–	–	–	0·05	–	–	0·05	0·09	–	–	–	0·48	22
23	–	–	–	–	–	–	1·26	–	–	–	–	0·39	23
24	0·05	–	0·15	0·02	–	–	0·04	–	–	–	0·03	0·09	24
25	–	0·15	0·05	0·02	–	–	0·29	–	–	–	–	–	25
26	0·17	–	0·14	–	–	–	0·03	–	–	–	0·03	0·08	26
27	0·27	0·05	0·04	0·16	–	0·54	0·16	–	–	–	–	0·31	27
28	1·03	–	0·06	0·07	0·44	–	0·02	–	–	–	–	–	28
29	0·12	–	0·19	0·01	0·01	0·03	0·11	–	–	–	0·08	0·22	29
30	0·02		–	0·03	–	0·11	0·22	–	0·41	–	0·45	0·16	30
31	0·16		0·24		0·02		0·16	–		0·41		0·13	31
99 TOTAL	4·03	1·33	2·34	4·01	1·89	2·90	5·49	1·04	1·23	2·92	1·70	2·73	YEAR'S TOTAL 31·61
Days with ·01 in. or more	20	12	19	27	13	12	26	7	8	11	10	19	184
						11	21	4	6	9	7	12	136

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3203

REGI   9 11   y 19.II.12

FORM A.
BRITISH RAINFALL.
12 FEB 1912

BATH
SOMERSET RD
SOMERSET
1911- 1916

Kept at 16 Somerset Place
in the County of Somerset
by R. Lewis Lloyd

ng.
on Bath
9 a.m.
ge 5 in. in.
e above Ground ft. 10 in.
, Sea Level ~ 350 ft.

NOTE.—Rain should be measured d
of rain and particulars as to the British
to Dr. H. R. MILL, 62, Camden Square,

Full instructions for the measurement
Observers," sent post-free on application

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		~~·03~~ ·03	·01	·01			·03			·39	·62	1
2	·02		[illegible]	·03	·23			·13		·11	·39	·15	2
3	·01		·02		·30			·01			·11	·03	3
4		·01	5 ~~·02~~ ·20	5 ~~·04~~ ·01				·67	·01	·07	·21	·41	4
5	·05		~~·20~~ ·05					·06		·03	·38	·03	5
6	·34		0·11 ~~·05~~	5 ·01							·14	·42	6
7	·02										·49	·01	7
8	·12		·16								·01	·40	8
9	·14		·03								·11	·32	9
10	·02	·12	·34		TR ·38						·31	28	10
11	·25		·02		T.L ·02						·61	·17	11
12		·01	·63						·02		·38	·14	12
13			·03		T2 ·14				·39	·04		·62	13
14		·02									·01	·79	14
15		·01	·03			·01				·02	·42	·04	15
16		·05				·24					·41	·30	16
17		·08				·05						·38	17
18		·39	·12	·09	·03	·33				·03	·02	·33	18
19		·04		·04		·13			·14	·14	·10	·29	19
20	·01	·03	·14	·03		·05			·10	·03		·57	20
21		·28	·08	·01		·01		·13	·02	·74		·23	21
22		·01	TR ·42	01		·07				·10		·63	22
23		·28	·21			·63			·06	·12	·04	·11	23
24	·01	·13				·45		·07		·70		·12	24
25		·09	·01	·10		·09		·04	~~·06~~ 7	·03		·12	25
26	·01	·10		·19	·13	·05	·02			·12	5 ·03	·22	26
27		·23	·17	·08				·11	·15		·05	·24	27
28		·44		·69		·01		·06		·23	·04	·01	28
29				·08		·34	·01		·39	·18			29
30				01		·04		·03	·01	·32	·02	·02	30
31										·39			31
Total	1.07	2.32	2.84	1.49	·84	1.92	·03	1.34	1.29 ✓	~~3.4a~~ 3.40 ✓	4.37	7.39	TOTAL for year 28·30
No. of Rain Days	13	18	19	15	4	15	2	11	~~11~~ 10	~~18~~ 18	22	29	[illegible] 180

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

19·II·12

FORM A.
BRITISH RAINFALL.
12 FEB 1912

REGISTER OF RAINFALL 1911

Kept at 16 Somerset Place, Bath

in the County of Somerset

by R. Lewis Lloyd

Lat. Long.
Nearest Railway Station Bath
Time of Observation 9 a. m
Diameter of Rain Gauge 5 in. in.
Height of top of Gauge above Ground ft. 10 in.
" " " Sea Level 350 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·03	·11	·01			·03			·39	·62	1
2	·02		[illegible]	·03	·23			·13		·11	·39	·15	2
3	·01		·02		·30			·01			·11	·03	3
4		·01	5 ~~·02~~ ·20	5 ·01				·67	·01	·07	·21	·41	4
5	·05		·05					·06		·03	·38	·03	5
6	·34		·11	5 ·01							·14	·42	6
7	·02										·49	·81	7
8	·12		·16								·01	·40	8
9	·14		·03								·11	·32	9
10	·02	·12	·34		T2 ·08						·01	·28	10
11	·25		·02		T2 ·02						·61	·17	11
12		·01	·63						·02		·38	·14	12
13			·03		T2 ·14				·39	·04		·62	13
14		·02									·01	·79	14
15		·01	·03			·01				·02	·42	·09	15
16		·05				·24					·41	·30	16
17		·08				·05						·38	17
18		·39	·12	·09	·03	·33				·03	·02	·33	18
19		·04		·04		·13			·14	·14	·10	·29	19
20	·01	·03	·14	·03		·05			·10	·03		·57	20
21		·28	·08	·01		·01		·13	·02	·74		·23	21
22		·01	T2 ·42	·01		·09				·10		·63	22
23		·28	·21			·63			·06	·12	·04	·11	23
24	·01	·13				·45		·07		·70		·12	24
25		·09	·01	·10		·09		·06	~~·06~~ 7	·03		·12	25
26	·01	·10		·19	·13	·05	·02			·12	5 ·03	·22	26
27		·23	·17	·08				·11	·15		·05	·24	27
28		·44		·69		·01		·06		·23	·04	·01	28
29				·08		·34	·01		·39	·18			29
30				·01		·04		·03	·01	·32	·02	·02	30
31										·39			31
Total	1.07	2.32	2.84	1.49	·84	1.92	·03	1.34	1.29✓	~~3.4a~~ 3.40✓	4.37	7·39	TOTAL for year 28·30
No. of Rain Days	13	18	19	15	4	15	2	11	~~11~~ 10	~~15~~ 18	22	29	2[illegible]30 180

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

149 π M

Copd. for auth. by second copy 19-II.12

REGISTER OF RAINFALL IN 1911

FORM A.
BRITISH RAINFALL.

2 - JAN 1912

Kept at 16 Somerset Place Bath

in the County of Somerset

by R. Lewis Lloyd

Lat. ...... Long. ......

Nearest Railway Station Bath

Time of Observation 9 a m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ...... ft. 10 in.

" " " Sea Level 350 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·03	·11	·01			·03			·39	·02	1
2	·02			·03	·23			·13		·11	·39	·15	2
3	·01		·02		·30			·01			[illegible]	·03	3
4		·01	·20	·01					·01	·07	·21	·41	4
5	·05		·05					·64		·03	·38	·03	5
6	·34		·11	·01				·06			·14	·42	6
7	·02										·49	·01	7
8	·12		·16								·01	·40	8
9	·14		·03								·11	·32	9
10	·02	·12	·38		·08						·01	·28	10
11	·25		·02		·02						·61	·17	11
12		·01	·63						·02		·38	·1[illegible]	12
13			·03		·04				·39	·04		·62	13
14		·02									·01	·79	14
15		·01	·03			·01				·02	·42	·09	15
16		·05				·24					·41	·30	16
17		·08				·05						·38	17
18		·39	·12	·09	·03	·33				·03	·02	·33	18
19		·04		·04		·13			·14	·14	·10	·29	19
20	·01	·03	·14	·03		·05			·10	·03		·51	20
21		·28	·08	·01		·01		·13	·02	·74		·23	21
22		·01	·42	·01		·09				·10		·63	22
23		·28	·21			·03			·06	·12	·04	·11	23
24	·01	·13				·45		·07		·70		·12	24
25		·09	·01	·10		·09		·04		·03		·12	25
26	·01	·10		·19	·13	·05	·02			·12	·03	·22	26
27		·23	·17	·08				·11	·15		·05	·24	27
28		·24		·69		·01		·06		·23	·04	·01	28
29				·08		·34	·01	[illegible]	·39	·18			29
30				·01		·04		·03	·01	·32	·02	·02	30
31										·39			31
Total	1·07	2·32	2·84	1·49	·84	1·92	·03	1·34	1·29	3·40	4·37 4·87	7·39	TOTAL for year 28.70
No. of Rain Days	179 [illegible]	3·39	6·23	7·72	8·56	10·48	10·51	11·85	13·14	16·54	20·81	28·30	

1,000, IX. '10. 13 18 19 15 8 13 2 11 10 18 22 29 180

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Wrote re 20 Oct 27 1.12 27.II.13 J.C.

also 8 IV 13 J.C.

cordy mm stats 26.11.13

card (Oct 27) by own stats 26.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
11 JAN 1913

Kept at 16 Somerset Place Bath

in the County of Somerset

by R. Lewis Lloyd

Lat. .... Long. ....

Nearest Railway Station Bath

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ....ft. 10 in.

" " " Sea Level 350 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·		·12			·14	·18		·02	·72		·09	1
2	-	·05	·25	·04		·13	·30		·02	·02			2
3	·03		·06			·23	·15	·43	·09		·05		3
4	·24		·89		·07	·44		·11			·18		4
5	·35		·37		·06	·12	·01	·48			·02	·09	5
6	·44	·03	·05		·09		·03	·08			·03	·20	6
7	·02	·20	·12		·04	·40		·14			·03	·03	7
8	·36	·19	·46			·05	·08	·03	·01			·07	8
9	·06	·06	·56	·18		·09	·03	·01			·01	·22	9
10	·11	·07	·01			·08		·03	·01		·07	·73	10
11	·10	·05	·01		·01	·02						·30	11
12	·01	·41	·04	·05	·01	·01	·02				·09	·06	12
13		·02	·03					·03			·03	·09	13
14	·17		·44		·42	·03		·08				·04	14
15	·05	·09		·04	·23	·45		·02			·03	·46	15
16	·62		·11		·02	·02		·11		·08	·07	·03	16
17	1.01		·06			·09		·54			·03	·08	17
18	·29	·01	·65			·01		·05		·05		·18	18
19	·06	·09	·02			·09		·48		·22			19
20	·02	·01	·45		·05		·03	·14		·48			20
21	·02	·03	·29		·65		·03	·18		·28			21
22	·47	·26	·42		·10	·03	·09	·17		·08 ·08	·02	·08	22
23	·24	·04	·40			·05	·19	·74		·12	·09	·54	23
24	·04	·01	·11			·23	·04	·14		·03		·16	24
25	·01					·28		·73		·04	·40	·47	25
26		·03	·01			·01	·39	·28		·45	·09	·28	26
27		·01				·12	1.32			(·72)	·16	·44	27
28		·04				·05	·38	·42	·15	·52	·48	·61	28
29		·11				·03	·52	·03	·44	·27		·07	29
30						·08	·20	·01	·15	·36			30
31	·01		·14		·05		(·10)	·03		·03		·01	31
Total	4.73	1.81	6.07	·31	1.80	3.28	4.09	5.49	·89	(4.47)	1.88	4.43	TOTAL for year 39.55
No. of Rain Days	23	21	25	4	13	26	1~~6~~9	26	8	14	18	24	229

(39.55)

1,000, IX, '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 1d.

Entered 29.III.14

Ex JL

Ca. by sum. stats. 29.V.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
29 JAN 1914

Kept at 16 Somerset Place Bath

in the County of Somerset

by R. Lewis Lloyd

Lat. Long. —

Time of Observation 9 a.m.

Nearest Railway Station Bath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 780 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.27	.20	.02	.75				.45		.15	.22	1
2	.03 ~~.83~~	.13		.08			.08		.01	.06	.15		2
3	.07		.16	.01	.55					.03	.02	.34	3
4	04 ~~.64~~		.12	.01	.40				1.56	.16	.03	.07	4
5	.90	.04			.11	.20	.15		.32		.03	.10	5
6		.06	.15		.23	.06	.04		.01	.69	.07	.68	6
7		.38	.02		.15	.05	.04			.47	.19	.02	7
8		.04				.24	.02			.39	.01		8
9	.16	.16	.04	.02	.03	.10	.01	1.10	.09	.02	.09	.03	9
10			.04	.03				.06		.19	.10		10
11	.85	.01	.03	.15	.12					.04	.69	.02	11
12	.04				.23				.01	.01	.12	.03	12
13	.07		.02	.11		.01	.04	.05	.19		.19		13
14	.12	.07	.16	.61				.02	.01	.17	.07	.01	14
15			.42				.01	.16	.02	.01	.26	.05	15
16			.10	.20				.01	.42		.01		16
17	.06		.02	.05			.05		.07		.11	.01	17
18	.06		.06	.11		.03	.01		.01		.06	.01	18
19	06 .96		.03		.03	.03	.08		.31		.01		19
20	.56		.09	.06					.01	.10	.07		20
21	.07		.22	.02	.20		.11			.01	.43		21
22			.53	.02	.01	.12		.02	.20		.01		22
23	.65					.01		.16	.02		.06	.18	23
24								.11	.01		.01		24
25		.05		.13						.01	.01	.08	25
26		.17		.12				.22	.01	.01		.14	26
27		.04	.10	.45						.08		.08	27
28	.20			.26						.10		.04	28
29	.03		.49	.58				.09		.33	.02	.01	29
30	.43			.16						.37	.07		30
31	.18		.09					.23		.01			31
Total	4.58 ~~6.88~~	1.42	3.09	3.20	2.81	.85	.64	2.23	3.73	3.26	3.04	2.05	YEAR'S TOTAL ~~33.20~~ 30.90
Rain Days.	19	12	21	21	12	10	12	12	19	21	27	19	205

W.7,000, XI. 13

Exo D11

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at 16 Somerset Place Bath

in the County of Somerset

by R. Lewis Lloyd.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.06		.02	.02	.33			.19	.04	1
2	.01			.06		.01	.64	.18			.80	.34	2
3			.04	.21	.22		.02	.40			.11	.09	3
4	.15		.10	.21	.23		.18	.28			.53	.47	4
5	.12		.13	.42	.08		.30	.06			.10	.10	5
6	.01	.06	.11	.13	.05	.03	.07	.07			.03	.28	6
7		.56	.17	.20	.37	.02	.24	.07				.09	7
8	.06	.06	.86	.06	.05	.45	.12	.05	.16			.01	8
9	.19	.01	.33	.12	.02	.82		.04	.11				9
10	.01	.11	.03	.18	.02	.01			.37		.01		10
11		.12	.24	.01	.07	.23	.10		.01		.04	.57	11
12		.13	.12		.01	.01	.02		.26		.02	.20	12
13		.26	.34						.21	.15	.16	.52	13
14		.28	.37			.01		.15	.04	.32	.21	.01	14
15	.01	.01	.20					.55	.06	.03	.12		15
16	.01		.01				.09	.01	.19	.01			16
17		.35	.17						.03	.01		.69	17
18		.01	.06				.30		.02			.55	18
19		.15	.26				.56		.01		.05	.06	19
20		.34	.24				.01					.23	20
21		.54	.02			.03				.09			21
22		.01	.01		.10	.71		.03		.10	.01		22
23		.04	.16		.06	.01	.02	.01		.15		.01	23
24		.01	.07		.09		.06			.20	.06		24
25	.06		.13		.01		.01	.22		.32	.01	.24	25
26		.01	.01				.15	.06		.09	.26	.49	26
27	.07	.01	.13				.01			.07	.17	.09	27
28	.01	.06			.03		.15			.06	.40	1.23	28
29	.13		.08		.07		.01	.01		.19	.22		29
30	.01	×	.03		.01					.25	.45	.62	30
31	.01	×		×	.03	×	.16		×	.54	×	.08	31
Total	.86	3.13	4.42	1.66	1.52	2.36	3.24	2.52	1.47	2.58	3.95	4.01	YEAR'S TOTAL 34.72
Rain Days.	15	21	27	11	18	13	22	17	12	16	21	23	216

W. 3,000. X. 14.

cor'd for auth 5. V. 16

2094

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 16 Somerset Place Bath

in the County of Somerset

by R. Lewis Lloyd, (late)

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.48	.11	.01		.11			.10	.26	.27	.02	.15	1
2	.33	.27	.15	.15		.01	.01	.64	.14	.29		.21	2
3	.83	.06	.05	.08	.14		.01	.09		.01		.18	3
4	.03	.01	.01	.01	.01		.16				.01	.41	4
5	.05	.63	.01		.01			.15				.28	5
6	.35	.05		.26			.42	.03				.12	6
7	.31	.40		.05	.31		.25	.07				.24	7
8	.36	.28		.04			.15	.10			.03	.01	8
9	.03	.10		.12				.03			.35	.86	9
10	.13		.13	.07				.08		.03	.02	.05	10
11	.05		.07	.02	.01		.01	.23		.01	.82	.10	11
12	.18	.30		.20	.39			.23			.40		12
13	.05	.70			.91			.20	.15		.01	.03	13
14	.10	.01			.01		.15	.64	.05	.06		.50	14
15	.30			.05	.08		.10	.10	.04	.05	.30	.05	15
16	.01	.74	.01		.32		.83	.02	.01	.01		.15	16
17		.80	.02		.55		.01			.01		.01	17
18	.01	.25	.01		.03					.01			18
19	.01	.04			.06		.38						19
20	.26			.11	.01					.03		.08	20
21	.11	.06			.03		.01			.06		.25	21
22	.05	.60	.43	.03			.42		.01			.21	22
23	.01	.02	.15				.26		.19	.80		.36	23
24			.02	.09		.01	.57		.52	1.00		.28	24
25			.01	.01		.54	.08		.01	.04		.13	25
26		.13				.17	.19		.01	.01		.48	26
27		.11				.25	.20		.01	.32		.32	27
28		.07				.01	.01		.67	.03			28
29						.32		.04	.02		.08	.05	29
30	.15	✕				.51				.42	.27	.25	30
31		✕		✕		✕	.04	.07	✕	1.03	✕	.26	31
Total	4.19 ~~4.09~~	5.74	1.08	1.29	2.98	1.82	4.26	2.82	2.09	4.49	2.31	5.42	YEAR'S TOTAL 38.79 ~~38.67~~
Rain Days.	23	22	14	15	16	8	21	17	14	20	11	27	208

W. 8,000. X. 15.

Ex d.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1

Kept at 16 Somerset Place Bath
in the County of Somerset
by Louisa B. Lewis Lloyd

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Bath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ___ ft. 10 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12		·01		·14	·05	·36		·04				1
2	·63	·07	·07		·09		·04		·01		·85		2
3	·01	·80			·04	·01	·02		·12		·16		3
4	·05	·04			·22	·60	·01		·20	·15	·59		4
5	·01	·01	·05		·33	·11				·03	·30		5
6	·11	·25	·04		·15	·17	·30			·05	·65		6
7	·10	·21	·32		·03	·01				·08	·57	·22	7
8	·04	·07	·03		·16	·49				·01			8
9			·02		·14	·08	·01			·05	·02	·19	9
10		·45	·04	·12	·05	·12	·03			·10	·01	·04	10
11	·02	·04	·04	·06	·02	·03	·01		·03	·01			11
12	·05	·09	·07	·07	·36	·01	·15	·01		·11	·01		12
13		·43	·04	·01	·01		·01	·20		·01			13
14	·01	·59	·08	·01	·17			·17		·02	·01		14
15	·01	·22	·08	·04				·52					15
16	·03	·08	·01	·31	·08			·53		·03			16
17	·09	·15		·02				·11	·42	·83	·06		17
18	·01	·03	·05	·02				·01	·02	·33	·33	·19	18
19	·12		·38	·25					·01	·01	·13	·01	19
20	·13	·03	·50								·11	·79	20
21	·15	·05	·60		·11						·09	·62	21
22			·01	·02	·02	·05				·21	·02	·70	22
23	·03	·23		·08		·03		·17		·20	·18	·12	23
24		·07	·01	·07	·58	·04		·05		·62	·01	·30	24
25		·45	·15			·01		·28	·01	·01		·06	25
26	·03	·05	·09		·01	·24		·36	·21	·45	·17		26
27	·14	·07	1·40				·28	·09	·22	·35	·02		27
28	·01	·29	·30	·08		·06		·05	·02	1·02		·48	28
29		·42	·05	·01		·30		1·71	·03	·85		·61	29
30		X	·01			·01		·05		·07		·03	30
31		X		X		X		·05	X	·03	X	·03	31
Total	1.90	5.19	4.45	1.17	2.71	2.42	1.22	4.36	1.34	5.63	4.23	4.39	YEAR'S TOTAL 39.01
Rain Days.	22	25	26	15	19	19	11	16	13	25	20	15	226

W. 8,000, VIII. 16

—

BATHEASTON

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

17 JAN 1912

REC

Kept at Batheast ... 6 in.

round 2 ft. in.

in the County of Some ... ea Level 246 ft. 1988

by Bath Water

Name

Distance Direction

IMPORTANT NOTE ... the result entered to the
previous day. If an Obs ... rsal rule, he is earnestly
requested to add the readi ... ar in the space provided
for it at the end of this ... ent of rain,
the selection and placing ... tish Rainfall
Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·02	·13				·03			·04	·02	1
2	·02			·09	·25			·15		·11	·35	·18	2
3	·02	·01	·02		·31						·10	·04	3
4		·02	·17						·02	·05	·16	·44	4
5	·03		·04					·64		·03	·61	·02	5
6	·28		·01					·08			·13	·49	6
7	·02		·01								·40	~~·02~~	7
8	·14		·19									·30	·30 8
9	·17		·13					·05			·09	·30	9
10	·02	·13	·26		·17						·02	·24	10
11	·27		·02		·05						·55	·24	11
12	·02		·68					·02	·01		·24	·10	12
13			·03		·06				·42	·25	·01	·64	13
14		·02	[illegible]		·01							·71	14
15		·01	·05			·01				·02	·29	·12	15
16	·02	·03				·24					·43	·31	16
17		·07			·02	·06					·02	·34	17
18	·02	·41	·09	·11	·02	·46				·02		·31	18
19	·02	·10	·01	·07		·17			·33	·22	·10	·31	19
20	·02	·03	·12	·04		·04		·27	·10	·04		·56	20
21		·30	·06	·02		·02			·04	·75		·26	21
22		·02	·53	·02		·07				·14		·68	22
23		·26	·22			·05			·10	·09		·13	23
24	·03	·11	·01			·35		·08		·68		·15	24
25	·01	·07		·10		·12		·02		·04		·15	25
26	·02	·10		·19	·15	·05		·02		·12	·03	·30	26
27		·17	·16	·16				·13	·14	·02	·13	17	27
28		·47		·71		·03		·09			·04	02	28
29		X		·07		·41	·02		·08	·22	·02		29
30		X		·02		·04		·02		·17	·02	02	30
31		X		X		X			X	·29	X		31
Total	1.22	2.33	2.83	1.73	1.04	2.12	·02	1.60	1.24	3.26	3.78	7.55	TOTAL for year 28.72
No. of Rain Days.	18	18	21	13	9	15	1	13	9	18	21	28	184

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Batheaston 1

in the County of Somerset

by Bath Waterworks

Rain Gauge
Pattern
Diameter of top 6 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 240 ft. 1988

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·02	·13				·03			·04	·02	1
2	·02			·09	·25			·15		·11	·35	·18	2
3	·02	·01	·02		·31						·10	·04	3
4		·02	·17						·02	·05	·16	·44	4
5	·03		·04					·64		·03	·61	·02	5
6	·28		·01					·08			·13	·49	6
7	·02		·01								·40	~~·02~~	7
8	·14		·19									·30	8 ,30
9	·17		·13					·05			·09	·30	9
10	·02	·13	·26		·17						·02	·24	10
11	·27		·02		·05						·55	·24	11
12	·02		·68					·02	·01		·24	·10	12
13			·03		·06				·42	·25	·01	·64	13
14		·02	[illegible]		·01							·71	14
15		·01	·05			·01				·02	·29	·12	15
16	·02	·03				·24					·43	·31	16
17		·07			·02	·06					·02	·34	17
18	·02	·41	·09	·11	·02	·46				·02		·31	18
19	·02	·10	·01	·07		·17			·33	·22	·10	·31	19
20	·02	·03	·12	·04		·04		·27	·10	·04		·56	20
21		·30	·06	·02		·02			·04	·75		·26	21
22		·02	·53	·02		·07				·14		·68	22
23		·26	·22			·05			·10	·09		·13	23
24	·03	·11	·01			·35		·08		·68		·15	24
25	·01	·07		·10		·12		·02		·04		·15	25
26	·02	·10		·19	·15	·05		·02		·12	·03	·30	26
27		·17	·16	·16				·13	·14	·02	·13	17	27
28		·47		·71		·03		·09			·04	02	28
29		X		·07		·41	·02		·08	·22	·02		29
30		X		·02		·04		·02		·17	·02	02	30
31		X		X		X			X	·29	X		31
~~Total~~	1.22	2·33	2.83	1·73	1·04	2.12	·02	1·60	1·24	3·26	3·78	7·55	TOTAL for year 28·72
No. of Rain Days.	18	18	21	13	9	15	1	13	9	18	21	28	184

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
11 JAN 1913
1988

REGISTER OF RAINFALL IN 1912

Kept at Batheaston
in the County of Somerset
by Bath Waterworks

Lat. 51°25′ Long. 2°20′
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11	·03		·34	·13		·03	·71		·19	1
2		·01	·27	·04		·20	·30			·02		·02	2
3	·03		·11			·25	·15	·35	·08			·09	3
4	·25		·95		·08	·49		·16			·25	·02	4
5	·35	·02	·26		·15	·06		·45				·17	5
6	·38	·05	·05		·11			·87			·02	·18	6
7	·02	·18	·11		·07	·41		·11				·05	7
8	·41	·16	·43			·03	·08	·05	·03			·06	8
9	·05	·03	·55	·13		·23	·03	·03			·03	·30	9
10	·02	·05				·40		·08		·03	·11	·16	10
11	·13	·03				·03				·01	·02	·37	11
12	·02	·30	·06	·06	·02	·03	·03		·01		·09	·05	12
13		·02	·01			·02		·02	·01		·03	·11	13
14	·17		·43		·44	·08		·05		·02		·07	14
15	·08	·10		·03	·18	·52		·02		·01	·02	·46	15
16	·69		·11		·07	·02		·14		·10	·07	·04	16
17	·50		·04		·02	·20		·56		·01	·02	·18	17
18	·22		·81			·01		·08		·05	·02	·12	18
19	·04	·15	·06			·08	·13	·45		·21		·02	19
20	·04	·01	·48		·05		·03	·20		·64	·02		20
21	·02	·04	25		·70		·02	·20		·29			21
22	·43	·27	·08		·35	·03	·15	·18		·04	·02	·08	22
23	·25	·49	·47		·02	·03		·73		·09	·10	·50	23
24	·06	·02	·15			·21	·02	·14		·02	·02	·18	24
25						·27		·74		·05	·48	·57	25
26		·04	·02				·37	·28		·52	·62	·24	26
27		·01				·12	1.12			·80	·13	·51	27
28		·06				·05	.22	·43	·13	·52	·46	·71	28
29		·12				·04	·42	·04	·58	·28		·10	29
30		X				·05	·20	·02	·13	·31		·01	30
31		X	·14	X	·07	X	·38	·03	X	02	X	·10	31
Total	4·16	2·16	5·95	·29	2·33	4·20	3·78	6·41	1·00	4·75	2·53	5·66	YEAR'S TOTAL. 43.22
Rain Days.	~~21~~	~~21~~	~~23~~	~~5~~	~~14~~	~~26~~	~~17~~	~~26~~	~~8~~	~~22~~	~~19~~	~~29~~	~~231~~

W. 7,500, XI. 12

1988

FORM A.
BRITISH RAINFALL.
21 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Batheaston
in the County of Somerset
by Bath Waterworks

Lat. 51°25′ Long. 2°20′
Time of Observation 9. a. m.
Nearest Railway Station
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	·22	·19	·02	·11				·47		·11	·13	1
2	02	·11	·02	·11	·03		·06		·02	·05	22	·01	2
3	05	·02	·14	·02	·62					·07	·03	·27	3
4	86	·02	·20		·65				·97	·48	·06	·08	4
5	01	·03			·07	·17	·10		·18	·02	·03	·02	5
6	02	·04	·13		·24	·11	·04			·50	·14	·78	6
7		·27	·02		·23	·06	·04			·56	·19	·02	7
8		·05			·21	·20	·02			·21		·02	8
9		·18	·04	·03	·04	·10		·38	·07	·03	·08	·02	9
10	·22		·05	·03	·03	·02		·06		·10	·14		10
11	·86		·05	·23	·16	·02				·04	·68	·03	11
12	·04	·04	·01	·01	·19				·02		·10	·04	12
13	·01	·02	·02			·02	·03	·04	·13	·02	·18		13
14	·10	·02	·18	·07				·03		·15	·08	·03	14
15	·18	·07	·39	·62				·23	·01		·14	·04	15
16	·28		·68	·19			·02	·02	·24	·02	·02		16
17	·06		·03	·05		·03	·05		·07		·09		17
18	·10		·04	·18	·03	·02			·02		·04		18
19	55		·11		·04	·04	·11		·31		·01		19
20	·09		·18	·06						·11	·07		20
21			·72	·11	·20		·13				·37		21
22	·48				·04	·09	·02	·02	·24	·02			22
23						·07		·15	·02		·06	·22	23
24	·06			·01				·03			·02		24
25		·07		·17					·01	·02	·02	·05	25
26		·05		·37				·21		·02		·14	26
27		·01	·16	·39						·24	·01		27
28	·33		·06	·38						·14		·03	28
29	·02	X	·40	·62				·06		·31	·02	·02	29
30	·45	X								·34	·04		30
31	·16	X	·09	X	·01	X		·22	X	·01	X		31
Total	4.97	1.22	3.91	3.67	2.90	·95	·62	1.45	2.78	3.46	2.95	1.95	YEAR'S TOTAL 30·83
Rain Days.	~~23~~	~~16~~	~~23~~	~~20~~	~~17~~	~~13~~	~~11~~	~~12~~	~~15~~	~~22~~	~~26~~	~~18~~	~~276~~

W.7,000, XI. 13

cor for auth 12.11.15

1988

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Batheaston

in the County of Somerset

by Bath Waterwork

Lat. 51°25′ Long. 2°20′
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06		·03	·02	·34			·16	·04	1
2				·05	·01	·01	·65	·15			·81	·39	2
3			·06	·24	·23		·04	·38			·10	·08	3
4	·19	—	·07	·24	·21		·17	·21			·28	·41	4
5	·11		·12	·42	·05		·35	·03			·20	·10	5
6		·06	·11	·18	·05		·05	·08			·03	·34	6
7	·01	·55	·29	·24	·36	·04	·23	·05			·02	·12	7
8	·05	·04	·90	·05	·06	·46	·12	·05	·02			·02	8
9	·14		·38	·11	·04	·86		·05	·13				9
10	·02	·25		·22	·05				·39		·02		10
11		·13	·21	·02	·05	·22	·07		·01		·02	·47	11
12		·12	·14			·02	·02		·29		·10	·17	12
13		·30	·39				·02		·18	·14	·07	·50	13
14		·26	·38					·10	·01	·32	·21		14
15		·03	·19					·47	·10	·02	·14		15
16							·02		·20				16
17		·26	·19				·02		·02			·57	17
18		·02	·03				32		·02			·62	18
19		·18	·20				47				·04	·07	19
20		·33	·13									·27	20
21		·46	·02			·02				·10		·02	21
22			·02		·12	·24		·04		·13		·02	22
23		·04	·15		·05	·02	·02			·19			23
24		·05	·07		·06		05			·21	·10		24
25	·04		·13				·02	·25		·34	·02	·28	25
26	·01	·02	·03				10	·05		·11	·23	·47	26
27	·06	01					03			·03	·31	·10	27
28		07	·15		·02					·06	·37	1·09	28
29	·12		·07		·07					·17	·22	·02	29
30	·01		·03		·02					·14	·46	·72	30
31					·04		·18			·27		·07	31
Total	·76	3·18	4·46	1·83	1·49	~~1·94~~ 1·92	2·97	2·25	1·38	2·23	3·91	6·96	YEAR'S TOTAL ~~33·36~~ 33·34
Rain Days.	~~11~~	~~19~~	~~25~~	~~11~~	~~17~~	~~10~~	~~21~~	~~14~~	11	14	21	24	~~218~~

W. 8,000. X. 14.

Ex Dl

2097
1988

FORM A.
BRITISH RAINFALL.
10. JAN. 191[illegible]

REGISTER OF RAINFALL IN 1915

Kept at Batheaston
in the County of Somerset
by Bath Waterworks

Lat. 51° 25′ Long. 2.20
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·44	·12			·11			·17	·31	·26	·02	·16	1
2	·35	·26	·18	·21		·02		·63	·06	·21		·20	2
3	1·30	·07	·06	·05	·09			·06				·24	3
4	·05	·02			·02		·20			·02		·51	4
5	·05	·70		·01	·02			·20				·30	5
6	·35	·05		·25			·45	·05				·13	6
7	·42	·47		·08	·26	·03	·25	·06				·23	7
8	·51	·28		·02			·06	·12			·08		8
9	·04	·04		·08				·03			·30	·87	9
10	·16		·12	·07			·03	·08		·05		·06	10
11	·03		·04	·03	·02			·22			·81	·03	11
12	·18	·30		·16	·42			·30		·02	·38	·01	12
13	·04	·77			·80			·15	·16		·02		13
14	·20						·27	·43	·08	·07		·51	14
15	·35			·03	·08		·12	·03	·04	·02	10	·05	15
16		·76			·44		·96	·50				·17	16
17		·73	·02		·57		·03	·08				·02	17
18		·30	·02		·04								18
19	·02	·04			·08		·37						19
20	·25			·10	·04			·01		·07		·11	20
21	·11				·13		·02			·09		·19	21
22	·05	·65	·45	·03			50			·01		·20	22
23	·02	·05	·17	·05			36		·24	·82		·57	23
24			·02	·07			1·02		·58	·71		·31	24
25						1·05	08		·02			·09	25
26		·09				·33	18			·05		·46	26
27		04				·22	22			·36		·02	27
28		11				·02			·63	·02			28
29		X				·17		·04	·03		07	·04	29
30	·20	X				·25				·34	30	·29	30
31		X		X		X	·04	·09	X	·83	X	·26	31
Total	5·12	5·85	1·08	1·24	3·12	2·09	5·16	3·25	2·15	3·95	2·08	6·03	YEAR'S TOTAL 41·12
Rain Days.	21	20	9	15	15	8	18	19	10	17	9	26	187

W. 8,000. X. 15.

X. C&E

2039
1988

FORM A.
BRITISH RAINFALL.
8 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Batheaston

in the County of Somerset

by Bath Waterworks

Lat. 51°25′ Long. 2°20′
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		.02		·09	·07	·37		·04	·21	·23		1
2	·90	·06	·03		·08					1·20	·04		2
3	·02	·96			·11		·02		·09	·44	·16		3
4	·22	·05			·13	·60			·16	·25	·64		4
5	·01		·03		·18	·19				·03	·30		5
6	·10	·22	·02		·15	·09	·37			·06	·57		6
7	·17	·12	·27		·05						·60	·24	7
8	·03	·13	·05		·13	·32				·03	·04	·12	8
9		·01			·16	·10	·02			·05	·03	·07	9
10		·52	·02	·19	·05	·27	·03			·06	·01	·04	10
11	·03	·02	·04	·12	·03	·06			·02				11
12	·03	·13	·06	·06	·33		·17	·01		·13	·01		12
13		·46	·16					·22		·04			13
14		·54	·09	·03	·15			·15		·03			14
15	·01	·21	·05	·05				·48					15
16	·06	·08		·38	·05		·08	·43		·02			16
17	·16	·18		·04				·17	·42	·50	·03		17
18		·02	·05	·04					·04	·16	·30	·09	18
19	·16		·42	24							·11	·02	19
20	·17	·02	·52								·04	·71	20
21	·12	·02	·58		·10						·02	·60	21
22	·02	·02		·08	·02	·06				·20	·02	·68	22
23	·04	·14		·11		·02		·14		·25	16	·14	23
24		·10			·48			·07		·65	·02	·31	24
25		·27	·13		·02	·07		·27		·02	·15	·08	25
26	·06	·02	·08			·29		·32	·20	·35			26
27	·14	·06	1·08			·02	·30	12	·26	·33			27
28	·02	·20	(·16)			·15			·03	1·00		·48	28
29		·47	·04			·37		1·61	·03	·80		·72	29
30										·68		·02	30
31								·06		·18		·05	31
Total	2.62	5·03	3·90	1·34	2.31	2.68	1·36	4.05	1·29	7·67	3·48	4·37	YEAR'S TOTAL 40.10
Rain Days.	~~21~~	~~26~~	~~21~~	~~11~~	~~18~~	~~15~~	~~8~~	~~13~~	~~10~~	~~25~~	~~20~~	~~16~~	~~204~~

W. 8,000, VIII. 16

1949
1988

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

Kept at Batheaston
in the County of Somerset
by Bath Waterworks

Lat. 51°·25 Long. 2·20'
Time of Observation 9. a. m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·23	·15		·12		·85	·11	·01	·04		1
2	·01			·55		·31		·06		·01	·06		2
3	·05			·03			·31	·03		·95	·02		3
4		·30	·05				·06	·05	·02	·27		·02	4
5	·40		·21	·31		·11			25	·48	·09		5
6			·49			·04				·11	·21		6
7	·14						·07	·13		·25	·02	·03	7
8	·58		·13				·25	·75	·03	·41	·06	·06	8
9			·11	·12	·21		·02	·76	·12	·07	·34	·01	9
10	·15		·26	·02	·10			·22	·13	·02	·02	·02	10
11	·07		50	·15				·67	·03	·07	·02		11
12	·02		·02	·39	·81			·22		·67			12
13			·12	·02		·02		·21	·13	·08		·02	13
14			·37					·29	·03				14
15				·12			·10	·12	·04	·05		·16	15
16	·02	·03		·03	·04		·09			·31		·06	16
17		·03		·13	·27	·12	·40	·07	·94	·07	·03		17
18	·01	·04		·34	·01	·02	·37	·02	·40		·01		18
19	·02	·44	·07	·01		·04		·02	·08		·01		19
20	·01	·12	·09		·31	·12		·03	·12				20
21		·01	·22			·02				·02			21
22			·06			·82		·03		·05			22
23		·19			·15			·30		·06		·03	23
24		·06				·54	·03	·03		·13	·03	·01	24
25		·09	·02				·01	-	·02	·39	·02		25
26			·09		·08			·87	·18	·29	·03		26
27					1.03	·02		·83					27
28					·01	1.96		1·11			·02	·02	28
29		X	·21		·11	·33	·11	·07		·60	·02	·01	29
30	·02	X	·07				·22	·29		·15			30
31		X	·21	X		X		·04	X	·04	X	02	31
Total	1.50	1.34	3.53	2.37	3.13	4.59	2.04	8.07	2.63	5.56	1.05	.57	YEAR'S TOTAL 36.38
Rain Days.	13	11	20	14	12	15	13	26	16	25	18	13	196

W. 8,000, IX. 17.

Eccagne

30

1988

FORM A.
BRITISH RAINFALL

8. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Batheaston
in the County of Somerset
by Bath Waterworks

Lat. 51.25 Long. 2°-20′
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		~~02~~											
1		·02		·02	·04			·25		·04	·51	·02	1
2				·23				·45		·02	·02	·25	2
3		·04		·17	·16			·22	·13	·07			3
4		·10		·04				·05	·02		·85	·04	4
5		·3			·23			·27	·02	·11	·21		5
6	·11	·33		·23		·01		·04	·05	·14	·02	·08	6
7	·02	·17		·06	·61	·04			·15	·34	·31		7
8				·02					·73	·16		·06	8
9		·16		·40		·28	·42		·54	·12	·02	·16	9
10	·02			·05			·63		·23	·14		·26	10
11	·05	·23		·02			·23		·91	·62	·05	·21	11
12		·13	·08		·41		·14		·03			·06	12
13	·13	·02	·02		·04	·01	·16		·42	·06		·43	13
14	·23		·02			·04	·83		·35	·14		·17	14
15	1·09			·56	·06	·12	·28			·01		·36	15
16	·32		05	·71		02	·02		·18			·07	16
17	·26		03	·04			·38	·11	·03	·02		·16	17
18	·61					·54	·20	·04	·45			·08	18
19	·09		·11	·05			·04		·25	·05		·03	19
20	·03	·20		·31		·01	·13		·25	·02	·02		20
21	·05	·03		·02			·05		·80	·09		·10	21
22	·02				·02		·44		·19	·14		·31	22
23	·15				·18	·12	·64	·04	·02	02	·04		23
24	·02	·17				·03	·03	·03	·16				24
25							·07	1·09		·02	·02		25
26							·50	·02	·06	·02	·12	·14	26
27			·02				·01	·28	·16		·13	·02	27
28		·13	·27								·18	·11	28
29		X	·05						95		·02	·06	29
30		X	·32					·02	06	·03	·06	·10	30
31		X	·25	X		X		·02	X	03	X		31
Total	3.20	1.73	1.22	2.93	1.75	1.22	5.20	2.93	7.14	1.81	2.58	3.28	YEAR'S TOTAL 34.99
Rain Days.	16	13	11	16	9	11	19	15	25	23	16	23	197

W, 6,500, VII. 18. w w c

1988

7 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Batheaston

in the County of Somerset

by Bath Waterworks

Lat. 51° 25′ Long. 2° 20′

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·01	·04		·23		·18			·20		1.25	1
2	12		·01		·08		·04		·20	·03	·14	·30	2
3	1.15		·16		·05				·16		·04	·55	3
4	·41	·10	·47		·02	·04	·11	·03	·22			·09	4
5	·02	·30	·54		·10				·42		·01	·28	5
6	·24	·05	·07		·02						·07	·07	6
7	·17		·30	·08									7
8	·18		·13	·05									8
9	·06		·30	·16							·14		9
10	·05		·16	·06	·01					·03		·20	10
11	·03		19	·09	·10	·02	·33					·02	11
12	·04		·13	·03	·01	·34	·03			·09	·03	·29	12
13	·03	·03		·42								·07	13
14	·55	·05		·46			·11					·25	14
15	·22			·05	·02					·04		·03	15
16	·10	·78									·18		16
17		·30				·02					·12	·02	17
18			65				·12	·29			·10	·02	18
19	·35	·22	1.10			·11	1·06	·41	·14	·02	·23	·04	19
20	·31	·14	·30			·25		·26	·02			·11	20
21		·46					·06	·08	·02			·04	21
22		·11					·09		·14		·01	·14	22
23									·09	42	·10	·03	23
24						·08			·03	89	·18	·56	24
25	·16										·03	·10	25
26	·15	·01	·14	·09				·54	·19			·28	26
27	·11	·02	·01	·37				·08				·03	27
28			·16	·01				·51			·24	·44	28
29	·02	✕		·02		·03		·49		·12	·03	·09	29
30		✕	·01	·21		·23		·02		·03	·12	·36	30
31	01	✕	·02	✕		✕		18	✕		✕	·15	31
TOTAL	4·78	2.58	4·89	2.10	·64	1·12	2·13	2·84	1·63	1·87	1·77	5·81	YEAR'S TOTAL 32·16
Days with ·01 in. or more	~~23~~	~~14~~	~~20~~	~~14~~	~~10~~	~~9~~	~~10~~	~~11~~	~~11~~	~~10~~	~~17~~	~~27~~	~~176~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1739
1988

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Batheaston
in the County of Somerset
by Bath Waterworks

Lat. 51°25′ Long. 2°20″
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02		·41	·37		·27	·03	·03	·22	·19	·40	1
2	·05		·07	·10	·04		·23	·24	·08	·20		·04	2
3		·05		·12			·29		·01	·47		·07	3
4			·08	·05			·13	·37					4
5			·07	·02	·07		·40	·03		·38			5
6			·38		·29		·18			·10			6
7	·03		·03	·12	·04		·08				·01		7
8	·02	·06		·38	·11		·64				·02		8
9	·45	20	·02	·73		·12	09	·07	·02				9
10	·55	30	·06	·08		·24	·47				·03		10
11	·36	03	·09	·52	·38		·09						11
12	·13	02		·20	·03	1·03	·03			·01	·07		12
13	·12	10	·43	·18				·01				·02	13
14	·03	01	·36	·43		·02	·02	·01	·03	·35	·28		14
15	·02	20	·02	·22	·02	·22	·05		·08	·43	·09		15
16	·62			·12		45	·20		·03	·09	·44		16
17	·04		·02	·12	·19	·16			·23			·01	17
18	·10			·05	·04	·01		·31	·29			·01	18
19	·08	·10		·41	·31	·18							19
20	·03	·16		·18		·50	·02	·01				·23	20
21							·17			·02		·15	21
22	·02	·01		·12			·06	·08		·02		·46	22
23	02						·97	·01		·02		·45	23
24	·08		·18	·03							·03	·12	24
25	·02	26	·05	·02	·03		·40					·02	25
26	·18		·22			·02	·02				·04	·10	26
27	35	05	·04	16		·73	·05		·02			·34	27
28	1·06	·01	·07	·06	·50		·04					·02	28
29	·20	·01	·17	·01	·03	·04	·05				·13	·21	29
30	·08	✕	·02	·06		·16	·32		·28		49	·21	30
31	·16	✕	·22	✕	·02	✕	·05		✕	40	✕	·22	31
TOTAL	4·25	1·59	2·60	4·90	2·47	3·88	5·32	1·17	1·10	2·71	1·82	3·08	YEAR'S TOTAL 34·89
Days with ·01 in. or more	~~26~~	~~17~~	~~20~~	~~26~~	~~16~~	~~14~~	~~26~~	~~11~~	~~11~~	~~12~~ 13	~~12~~	~~18~~	~~209~~
Days with ·04 in. or more	~~17~~	~~10~~	~~15~~	~~22~~	~~11~~	~~11~~	~~22~~	~~5~~	~~5~~	~~8~~ 9	~~8~~	~~13~~	~~147~~ 148

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BECKINGTON

THE CEDARS

SOMERSET

REGIS 915

FORM A. BRITISH RAINFALL.

6 - JAN 1916

Kept at The Cedars

in the County of Som

by F. E. Rogers

Long. 2·17' W.

9.30 a.m

ation Frome

of Rain Gauge 5 in.

uge above Ground ft. 7 in.

" " " " Sea Level (about) 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·10			·06			·24	·37	·28		·25	1
2		·39	·11	·12	[illegible]			·45		·13		·39	2
3		·06	·08		·17		·07					·34	3
4		·01										·36	4
5		·84						·18		·02		·25	5
6		·03		·10			·54	·11				·19	6
7		·44		·28	·53		·24					·30	7
8		·38		·02			·01	·11			·06	·04	8
9		·05		·08							·44	·99	9
10		·06	·05	·17				·07			·03	·06	10
11			·03	·05	·01			·30 +			·78	·05	11
12		·41		·20	·71			·18		·04	·33		12
13		·79			·93						·04	·03	13
14	Daily record not kept this month							·47	·18	·05		·99	14
15				·03	·20		·17	·08		·02	·17	·10	15
16		1·17			·35		1·02					·13	16
17		·90			·65			·10				·02	17
18		·35			·04								18
19					·03		·26						19
20				·05	·04							·16	20
21		·14			·19		·05			·12		·24	21
22		·59	·59	·03			·60		·03			·27	22
23		·03	·14				·43		·17	1·52		·49	23
24				·09			·41		·57	1·30		·14	24
25				·02		·05	·14					·15	25
26		·12				·28	·06					·63	26
27		·04				·09	·20		·01	·38		·02	27
28		·14				·02			·74				28
29						·09		·03			·09	·06	29
30		╳				·30				·47	·41	·26	30
31		╳		╳		╳	·01		╳	·88	╳	·28	31
Total	4·29	7·04	1·00	1·24	3·91	·83	4·21	2·32	2·07	5·21	2·35	7·19	YEAR'S TOTAL 41·66
Rain Days.		21	6	13	13	6	15	12	7	12	9	27	

+ Reading on ~~[illegible]~~ Aug 11th taken at 1 p.m.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
6 - JAN 1916

Kept at The Cedars, Beckington
in the County of Somerset
by F. E. Rogers

Lat. 51·15 N. Long. 2·17' W.
Time of Observation 9·30 a.m
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level (about) 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·10			·06			·24	·37	·28		·25	1
2		·39	·11	·12	~~·06~~			·45		·13		·39	2
3		·06	·08		·17		·07					·34	3
4		·01										·36	4
5		·84						·18		·02		·25	5
6		·03		·10			·54	·11				·19	6
7		·44		·28	·53		·24					·30	7
8		·38		·02			·01	·11			·06	·04	8
9		·05		·08							·44	·99	9
10		·06	·05	·17				·07			·03	·06	10
11			·03	~~·30~~ ·05	·01			·30 }+			·78	·05	11
12		·41		·20	·71			·18 }		·04	·33		12
13		·79			·93						·04	·03	13
14	Daily record not kept this month							·47	·18	·05		·99	14
15				·03	·20		·17	·08		·02	·17	·10	15
16		1·17			·35		1·02					·13	16
17		·90			·65			·10				·02	17
18		·35			·04								18
19					·03		·26						19
20				·05	·04							·16	20
21		·14			·19		·05			·12		·24	21
22		·59	·59	·03			·60		·03			·27	22
23		·03	·14				·43		·17	1·52		·49	23
24				·09			·41		·57	1·30		·14	24
25				·02		·05	·14					·15	25
26		·12				·28	·06					·63	26
27		·04				·09	·20		·01	·38		·02	27
28		·14				·02			·74				28
29						·09		·03			·09	·06	29
30		✕				·30				·47	·41	·26	30
31		✕		✕		✕	·01		✕	·88	✕	·28	31
Total	4·29	7·04	1·00	1·24	3·91	·83	4·21	2·32	2·07	5·21	2·35	7·19	YEAR'S TOTAL 41·66
Rain Days.		21	6	13	13	6	15	12	7	12	9	27	

+ Reading on Aug 11th taken at 1 p.m

W. 8,000. X. 15.

made

REGISTER OF RAINFALL IN 1916

2015

FORM A. BRITISH RAINFALL.

22 JAN 1917

Kept at The Cedars, Beckington

in the County of Somerset

by F. E. Rogers

Lat. Long.

Time of Observation 9·30 a.m

Nearest Railway Station Frome

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20				~~·21~~	·04	·05		·08	·56	·60		1
2	·45	·05	·03		·21					·60	·05		2
3		·84			·10				·07	·44	·22		3
4	·17	·16			·09	·63	·02		·35	·24	·73		4
5	·01		·03		·40	·10				·07	·32		5
6	·08	·17	·03		·11	·09	·50			·04	·71		6
7		·04	·22		·03	·02	·02			·08	·41	·14	7
8		·10	·02		·25	·30					·07	·09	8
9					·25	·15	·04			·08	·02	·04	9
10		·48		·08	·03		·02			·05	·01	·10	10
11	·05	·07	·09	·08		·08							11
12	·12		·06	·04	·06		·12	·02		·01			12
13		·33	·11					·56					13
14		·44	·04	·10	·09			·33		·05			14
15		·28	·07	·06				·29		·01			15
16	·03	·10		·21	·02		·16	·58		·03			16
17	·12	·18		·03				·10	·48	·32	·03		17
18	·02	·02	·09	·18					·06	·06	·34	·21	18
19	·12		·32	·26					·02		·10	·02	19
20	·24	·05	·52								·13	·76	20
21	·04	·05	·49		·08							·67	21
22					·04	·05				·38	·03	·54	22
23	·02					·05		·16		·07	·42	·10	23
24				·10	·45	·11		·03		·45	·05	·28	24
25		Snow	·18		·04			·42		·02	·14	·06	25
26	·01	1·46	·18			·31		·17	·32	·57			26
27	·01		1·39			·09	·30	·18	·44	·28			27
28			·16			·09		·08	·24	·16	·01	·49	28
29		·40	·07			·36		2·19	·15	·71		·47	29
30			·01					·01		·36			30
31								·06		·08		·03	31
Total	1·69	5·22	4·11	1·14	2·25	2·47	1·23	5·18	2·21	5·72	4·39	4·00	YEAR'S TOTAL 39·61
Rain Days.	16	23	20	10	16	15	9	15	10	25	19	15	193

1925

REGISTER OF RAINFALL IN 1917

Kept at The Cedars Beckington

in the County of Somerset

by F. E. Rogers

Lat. 51°16′ N Long. 2°23′ W

Time of Observation 9·30 a.m.

Nearest Railway Station Frome (3 miles)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 260 ft.

FORM A. BRITISH RAINFALL.

8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·19	·20		·12		·83	·36		·02		1
2				·38		·15		·09			·06		2
3	·01			·10			·64	·03		·80	·12		3
4		·21	·11	·01			·09	·11	·01	·21			4
5	·19		·20	·29		·15		·01	·53	·43	·10		5
6			·41							·19	·13		6
7	·23						·20	·10		·22		·05	7
8	·57		·10	·11			·50	·63	·05	·35	·08	·08	8
9			·05		·04			·13	·07	·27	·16		9
10	·11		·21	·16				·13		·02		·02	10
11	·01		·68	·16				·18	·01	·30	·02		11
12					·35			·37		·71			12
13			·12					·44	·06	·03			13
14	·01		·27	·21			·05	·14	·04				14
15							·08			·22		·37	15
16		·08		·14	·04		·01			·47		·09	16
17				·19	·14		·28	·15	·32	·07			17
18	·02	·02			·01	·01	·30		·55				18
19		·42	·10			·02			·08		·05		19
20	·02		·09		·26	·24		·15	·04				20
21			·33			·07				·07			21
22			·11			·02		·05		·05			22
23		·13			·12			·66		·01		·02	23
24		·05				·17	·08	·21		·18	·04		24
25		·07	·05					·03	·03	·39			25
26					·17			·73	·20	·30	·03		26
27					·83	·12		1·15		·02			27
28			·12			3·47		·39				·03	28
29			·16		·31	·42	·70	·16		·36		·17	29
30		×	·09				·24	·14		·32			30
31		×	·18	×		×		·02	×	·04	×	·03	31
Total	1·17	1·01	3·57	1·95	2·27	4·96	2·57	7·03	2·35	6·03	·81	·86	YEAR'S TOTAL 34·58
Rain Days.	9	8	19	11	10	12	12	25	14	24	11	9	164

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 9.1.19

10

Kept at The Cedars Beckington

in the County of Somerset

by F. E. Rogers

Lat. 51·16 N. Long. 2·23 W

Time of Observation 9·30 a.m

Nearest Railway Station Frome

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·02			·05			·29		·03	·58		1
2		·02		·22				·46		·01	·02	·32	2
3		·05		·25	·16			·18	·07	·06			3
4		·02	·02	·09				·02	·02		·66	·05	4
5				·08	·21			·27	·12	·37			5
6	·15	·38		·35					·10	·20		·11	6
7		·17		·05	·66				·25	·19	·26		7
8									·53	·16		·04	8
9		·16		·36		·31	·47		·52	·08		·31	9
10	·03			·11			·43		·25	·19		·37	10
11	·01			·01			·30		·23	·03	·05	·11	11
12		·17			·31		·33		·03			·02	12
13	Snow				·06		·30		·64	·04		·18	13
14	·39		·02			·03	·41		·23	·10		·14	14
15	1·25			·47	·02	·04	·21			·02		·19	15
16	Snow		·06	·49			·03		·20			·17	16
17	·75			·19			·33	·10	·07	·02		·30	17
18	·86					·40	·05		·19	·02		·21	18
19	·07		·10	·08			·28		·24	·02		·07	19
20	·02	·15		·14			·79		·18	·05			20
21	·06	·04					·02		·73	·05		·10	21
22					·05		·42		·19	·05		·19	22
23	·20				·40		·36		·02		·07	·08	23
24		·13				·03	·04		·10		·02		24
25							·12	·68					25
26				·02			·42		·06	·04	·09	·21	26
27		·06	·04				·01	·13	·24		·12		27
28		·08	·29						·01		·22	·13	28
29			·06						1·36			·04	29
30		X	·25					·08	·03	·02	·05	·07	30
31		X	·14	X		X			X	·09	X		31
Total	3·79	1·45	·98	2·91	1·92	·81	5·32	2·21	6·59	1·84	2·14	3·41	YEAR'S TOTAL 33·37
Rain Days.	13	13	9	15	9	5	19	9	26	22	11	22	173

E RA

1800

FORM A. 1a METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19..........

9 JAN 20

Kept at The Cedars Beckington

in the County of Somerset

by F. E. Rogers

Lat. 51·16 N Long. 2°-23 W

Time of Observation 9·30 a.m

Nearest Railway Station Frome (3½ miles)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·10	·02	·15		·28		·03	·04		·98	1
2					·02		·03		·41		·08	·17	2
3			·26		·03				·18		·03	·36	3
4		·10	·74			·04	·02	·19	·41			·07	4
5		·35	·59		·09		·31		·24		·10	·26	5
6	~~·15~~	·08	·19		·10						·05	·20	6
7			·33						·02			·05	7
8			·18	·02									8
9			·02	·14							·14		9
10			·12	·01						·02		·18	10
11			·17	·11	·25		·28					·10	11
12			·15	·08		·13	·02			·09	·05	·01	12
13			·04	·45								·02	13
14		·05		·67			·11		·05			·07	14
15				·04						·07		·29	15
16		·88									·15		16
17		·48									·33	·01	17
18			·42				·14	·17	·01		·09	·02	18
19		·16	·82			·10	·78	·47	·21		·18	·06	19
20		·09	·23			·34		·33	·02			·08	20
21		·44					·09		·01		·01	·09	21
22		·22					·09		·18		·02	·24	22
23										·45	·08	·07	23
24						·06				1·24	·03	·34	24
25				·05		·03		·52	·01		·02	·05	25
26			·17					·35	·11			·54	26
27				·38				·52				·09	27
28			·46					·39			·47	·35	28
29				·02				·07		·05		·04	29
30		X		·22		·16		·30		·02	·54	·35	30
31		X		X		X	·01		X		X	·21	31
Wet day	5·21	2·85	4·99	2·21	·64	·86	2·16	3·31	1·89	1·98	2·37	5·30	YEAR'S TOTAL
Days with ·01 in. or more	23	10	17	13	6	7	12	10	14	8	17	28	33·77 165

1.	·44
2.	·18
3. (Sn	1·62
4	·27
5	·06
6.	·40
7	·23
8	·17
9	·02
10.	·08
11	·04
12.	·05
13.	·07
14	·45
15.	·11
16.	·09
17	
18	·03
19	·30
20	·30
25	·10
26	·07
27	·11
28	
29	·02

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

BICKNOLLER

WEACOMBE HOUSE

SOMERSET

1911 – 1920

Form A. 1. METEOROLO ORGANIZATION.

REC 911.

Kept at Weacombe H ng

in the County of Some on

by A. Y. Saddler Rain Gauge in.

e above Ground ft. in.

„ Sea Level ft.

IMPORTANT NOTE.— ılt entered to the previous day.

If an Observer prefers not to requested to add the reading at 9 a.m. on 1st it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.16									1
2				.04	.59			.26		.16	.25	.22	2
3												.01	3
4			.25		.06					.08	.51	.57	4
5			.45					.30					5
6	.62										.07	.64	6
7	.02										.53		7
8			.03										8
9												1.26	9
10			.28		.40							.26	10
11	.31		.01		.03							.25	11
12			.64					.08				.30	12
13			.03						.55		1.56	.49	13
14		.14										1.36	14
15													15
16						.35						.43	16
17						.27					.01	.41	17
18		.38	.68	.39		.50					.07	.42	18
19		.10		.09		.20			.10	.26	.07	.55	19
20			.13	.04					.40	.14			20
21		.09				.02		.05		.65		.63	21
22			.10			.15			.09	.32		.63	22
23		.17				.15			.15	.18	.05	.10	23
24						.62		.09				.07	24
25		.07				.12			.06			.11	25
26		.07								.83		.25	26
27		.28	.12	.85				.34	.17			.12	27
28		.06						.04			.40		28
29						.17	.07		.08	.15			29
30						.02				.25	.05		30
31										.10			31
Total	.95	1.36	2.72	1.57	1.08	2.57	.07	1.16	1.60	3.12	3.57	9.08	Year's Total 28.85
Days with ·01 in. or more	3	11	12	10	5	11	1	7	8	15	20	22	125

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1911.

Kept at Weacombe House, Bicknoller

in the County of Somerset

by A. L. Saddler

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·16									1
2				·04				·26		·16	·25	·22	2
3					·59							·01	3
4			·25		·06					·08	·51	·57	4
5			·45					·30					5
6	·62										·07	·64	6
7	·02										·53		7
8			·03										8
9												1·26	9
10			·28		·40							·26	10
11	·31		·01		·03							·25	11
12			·64					·08				·30	12
13			·03						·55		1·56	·49	13
14		·14										1·36	14
15													15
16						·35						·43	16
17						·27					·01	·41	17
18		·38	·68	·39		·50					·07	·42	18
19		·10		·09		·20			·10	·26	·07	·55	19
20			·13	·04					·40	·14			20
21		·09				·02		·05		·65		·63	21
22		·17	·10			·15			·09	·32		·63	22
23						·15			·15	·18	·05	·10	23
24						·62		·09				·07	24
25		·07				·12			·06			·11	25
26		·07								·83		·25	26
27		·28	·12	·85				·34	·17			·12	27
28		·06						·04			·40		28
29						·17	·07		·08	·15			29
30						·02				·25	·05		30
31										·10			31
TOTAL	·95	1·36	2·72	1·57	1·08	2·57	·07	1·16	1·60	3·12	3·57	9·08	YEAR'S TOTAL 28·85
Days with ·01 in. or more	3	11	12	10	5	11	1	7	8	15	20	22	125

copied 12.19

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1912.

Kept at Weacombe House, Bicknoller
in the County of Somerset
by A. L. Saddler

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·26		·06	·81	·07	·18	·10	·82		·27	1
2			·15	·02		·75	·13			·05	·06		2
3			·24			·13	·05	·81			·01	·01	3
4	·20				·07	·52		·05			·57		4
5	·53		1·00		·05	·04		·30			·01	·03	5
6	·51	·24			·19			·88				·08	6
7	·02	·50	·10		·01	1·12		·46				·07	7
8	·44	·13	·34			·28	·07	·16				·03	8
9	·02	·11	·02	·07		·26	·01	·07			·05		9
10	·18					·08					·05	·09	10
11	·03	·21									·03	·41	11
12		·61	·05					·64				·06	12
13	·06						·04	·17				·03	13
14	·12		·60		·10			·03	·03				14
15	·10	·02			·42	·51		·08					15
16	·87		·17		·11	·03					·11	·30	16
17	·24		·21			·08		·45			·05	·12	17
18	·29		·29			·01		·51		·03		·10	18
19	·07	·09	·10				·19	·63		·03	·05	·07	19
20	·08		·45		·14		·08	·17		·47	·01		20
21		·07	·28		·55		·05	·09		·18			21
22	·73	·13	·05		·60		·09	·19			·01	·04	22
23	1·14	·78	·15		·05			·69				·19	23
24	·10	·03	·01			·30				·28		·11	24
25	·06	·02				·54		·54			·35	·35	25
26		·04						·06		·32		·47	26
27						·29	·77			1·17	·77	·41	27
28		·12				·10	·08	·47	·17	·20	·54	·76	28
29		·23	·06			·21	·20	·05	·67	·79		·07	29
30					·04	·03	·22		·07	·34			30
31			·47				·23			·01		·07	31
TOTAL	5·79	3·33	5·00	·09	2·39	6·09	2·28	7·68	1·04	4·69	2·67	4·14	YEAR'S TOTAL 45·19
Days with ·01 in. or more	20	16	22	2	13	19	15	24	5	15	16	24	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied 12/19

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1913.

Kept at Weacombe House, Bicknoller
in the County of Somerset
by A. T. Saddler

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·20	·27	·04	·36				·10		·19	·79	1
2	·11	·18	·02	·11	·08		·05		·01	·14	·15		2
3	·28				·31					·29		·28	3
4	1·18		·04		·11		·03		·81		·02		4
5	·02	·01	·05		·17	·24	·01		·74		·11	·43	5
6	·01	·07	·14		·01	·11	·20				·13	·28	6
7	·01	·49	·03		·72	·09	·49			1·73	·18		7
8	·02	·09			·33			·13					8
9		·02			·11	·02		·44	·06		·26		9
10	·65				·09					·57	·05		10
11	·77			·20	·40	·11		·03		·04	·86		11
12	·12				·19				·02		·39		12
13								·16	·39		·07		13
14	·22		·12								·36		14
15	·08	·03	·44	·84					·13		·04		15
16	·33		·52					·14	·42				16
17	·02		·02	·10									17
18	·17		·30	·06							·03		18
19	·37		·06			·22	·10		·25				19
20	·22		·14	·10					·01	·10	·24		20
21			·06	·14	·07						·19		21
22	·78		·90	·07		·15	·17	·07	·11				22
23	·01					·01		·10		·03	·07	·54	23
24	·05	·10		·02									24
25		·08		·41					·03			·01	25
26				·94				·08				·25	26
27	·15		·20	·08								·05	27
28			·12	·35						1·00		·06	28
29	·12		·87	·30	·03			·13		·17			29
30	·35			·16						·65			30
31	·13		·08		·24			·64					31
TOTAL	6·17	1·27	4·38	3·92	3·22	·95	1·05	1·92	3·08	4·72	3·34	2·69	YEAR'S TOTAL 36·71
Days with ·01 in. or more	25	10	19	16	15	8	7	10	13	13	17	10	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied 12.19

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1914.

Kept at Weacombe House, Bicknoller

in the County of Somerset

by A. T. Saddler

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12		·12	·30	·22			·28	·07	1
2				·03			1·24	·01			·23	·73	2
3			·27	·25	·29			·04				·16	3
4	·25		·02	·27	·05		·26	·14			·77	·75	4
5	·12		·19	·15	·03			·01			·02	·06	5
6		·07	·06	·24	·04		·03	·02			·11	·26	6
7		·51	·08	·10	·13	·11	·27	·08	·03		·01	·07	7
8	·03		·67	·01	·10	·64		·01				·02	8
9			·48	·10	·08	·76		·09	1·03				9
10	·06	·27	·03	·28	·04	·03			·44			·03	10
11		·11	·34		·10	·30	·06		·08		·10	·61	11
12		·33	·04						·16		·01	·61	12
13		·26	·41				·02		·19	·60	·41	·12	13
14		·25	·49					·69		·14	·30		14
15			·14				·07	·33	·01	·03	·19		15
16			·02				·08		·14				16
17		·18	·26									·70	17
18		·05	·07			·07	·04		·13			·23	18
19		·07	·48				2·41		·02		·06	·10	19
20		·22	·17			·09						·24	20
21		·44				·02				·31		·09	21
22		·01			·13	·45		·10					22
23		·02	·11		·03		·07			·35			23
24			·02		·08		·07	·10		·01	·04		24
25	·13		·38				·25	·25		·29	·01	·20	25
26	·01	·02	·13				·31			·02	·13	·64	26
27	·01									·60	·20	·30	27
28		·07	·19		·07					·22	·11	·88	28
29	·10		·52		·11					·17	·51	·07	29
30			·08							·54	·45	·68	30
31					·05		·29			·75		·32	31
Total	·71	2·88	5·65	1·55	1·33	2·59	5·77	2·09	2·23	4·03	3·94	7·94	Year's Total 40·71
Days with ·01 in. or more	8	16	25	10	15	10	16	14	10	13	19	24	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied 12.19

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1915.

Kept at Weacombe House, Bicknoller

in the County of Somerset

by A. V. Saddler

Lat.............. Long..............
Time of Observation..............
Nearest Railway Station..............
Diameter of Funnel of Rain Gauge..............in.
Height of top of Gauge above Ground..............ft..............in.
" " " " Sea Level..............ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·01						·53	·65	·26		·19	1
2	·16	·22	·02	·03				·39	·16	·01		·48	2
3	·02	·09	·02	·09	·14		·01					·31	3
4	·01	·09			·07		·54					·72	4
5	·11	·59		·07				·26				·40	5
6	·33	·08		·15			·38	·01				·10	6
7	·29	·37		·03			·14					·26	7
8	·26	·34						·16			·03	·01	8
9	·02	·05	·05	·03				·03			·23	·68	9
10	·11	·15		·07		·03		·10		·09	·01	·02	10
11	·18	·51					·01	·02		·01	·90	·04	11
12	·10	·67		·15	·50			·40		·05	·17		12
13	·01	·49			·90		·20	·04	·10		·11	·02	13
14	·02	–						·11	·14	·06		·49	14
15	·25	·01			·22		·19	·01	·02	·01	·31	·02	15
16	·02	1·01	·14		·12		·83	·01				·01	16
17		·17			·21								17
18		·12											18
19		·02			·08		·08						19
20	·15					·02			·03			·08	20
21	·18	·05	·21	·09			·02			·12		·17	21
22	·08	·12	·10				·16					·22	22
23	·01	·02		·06		·15	·13			1·09		·44	23
24			·09				·08		·06	·58		·41	24
25				·02		·57	·27		·05			·16	25
26	·07	·12				·02	·02		·03			·57	26
27		·06				·06	·05			·47		·03	27
28			·01						·65	·19		·01	28
29		·06				·22	·02	·06	·01		·06	·29	29
30	·13									·54	·15	·45	30
31						·03	·04			·88		·26	31
TOTAL	2·78	5·42	·64	·79	2·24	1·10	3·17	2·13	1·90	4·36	1·97	6·84	YEAR'S TOTAL 33·34
Days with ·01 in. or more	22	24	8	11	8	8	18	14	11	14	9	27	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied 12.19

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1916.

Kept at Weacombe House, Bicknoller

in the County of Somerset

by A. L. Saddler

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·02		·25	·04	·16		·06	·34	·12		1
2	·26	·04			·02				·04	·43	·15		2
3	·01	·68			·26		·25		·05	·30	·27		3
4	·22	·10			·31	·16			·01	·04	·59		4
5	·01	·03	·12		·17	·63				·01	·31		5
6	·01	·16			·12	·12	·34			·06	·44		6
7	·02	·10			·28		·17				·67	·16	7
8		·19	·04		·19	·06					·47	·16	8
9		·10	·06		·17					·03	·07	·28	9
10		·72	·01	·08	·02		·03					·03	10
11			·05	·14	·06								11
12	·02	·03	·05		·05		·02						12
13		·28	·30	·07				·10					13
14		·55	·01		·06			·13		·09			14
15		·11	·05	·12				·39					15
16	·04	·27		·12			·05	1·25		·15			16
17	·07	·26		·05					·24	·22	·57		17
18		·25	·26	·07					·13	·06		·06	18
19	·08	·01	·36	·05							·20		19
20	·13	·70	·27								·10	1·05	20
21	·06	·20	·66									·22	21
22	·01		·01			·12				·29	·01	·92	22
23	·02	·18				·03		·21		·04	·19		23
24		·07		·03	·80	·05		·04		·73	·01	*	24
25		·30	·19					·30	·03		·05		25
26	·01	·13	·06			·31		·31	·76	·61	·01		26
27		·02	1·32			·08		·13	·23	·87		1·00	27
28		·30						·05	·07	·47			28
29		·60				·16		3·49	·36	·27			29
30		×						·05		·17			30
31		×		×		×		·01	×	·09	×		31
Total	1·10	6·38	3·84	·73	2·76	1·76	1·02	6·46	1·98	5·27	4·23	3·88	Year's Total 39·41
Days with ·01 in. or more	16	26	18	9	14	11	7	13	11	20	17	17	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied 12.19

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1917.

Kept at Weacombe House, Bicknoller

in the County of Somerset

by A. T. Saddler

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08		.20	.23		.15		1.22	.05		.01		1
2	.02		.07	.08		.20		.01			.03		2
3				.12			1.07			.50	.26		3
4		.17	.16				.12		.06	.25			4
5	.08		.46	.15		.06			.20	.09	.07		5
6			.10							.03	.32		6
7	.11					.02	.24	.26		.24	.07		7
8			.04	.10		.20	.18	.64	.08	.26	.08		8
9				.06				.22		.47	.06		9
10	.23		.29	.22				.13					10
11	.11		1.02	.34				.27		.10	.10		11
12	.13				.59			.09		.65			12
13			.14	.05		.06		.46	.18	.05			13
14				.10				.22	.08				14
15				.06			.08			.16		.25	15
16	.02	.14		.06						.08		.22	16
17			.03	.09	.05		.17	.08	.20	.08			17
18		.01			.05		.22		.60				18
19		.38	.05			.25			.01				19
20		.01			.51	.04		.16	.01		.05		20
21		.01	.17			.05		.01					21
22						.01		.52		.09			22
23		.22			.21			.43		.07			23
24						.06	.03	.23		.11	.05	.05	24
25		10	.02				.03	.18	.01	.23	.04		25
26					.36			.61	.06	.14			26
27					.26	.15		.82		.10			27
28		.08	.06		.05	4.50		.25					28
29			.13			.63	.07	.01		.32		.27	29
30			.04				.09	.08		.17			30
31			.01					.01		.12			31
TOTAL	.78	1.12	2.99	1.66	2.08	6.38	2.30	6.91	1.54	4.31	1.14	.79	YEAR'S TOTAL 32.00
Days with ·01 in.	8	9	17	13	8	14	11	23	12	22	12	4	153

copied 12.19

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1918.

Kept at Weacombe House, Bicknoller
in the County of Somerset
by A. L. Saddler

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·02	·05			·82		·04	·88		1
2	·03	·05						·42	·04			·17	2
3		·14		·12	·08				·06	·10	·05		3
4		·07						·04	·03		·73	·22	4
5			·12	·01				·24	·18	·15	·10	·05	5
6	·18	·28		·24				·03		·18			6
7		·06		·04	·44	·04			·47		·34	·03	7
8	·06	·01							·15	·35		·07	8
9		·12		·10		·14	·15		·36	·01		·30	9
10	·01			·23			·53		·22	·18		·40	10
11			·08	·04	·01		·12		·21	·05	·12	·11	11
12		·08	·22		·10	·03	·04		·08				12
13	·05						·02		·57	·06		·25	13
14	·48					·10	·30		·23	·29		·06	14
15	1·70			·14		·37	·28		·01			·29	15
16	·43			1·20		·30	·01		·17				16
17	·35		·04	·26			·41	·02	·01	·01		·36	17
18	·70					·46	·32		1·58	·14		·29	18
19	·09	·15	·08	·02			·05	·02	·04	·07		·06	19
20	·18			·04			·56		·13	·33		·26	20
21	·08	·10	·01	·04		·04	·01		·81	·06		·23	21
22					·10		·28		·15	·05		·09	22
23	·01				·17		·16		·03				23
24		·14			·31		·03	·06	·17		·08		24
25							·11	·64		·08	·09		25
26				·04			·48	·01	·12	·01	·05	·08	26
27		·12					·13	·15	·16		·15	·01	27
28		·05	·27						·05		·08	·02	28
29			·06						1·26	·01			29
30		✕	·23						·01		·24		30
31		✕	·21	✕		✕		·12	✕		✕		31
TOTAL	4·35	1·43	1·32	2·54	1·26	1·48	3·99	2·57	7·30	2·17	2·91	3·35	YEAR'S TOTAL 34·67
Days with ·01 in. or more	14	14	10	15	8	8	19	12	27	19	12	20	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Pr. made

Es. 87

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

29 MAR 20

Kept at Weacombe House

in the County of Somersetshire

by per ~~Lt. Col.~~ Lord St. Audries

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35		·03	·03	·08		·34		·04	·20		·83	1
2	·08		·04				·06		·59		·05	·24	2
3	·26		·30		·03				·09		·19	·21	3
4	1·04	·41	·35			·29	·16	·06	·33			·06	4
5	·06	·30	·65						·24		·07	·26	5
6	·75	·14	·03				·03					·22	6
7	·28		·15	·06									7
8	·23		·26								·02		8
9	·16		·02	·16							·87		9
10	·01		·27		·14					·20		·18	10
11	·01		·35		·07		·14			·01		·21	11
12	·16		·11			·10			·08	·21	·07		12
13	·03		·05	·29			·03		·08	·13		·04	13
14	·30	·05		·66	·21		·07		·06	·03		·20	14
15	·32	·83		·03								·24	15
16	·10										·03		16
17		·43		·01				·03			·20		17
18	·12	·19	·69				·14	·13			·06		18
19	·27	·22	·40			·07	·67	·40	·35		·07	·15	19
20	·26	·04	·20			·14		·19	·03			·06	20
21		·85	·02				·23		·06			·02	21
22		·02					·14		·05			·07	22
23										·57	·07		23
24				·08		·12				1·07	·02	·39	24
25	·11							·44			·13	·07	25
26	·03		·13			·02		·09	·11			·32	26
27	·11		·06	·31				·54				·06	27
28	·01		·30					·21			·51	·26	28
29	·04			·15				·17		·02		·07	29
30		✕	·05	·14		·26		·27		·05	·28	·48	30
31		✕		✕		✕	·09		✕		✕	·52	31
TOTAL	5·09	3·48	4·46	1·92	·53	1·00	2·10	2·53	2·11	2·49	2·64	5·16	YEAR'S TOTAL 33·51
Days with ·01 in. or more	24	11	21	11	5	7	12	11	13	10	15	23	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1879

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Weacombe House, Bicknoller
in the County of Somerset
by Lord St Audries

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Weacombe House, Bicknoller 1920 amended return

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
1	·11	—	—	·15	·24	—	·18	·13	·15	·22	·36	·51
2	·29	—	·02	·25	—	—	·25	·15	·06	·09	—	·08
3	·05	·03	—	·10	·07	—	·45	—	—	·50	—	·06
4	—	—	—	·05	·02	·02	·05	·37	—	·09	—	—
5	—	—	·10	—	·03	—	·50	—	—	·09	—	—
6	—	—	·30	—	·05	—	·03	—	—	·08	·05	—
7	—	—	·07	·09	·02	—	·35	—	·04	—	—	—
8	·09	·11	—	·22	·12	—	·32	—	—	—	—	—
9	·32	·02	—	·24	—	·20	·10	—	—	—	—	—
10	1·10	·05	·04	1·13	—	·22	·12	—	—	—	—	—
11	·11	·04	·17	·36	·27	·02	·08	—	—	—	—	—
12	·15	—	—	·22	—	·07	·01	—	—	—	·06	—
13	·10	—	·55	·03	—	—	—	—	—	—	—	—
14	—	·03	·22	·63	—	—	·02	—	·05	·84	·37	—
15	—	·09	·04	·35	·30	·12	—	—	·11	·29	·07	—
16	—	—	·03	·03	·02	·18	·12	—	·20	·34	·10	—
17	—	—	—	·20	·21	·07	—	—	·27	—	—	—
18	·13	—	·02	·02	·06	·06	·07	·24	·21	—	—	—
19	·05	·40	—	·30	—	·47	—	·06	·02	—	—	—
20	·03	·03	—	·17	—	·08	·04	—	—	—	—	·27
21	—	—	—	·03	—	·01	·07	—	—	·04	—	·30
22	·01	—	—	—	—	·04	·05	—	—	—	—	·63
23	—	—	—	—	·04	—	·56	·08	—	—	—	·38
24	·06	—	·18	—	—	—	—	—	—	—	—	·08
25	·02	·08	·22	—	—	—	·44	—	—	—	·06	·05
26	·20	—	·36	·01	·03	·07	—	—	—	—	·08	·03
27	·31	·11	·16	·15	·26	·35	·10	—	—	—	·21	·25
28	·67	·01	·09	·14	—	—	—	—	—	—	—	·05
29	·31	—	·50	—	·20	·07	—	—	—	—	·11	·12
30	·06	X	·01	·05	·02	·07	—	—	·50	·06	·37	·25
31	·07		·45	X	—	X	·11	—	X	·76	X	·09
	4·24	1·00	3·53	4·92	1·96	2·12	4·02	1·03	1·61	3·40	1·84	3·15
·01 a mae	21	12	19	23	17	17	22	6	10	12	11	15
·04 a mae	18	7	15	18	11	14	19	6	9	12	11	14
greatest fall	1·10 10th	·40 19th	·55 13th	1·13 10th	·30 15th	·47 19th	·56 23rd	·37 4th	·50 30th	·84 14th	·37 14 and 30	·63 22nd

YEAR'S TOTAL 32·82

Days with ·01 in. or more: 185

Days with ·04 in. or more: 154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

The cold Easterly blast
predicted by our Weather
experts, shews little sign
of disturbing us.

St. Audries.
Taunton

25. 1. 21

Dear Mr Salter

I enclose the rainfall statistics, at Weacombe; I have had no time to copy it out in detail, but will do so if I can [later: the rainfall on Oct. 14th is somewhat startling, when you come to compare the record with other gauges in all direction, but I have not the smallest doubt that it is absolutely correct. It may interest you to know that we had a winter thunderstorm of moderate violence but of short duration on the 12th of this month: there were two or three flashes and loud thunder; the first apparently exactly over St. Audries house: direction from W.S.W. to ENE; there was a brief period of severe hail: apparently round this district the fall was fairly uniform from about ·18 to ·24, as far as I know: ~~it~~ the storm occurred soon after 10 am

Yours Sincerely

St. Audries

2091

BICKNOLLER, FORD

1919 - 20

FORM A. 1. METEORO GANIZATION.

R 19.

5·20

Kept at B

9 a.m.

Stogumber

in the County of ain Gauge 5 in.

by bove Ground 1 ft. 3 in.

,, Sea Level 150 ft.

IMPORTANT NOT entered to the previous day.

If an Observer prefers not to conform quested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										21	-	93	1
2										-	08	19	2
3										-	25	18	3
4										-	-	06	4
5										-	03	18	5
6										-	01	24	6
7										-	-	12	7
8										-	-	-	8
9										-	98	-	9
10										18	02	26	10
11										-	-	27	11
12										20	·08	·01	12
13										19	-	05	13
14										04	-	24	14
15										11	-	25	15
16										-	02	01	16
17										-	22	-	17
18										-	08	~~11~~	18
19										-	08	05	19
20										-	0·1	03	20
21										-	-	08	21
22										~~55~~	-	03	22
23										55	07	03	23
24										94	10	49	24
25										-	11	13	25
26										-	-	43	26
27												08	27
28										-	23	31	28
29										05	03	04	29
30										·06	32	56	30
31										01		71	31
TOTAL										2·54	2·72	6·06	YEAR'S TOTAL ~~11·32~~
Days with ·01 in. or more										11	18	27	~~56~~

FORM A. 1. METEORO GANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bicknoller

in the County of Somerset

by John Tracey

Lat. 51°10 Long. 3°20

Time of Observation 9 a.m

Nearest Railway Station Stogumber

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										21	-	93	1
2										-	08	19	2
3										-	25	18	3
4										-	-	06	4
5										-	03	18	5
6										-	01	24	6
7										-	-	13	7
8										-	-	-	8
9										-	98	-	9
10										18	02	26	10
11										-	-	27	11
12										20	·08	·01	12
13										14	-	05	13
14										04	-	24	14
15										11	-	25	15
16										-	02	01	16
17										-	22	-	17
18										-	08	~~11~~	18
19										-	08	05	19
20										-	0·1	03	20
21										-	-	08	21
22										~~[illegible]~~	-	03	22
23										55	07	03	23
24										94	10	49	24
25										-	11	13	25
26										-	-	43	26
27												08	27
28										-	23	31	28
29										05	03	04	29
30										·06	32	56	30
31										01		71	31
TOTAL										2·54	2·72	6·06	YEAR'S TOTAL ~~11·32~~
Days with ·01 in. or more										11	18	27	~~56~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 20.

Kept at Bicknoller

in the County of Somerset

by John Tracey.

Lat. 51.9 Long. 3.16

Time of Observation 9 a.m.

Nearest Railway Station Stogumber G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	-	-	17	29	-	16	10	13	16	38	57	1
2	34	-	04	22	01	-	40	12	06	07	-	11	2
3	05	02	-	09	04	-	50	-	-	57	-	09	3
4	01	-	-	05	-	01	03	48	-	11	-	-	4
5	-	-	14	-	03	-	69	04	-	08	-	-	5
6	-	-	30	-	07	-	02	-	-	10	04	-	6
7	01	-	04	07	-	-	39	-	03	-	03	-	7
8	66	11	-	25	09	-	20	03	-	-	-	03	8
9	42	03	02	21	-	21	10	-	03	-	-	-	9
10	1·20	06	01	97	-	24	20	-	-	-	-	-	10
11	19	-	18	35	33	02	10	-	-	-	-	-	11
12	17	05	03	20	01	08	02	-	-	-	07	-	12
13	10	01	62	04	-	-	-	-	-	-	01	-	13
14	01	02	28	65	-	-	02	-	05	40	45	01	14
15	-	09	05	35	30	17	-	-	09	28	06	-	15
16	-	01	02	02	01	18	15	-	26	32	12	-	16
17	-	-	-	26	26	03	-	-	26	-	-	03	17
18	10	02	02	-	05	07	08	21	27	-	-	02	18
19	09	35	-	31	-	34	-	09	-	-	-	01	19
20	03	04	-	28	-	07	05	-	-	01	-	22	20
21	-	-	-	05	-	-	04	-	01	03	-	30	21
22	01	-	-	03	-	02	07	-	-	-	-	71	22
23	-	-	-	-	-	-	53	05	-	-	-	45	23
24	07	01	21	-	04	-	-	-	-	-	08	07	24
25	02	08	21	-	-	-	53	-	-	-	-	02	25
26	25	-	39	-	04	07	-	-	-	-	09	10	26
27	38	12	21	16	26	36	07	-	-	-	22	25	27
28	71	-	12	09	02	06	05	-	-	-	02	02	28
29	35	-	49	-	24	01	-	-	-	-	10	20	29
30	09		01	03	-	08	04	-	49	04	34	35	30
31	09		46		02		09	02		~~77~~		10	31
Total	4·90	1·02	3·85	4·80	2·11	2·02	4·44	1·14	1·68	2·94	2·01	3·66	Year's Total 34·57
Days with ·01 in. or more	24	15	21	22	18	17	24	9	11	13	14	20.	208

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

14 8 15 19 12 12 20 7 8 11 11 13 154

BICKNOLLER

WILLET

SOMERSET

— 1920

REGIS

FORM A.
BRITISH RAINFALL.

18. 1. 19

Kept at Willett.

in the County of Som

by Henry. W

9-30. a. m.

31 December

Rain Gauge 5 in.

above Ground 1 ft. — in.

„ Sea Level 450 ft.

IMPORTANT NOT … and the result entered to the previous day. If an O … universal rule, he is earnestly requested to add the reading … g year in the space provided for it at the end of this paragraph. Full instruc… asurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		10		8				1.00	4		80		1
2				9				43		7		32	2
3		15		10						8	2		3
4		10							8		93		4
5			5	3				24		29		28	5
6		47		30				17	28	6		10	6
7		11		7	52			3	57	32	37	8	7
8		7							42	23		3	8
9	45								43	12		40	9
10				17					34	12		7	10
11							62		20	8		34	11
12		15	22	3	21		13		10				12
13		4							51	4			13
14							58		29	27		12	14
15	1.95			28		47	39		2	18		41	15
16				1.29		14	3		38			22	16
17	97			19			42					3	17
18	99					64	7		1.00	10		40	18
19	9	3	12	2			11		11	12		23	19
20	19	20					27		24	19			20
21	8	10		10					90	10		30	21
22					13		31		11	10			22
23	7				23		9		9			14	23
24		20					11		14		21		24
25				4	25			46		10	12		25
26		7					46		10	6	8	14	26
27			12				6	19	21		20	1	27
28		14	19						5		4	3	28
29			12						1.22	3	2	8	29
30		X								3	10	13	30
31		X	32	X		X			X	2	X		31
Total	4.79	1.93	1.14	2.79	1.34	1.25	3.65	2.52	7.83	2.71	2.89	3.86	YEAR'S TOTAL 36.70
Rain Days.	8	14	7	14	5	3	14	7	24	22	11	21	150.

W. 6,500, VII. 18. W W C

Smale

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

18. 1 19

Kept at Willett. Bicknoller
in the County of Somerset
by Henry C. Venning

Lat. .... Long. ....
Time of Observation 8-30. a. m.
Nearest Railway Station Stogumber
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		10		8				1.00	4		80		1
2				9				43		7		32	2
3		15		10						8	2		3
4		10							8		93		4
5			5	3				24		29		28	5
6		47		30				17	28	6		10	6
7		11		7	52			3	57	32	37	8	7
8		7							42	23		3	8
9	45								43	12		40	9
10				17					34	12		7	10
11							62		20	8		34	11
12		15	22	3	21		13		10				12
13		4							51	4			13
14							58		29	27		12	14
15	1.95			28		47	39		2	18		41	15
16				1.29		14	3		38			22	16
17	97			19			42					3	17
18	99					64	7		1.00	10		40	18
19	9	3	12	2			11		11	12		23	19
20	19	20					27		24	19			20
21	8	10		10					90	10		30	21
22					13		31		11	10			22
23	7				23		9		9			14	23
24		20					11		14		21		24
25				4	25			46		10	12		25
26		7					46		10	6	8	14	26
27			12				6	19	21		20	1	27
28		14	19						5		4	3	28
29			12						1.22	3	2	8	29
30		×								3	10	13	30
31		×	32	×		×			×	2	×		31
Total	4.79	1.93	1.14	2.79	1.34	1.25	3.65	2.52	7.82	2.71	2.89	3.86	YEAR'S TOTAL 36.70
Rain Days.	8	14	7	14	5	3	14	7	24	22	11	21	150.

W. 6,500, VII. 18. w w c

Eoi 8L

8 JAN 20

1908

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 19

Kept at Willett. Taunton
in the County of Somerset
by Henry C. Venning

Lat. .... Long. ....
Time of Observation 7 a.m.
Nearest Railway Station Stogumber. G.W.Ry
Diameter of Funnel of Rain Gauge ....in. Hicks. Gauge
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			7	4	10		39		7	30		95	1
2	48		6		2		15				8		2
3	15		21	4					9		18	20	3
4	28	24	50			7	15		45			22	4
5	97	33	82				7		38				5
6	54	17	14									14	6
7	29		28						3				7
8	16		24										8
9	29		2								25		9
10			29	9						27			10
11			47	11	12							36	11
12	27		30		7					12		18	12
13	5		5									8	13
14	47			1.57	23					8		15	14
15	39	17								9		21	15
16	8	80		20							15		16
17				4							17		17
18		98	72					12			17		18
19	48	17	68				92	22				9	19
20	32	7	22			15	4	37				10	20
21		84	3				14		57				21
22		16							9			10	22
23										61	12		23
24										1.20		61	24
25	9					15		84		3	12	21	25
26	5		17					14			8	54	26
27	27		15	56				53	13			6	27
28	4							54			31	47	28
29	2		37	23				14		8		13	29
30			3	13		21		24		8	41	54	30
31							6					35	31
TOTAL	5.69	3.93	5.82	3.01	.54	.58	1.92	3.14	1.81	2.86	2.04	5.69	YEAR'S TOTAL 37.03
Days with ·01 in. or more	20	10	21	10	5	4	8	9	8	10	11	20	136.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1820

5 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Willett. Bicknoller
in the County of Somerset.
by H. C. Venning.

Lat. Long.
Time of Observation 8.30. a.m.
Nearest Railway Station Stogumber. G.W.Ry
Diameter of Funnel of Rain Gauge 5 inches in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11			40	30		22	8	9	28	45	53	1
2	33			24	5		43	21		16		13	2
3	6	3					25			32		6	3
4				7			3	55		63			4
5			30	4	3		19	10		14			5
6			26		29		23			25			6
7	3			7			39	3					7
8	15	10		38	17		27					6	8
9	1.02	10		26		26	7						9
10	1.31	20		8		28	42						10
11	24		26	29	40	1	17						11
12	27	12	2	28	2		7						12
13	17	9	54	2		17							13
14	2	3	37	54			6			53	68		14
15		12	13	43		19			22	41	10		15
16				2	30	25	30		27	35	5		16
17	2			8	24	9			32	6			17
18	13	3	5	2	12	12	18	30	19				18
19	~~2~~			32	5	33		22	5				19
20		26		39			3					29	20
21				2			13					14	21
22	13			8			6					58	22
23							56	22				75	23
24			23		8			2			8	10	24
25	13		30				58					12	25
26	27		35		8		8				12	18	26
27	42		28	3	22	41					31	25	27
28	78		12	10	2	2	13					3	28
29	30		42		14	7					15	28	29
30	17	✕				11	7		22		31	36	30
31		✕	40	✕	2	✕	5		✕	45	✕	20	31
Total	6.06 ✓	1.08 ✓	4.03 ✓	4.16 ✓	2.53 ✓	2.31 ✓	4.97 ✓	1.73 ✓	1.36 ✓	3.58 ✓	2.25 ✓	4.06 ✓	YEAR'S TOTAL 38.12 ✓
Days with ·01 in. or more	20 ~~3~~	10 ~~3~~	15 ~~X~~	21 ~~5~~	17 ~~4~~	13 ~~2~~	24 ~~2~~	9 ~~2~~	7	11	9	16	172 ~~22~~
Days with ·04 in. or more	17 ✓	7 ✓	14 ✓	17 ✓	13 ✓	11 ✓	22	7 ✓	7 ✓	11 ~~10~~	9 ✓	15 ~~16~~	150

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BLAGDON
NORDRACH-UPON-MENDIP
SOMERSET
1911, 1914 - 1917

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGIS

11.

Kept at Nordrach-upon-
5 in.
ove Ground - ft. 4 in.
in the County of Somerset
, Sea Level 863 ft.
A.M.
by Dr. W. R. Thurna
Name Blagdon
Distance 2 3/4 Direction N N W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	·11	·14	·03	-	-	·07	·	-	·10	·06	1
2	-	-	·02	·35	·42	-	·01	·25	-	-	·54	·16	2
3	·01	·01	·06	·01	·34	-	-	-	-	·04	·16	·07	3
4	-	·01	·27	·01	·01	-	-	·12	·01	·03	·35	·61	4
5	·12	-	·05	·01	-	-	-	·63	-	·02	·75	-	5
6	·49	-	·09	·01	-	-	-	·10	-	-	·47	·56	6
7	·05		·01	-	-	-	-	-	-	-	·46	-	7
8	·44		·36	-	-	-	-	-	-	-	·01	·57	8
9	·37	·01	·01	-	-	-	-	-	-	-	·04	·46	9
10	·18	·07	·62	-	·17	-	-	-	-	-	·70	·35	10
11	·46	·01	·01	-	·01	-	-	·05	-	-	·37	·36	11
12	-		1·00	-	-	-	-	·02	·02	-	·13	·26	12
13	-		·03	-	-	-	-	-	·41	·26	·11	·55	13
14	-	·21	-	-	-	-	-	-	·	·01	·63	1·00	14
15	-	·16	·01	-	-	·04	-	-	-	·01	·43	·04	15
16	-	·17	-	-	-	·21	-	-	-	-	·06	·30	16
17	·01	·16	·01	·01	-	·06	-	-	-	-	·08	·31	17
18	-	·36	·13	·18	·02	·36	-	-	-	·03	·11	·31	18
19	-	·15	·01	·10	-	·13	-	-	·45	·25	-	·40	19
20	·02	·06	·10	·52	-	·01	-	-	·34	-	-	·45	20
21	·01	·60	·01	·03	-	·02	-	·24	·01	·46	-	·47	21
22	·07	·04	·32	·10	-	·31	-	-	-	·44	-	·69	22
23	·02	·22	·16	·03	-	·18	-	-	·24	·11	·03	·17	23
24	·02	·42	-	-	-	·76	-	·19	-	·99	-	·36	24
25	·01	·16	·01	·34	-	·24	-	·01	-	·03	-	·37	25
26	-	·09	-	·59	·02	·01	1·74	·03	-	·19	-	·50	26
27	-	·60	·16	·02	-	·02		·23	·13	-	Snow ·10	·24	27
28	-	·65	-	·67	-	·01		·07	-	-	·10	·04	28
29	-	-	-	·25	-	·75	·05	·02	·28	·67	-	-	29
30	-	-	·01	·01	-	·02		-	-	·20	·06	·09	30
31	-	-	-	-	·01	-	·05	-	-	·20	-	·02	31
Total	2·30	4·16	3·57	3·38	1·03	3·13	1·85	2·03	1·89	3·94	5·79	9·77	TOTAL for year 42·84
No. of Rain Days.	16	20	24	19	9	16	4	14	9	17	22	28	198

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Harrach-upon-Mendip
in the County of Somerset 2
by W. W. R. Thurnam.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground - ft. 4 in.
" " " Sea Level 863 ft.
Time of Observation 9 A.M.
Nearest Railway Station
Name Blagdon
Distance 2¾ Direction N N W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	-	·11	·14	·03	-	-	·07	-	-	·10	·06	1
2	-	-	·02	·35	·42	-	·01	·25	-	-	·54	·16	2
3	·01	·01	·06	·01	·34	-	-	-	-	·04	·16	·07	3
4	-	·01	·27	·01	·01	-	-	·12	·01	·03	·35	·61	4
5	·12	-	·05	·01	-	-	-	·63	-	·02	·75	-	5
6	·49		·09	·01	-	-	-	·10	-	-	·47	·56	6
7	·05		·01	-	-	-	-	-	-	-	·46	-	7
8	·44		·36	-	-	-	-	-	-	-	·01	·57	8
9	·37	·01	·01	-	-	-	-	-	-	-	·04	·46	9
10	·18	·07	·62	-	·17	-	-	-	-	-	·70	·35	10
11	·46	·01	·01	-	·01	-	-	·05	-	-	·37	·36	11
12	-		1·00	-	-	-	-	·02	·02	-	·13	·26	12
13	-		·03	-	-	-	-	-	·41	·26	·11	·55	13
14	-	·21	-	-	-	-	-	-	-	·01	·63	1·00	14
15	-	·16	·01	-	-	·04	-	-	-	·01	·43	·04	15
16	-	·17	-	-	-	·21	-	-	-	-	·06	·30	16
17	·01	·16	·01	·01	-	·06	-	-	-	-	·08	·31	17
18	-	·36	·13	·18	·02	·36	-	-	-	·03	·11	·31	18
19	-	·15	·01	·10	-	·13	-	-	·45	·25	-	·40	19
20	·02	·06	·10	·52	-	·01	-	-	·34	-	-	·45	20
21	·01	·60	·01	·03	-	·02	-	·24	·01	·46	-	·47	21
22	·07	·04	·32	·10	-	·31	-	-	-	·44	-	·69	22
23	·02	·22	·16	·03	-	·18	-	-	·24	·11	·03	·17	23
24	·02	·42	-	-	-	·76	-	·19	-	·99	-	·36	24
25	·01	·16	·01	·34	-	·24	-	·01	-	·03	-	·37	25
26	-	·09	-	·59	·02	·01	1·74	·03	-	·19	-	·50	26
27	-	·60	·16	·02	-	·02		·23	·13	-	Snow ·10	·24	27
28	-	·65	-	·67	-	·01		·07	-	-	·10	·04	28
29	-	-	-	·25	-	·75	·05	·02	·28	·67	-	-	29
30	-		·01	·01	-	·02		-	-	·20	·06	·09	30
31	-	-	-	-	·01	-	·05	-	-	·20	-	·02	31
Total	2·30	4·16	3·57	3·38	1·03	3·13	1·85	2·03	1·89	3·94	5·79	9·77	TOTAL for year 42·84
No. of Rain Days.	16	20	24	19	9	16	4	14	9	17	22	28	198

W. 8,000, X. '11.

cnd fr arith 12·III·15

REGISTER OF RAINFALL IN 1914

FORM A
BRITISH RAINFALL
4 JAN 1915

Kept at Gordrach on Mendip
in the County of Somerset
by Dr W. R. Thurnam

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Blagdon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 4 in.
" " " " Sea Level 863 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	×	–	·10	/	·045	·43	·61	/	/	·04	·23	1
2	—	×	–	·06	/	/	·62	·65	/	/	1·00	·29	2
3	·01	×	·18	·52	·24	/	·18	·24	/	/	·05	·11	3
4	·34	×	–	·37	·31	/	·1	·36	/	/	·72	·42	4
5	·14	×	–	·60	·07	/	·43		/	/	·30	·30 Snow	5
6	·02	·15	·07	·32	·11	/	·53	/	/	/	·08	·42	6
7	·02	·20	·30	·32	·59	·075	/	·14	·19	/	/	·06	7
8	·32	·35	1·05	·08	·16	·53	/		·23	/	/	/	8
9	·33	·37	·36	·20	·09	·78	/	·35	·65	/	/	/	9
10	·02	·08	·02	·12	·31	·28	/	/	×	/	·06	/	10
11	–	·07	·80	/	·16	/	·33	/	×	/	·09	·47	11
12	–	·12	·26	/	/	/	/	/	} ·53	·05	·13	·25	12
13	–	·29	·20	/	/	/	/	/	·54	·20	·15	1·40	13
14	–	·36	·41	/	/	/	·03	/	·05	·24	·37	×	14
15	–	·35	·29	/	/	/	·05	·33	·44	·05	·24	×	15
16	·01	·45	/	/	/	/	·12	·32		/	/	×	16
17	–	·06	·27	/	/	/	/	/	·05	–	/	×	17
18	–	–	·04	/	/	/	·39	/	/	–	/	·35	18
19	–	·3	·46 snow	/	/	/	1·14	/	/	–	/	·58	19
20	–	·35	·15	/	/	·08	/	/	/	–	/	·15	20
21	–	·58	/	/	/	/	/	/	/	·49	/	·30	21
22	–	·01	/	·02	·28	/	/	/	/	·24	/	×	22
23	–	·1	·50	/	·06	/	·06	·18	/	·23	/	×	23
24	–	·01	·09	/	·19	/	/	/	/	·34	·46	×	24
25	·07	·01	·13	/	/	/	/	·75	/	·74	/	·38	25
26		–	·03	/	/	/	/	/	/	·15	·36	·44	26
27	·22	–	·21	/	/	/	·20	/	/	·15	·18	·15	27
28	·02	·28	/	/	·08	/	/	/	/	·16	·68	1·20 snow melted	28
29	·23	[illegible]	·18	/	·16	/	/	/	/	·14	·22	×	29
30	·02	×	·03	/	·015 ·05	·18	/	/	/	·33	·29	·65	30
31	·09	×	/	/	·035		·48	/	/	·24	×	·15	31
Total	1·80 ~~2·08~~	4·47 ~~4·44~~	6·03	2·11	2·86	1·99	5·09	3·93	2·68	3·45	5·42	7·42	YEAR'S TOTAL 47·83 inches
Rain Days.	15	20	22	11	16	7	15	10	8	15	18	20	177

47·83

W.7,000, XI. 13

2128

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Nordrach upon Mendip

in the County of Somerset

by Dr W. R. Thurnam.

2

Lat. 51° 18′ N. Long. 2° 42′ W

Time of Observation 9. A.M.

Nearest Railway Station Blagdon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 5 in.

" " " " Sea Level 862 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·45	0·35		0·30	0·20		0·02	0·69	0·31	0·30	0·06	0·35	1
2	0·33	0·27	0·27	0·46	{0·19}	0·12	0·02		0·13	0·06		0·28	2
3	0·33	0·08	0·20	0·01			0·48	0·02				0·37	3
4			0·05		0·06	0·01	0·04					0·53	4
5	0·16	0·46	0·01		0·01	0·01		0·10				0·29	5
6	0·49	0·14		0·44			0·54	0·08				0·16	6
7	0·45	0·50		0·05			0·45	0·05		0·01	0·01	0·27	7
8	0·46	0·36		0·04				0·13			0·11	0·01	8
9	0·06	0·11		0·09				0·04		0·03	0·50	0·80	9
10	0·39	0·07	0·21	0·06			0·04	0·64			0·02	0·16	10
11				{0·19}	0·03			0·21			0·84	0·06	11
12	0·31	0·37			0·48			0·48		0·06	0·32	Melted Snow 0·01	12
13	0·04	0·77			1·12		0·03	0·03				0·01	13
14	0·16	0·04	0·06				0·13	0·77	0·33	0·01		1·02	14
15	0·37	0·05		0·05	0·13		0·10	0·03	0·25		0·14	0·05	15
16		0·80		0·01	0·50			0·02	0·01	0·06		0·10	16
17		0·30			0·48			0·02				0·02	17
18		0·20			0·02		0·01			0·01			18
19	0·02	0·06					0·47						19
20	0·84									0·06		0·13	20
21	{0·14}	0·08		0·16			0·06			0·09		0·27	21
22		Melted Snow 0·31	0·47	0·03		0·04	0·70					0·18	22
23	0·02	Melted Snow 0·04	0·17			0·01	0·18		0·08	1·55		0·86	23
24			0·04				0·29			0·92		0·49	24
25			0·10			0·10	0·06			0·02		0·42	25
26				0·06					0·02			0·52	26
27		{0·21}				0·09	0·23			0·55		0·01	27
28						0·08			0·77	0·07			28
29			0·01			0·33	0·13	0·01		0·07	0·16	0·10	29
30	Melted Snow 0·35	X		0·03		0·12		0·04		0·34	0·30	0·28	30
31		X		X		X	0·09	0·02	X	1·26	X	0·19	31
Total	5·37	5·57	1·59	1·98	3·22	0·91	4·07	3·38	1·90	5·47	2·46	7·94	YEAR'S TOTAL 43·86
Rain Days.	19	22	11	16	12	10	20	18	8	18	10	28	192

W. 8,000. X. 15.

End CSE

2068

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
21 JUN 1917

Kept at Nordrach-upon-Mendip
in the County of Somerset.
by Rowland Thurnam M.D.

Lat. .... Long. ....
Time of Observation 9 A.M
Nearest Railway Station Blagdon.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground .... ft. 5 in.
" " " " Sea Level 862 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
03
0.~~12~~

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.19	0.00	0.00	0.00	0.25	0.25	0.37	0.00	0.03	0.41	0.03	0.00	1
2	1.02	0.10	0.13	0.00	0.14	0.00	0.07	0.00	0.04	0.89	0.04	0.00	2
3	0.00	0.92	0.00	0.00	0.16	0.04	0.04	0.00	0.09	0.67	0.09	0.00	3
4	0.28	0.14	0.00	0.00	0.24	0.76	0.00	0.00	0.32	0.13 ~~0.89~~	0.83	0.00	4
5	0.16	0.03	0.03	0.00	0.31	0.20	0.00	0.00	0.01 ~~0.67~~	0.03 ~~0.67~~		0.00	5
6	0.26	0.33	0.63	0.00	0.41	0.09	0.86	0.00	0.00 ~~0.13~~	0.44 ~~0.13~~	0.40	0.00	6
7	0.04	0.08		0.00	0.04	0.06	0.00	0.00	0.00	0.15	0.81	0.25	7
8	0.00	0.22	0.13	0.00	0.23	0.39	0.00	0.00	0.00	0.06	0.01	0.19	8
9	0.00	0.06	0.01	0.00	0.13	0.00	0.00	0.00	0.00	0.07	0.05	0.16	9
10	0.00	0.56	0.15	0.20	0.18	0.05	0.04	0.00	0.00	0.11	0.05	0.00	10
11	0.04	0.01		0.40		0.04	0.00	0.00	0.05	0.01	0.00	0.00	11
12	0.12	0.25	0.04	0.05	0.38	0.00	0.37	0.30	0.02	0.35	0.02	0.00	12
13	0.01	0.49	0.22	0.00	0.01	0.00	0.00	0.36	0.00	0.06	0.00	0.00	13
14	0.02	0.45	0.06	0.10	0.38	0.00	0.00	0.28	0.00	0.04	0.00	0.00	14
15	0.03	0.29	0.09	0.09	0.00	0.00	0.00	0.28	0.00	0.03	0.00	0.00	15
16	0.06	0.05	0.00	0.69	0.07	0.00	0.09	1.08	0.05	0.12	0.00	0.00	16
17	0.20	0.19	0.00	0.04	0.00	0.00	0.00	0.16	1.07	0.53	0.19	0.00	17
18	0.01	0.04	0.20	0.07	0.00	0.00	0.00	0.00	0.07	0.22	0.44s	0.00	18
19	0.31	0.00	0.60	0.78	0.00	0.00	0.00	0.00	0.61	0.01	0.11	0.05	19
20	0.25	0.08	0.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	2.01 Snow	20
21	0.31	0.11	0.56	0.02	0.19	0.00	0.00	0.00	0.00	0.00	0.00		21
22	0.02	0.00	0.01	0.06	0.01	0.13	0.00	0.00	0.00	0.28	0.11		22
23	0.05	0.16	0.00	0.37	0.00	0.03	0.00	0.24	0.00	0.14	0.00		23
24	0.00	0.59	0.02	0.25	1.11	0.04	0.00	0.06	0.00	0.55	0.34		24
25	0.00	0.90	0.22	0.00	0.06	0.02	0.00	1.94	0.00	0.05	0.25		25
26	0.16	0.33	0.29	0.00	0.10	0.37	0.00		0.62	0.85	0.12		26
27	0.15	0.36	3.18	0.00	0.00	0.06	0.00	0.26	0.34		0.60	0.23	27
28	0.00	0.61		0.00	0.00	0.07	0.00	0.09	0.57	0.89	0.03	1.33	28
29	0.00	1.05	0.19	0.00	000	2	0.00	1.93	0.00	0.87	0.00	0.92	29
30	0.00	X	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.38	0.00	0.07	30
31	0.00	X	0.00	X	0.00	X	0.00	0.12	X	0.27	X	0.12	31
Total	3.69	8.40	7.32	3.12	4.40	2.60	1.84	7.05	3.38	8.25	4.10	5.33	YEAR'S TOTAL 57.48
Rain Days.	21	26	23	13	20	16	7	14	15	28	20	16	219

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

8. JAN

REGISTER OF RAINFALL IN 1917

Kept at Nordrach-upon-Mendip
in the County of Somerset
by Dr. Rowland Thurnam

Lat. Long.
Time of Observation 9.a.m.
Nearest Railway Station Blagdon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 862 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	0.00	0.09	0.43	0.00	0.19	0.00	0.86	0.50	0.00	0.18	0.00	1
2	0.09	0.00	0.12	0.00	0.00	0.10	0.00	0.20	0.00	0.02	0.04	0.00	2
3	0.16	0.00	0.01	0.24	0.00	0.00	0.40	0.00	0.00	1.20	0.13	0.00	3
4	0.00	s 0.16	0.15	{0.35}	0.00	0.00	0.14	0.08	0.00	0.23	0.03	0.00	4
5	0.24	s 0.00	0.16		0.00	0.20	0.00	0.00	0.21	0.43	0.20	0.00	5
6	0.19	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.16	0.00	6
7	0.57	0.00	0.01	0.00	0.00	0.00	0.21	0.27	0.00	0.40	0.01	0.00	7
8	0.18	0.00	0.15	{0.89s}	0.00	0.01	0.75	0.67	0.04	1.02	0.30	0.10	8
9	{·32 s}	0.00	0.06		0.04	0.00	0.01	0.16	0.06	0.49	0.15	0.00	9
10		0.00	[illegible]		0.00	0.00	0.00	0.16	0.09	0.01	0.00	0.00	10
11	0.10	0.00	0.83	0.18s	0.01	0.00	0.00	0.31	0.11	0.24	0.07	0.00	11
12	0.00	0.00	0.00		0.46	0.00	0.00	0.47	0.00	0.85	0.00	0.00	12
13	0.01	0.00	0.14	0.03	0.00	0.00	0.00	0.43	0.31	0.08	0.00	0.04	13
14	{0.3 s}	0.00	0.04	0.11	0.00	0.07	0.00	1.03	0.26	0.01	0.00	{0.35}	14
15		0.00	0.00	0.18	0.00	0.00	0.01	0.00	0.03	0.18	0.00		15
16	0.00	0.19	0.00	{0.88}	0.00	0.00	0.35	0.01	0.00	0.35	0.00		16
17	0.00	0.06	0.00		0.14	0.00	0.05	0.07	0.84	0.16	0.09	0.00	17
18	0.01	0.04	0.00	0.01	0.01	0.02	0.67	0.06	0.91	0.11	0.03	0.00	18
19	0.02	0.61	0.06	0.00	0.00	0.08	0.85	0.09	0.10	0.00	0.06	0.00	19
20	0.00	0.17	0.06	0.00	0.41	0.12	0.00	0.05	0.00	0.00	0.02	0.00	20
21	0.09	0.02	{s 0.45 s}	0.00	0.01	0.08	0.00	0.09	0.00	0.03	0.00	0.00	21
22	0.00	0.00		0.00	0.00	0.03	0.00	0.11	0.00	0.29	0.00	0.00	22
23	0.00	0.14	0.01	0.00	0.05	0.01	0.00	0.62	0.00	0.00	0.08	0.05	23
24	0.00	0.03	0.00	0.00	0.00	0.76	0.08	0.46	0.07	0.37	0.02	0.00	24
25	0.00	0.19	0.03	0.00	0.00	0.00	0.05	0.04	0.52	0.76	0.13	0.00	25
26	0.00	0.00	0.00	0.00	0.15	0.00	0.01	0.86	0.00	0.68	0.00	0.00	26
27	0.00	0.00	0.01	0.00	1.00	0.09	0.02	1.47	0.00	0.00	0.09	0.00	27
28	0.00	0.12	0.20	0.00	0.01	2.30×	0.00	1.00	0.00	0.00	0.00	0.00	28
29	0.00	X	0.16	0.00	0.00	0.40	0.05	0.05	0.00	0.76	0.05		29
30	0.00	X	{0.35}	0.00	0.00	0.00	0.20	0.48	0.00	0.16	0.00	0.20	30
31	0.02	X		X	0.00	X	0.00	0.06	X	0.11	X		31
Total	2.06	1.73	3.63	3.30	2.34	4.46	3.85	10.16	4.08	9.13	1.84	0.74	YEAR'S TOTAL 47.3
		3.79	7.42	10.72	13.06	17.52	21.37	31.53					
Rain Days.	17	11	24	15 ~~14~~	11	15	16	27	14	25	19	5	199

W. 8,000, VIII. 16

1.31

× Container overflowing (July 15th St. Swithuns) referred 2.III.15 written

REGISTE

BRIDGWATER

SOMERSET

1914

FORM A.
BRITISH RAINFALL.
19 FEB 1915

Kept at Bridgwate

in the County of Some

by Henry

9

B'water

4 in.

bove Ground ft. 6 in.

„ Sea Level ft.

IMPORTANT NOTE.—R nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·02	·04		·05	·18	38			·10	·10	1
2			02	11			50	02			43	38	2
3			27	20	08			32			(·15)	04	3
4	0·20		03	23	20		11	25			36	60	4
5	15	06	23	26	07		01	01			03	11	5
6	01	35	27	15	10	03	25	04			20	17	6
7		02	83	20	08		20	03	04		02	12	7
8	02	01	34	03	09	61	02	02	02				8
9		11		06	03	02?		04	76				9
10			06	12		10			40		05	01	10
11	07	05	39		15	22	25		27		03	52	11
12		23	05				01		16	06	01	37	12
13		25	31				03		13	46	63	25	13
14		19	31			04		44	01	09	23	01	14
15			12				19	27	05	02	23	02	15
16			03				05		10			01	16
17		16	34						01			34	17
18		02	03				14		06			23	18
19		06	35				1·07				06	23	19
20		23	07			02						18	20
21		72	01			05				28			21
22		02	14		11	25	08	04		15			22
23		07					02			15			23
24	01		03				07			16	05	08	24
25	11		17				28	48		24	01	22	25
26	01	04	(·15)				31	06		06	12	37	26
27	02						01			40	14	22	27
28		07	12		04					12	16	86	28
29	03		06		15		03			08	31	04	29
30	01	✗	03		01	15				23	24	50	30
31		✗		✗	02	✗	24		✗	52	✗	23	31
Total	0·64	2·66	~~4·63~~ (4·78)	1·34	1·07	2·14	4·05	2·40	2·01	3·02	(3·56)	6·21	(33·88) YEAR'S TOTAL 33·88
Rain Days.	11	18	~~26~~ 27	10	13	11	22	14	12	15	~~20~~ 21	26	~~198~~ 200

W. 8,000. X. 14.

referred 2.III.15
written

REGIST

FORM A.
BRITISH RAINFALL.
19 FEB 1915

Kept at Bridgwater

in the County of Somerset

by Henry Border

Lat. Long.
Time of Observation 9
Nearest Railway Station B'water
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·02	·04		·05	18	38			·10	·10	1
2			02	11			50	02			43	38	2
3			27	20	08			32			(·15)	04	3
4	0·20		03	23	20		11	25			36	60	4
5	15	06	23	26	07		01	01			03	11	5
6	01	35	27	15	10	03	25	04			20	17	6
7		02	83	20	08		20	03	04		02	12	7
8	02	01	34	03	09	61	02	02	02				8
9		11		06	03	02?		04	76				9
10			06	12		10			40		05	01	10
11	07	05	39		15	22	25		27		03	52	11
12		23	05				01		16	06	01	37	12
13		25	31				03		13	46	63	25	13
14		19	31			04		44	01	09	23	01	14
15			12				19	27	05	02	23	02	15
16			03				05		10			01	16
17		16	34						01			34	17
18		02	03				14		06			23	18
19		06	35				1·07				06	23	19
20		23	07			02						18	20
21		72	01			05				28			21
22		02	14		11	25	08	04		15			22
23		07					02			15			23
24	01		03				07			16	05	08	24
25	11		17				28	48		24	01	22	25
26	01	04	(·15)				31	06		06	12	37	26
27	02						01			40	14	22	27
28		07	12		04					12	16	86	28
29	03		06		15		03			08	31	04	29
30	01	X	03		01	15				23	24	50	30
31		X		X	02	X	24		X	52	X	23	31
Total	0·64	2·66	~~4·63~~ (4·78)	1·34	1·07	2·14?	4·05	2·40	2·01	3·02	(3·56)	6·21	(33·88) YEAR'S TOTAL 33·88
Rain Days.	11	18	~~26~~ 27	10	13	11	22	14	12	15	21	26	~~198~~ 200

W. 8,000. X. 14.

BRIDGWATER
SOMERSET
1911 - 18

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

REG 19 11

British Ass

Kept at Bridgw

in the County of Som

by H. C. Sal

f top 5 in.

op above Ground 4 ft. ' in.

,, Sea Level 25 ft.

9. am

ation Name Bridgwater
Distance 1½ Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.	.2	.10	.	.	.	.10	.	.	.2	.2	1
2	.	.	.	.18	.20	.	.	.20	.	.28	.25	.8	2
3	.	.	.9	.	.25	.	.	.	2	.	.10	.2	3
4	.	.	.8	.	.	.	.	.	.	5	.15	.21	4
5	.20	.	.6	.	.	.	.	.65	.	.	.20	.	5
6	.	.	.2	.2	.	.	.	.	.	2	.10	.40	6
7	.	.	.2	.	.	.	.	.	.	.	.45	.2	7
8	.8	.	.4	.	.	.	.	.	.	.	.2	.42	8
9	.10	.5	.	.	.	.	.	.	.	.	.10	.28	9
10	.	.	.25	.	.75	.	.	.	.3	.	.23	.32	10
11	.	.	.	.	.10	.	.	.2	.	.	.31	.20	11
12	.15	.	.70	.	.2	.	.	.11	.13	.	.24	.30	12
13	.	.	.	.	.	.	.	.	.30	.4	.4	.40	13
14	.	.10	.	.	.	.	.	.	.	.3	.25	1.20	14
15	.10	.4	.	.	.	.6	.	.	.	.2	.	.5	15
16	.	.	.	.	.	.23	.	.	.	.	.40	.12	16
17	.	.	.7	.10	.	.	.	.	.	.	.5	.28	17
18	.5	.30	.8	.15	.	.13	.	.	.	.10	.20	.24	18
19	.	.10	.	.10	.	.17	.	.	.30	.16	.18	.50	19
20	.	.17	.20	.5	.	.	.	.2	.20	.10	.2	40	20
21	.	.8	.2	.	.	.2	.	.	.5	.46	.	.40	21
22	.	.6	.6	.5	.	.4	.	.	.5	.40	.	45	22
23	.	.10	.	.	.	.40	.	.	.10	.60	.8	.10	23
24	.	.29	.	.	.	.58	.	.12	.	.43	.	.15	24
25	10	.8	2	.5	.	.15	.20	.4	.3	.10	.	.32	25
26	.	.25	.	.20	.18	.	.20	.3	.	.20	.8	.8	26
27	.	.35	9	.10	.	.	.	.15	.15	.2	3	.10	27
28	.	2	.	.50	.3	.	.	.3	.	.1	2	2	28
29	.	.	.	.35	.	.20	10 40	.	.10	.23	2	.	29
30	.	.	.	.	.	.2	1	.	.	.23	8	2	30
31	.		.	.	.	.	.	.	.	.15		.	31
Total	.90	1.99	1.82	1.93	1.53	2.00	.57	1.47	1.46	3.10	3.62	7.14	TOTAL for year 27.49
No. of Rain Days	8	14	16	13	7	11	4	11	12	20	25 ~~28~~	28	169 ~~170~~

9,000, IX. '10.

1

REG 1911

FORM A2. BRITISH RAINFALL.
18 JAN 1912

Kept at Bridgwater

in the County of Somerset 3

by H. C. Salmon

Rain Gauge:
Pattern British Assn
Diameter of top 5 in.
Height of top above Ground 4 ft. ' in.
" " " Sea Level 25 ft.

Time of Observation 9 am

Nearest Railway Station:
Name Bridgwater
Distance 1½ Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	.	·2	·10	.	.	.	·10	.	.	·2	·2	1
2	.	.	.	·18	·20	.	.	·20	.	·25	·25	·8	2
3	.	.	·9	.	·25	.	.	.	2	.	·10	·2	3
4	.	.	·8	.	.	.	.	.	.	5	·15	·21	4
5	·20	.	·6	.	.	.	.	·65	.	.	·20	.	5
6	.	.	·2	·2	.	.	.	.	.	2	·10	·40	6
7	.	.	·2	.	.	.	.	.	.	.	·45	·2	7
8	·8	.	·4	.	.	.	.	.	.	.	·2	·46	8
9	·10	·5	.	.	.	.	.	.	.	.	·10	·28	9
10	.	.	·25	.	·75	.	.	.	·3	.	·23	·32	10
11	.	.	.	.	·10	.	.	·2	.	.	·31	·20	11
12	·15	.	·70	.	·2	.	.	·11	·13	.	·24	·30	12
13	.	.	.	.	.	.	.	.	·30	·4	·4	·40	13
14	.	·10	.	.	.	.	.	.	.	·3	·25	1.20	14
15	·10	·4	.	.	.	·6	.	.	.	·2	.	·5	15
16	.	.	.	.	.	·23	.	.	.	.	·40	·12	16
17	.	.	·7	·10	.	.	.	.	.	.	·5	·28	17
18	·5	·30	·8	·15	.	·13	.	.	.	·10	·20	·24	18
19	.	·10	.	·10	.	·17	.	.	·30	·16	·18	·50	19
20	.	·17	·20	·5	.	.	.	·2	·20	·10	·2	40	20
21	.	·8	·2	.	.	·2	.	.	·5	·46	.	·40	21
22	.	·6	·6	·5	.	·4	.	.	·5	·40	.	45	22
23	.	·10	.	.	.	·40	.	.	·10	·10	·8	·10	23
24	.	·29	.	.	.	·58	.	·12	.	·43	.	·15	24
25	10	·8	2	·5	.	·15	·20	·4	·3	·10	.	·32	25
26	.	·25	.	·20	·18	.	·20	·3	.	·20	·8	·8	26
27	.	·35	9	·10	.	.	.	·15	·15	·2	3	·10	27
28	.	2	.	·50	·3	.	.	·3	.	·1	2	2	28
29	.	.	.	·35	.	·20	10 16	.	·10	·23	2	.	29
30	.	.	.	.	.	·2	1	.	.	·23	8	2	30
31	.		.	.	.	.		.	.	·15		.	31
Total	·90	1·99	1·82	1·93	1·53	2·00	·57	1·47	1·46	3·10	3·62	7·14	TOTAL for year 27·49
No. of Rain Days	8	14	16	13	7	11	4	11	12	20	25 ~~26~~	28	169 ~~170~~

9,000, IX. '10.

cd fr auth 25.11.13 W DL

FORM A2. BRITISH RAINFALL. 4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Northfield Bridgwater

in the County of Somerset 3

by W. C. Salmon

RAIN GAUGE
Pattern British Ass
Diameter of top 5 in.
Height of top above Ground 4 ft. 14 in.
" " " Sea Level 50 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Bridgwater G.W.R.
Distance 1 3/4 Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·2

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·	·2	·22	·	·10	·5	·85	·50	·26	1
2	·	·	·15	5	·	·55	·28	·	·	·5	·8	·	2
3	·20	·	·20	·	·1	·15	·4	·68	·2	·	·4	·	3
4	·	·	·38	·	·2	·20	·	·42	·	·	·46	·	4
5	·60	·	·42	·	·2	·12	·	·20	·2	·	·2	·11	5
6	·50	·18	·2	·	·20	·26	·15	47	·	·	·	·9	6
7	·15	·24	·12	·	·3	1·05	·	·	·	·	·	·18	7
8	·25	·16	·14	·3	·	·16	·5	·	·	·	·	·4	8
9	·2	·	·2	·10	·	5	·2	·4	·	·	·4	·15	9
10	·11	·9	·	·	·	·	·	·4	·	·	5	·14	10
11	·9	·6	·	·	·	·	·	·	·	·	7	·46	11
12	·2	·40	·5	·8	·	·	·5	·	·	·	·	·4	12
13	·2	·	·2	·	·3	·	·	·69	·	·2	·1	·1	13
14	·8	·	·65	·	·18	·	·	·5	·	·	·	·2	14
15	·10	·5	·5	·	·40	·58	·	·2	·2	·4	·	·28	15
16	·24	·	·17	·	·10	·5	·	·15	·	·	·15	·15	16
17	·26	·	·20	·	·1	·4	·	·70	·	·	·3	·9	17
18	·46	·	·12	·	·	·	·	·5	·	·	·2	·15	18
19	·6	·4	·15	·	·	·2	·22	·10	·	·2	·2	·2	19
20	·5	·4	·60	·	·26	·2	·4	·30	·	·50	·2	-	20
21	·3	·26	·35	·	·48	·	·	·4	·	·10	·3	·	21
22	·45	·25	·12	·	1·10	·	·10	·20	·	·16	·	·5	22
23	·48	·28	·10	·	1	·3	·8	·85	·	·15	·9	·28	23
24	·8	·32	·	·	·	·35	·	·	·	·5	·11	·25	24
25	·	·4	·	·	·	·15	·1	·62	·	·42	·13	·45	25
26	·	·	·	·	·	·	·3	·12	·	·82	·38	·26	26
27	-	·	·	·	·	·34	·72	-	·	·32	·10	·45	27
28	-	·10	·	·	·	·2	·10	·35	·28	·	·70	·68	28
29	·	35	·3	·	·	·13	·10	·10	·60	·51	·	·5	29
30	·		·33	·	·	·13	·30	·	15	·45	·	·2	30
31			·3		·		·20	·2	·	·2		·5	31
Total	4·25	2·81	4·42	·26	2·87	4·61	2:49	6·31	1·14	4·48	3·05	4·73	TOTAL for year 41·42
No. of Rain Days.	21	16	23	4	15 14	21	17	23	7	16	21	26	210

W. 8,000, X. '11.

2·49

Ex GL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 4 JAN 1914

Kept at Northfield - Bridgwater 3

in the County of Somerset

by H. C. Salmon

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Great Western

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 10 in.

Since 1 Sep " " " 5 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. - - -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26	.15	.15	.03	.22	.	.	.	.20	.03	.09	.70	1
2	.50	.25	.02	.10	.23	.	.02	.	.18	.04	.05	.	2
3	.18	.	.	.	.24	.	.	.	.04	.02	.	.20	3
4	.65	.	.08	.	.25	.	.03	.	.54	.05	.	.18	4
5	.	.12	.	.	.24	.15	.	.	.61	.02	.07	.30	5
6	.03	.08	.10	.	.03	.17	.24	.	.	1.43	.10	.33	6
7	.02	.25	.04	.	.56	.12	.07	.	.	.38	.17	.	7
8	.02	.06	.	.	.05	.13	.02	.27	.	.25	.	.	8
9	.	.02	.	.05	.08	.02	.	.40	.	.02	.20	.	9
10	.40	.	.	.	.03	.	.	.02	.	.25	.	.	10
11	.60	.03	.	.17	.25	.02	.	.03	.	.02	.63	.	11
12	.	.	.	.	.27	.	.02	.	.	.01	.40	.02	12
13	.	.	.15	.	.	.	.02	.10	.30	.	.36	.	13
14	.25	.	.	.03	.	.	.	.	.02	.02	.	.	14
15	.17	.02	.45	.50	.	.	.	.02	.12	.	.06	.	15
16	.19	.	.63	.04	.	.	.	.10	.23	.	.	.	16
17	.05	.	.03	.04	.	.	.	.	.	.	.	.	17
18	.45	.	.20	.04	.	.04	.	.	.02	.	.03	.	18
19	.16	.	.10	~~.18~~ .04	.	.20	.	.	.35	.02	.	.	19
20	.30	.	.18	.15	.	.	.	.	.02	.05	.06	.	20
21	.	.	.20	.15	.09	.	.10	.	.	.	.28	.	21
22	.82	.	.70	.05	.	.05	.	.02	.27	.	.	.	22
23	.04	.	.	.	.	.02	.	.	.08	.	.07	.58	23
24	.03	.02	.	.	.	.	.	.06	.	.	.	.	24
25	.	.05	.	.30	.	.	.	.12	.03	.	.	.	25
26	.	.	.	.22	.	.	.	.	.	.	.	.25	26
27	.35	.	.18	.20	.	.	.	.	.	.14	.	.05	27
28	.03	.	.04	.30	.	.	.	.	.	.40	.	.06	28
29	.08		.43	.23	.04	.	.	.18	.	.10	.	.	29
30	.25		.	.04	.	.	.	.	.	.40	.	.	30
31	.22		.05		.16		.	.89		.		.	31
Total	6.05	1.05	3.73	2.68	2.74	.92	.52	2.21	3.01	3.65	2.57	2.67	YEAR'S TOTAL 31.80
Rain Days.	24	11	18	[illegible]	15	10	8	12	15	19	14	10	175

19

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at North Field Bridgewater

in the County of Somerset 3

by H. C. Salmon

Lat. 51. 8 N Long. 3. 0 W

Time of Observation 9 a.m.

Nearest Railway Station G. W. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·19

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·1	·15	.	·6	·21	·44	.	.	·10	·10	1
2	.	.	·1	·1	.	.	·50	·38	.	.	·40	·37	2
3	.	.	·28	·20	·22	.	·21	·20	.	.	·13	·4	3
4	·22	.	·2	·21	·9	.	·11	·1	.	.	·57	·65	4
5	·9	.	·24	·20	·7	.	.	2		.	·4 }	.	5
6	.	·6	·1	·30	·3	·4	·29	3	.	.	·20	·23	6
7	.	·30	·7	·8	·8	·9	·20	2	·3	.	2	·15	7
8	·2	·2	·50	.	·8	·52	.	5	.	.	.	.	8
9	.	·2	·66	·12	·6	1·03	.	.	·97	.	.	.	9
10	.	·12	·5	·9	·5	·2	.	.	·40	.	·7	·28	10
11	.	·5	·40	.	·10	24	·28	.	·25	.	·2	·35	11
12	.	·23	·5	.	.	.	.	.	·18	·4	·2	·37	12
13	.	·25	·32	.		.	5	.	·12	·37	·58	·24	13
14	.	·20	·32	.		·5	.	·44	.	·9	·22	2	14
15	.	.	·12	.	.	.	·20	·34	·7	·2	·22	.	15
16	.	.	·2	.	.	.	·5	.	·8	.	.	.	16
17	.	·18	·32	.	.	.	·2	.	.	.	.	·51	17
18	.	·2	·2	.	.	.	·23	.	·6	.	.	·25	18
19	.	·4	·37	.	.	.	·93	.	·2	.	·6	·21	19
20	.	·22	·7	.	.	·2	.	.	.	.	.	·25	20
21	.	·66	.	.	.	·9	.	.	.	·30	.	.	21
22	.	.	.	.	·13	·21	·7	·4	.	·25	.	.	22
23	·1	·8	·5	.	·1	.	·2	.	.	15	.	·3	23
24	.	·1	·4	.	·1	.	·9	·5	.	17	·5	·2	24
25	·12	.	·18	.	.	.	·27	·20	.	·26	·2	·34	25
26	.	·2	·14	.	.	.	·32	·5	.	·15	·14	·30	26
27	·x3	.	.	.	.	.	.	.	.	·42	} .	·20	27
28	·1	7	·12	.	·4	.	.	.	.	·9	·30	·97	28
29	·5		·5	.	·16	.	·3	.	.	·8	·32	·4	29
30	.		·2	.	·1	.		.	.	·23	·24	·50	30
31	.				·2	·12	·26	.		·61		38	31
Total	·55	2·55	4·46	1·36	1·16	2·49	4·33	2·27	2·18	3·23	3·66	6·80	YEAR'S TOTAL 35·04
Rain Days.	8	18	27	9	16	12	20	14	10	15	20	24	193

W. 7,500, XI. ·12

Ex d L

2192

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Northfield, Bridgwater

in the County of Somerset

by H C Salmon

3

Lat. 51·8 N Long. 3·0 W

Time of Observation 9 AM

Nearest Railway Station G W R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·10	.	.	·5	0	.	·20	·20	·33	.	·10	1
2	·14	·25	·4	·5	.	4		·32	·10	·11	.	90	2
3	·8	·6	·2	·10	·20	.	·25	.	.	.	.	·89	3
4	·1	·5	.	.	·8	.	·18	·10		.	~~·25~~	·20	4
5	·14	·39	.	·8	.		.	.	.	.	.	·32	5
6	·40	·20	.	·10	.	.	·43	.	.	.	.	·16	6
7	·28	·25	.	·5	.	.	·14	.	.	.	·2	·25	7
8	·33	·35	.	·8	.	.	.	·12	.	.		·32	8
9	·2	.	.	.	.	.	·2	·21	.	.	·33	·47	9
10	·18	·10	·3	·7	.	·30	.	·15	.	·8	·2	·6	10
11	·4	·17	·7	·2	·55	.	·2	·1	.	·7	·85	·2	11
12	·25	·42	.	·10	.		.	·34	·9	.	·8	.	12
13	·1	·30	.	.	90	.	.	·5	.	·2	·25	·13	13
14	·2	·2	.	.	.	.	·6	·12	·2	·2	.	·45	14
15	·22	·47	.	.	·22	.	·20	·1	.	·1	·23	·6	15
16		.	.	.	·12	.	·63	.	.	.		·2	16
17	.	·5	·4	.	·55	.	.	.	.	.		·2	17
18	.	·14	.	.	·2	.	.	.	.	.	.	.	18
19	.	.	.	.	·7	.	·19	.	.	.	.	.	19
20	.	.	.	·3	.	2	.	.	.	.		·9	20
21	·15	4	.	.	.	.	·2	.	·1	·11	.	·7	21
22	·10	·19	·27	·10	.	1	·31	.	·5	·15	.	·13	22
23	·15	·2	·20	.	.	1	·12	.	·4	1·05	.	·52	23
24	.	.	·3	·2	.	.	·74	.	·6	·36	.	·40	24
25	.	.	·14	·2	.	·58	·39	.	·2		.	·15	25
26	.	·5	.	.	.		·3	.	·1			·40	26
27	.	·5	.	.	.	·3	.	.	·1	·57		.	27
28	.	·5	.	.	.	·5	.	.	·66	·23		·2	28
29	.		.	.	.	·25		1	.	.	·4	.	29
30	·12	✕	.	.	.	32	.	·5	.	·85	·17	·30	30
31	.	✕	.	✕	.	✕	·7	.	✕	·49	✕	5·91 ·17	31
Total	2·81	3·72	·84	·82	2·76	1·61	3·00	1·69	1·27	4·45	1·99	6·08	YEAR'S TOTAL 31·04
Rain Days.	19	22	9	13	10	10	17	13	12	15	9	26	175

W. 8,000. X. 14.

Ex Dl

2127

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 191

Kept at Northfield, Bridgwater

in the County of Somerset

by A. C. Salmon

Lat. 51·8 N Long. 3·0 W

Time of Observation 9 am

Nearest Railway Station G W R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~4~~ 5 ft. ~~10~~ 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·2

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	.	·2	.	·63	·5	·23	.	·7	·33	·15	.	1
2	·34	·3	.	.	·2	·5	.	.	·3	·42	·20	.	2
3	·30	·72	.	.	·37	·5	·5	.	·8	·29	·26	.	3
4	.	·16	.	.	·2	·15	.	.	·8	·2	·65	.	4
5	·12	·2	·2	.	·43	·65	.	.	.	·2	·47	.	5
6	.	·20	.	.	·37	·5	·31	.	.	·3	·24	.	6
7	·3	·15	·13	.	·7	·8	·6	.	.	.	·87	·20	7
8	.	·31	·2	.	·33	·10	.	.	.	.	·38	·20	8
9	.	·2	.	.	·15	·7	·2	.	.	·6	·10	·8	9
10	.	·32	·2	·8	·5	.	·2	.	.	·2	.	·12	10
11	.	.	·5	·25	·2	.	.	.	.	.	.	.	11
12	·2	·2	·2	.	·21	.	.	·3	.	·2	.	.	12
13	.	·32	·24	·4	·2	.	.	·35	.	·13	.	·2	13
14	.	·46	·6	.	·7	.	.	·2	.	·2	.	.	14
15	·5	·14	·9	·23	·2	.	.	·22	.	·40	.	.	15
16	·5	·15	.	·8	.	.	·6	·65	.	.	.	.	16
17	.	·23	.	6	.	.	.	.	·10	·3	·25	.	17
18	·2	·14	·30	.	.	.	.	.	·25	7	·2	.	18
19	·10	·2	·75	4	.	.	.	.	.	.	·19	7	19
20	·12	·35	·33	.	.	.	.	.	.	.	·3	1·25	20
21	·13	·4	·26	.	·10	.	.	.	.	.	.	·2	21
22	.	.	·2	.	.	·11	.	·23	.	·35	·12	·68	22
23	3	·15	·6	.	.	·5	.	·4	.	·22	·5	·7	23
24	.	·4	.	·3	·87	·7	.	3	.	·68	·8	·28	24
25	.	·32	·15	.	.	.	.	·33	·2	.	.	.	25
26	·1	·2	·5	.	.	·24	.	·10	·90	·57	.	.	26
27	·3	.	1·02	.	.	·5	.	·22	·25	·31	.	.	27
28	.	·31	.	·2	·5	.	.	·5	·8	·25	.	·11	28
29	.	·68	.	.	.	·17	.	1·65	·46	·25	.	·19	29
30	.	×	.	.	.	.	.	.	.	·9	.	·1	30
31	.	×	.	×	.	×	.	·2	×	·5	×	·12	31
Total	1·43	5·32	3·61	·83	3·80	1·94	·75	3·94	2·32	4·83	4·06	3·32	YEAR'S TOTAL 36·15
Rain Days.	15	25	19	9	18	15	7	14	11	23	16	15	187

W. 8,000. X. 15.

✓ 2031

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL
8. JAN 1918

Kept at Northfield, Bridgwater
in the County of Somerset
by W C Salmon

Lat 51·8 N Long. 3 W
Time of Observation 9 am
Nearest Railway Station G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.2		.29	.16		.13		.63	.7		.2		1
2	.2			.4		.5		.2			.5		2
3	.2			.7			.81			.34	.8		3
4			.18					6	.2	.28			4
5	.15		.30	.13		.12			.8	.19			5
6	.17		.5					.37		.8	.12		6
7				.9			.50	.30		.25	.26	.3	7
8			.14	.8		.17	.15		.7	.32	.7	.2	8
9			.25	.2			.2	.38	.4	.32	.12	.7	9
10	.17		1.30	.16	.1			.30			.6		10
11			.2	.52				.20	.32	.15	10		11
12	.2	.12	.19	.2				.53	.10	.37			12
13			.2	.6				.29	.5				13
14				.3	.47			.40					14
15				.2			.19			.8			15
16		.14		.4			.15			.16			16
17		.2					.28		.28	.10			17
18	.2					.2	.18	2	.58				18
19		.42	.5		.2	.15			.5				19
20		.4	.2		.40			.75	.8		1		20
21			.15			.2		.20					21
22			.2					.20		.1			22
23					.11			.25		.7		.10	23
24		.2	.2			.25	.10	.2		.9		.5	24
25		.9	.6				.2	.4		.2	.2		25
26					.66			.39	.2	.8	.2		26
27					.55	.25		.66	.4	.8			27
28		.2	.6		.8	4.25		.37			.2	.2	28
29			.16			.31	.5			.30		.10	29
30		X	.9				.16	.5		.11			30
31		X	.4	X		X		.2	X	.15	X		31
Total	.59	.89	3.40	1.44	2.30	5.72	2.61	6.43	1.80	3.55	.95	30 .47	YEAR'S TOTAL 3,005
Rain Days.	8 ~~25~~	8 9	20	~~5~~ 14	6 8	11	12	23	14	21	13	7	~~175~~

W. 8,000, VIII. 16

159

Esc D L

and 4 others

117

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Northfield Bridgwater
in the County of Somerset
by H C Salmon

Lat. 51. 8 N Long. 3. 0 W
Time of Observation 9 A M
Nearest Railway Station G W R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·45

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
				·12									
1	.	·7	·5	7	·12	.	-	·72	.	·3	·75	.	1
2	.	·3	.	.	.	.	.	·28	5	·2	5	7	2
3	.		.	·28	·12		.	·3	3	·4	2	2	3
4	.	·7	·2	·2	.	·4	-	·3	33	·2	44	12	4
5	.	·10	.	·18	.	.	.	·25	30	·2	·5	2	5
6	.	·15	.	[illegible]	.	·2	.	·3	10	·16	.	8	6
7	·15	·16	.	.	·35	·2	.	.	15	14	25	.	7
8	.	8	.	.	.	.		.	10	16	·2	.	8
9	·2	.	.	·18	.	·18	·30	.	36	·32	.	28	9
10	·2	.	·12	·19	.	.	·65	.	42	14	8	22	10
11	.	.	·15	.	.	.	·32	.	25	·28	4	8	11
12	.	.	4	.	·12	.	·3	.	10	.	.	23	12
13	·32	·6	.	.	·3		·35	.	32	2	.	4	13
14	·32	.	.	.	·3	4	·10	.	25	15	.	16	14
15	1·32	.	.	·50	·13	·22	·35	.	.	12	.	16	15
16	·25	.	·4	30	.	6	·3	·5	12	5	.	16	16
17	·50	.	.	10	.	35	30	.	8	2	.	~~16~~	17
18	·82	.	14	.	.	·68	·34	.	32	40	.	20	18
19	·13	·8	.	13	.	.	·8	·3	3	4	.	5	19
20	·3	·4	.	·10	.	.	·61	.	8	3	.	.	20
21	·5	.	.	·2	·38	·2	·5	.	55	5	.	21	21
22	.	.	.		.	.	·50	.	20	2	2	30	22
23	2	.	.	.	30		.	.	23	.	·5	3	23
24	.	.	.		1	.	.	.	7	.	4		24
25	.	.	.	·3	5	.	34	·95	.	2	.	.	25
26	.	.	.	·3	.	.	67	.	12	2	4	20	26
27	.	·7	·20		.	.	18	·20	10	.	34	.	27
28	.	·6	.		.	.	.	.	3	.	2	5	28
29	.		·12	.	.	.	.	.	1·12	7	2	4	29
30	.	X	·10		.		.	.	7	2	4	6	30
31	.	X	·12	X	.	X	.	·10	X	2	X	.	31
Total	3·95	·97	1·10	2·24	1·64	1·30	5·20	2·67	5·82	2·08	2·27	2·51	YEAR'S TOTAL 32·05
Rain Days.	13	12 ~~16~~	11 ~~20~~	16	16	10	17	11	27	26	17	22	207 193

W-6,500, VII. 18. W W U

NORTHFIELD,
BRIDGEWATER.

14th Apl 1919

Dear Sir

I cannot at all understand how my return showing 3.. 5 .. My Book in which I put down the daily record shows it as .5 on the day mentioned and it is not posible to explain except the Book is a little blotted at that point, and I am truly sorry to ~~be~~ have given you the trouble to write.

Yours sincerely

H. C. Salmon

BRIDGEWATER
ASHFORD

SOMERSET

1911 – 1920

REG 11

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Ashford gretti & Zal 5 in.

ove Ground 1 ft. 5¼ in.

in the County of Som ~~Sea Level~~ Ord Dat. 102·41 ft.

by Bridgwater 9 a.m

Name Bridgwater
Distance about 5 miles Direction

IMPORTANT NOTE, nd the result entered to the previous day. If an Obse niversal rule, he is earnestly requested to add the reading year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·25				·05			·03	·02	1
2				·09	·24			·31		·21	·31	·14	2
3					·25				·02		·06		3
4			·12							·04	·17	·45	4
5	·12		·08					·35		·03	·18	·05	5
6	·45		·07					·02			·10	·45	6
7	·03										·52	·02	7
8	·02		·06								·03	·56	8
9	·04										·15	·40	9
10	·06	·07	·25		·63						·05	·23	10
11	·36		·03		·02						·46	·20	11
12			·73					·10	·06		·16	·31	12
13									·33		·05	·60	13
14		·08								·01		1·30	14
15		·06				·10					·25	·04	15
16						·21					·32	·21	16
17		·02	·06	·03		·15				·04	·03	·32	17
18		·27	·14	·19		·12				·07	·05	·21	18
19		·10	·02	·13		·17			·43	·17	·05	·40	19
20	·04	·12	·17	·05					·21	·07		·50	20
21		·18	·02	·02		·03		·15	·08	·42		·18	21
22		·02	·07	·03		·10			·04	·44		·78	22
23		·12	·04	·02		·14			·10	·23	·05	·08	23
24		·22				·65		·17		·44		·12	24
25		·21		·05		·17	·03	·09	·02	·07		·05	25
26		·13		·20	·16		·08	·02		·21	·09	·28	26
27		·24	·10	·06				·15	·15	·02	·02	·12	27
28		·25		·45	·02			·10			·07		28
29				·25		·17	·09		·08	·20			29
30						·02				·26	·11		30
31							·01			·25			31
Total	1·12	2·09	1·98	1·82	1·32	2·03	·21	1·57	1·52	3·18	3·31	8·02	TOTAL for year 28·11
No. of Rain Days.	8	15	16	14	6	12	4	11	11	18	23	26	164

W. 8,000, X. '11.

REG 11

FORM A2.
BRITISH RAINFALL
20 JAN 1912

Kept at Ashford

in the County of Somerset 3

by Bridgwater Town Council

RAIN GAUGE	Pattern	Negretti & Zambra
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 5¼ in.
	" " " ~~Sea Level~~ Ord Dat.	102·41 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Bridgwater
Distance about 5 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·25				·05			·03	·02	1
2				·09	·24			·31		·21	·31	·14	2
3					·25				·02		·06		3
4			·12							·04	·17	·45	4
5	·12		·08					·35		·03	·18	·05	5
6	·45		·07					·02			·10	·45	6
7	·03										·52	·02	7
8	·02		·06								·03	·56	8
9	·04										·15	·40	9
10	·06	·07	·25		·63						·05	·23	10
11	·36		·03		·02						·46	·20	11
12			·73					·10	·06		·16	·31	12
13									·33		·05	·60	13
14		·08								·01		1·30	14
15		·06				·10					·25	·04	15
16						·21					·32	·21	16
17		·02	·06	·03		·15				·04	·03	·32	17
18		·27	·14	·19		·12				·07	·05	·21	18
19		·10	·02	·13		·17			·43	·17	·05	·40	19
20	·04	·12	·17	·05					·21	·07		·50	20
21		·18	·02	·02		·03		·15	·08	·42		·18	21
22		·02	·07	·03		·10			·04	·44		·78	22
23		·12	·04	·02		·14			·10	·23	·05	·08	23
24		·22				·65		·17		·44		·12	24
25		·21		·05		·17	·03	·09	·02	·07		·05	25
26		·13		·20	·16		·08	·02		·21	·09	·28	26
27		·24	·10	·06				·15	·15	·02	·02	·12	27
28		·25		·45	·02			·10			·07		28
29				·25		·17	·09		·08	·20			29
30						·02				·26	·11		30
31							·01			·25			31
Total	1·12	2·09	1·98	1·82	1·32	2·03	·21	1·57	1·52	3·18	3·31	8·02	TOTAL for year 28·11
No. of Rain Days.	8	15	16	14	6	12	4	11	11	18	23	26	164

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 7 - JAN 1913

Kept at Ashford

in the County of Somerset 3

by Bridgwater Town Council

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Bridgwater

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 5¼ in.

" " " " ~~Sea Level~~ Ord Dat: 102"41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14			·45	·03	·11	·07	·90		·31	1
2			·11	·06	·03	·35	·24				·05		2
3			·16			·29	·03	·58			·02		3
4	·21		·76		·04	·23		·05			·35		4
5	·58	·12	·17					·36	·02		·03	·13	5
6	·60	·19			·12	·16	·05	·30				·03	6
7	·05	·27	·09		·06	·96		·86				·10	7
8	·37	·11	·25	·04		·16	·05	·03				·05	8
9		·03		·09		·15		·03			·05	·15	9
10	·12	·10				·09		·30	·06		·07	·13	10
11	·10	·07									·06	·44	11
12		·38	·06	·07	·02		·03					·06	12
13								·73		·02			13
14	·11		·70		·15			·07					14
15	·06	·03	·03		·28	·62						·30	15
16	·36		·12		·10	·04		·05		·03	·12	·12	16
17	·33		·15			·04		·57			·05	·09	17
18	·11		·23					·12		·02	·02	·22	18
19	·06	·11	·13				·20	·10		·02	·03	·04	19
20	·09	·03	·50		·28	·02	·11	·33		·56	~~·02~~		20
21	·02	·05	·25		·58		·05	·05		·13	·02		21
22	·45	·14	·11		·33		·06	·35		·08		·04	22
23	·58	·70	·21			·02		·85		·28	·05	·31	23
24	·16	·03				·55						·10	24
25	·02					·36		·55		·15	·16	·47	25
26		·03					·02	·12		·24	·42	·54	26
27						·32	·73			·94	·20	·21	27
28		·10				·02	·05	·32	·13	·27	·72	·50	28
29		·16	·04			·19	·30	·09	·80	·56	·02	·10	29
30			·02		·02	·04	·20		·12	·39			30
31			·37				·19	·02		·03		·05	31
Total	4·38	2·65	4·60	·26	2·01	5·06	2·34	6·94	1·20	4·62	2·44	4·49	YEAR'S TOTAL 40·99
Rain Days.	19	18	21	4	12	20	16	24	6	16	18	23	197

W. 7,500, XI. 12

Ex OL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
29 JAN 1914

Kept at Ashford

in the County of Somerset. 3

by Bridgwater Town Council

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bridgwater

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 5½ in.

" " " " Ord Datum ~~Sea Level~~ 102·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·16	·28	·05	·20				·14	·04	·13	·84	1
2	·06	·22	·04	07	·15		·05		·04	·09	07		2
3	·11		·07		·34				·02	·30	02	·23	3
4	1·26		·05		·20		·02		·90	·05	02	·22	4
5	·02	·04			·22	·29			·60		06	·32	5
6	·03	·09	·10		·03	·24	·31			·97	13	·35	6
7		·31			·44	·07	·05			·30	16	·02	7
8	·02	·08		·02	·22	·02		30					8
9		·03		·07	·11	·04		75	·02		22	·02	9
10	·34				09			02		·32	31		10
11	·89	·02	·02	·15	54	·05		03		·11	75		11
12	·05				27		·03				43		12
13	·14						·03	11	·30		13		13
14	·11		·14	·02						·03	40		14
15	·33	·05	48	·54					·25		09	·02	15
16	·23		56	·14				08	23				16
17	·03		05	·07									17
18	·12		21	·07	·02	·05					10		18
19	40		10	·03		·15	·02		32				19
20	·22		15	·09					03	·17	08		20
21	·02		13	·08	·05		·09				29		21
22	·95		93	·14		·08		·05	20	·02			22
23	·03		02					·02	02		06	·56	23
24	02	·05		·04				02			02		24
25		·08		·27					03	02	02		25
26		·02		·28				·09				·35	26
27	·12		·22	·23						11		·05	27
28	·17		·02	·31						34		·07	28
29	·07		·56	·22				·20		23			29
30	·25			·07	15					55			30
31	·30		·06					57					31
Total	6·29	1·15	4·19	2·96	3·03	·99	·60	2·24	3·10	3·65	3·49	3·05	YEAR'S TOTAL 34·74
Rain Days.	26	12	20	21	15	9	8	12	14	16	20	12	185

Esc DL

Filippus

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
29 JAN 1915

Kept at Ashford.
in the County of Somerset 3
by The Bridgwater Town Council

Lat. – Long. –
Time of Observation 9 am
Nearest Railway Station Bridgwater
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 5½ in.
" " " " ~~Sea Level~~ Ord. Datum 102·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·10		·10	·19	·33			·30	·06	1
2			·04	·09	·02		·62				·38	·42	2
3			·35	·10	·24			·96			·03	·17	3
4	·32		·14	·29	·08		·10	·30			·63	·56	4
5	·16		·18	·10	·05							·09	5
6	·03	·11	·04	·20	·04	·07	·23	·03			·35	·18	6
7	·03	·36	·06	·15	·13	·09	·20	·04	·03		·03	·13	7
8	·02		·75	·03	·12	·52		·02					8
9		·06	·36	·09	·04	1·45		·09	·94				9
10		·14	·07	·17	·13	·05			1·18		·06	·02	10
11		·08	·40		·11	·26	·90		·16		·05	·56	11
12		·24	·06						·15	·06	·04	·70	12
13		·25	·43				·05		·17	·25	·53	·16	13
14		·20	·42			·11		·48	·02	·10	·30		14
15			·16				·12	·30	·03	·03	·25	·02	15
16			·03				·04		·12				16
17		·20	·34						·02			·43	17
18		·05	·03				·10		·06			·31	18
19		·06	·35				1·10		·03			·16	19
20		·20	·13			·03					·08	·30	20
21		·70				·04				·38		·07	21
22		·03			·15	·25	·06	·08		·18			22
23		·04	·15			·07	·03			·30		·03	23
24			·03		·06		·09	·15		·09	·09	·05	24
25	·11		·20				·44	·36		·25	·02	·16	25
26	·02		·29				·48	·03		·04	·20	·35	26
27	·02									·48	·16	·21	27
28		·07	·17		·05					·12	·15	1·05	28
29	·11		·17		·15		·03			·11	·33	·06	29
30		✗	·05			·09				·26	·30	·47	30
31	·02	✗		✗	·05	✗	·22		✗	·56	✗	·30	31
Total	·84	2·82	5·47	1·32	1·42	3·13	5·00	3·17	2·91	3·21	4·28	7·02	YEAR'S TOTAL 40·54
Rain Days.	10	16	27	10	15	13	18	13	12	15	20	26	195

W. 8,000. X. 14.

2191

6X ML

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at Ashford

in the County of Somerset.

by Bridgwater Town Council

3

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bridgwater.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5½ in.

" " " " ~~Sea Level~~ Ord Datum 102.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25	.08			.05			.18	.15	.32		.11	1
2	.16	.25	.09	.06		.03		.41	.13	.08		.67	2
3	.06	.08	.04	.11	.18		.03					.32	3
4	.03	.03			.05							.33	4
5	.12	.42		.07				.08				.40	5
6	.37	.10		.14			.63	.02				.18	6
7	.31	.40		.05	.05		.12					.35	7
8	.35	.18						.13			.03	.05	8
9	.02	.05		.10			.02	.20			.24	.75	9
10	.13	.08	.03	.08		.03		.10		.10	.03	.02	10
11	.04	.25	.04	.02			.04	.20			.87	.09	11
12	.16	.46		.15	.68			.58		.04	.11		12
13	.06	.60			.93			.14	.07		.18	.06	13
14	.02	.03					.15	.12	.04	.03		.48	14
15	.24	.03			.22		.16			.02	.21	.18	15
16	.02	.50			.13		.60					.03	16
17		.28			.42							.02	17
18		.24	.02		.03								18
19		.03			.11		.21						19
20	.22			.07		.02				.03		.06	20
21	.12	.18					.02			.12		.11	21
22	.06	.15	.35	.06		.05	.26		.03	.02		.19	22
23		.05	.21			.04	.26		.03	.98	.02	.38	23
24			.02	.03			.10		.08	.36		.45	24
25			.03			.70	.38					.24	25
26		.06					.02		.04			.48	26
27		.08				.04	.18			.52	.02		27
28		.12				.02			.60	.14			28
29						.10	.10	.06			.04	.07	29
30	.15	X				.26				.71	.20	.25	30
31	.03	X		X		X	.06		X	.60	X	.23	31
Total	2.92	4.73	.83	.94	2.85	1.29	3.34	2.22	1.17	4.07	1.95	6.50	YEAR'S TOTAL 32.81
Rain Days.	21	25	9	12	11	10	18	12	9	15	11	26	179

W. 8,000. X. 15.

2126

REGISTER OF RAINFALL IN 19 16.

FORM A.
BRITISH RAINFALL.

11. JAN 1917

Kept at Ashford.

in the County of Somerset.

by Bridgwater Town Council.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bridgwater

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5½ in.

" " " " Ord Datum Sea Level 102.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06		.02		.43	.05	.26		.08	.31	.18		1
2	.36	.05			.03		.02		.09	.42	.30		2
3	.02	.67			.22	.07	.03		.14	.30	.17		3
4	.25	.15			.19	.16	.15		.03	.04	.53		4
5	.04	.02	.06		.46	1.02				.03	.39		5
6	.02	.23			.28	.09	.30			.04	.37		6
7	.04	.09	.11		.15	.11	.04			.02	.92	.17	7
8		.32	.06		.27	.06					.31	.14	8
9		.12			.16	.02	.03			.05	.12	.09	9
10		.35		.08	.06		.05			.02		.16	10
11			.02	.25	.02								11
12	.03	.04	.05	.03	.20		.02	.05		.02			12
13		.25	.25	.04	.02			.26			.03		13
14		.54			.06			.13		(.09)			14
15		.15	.11	.04				.42		.04			15
16	.06	.20		.15			.06	1.40		.11			16
17	.07	.23		.08				.04	.28	.28	.27		17
18		.22	.25	.11					.12	.12	.02	.04	18
19	.10	.02	.65	.10							.21		19
20	.14	.35	.36								.05	.90	20
21	.09	.12	.41		.10	.03						.26	21
22			.02	.07		.10		.04		.32	.03	.82	22
23	.06	.20	.02	.03		.05		.20		.13	.08	.16	23
24		.12	.05	.02	.85	.15		.03		.56		.27	24
25		.42	.22					.27	.05		.06		25
26		.05	.07			.20		.08	.98	.62	.03	.03	26
27		.11	1. 30			.05		.16	.15	.46			27
28		.28			.05			.08	.12	.32		.08	28
29		.70				.15		1. 92	.42	.33		.20	29
30		✕								.12		.03	30
31		✕		✕		✕		.03	✕	.15	✕	.11	31
Total	1.34	6.00	4.03	1.00	3.55	2.31	.96	5.11	2.46	4.90 ✓	4.07	3.46	YEAR'S TOTAL 39.19 ✓
Rain Days.	14	26	18	12	17	15	10	15	11	24	18	15	195

W. 8,000, VIII. 16

203

FORM A.
BRITISH RAINFALL
8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ashford nr. Bridgwater
in the County of Somerset
by Bridgwater Town Council

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bridgwater
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5½ in.
" " " " Ordnance Datum ~~Sea Level~~ 102·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·25	·20		·15		·72	·04		·02		1
2	·03			·05		·05		·02			·05		2
3	·02			·10			·74			·41	·09		3
4		·12 Snow	·17				·08	·10	·03	·32		·02	4
5	·20		·30	·11		·18			·13	·19	·10		5
6	·02		·05			·06				·05	·30		6
7	·16			·07			·52	·21		·24	·04	·01	7
8			·14 Snow			·11	·25	·39	·06	·32	·10	·04	8
9			·02	·04	·04		·03	·30	·06	·39	·09		9
10	·16		·30	·25				·40		·02			10
11	·04		1·20	·52				·30	·08	·15	·10		11
12	·07				·80					·50		·02	12
13			·20	·03		·02		·14	·10	·02			13
14								1·20	·06			·02	14
15				·11			·05			·11		·19	15
16		·14		·08						·15		·13	16
17		·02		·03	·06		·26	·03	·26	·16			17
18	·02	·04		·05	·03		·19		·62				18
19	·02	·35	·10			·15			·06				19
20		·05	·04		·40	·04		·17	·11		·02		20
21			·20			·06				·02			21
22			·02					·18		·11			22
23		·10			·15			·35		·05		·05	23
24						·45	·10	·09		·08	·04		24
25		·09	·03				·09	·07	·03	·25	·03		25
26					·45		·02	·80	·10	·12			26
27					·52	·22		·75		·07	·03		27
28		·03	·07		·06	4·60		·32				·02	28
29			·20			·28	·33			·28		·12	29
30		X	·10				·10	·09		·12			30
31		X	·04	X		X		·02	X	·13	X		31
Total	·78	·94	3·43	1·64	2·51	6·37	2·76	6·65	1·74	4·26	1·01	·62	YEAR'S TOTAL 32·71
Rain Days.	11	9	18	13	9	13	13	21	14	24	13	10	168.

W. 8,000, IX. 17.

Exd JEO

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
7. 1. 19

Kept at Ashford Pumping Station, near Bridgwater
in the County of Somerset
by Town Council

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station G.W.R. & S & Dorset Bridgwater
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 13 ins.
" " " " Sea Level 102·4. ft. Ordnance Datum

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·06	·25			·68		·02	·55		1
2		·05		·04				·78	·08		·11	·07	2
3		·07		·09	·06				·03	·04	·03		3
4		·09						·05	·04		·62	·10	4
5			·02	·04	·02				·20	·15	·05	·02	5
6	·17	·08		·25				·28	·10	·12		·05	6
7		·13			·35			·05	·30	·18	·31		7
8	·02	·05							·20	·47	·05	·04	8
9	·02	·11		·15		·18	·53		·39	·02		·17	9
10				·36			·48		·16	·14		·43	10
11			·05		·02		·31		·23	·16	·09	·08	11
12		·05	·11		·13		·04		·10				12
13	·33				·03		·07		·32	·08		·16	13
14	·20		·05		·02		·66		·23	·11		·09	14
15	1·70			·23	·08	·40	·30			·10		·30	15
16	·56			·80		·08	·04		·24	·04		·22	16
17	·27		·02	·14			·10	·07	·07	·03		·16	17
18	·95		·03			·75	·12	·05	1·40	·11		·26	18
19	·11	·02	·08	·04			·08		·03	·05		·10	19
20	·15	·07		·05			·95		·16	·03			20
21	·06			·03		·04	·04		·62	·05		·19	21
22					·13		·21		·21			·30	22
23					·24		·18		·08			·11	23
24		·11					·11		·09		·04		24
25					·13		·10	·92		·02	·07		25
26							·56		·08	·02	·03	·24	26
27		·11	·04				·20	·27	·14		·24		27
28		·07	·20						·02		·02	·03	28
29			·05						1·14	·03		·05	29
30			·22						·05		·07	·06	30
31			·13					·11					31
Total	4·54	1·05	1·00	2·28	1·46	1·45	5·08	3·26	6·71	1·97	2·28	3·23	YEAR'S TOTAL 34·31
Rain Days.	12	14	12	13	12	5	19	10	27	21	14	22	181

1904

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Ashford Pumping Station. Nr. B.Water.
in the County of Somerset.
by The Bridgwater Town Council.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station G.W.R. & S.& D. Rlys. B.Water.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
" " " " Ordnance Datum. ~~Sea-Level~~ 102.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	-	-	-	.05	-	.75	-	.02	.17	-	.90	1
2	.08	-	-	-	.03	-	.07	-	.07	-	.04	.26	2
3	.42	-	.21	-	.07	-	-	-	.09	-	.13	.35	3
4	.53	.40	.35	-	-	-	.17	.05	.25	-	-	.06	4
5	.08	.43	.66	-	-	.09	.15	-	.36	-	.06	.25	5
6	.77	.24	.04	-	-	-	-	-	-	-	-	.33	6
7	.20	-	.25	.07	-	-	-	-	.05	-	-	.08	7
8	.12	-	.24	-	-	.07	-	-	-	-	-	-	8
9	.20	-	.03	.05	.03	-	-	-	-	-	.36	-	9
10	.05	-	.19	.03	.03	-	-	-	-	.15	-	.16	10
11	.01	-	.22	.05	.05	-	.12	-	-	-	-	.14	11
12	.08	-	.16	-	-	.14	-	-	-	.14	.11	-	12
13	.02	-	.04	.40	-	-	.09	-	-	.14	-	.09	13
14	.27	.08	-	.80	-	-	.12	-	-	.02	-	.16	14
15	.29	.07	-	.03	-	-	-	-	-	.08	-	.21	15
16	.17	.96	-	-	-	-	-	-	-	-	.11	-	16
17	.03	.45	-	-	-	-	-	.05	-	-	.26	-	17
18	.10	.05	.62	-	-	-	.06	.15	-	-	.07	.02	18
19	.43	.22	.55	-	-	.07	.63	.35	.35	-	.11	.09	19
20	.50	-	.21	-	-	.18	-	.23	.08	-	-	.03	20
21	.07	.70	-	-	-	-	.32	-	.05	-	-	.14	21
22	-	.05	-	-	-	-	.14	-	.10	-	.02	.05	22
23	-	-	-	-	-	-	-	-	-	.75	-	-	23
24	-	-	-	.08	-	.16	-	-	-	1.10	.13	.38	24
25	.06	.03	-	-	-	.10	-	.36	-	-	.09	.09	25
26	.05	-	.12	.07	-	-	-	.35	.14	-	-	.30	26
27	.14	-	.09	.35	-	.03	.03	.82	-	-	-	.08	27
28	-	.04	.40	-	-	-	-	.26	-	-	.32	.25	28
29	.03	-	-	.18	-	-	-	.18	-	.06	-	.07	29
30	-	╳	.04	.13	-	.37	-	.60	-	.03	.33	.40	30
31	-	╳	-	╳	-	╳	.03	-	╳	-	╳	.45	31
Total	5.11	3.72	4.42	2.24	.26	1.21	2.68	3.40	1.56	2.64	2.14	5.34	Year's Total 34.72
Days with ·01 in. or more	25	13	18	12	6	9	13	11	11	10	14	25	167.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1815

25 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE, BRITISH RAINFALL ORGANIZATION.

and fwd.

REGISTER OF RAINFALL IN 1920

Kept at Ashford, Nr. Bridgwater.
in the County of Somerset.
by Bridgwater Town Council.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station G.W.R. & S. & Dorset. Bridgwater
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 13" in.
" " " " Sea Level 102·4 ft. Ordnance Datum.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·30.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	-	-	·27	·26	-	·07	·16	·11	·07	·21	·70	1
2	·25	-	-	·28	·03	-	·86	·26	·03	·02	-	·12	2
3	·18	·02	-	·05	·02	-	·05	-	·02	·35	-	·05	3
4	-	-	·04	·06	-	-	·20	·34	-	·30	-	-	4
5	-	-	·18	-	·04	-	·60	·03	-	·10	-	-	5
6	-	-	·25	·02	·02	-	·08	-	-	·13	·03	-	6
7	-	-	·03	·11	·02	-	·30	-	·04	-	-	-	7
8	·11	·15	-	·18	·10	-	·60	-	-	-	-	·02	8
9	·23	-	-	·35	-	·25	·29	-	-	-	-	-	9
10	·90	·02	·06	·02	-	·20	·26	-	-	-	-	-	10
11	·30	-	·16	·40	·30	-	·08	-	-	-	-	-	11
12	·09	·03	·06	·14	-	·16	·03 ~~·65~~	-	-	-	·07	-	12
13	·15	·04	·50	·08	-	·03	-	-	-	-	-	-	13
14	-	·02	·27	·65	-	-	·02	-	·03	·60	·32	-	14
15	-	·09	·06	·30	·60	·10	-	-	·07	·48	·08	-	15
16	-	-	·02	-	·20	·11	·34	-	·12	·27	·10	-	16
17	-	-	·02	·26	·21	-	·02	-	·50	-	-	-	17
18	·09	·03	-	·02	·12	·15	·08	·52	·24	-	-	-	18
19	·04	·23	-	·28	·03	·50	-	-	·02	-	-	-	19
20	·05	·03	-	·25	-	·16	-	-	-	-	-	·14	20
21	-	-	-	·09	-	-	·14	-	-	-	-	·20	21
22	-	-	-	·07	-	-	·03	·03	-	-	-	·45	22
23	-	-	-	-	-	-	·56	·02	-	-	-	·32	23
24	·08	-	·16	-	·04	-	·03	-	-	-	-	·07	24
25	-	-	·20	-	·03	-	·35	-	-	-	-	-	25
26	·15	-	·14	-	·11	·06	·07	-	-	-	-	·11	26
27	(·10)	·08	·10	~~·11~~ ·14	·10	·30	·09	-	-	-	·07	·22	27
28	·60	-	·09	~~·16~~	-	·03	·08	-	-	-	-	·03	28
29	·20	-	·35	-	·11	·03	-	-	-	-	·07	·14	29
30	·03		-	·04	-	·05	·02	-	·50	·05	·35	·21	30
31	·09		·50		-		-	-		·60		·10	31
TOTAL	3.69	·74	3·19	4·17	2·34	2·13	5·25	1·36	1·68	2·97	1·30	2·88	YEAR'S TOTAL 31·70
Days with ·01 in. or more	19	11	19	23	18	14	25	7	11	11	9	15	182
Days with ·04 in. or more	18	5	16	20	12	11	19	4	7	10	8	13	143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BRIDGEWATER

BLAKE GARDENS

SOMERSET

1911 — 1920

FORM A2. BRITISH RAINFALL. 7831 20 JAN 1912

R 1911

Negretti & Zambra

Kept at Blak

of top 5 in.

in the County of S

top above Ground 3 ft. 1 in.

" ~~Sea Level~~ Ord Dat 27.05 ft.

n 9 am

by Bridgwat

tation Name Bridgwater

Distance Direction

IMPORTANT NO n., and the result entered to the previous day. If an st universal rule, he is earnestly requested to add the reading at 9 a.m. wing year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·07			·01		1
2				·08	·18			·18		·33	·23	·13	2
3			·03	·15	·23				·01		·03		3
4			·17							·03	·12	·22	4
5	·01		·08					·58		·03	·14	·05	5
6	·26		·15								·08	·30	6
7											·45		7
8	·03		·04									·45	8
9	·01										·13	·43	9
10	·14	·05	·18		·77						·06	·16	10
11	·27				·14				·04		·47	·17	11
12			·72		·06			·10	·25		·12	·25	12
13			·12							·06	·02	·43	13
14		·09								·02		1·14	14
15		·03				·04				~~·003~~ ·01	·24	·03	15
16						·20					·39	·13	16
17			·03			·12				·02	·04	·25	17
18		·24	·11	·17		·08				·03	·03	·23	18
19		·09	·18	·11	·15	·20			·28	·14	·19	·38	19
20	·03	·07		·04					·16	·09		·45	20
21		·15			·03			·04	·04	·44		·15	21
22		·01	·07			·04			·04	·41		·71	22
23		·12	·03	·03		·25			·11	·10	·06	·07	23
24		·20				·52		·14		·42		·11	24
25		·15		·06		·13	·16	·04	·02	·04		·06	25
26		·11		·18			·28	·01		·23	·06	·29	26
27		·25	·07	·06				·07	·14	·02	·03	·14	27
28		·24		·40				·08			·05	—	28
29		X		·40		·20	·14		·07	·21			29
30		X				·02				·20	·07		30
31		X		X		X			X	·14	X		31
Total	·75	1·80	1·98	1·68	1·56	1·80	·58	1·31	1·16	2·97	3·02	~~6·73~~ 6·73	TOTAL for year 25·34
No. of Rain Days.	~~7~~ 5	~~14~~	~~14~~	~~11~~	~~7~~	~~11~~	~~3~~	~~10~~	~~11~~	~~20~~ 7	~~22~~	~~24~~	~~154~~

W. 8,000, X. '11.

7081

FORM A2. BRITISH RAINFALL.

20 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Blake Gardens Bridgwater

in the County of Somerset 3

by Bridgwater Town Council

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 3 ft. 1 in.
" " " ~~Sea Level~~ Ord Dat 27·05 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bridgwater
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·07			·01		1
2				·08	·18			·18		·33	·23	·13	2
3			·03	·15	·23				·01		·03		3
4			·17							·03	·12	·22	4
5	·01		·08					·58		·03	·14	·05	5
6	·26¼		·15								·08	·30	6
7											·45		7
8	·03		·04									·45	8
9	·01¼										·13	·43	9
10	·14	·05	·18		·77						·06	·16	10
11	·27				·14				·04		·47	·17	11
12			·72		·06			·10	·25		·12	·25	12
13			·12							·06	·02	·43	13
14		·09								·02		1·14	14
15		·03				·04				~~·005~~ ·01	·24	·03	15
16						·20					·39	·13	16
17			·03			·12				·02	·04	·25	17
18		·24	·11	·17		·08				·03	·03	·23	18
19		·09	·18	·11	·15	·20			·28	·14	·19	·38	19
20	·03	·07		·04					·16	·09		·45	20
21		·15			·03			·04	·04	·44		·15	21
22		·01	·07			·04			·04	·41		·71	22
23		·12	·03	·03		·25			·11	·10	·06	·07	23
24		·20				·52		·14		·42		·11	24
25		·15		·06		·13	·16	·04	·02	·04		·06	25
26		·11		·18			·28	·01		·23	·06	·29	26
27		·25	·07	·06				·07	·14	·02	·03	·14	27
28		·24		·40				·08			·05	—	28
29		X		·40		·20	·14		·07	·21			29
30		X				·02				·20	·07		30
31		X		X		X			X	·14	X		31
Total	·75	1·80	1·98	1·68	1·56	1·80	·58	1·31	1·16	2·97	3·02	~~6·73~~ 6·73	TOTAL for year 25·34
No. of Rain Days.	5 ~~7~~	~~14~~	~~14~~	~~11~~	~~7~~	~~11~~	~~3~~	~~10~~	~~11~~	7 ~~20~~	~~22~~	~~24~~	~~[illegible]~~

W. 8,000, X. '11.

208

BRITISH RAINFALL FORM A.

7 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Blake Gardens Bridgwater
in the County of Somerset 3
by Bridgwater Town Council.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bridgwater
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. 1 in.
" " " " ~~Sea Level~~ O.D. 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13		·02	·15		·15	·04	·86		·27	1
2			·07	·04		·44	·26				·06		2
3			·11			·15	·02	·50			·03		3
4	·17		·61		·01	·19					·47		4
5	·52	·10	·29		·01	·14		·40	·02			·11	5
6	·50	·14			·15	·18	·09	·16				·06	6
7	·03	·20	·08		·06	1·04		·53				·21	7
8	·35	·12	·18	·03		·16	·05					·02	8
9		·02		·12		·04		·04				·14	9
10	·09	·10						·05			·07	·15	10
11	·08	·04									·06	·40	11
12		·35	·06	·08	·02		·04					·03	12
13								·80		·02		·27	13
14	·08		·62		·16			·06					14
15	·11		·04		·46	·55							15
16	·42	·04	·12		·12	·03		·24		·02	·15	·09	16
17	·21		·17			·02		·69					17
18	·40		·18					·04			·03	·20	18
19	·02	·02	·08			·01	·24	·09				·02	19
20		·02	·48		·26			·30		·49			20
21	·05	·03	·25		·46		·07	·03		·09			21
22	·43	·16	·11		1·28		·08	·21		·10		·04	22
23	·35	·75	·18					·82		·21	·07	·23	23
24	·14	·01				·31				·09		·13	24
25						·12		·60		·12	·27	·47	25
26		·02					·02	·10		·30	·36	·36	26
27						·30	·70			·73	·10	·22	27
28		·09				·01	·14	·33	·18	·29	·74	·67	28
29		·29	·02			·12	·20	·08	·56	·42		·04	29
30		X	·01			·15	·20		·14	·43			30
31		X	·32	X	·01	X	·19		X	·01	X	·04	31
Total	3·95	2·50	4·11	·27	3·02	4·11	2·30	6·22	·94	4·18	2·41	4·17	YEAR'S TOTAL 38·18
Rain Days.	~~17~~	~~18~~	~~21~~	~~4~~	~~13~~	~~19~~	~~14~~	~~21~~	~~5~~	~~15~~	~~12~~	~~22~~	~~181~~

W. 7,500, XI. 12

Ex D.S.

7081

BRITISH RAINFALL. FORM A.

29 JAN 1914

REGISTER OF RAINFALL IN 1913

3

Kept at Blake Gardens, Bridgwater

in the County of Somerset.

by Bridgwater Town Council

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bridgwater

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. 1 in.

" " " " Sea Level Ord Datum 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·13	·14	·03	·16				·19	·02	·08	·72	1
2	·09	·21	·02	·08	·13		·02		·06	·02	·05		2
3	·10		·09		·34				·03			·19	3
4	1·09		·06		·25				·35	·05	·01	·18	4
5		·02			·22	15			·62		·05	·28	5
6	·03	·05	·08		·04	14	·24			1·75	·10	·37	6
7		·22	·02		·40	15	13			·22	·18		7
8		·04			19		02			·15		·02	8
9		·03		·04	·05	·03		·64			18		9
10	·24				·04					·25	34		10
11	·75	·02		·16	21	·02		·04			·80		11
12	·03				·27					·01	·35		12
13	·11							·10	·33		·08		13
14	·17		·16								·40		14
15	·13	·02	·44	·41					·11		·05	·02	15
16	·17		·60	·12		·01		·05	·26				16
17	·04		·04	·02									17
18	·16		·17	·06		·03					·03		18
19	·42		·08	·04		·19			·36	·03			19
20	·30		·16	·11						·05	·05		20
21			·19	·18	·08						·26		21
22	·80		·65	·06		·06			·18				22
23	·03		·01								·05	·54	23
24	·01			·04				·07					24
25				·15					·02			·01	25
26		·04		·29								·23	26
27	·17		·18	·24				·11		11		·05	27
28	·17		·02	·18						·49		·03	28
29	·07	X	·44	·21	·02			19		·13			29
30	·22	X		·04						·39			30
31	·22	X	·05	X	·13	X		·75	X		X		31
Total	5·52	·78	3·60	2·46	2·53	·78	·41	1·95	2·51	3·67	3·06	2·64	YEAR'S TOTAL 29·91
Rain Days.	~~23~~	~~10~~	~~20~~	~~19~~	~~13~~	~~9~~	~~4~~	~~8~~	~~11~~	~~12~~	~~17~~	~~12~~	~~162~~

W.7,000, XI. 13

Ex Dl

2081

FORM A.
BRITISH RAINFALL.
29 JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Blake Gardens Bridgwater

in the County of Somerset. 3

by Bridgwater Town Council.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bridgwater

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. 1 in.

" " " " Old Datum ~~Sea Level~~ 27. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·05			·19	·46			·10	·08	1
2				·12			·51	·02			·44	·33	2
3			·25	·18	·20			·29			·20	·04	3
4	·20		·02	·19	·08		·11	·19			·53	·63	4
5	·16		·23	·18	·07						·04	·08	5
6		·07	·02	·20	·03		·31	·03			·21	·13	6
7		·35	·08	·17	·07	·15		·03	·03			·15	7
8	·02		·82	·02	·06	·57	·20	·02	·02				8
9		·03	·35	·09	·04	·88		·05	·72				9
10	·07	·12	·05	·09	·05	·02			·47		·08		10
11		·05	·39		·09	·24	·21		·30		·02	·54	11
12		·21	·06						·20	·03		·33	12
13		·25	·32				·04		·10	·27	·59	·24	13
14		·20	·31			·05		·42	·01	·11	·22		14
15			·13				·19	·28	·07	·02	·21	·03	15
16			·01				·07		10				16
17		·17	·25										17
18		·02	·02				·16		·06			·48	18
19		·07	·39				·94		·01		·06	·28	19
20		·25	·07									·23	20
21		·69				·06				·29		·20	21
22					·14	·20	·07	·05		·17		·03	22
23		·08	·17			·04	·02			·18			23
24			·03				·10			·15	·05	·04	24
25	·12		·16				·30	·48		·25	·01	·25	25
26		·04	·14				·30	·09		·05	·14	·34	26
27	·03									·40	·19	·20	27
28		·07	·12		·04					·12	·13	·98	28
29	·04		·04		·16		·02			·08	·33	·02	29
30			·03			·12				·23	·24	·48	30
31					·02		·26			·61		·45	31
Total	64	2.67	4.47	1.29	1.05	2.33	4.00	2.41	2.09	2.96	3.79	6.56	YEAR'S TOTAL 34.26
Rain Days.	~~7~~	~~16~~	~~26~~	~~10~~	~~13~~	~~10~~	~~18~~	~~13~~	~~12~~	~~15~~	~~19~~	~~24~~	~~183~~

W. 8,000. X. 14.

6x 11 x

2190
~~2081~~

FORM A.
BRITISH RAINFALL.

5. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Blake Gardens, Bridgwater.

in the County of Somerset.

by Bridgwater Town Council.

3

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bridgwater.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 1 in.

" " " " Ord Datum ~~Sea Level~~ 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.11			.05			.22	.20			.10	1
2	.14	.25	.10	.05	.15	.03		.22	.10	.32		.75	2
3	.05	.07	.02	.11	.06					.10		.40	3
4	.02						.10					.25	4
5	.09	.43						.09				.31	5
6	.41	.08		.15			.44	.01				.14	6
7	.28	.38		.05			.10					.26	7
8	.31	.38						.12				.05	8
9				.06			.01	.16			.35	.78	9
10	.18	.13	.04	.06		.38		.17		.07		.03	10
11	.04	.23	.07	.01			.04			.13	.85	.05	11
12	.25	.44		.09	.61			.45		.04	.18		12
13	.02	.40			.84			.08	.09		.18	.05	13
14	.03						.06	.12	.03	.01		.52	14
15	.21	.02			.22		.16				.25	.07	15
16		.40			.10		.63					.03	16
17		.14			.60		.01					.02	17
18		.19	.03		.02								18
19					.06		.18						19
20	.14			.06						.04		.05	20
21	.12	.10				.01	.02			.11		.08	21
22	.06	.13	.42	.08		.02	.17		.03	.01		.13	22
23		.02	.20				.24		.06	1.22		.44	23
24				.03			.17		.06	.45		.37	24
25			.06			.62	.38					.26	25
26		.04					.03					.45	26
27		.04				.05				.53			27
28		.10				.02			.67	.20			28
29		×				.19		.03			.04	.04	29
30	.12	×				.29				.75	.16	.25	30
31		×		×		×	.06		×	.59	×	.20	31
Total	2.70	4.08	.94	.75	2.71	1.61	2.80	1.67	1.24	4.57	2.01	6.08	YEAR'S TOTAL 31.16
Rain Days.	~~18~~	~~21~~	~~8~~	~~11~~	~~10~~	~~9~~	~~17~~	~~11~~	~~8~~	~~15~~	~~7~~	~~26~~	~~161~~ ~~159~~

W. 8,000. X. 15.

Exc DL

REGISTER OF RAINFALL IN 1916.

2081

2425

FORM A. BRITISH RAINFALL.

21 JAN 1917

Kept at Blake Gardens, Bridgwater.

in the County of Somerset.

by Bridgwater Town Council.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Bridgwater

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ 3 ft. 15½ in.

" " " " Ord Datum Sea Level ~~102.4~~ 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11				.65	.04	.39		.07	.33	.09		1
2	.32	.03			.01		.02			.41	.19		2
3		.76			.23		.03		.09	.30	.20		3
4	.19	.16		.01	.13	.19	.01			.04	.66		4
5	.05		.06		.42	.71			.12	.02	.39		5
6		.22			.25	.05	.30			.04	.26		6
7	.03	.07	.14		.05	.09	.09				.81	.20	7
8		.24	.03		.30	.16					.31	.10	8
9		.13			.15	.09	.02			.06	.16	.07	9
10		.39		.07	.05	.02	.03			.01		.16	10
11				.25									11
12	.02	.03	.06		.20		.01			.02			12
13		.29	.27	.03	.02			.34					13
14		.46			.05			.07		.11			14
15		.11	.09	.04	.02								15
16	.07	.13		.19			.06	.83		.08			16
17	.05	.23		.04				.03	.24	.34	.27		17
18		.10	.30	.04					.09	.09	.04	.05	18
19	.09		.74	.08							.18		19
20	.13	.28	.35								.04	1.05	20
21	.09	.12	.25		.09							.29	21
22	.02		.01	.01		.10				.29	.02	.71	22
23	.04	.05	.05	.02		.05		.25		.19	.05	.12	23
24		.22	.15		.91	.08		.05		.95		.28	24
25		.34	.03					.27	.04		.07	.02	25
26		.11	1.10			.27		.10	.93	.59	.02		26
27	.03	.12				.06		.24	.25	.25		.02	27
28		.22		.03	.06				.15	.23		.09	28
29		.67				.15		1.51	.37	.24		.18	29
30										.08			30
31								.02		.10		.12	31
Total	1.24	5.48	3.63	.81	3.59	2.06	.96	3.71	2.35	4.77	3.76	3.46	YEAR'S TOTAL 35.82
Rain Days.	~~14~~	~~24~~	~~15~~	~~12~~	~~17~~	~~14~~	~~10~~	~~11~~	~~10~~	~~22~~	~~17~~	~~15~~	~~181~~

W. 8,000, VIII. 16

2081

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Blake Gardens. Bridgwater

in the County of Somerset

by Bridgwater Town Council

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Bridgwater

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 1 in.

" " " " Ordnance ~~Sea~~ Level Datum 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil.

Date	Jan. 0	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·26	·31 snow		·12		·63	·05		·02		1
2	·02			·04		·04		·02	·02		·01		2
3				·07			·82			·33	·09		3
4		·15 snow	·17				·06	·05	·01	·25		·02	4
5	·15		·30	·13		·07			·17	·15	·12		5
6			·05								·25		6
7	·15						·54	·25		·26	·05		7
8	·01		·14 snow	·08		·20	·21	·30	·07	·34	·09	·06	8
9			·03	·04			·02	·29	·02	·31	·06		9
10	·17			·16				·19					10
11	·05		1·47	·48 snow				·09	·27	·15	·09		11
12	·03		·01		·54			·49		·38			12
13			·18	·03		·03		·24	·10				13
14			·02	·05				·46	·04				14
15				·05			·18			·08		·15	15
16		·14		·02			·15			·17		·09	16
17		·02		·05	·07		·27	·02	·30	·08			17
18		·04			·01	·03	·17		49				18
19	·02	·40	·04			·13		·01	·09				19
20		·04	·04		·38	·08		·76	·04		·01		20
21			·23			·06			·01	·01			21
22			·02					·17		·05			22
23		·16			·08			·27		·05		·05	23
24		·02				·21	·10	·03		·08	·01		24
25		·08	·03						·03	·28	·02		25
26			·06		·57	·01		·37	·04	·07			26
27					·58	·28		·62		·08	·02		27
28		·01	·05		·07	4·45		·30				·03	28
29		×	·15			·29	·05			·29			29
30		×	·07				·16	·06		·14	·01		30
31		×	·04	×		×		·01	×	·15	×	·01	31
Total	·62	1·06	3·36	1·51	2·30	6·00	2·73	5·63	1·75	3·70	·85	·41	YEAR'S TOTAL 29·92
Rain Days.	~~9~~	~~10~~	~~20~~	~~15~~	~~8~~	~~14~~	~~12~~	~~22~~	~~16~~	~~21~~	~~14~~	~~7~~	~~166.~~

W. 8,000, IX. 17.

115 2081

FORM A. BRITISH RAINFALL 7. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Blake Gardens Bridgwater.

in the County of Somerset.

by Town Council

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station G.W.R. & S. Dorset. Bridgwate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 1 in.

„ „ „ Sea Level 297 ft. Ordnance Datum

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·05	·15			·60		·03	·75		1
2		·05		·11				·31	·07	·02	·05	·07	2
3		·04		·07	·10			·02	·03	·04	≠		3
4		·08						·02	·06	·02	·40	·14	4
5			·01	·03	·20			·25	·22	·16	·07	·03	5
6	·17	·15		·18				·07		·13		·05	6
7		·24		·03	·36	·06			·46	·16	·25		7
8	·02	·03							·24	·28	·02	·04	8
9	·01	·16		·16		·13	·21		·39			·16	9
10				·20			·53		·16	·14		·33	10
11			·08				·44		·23	·20	·04	·07	11
12		·05	·10		·15		·02		·10	~~06~~			12
13	·32	·01			·08		·10		·32	·06		·25	13
14	·22		·03			·05	·29		·23	·13		·68	14
15	1·46			·38	·14	·24	·36			·11		·15	15
16	·57		·04	·50		·04	·02		·14	·06		·14	16
17	·24			·11			·38	·05	·03			·15	17
18	·85		·03			·60	·10		·34	·09		·20	18
19	·11	·04	·11	·04			·07		·02	·03		·07	19
20	·04	·09		·12		·01	·52		·08	·02			20
21	·02			·02			·07		·58	·04		·19	21
22	·01				·13		·16		·22	·07		·29	22
23	·02				·27		·35		·07			·04	23
24		·09					·11		·07		·05		24
25				·06	·05		·21	·97		·02	·07		25
26				·01			·74		·11	·02	·04	·10	26
27		·11	·04				·12	·17	·17		·21		27
28		·05	·14								·01	·04	28
29		X	·04						1·17	·10		·05	29
30		X	·18					·02	·06	·02	·11	·06	30
31		X	·15	X		X		·01	X		X		31
Total	4·06	1·23	·95	2·07	1·63	1·13	4·80	2·49	5·56	1·95	2·07	3·30	YEAR'S TOTAL 31·24
Rain Days.	~~14~~	~~15~~	~~12~~	~~16~~	~~10~~	~~4~~	~~19~~	~~11~~	~~25~~	~~23~~	~~13~~	~~22~~	~~18~~

W, 6,500, VII. 18. w w c

B+Rl

1903
2081

15 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Blake Gardens, Bridgwater.
in the County of Somerset.
by The Bridgwater Town Council.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station G.W.R & S.D. Rly. B.Water
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft 1 in.
" " " " Sea Level ft. Ordnance Datum 27 feet.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	-	·05	·03	·05	-	;92	-	.02	·21	-	1·00	1
2	·09	-	-	-	·04	-	·12	-	-	-	·02	·18	2
3	.47	-	.26	-	.11	-	-	-	.16	-	.12	.32	3
4	.54	.34	,32	-	-	-	.10	.06	.12	-	-	.03	4
5	.07	.36	.79	-	-	.10	.11	-	.39	-	.02	.23	5
6	.90	.26	.05	-	-	-	-	-	-	-	-	.17	6
7	.41	-	.19	.08	-	-	-	-	-	-	-	.09	7
8	.10	-	.27	-	-	.05	-	-	-	-	-	-	8
9	.25	-	,01	.06	.08	-	-	-	-	-	.32	-	9
10	.05	-	.10	.03	.09	-	-	-	-	.13	-	.18	10
11	.-	-	.21	.08	.06	.08	.16	-	-	-	-	.35	11
12	.10	-	.11	-	-	-	-	-	-	.19	.11	.04	12
13	.01	-	.03	.21	-	-	.10	-	-	.15	-	.04	13
14	.34	.08	-	.64	-	-	.11	-	-	.08	-	.11	14
15	.18	.09	-	.04	-	-	-	-	.06	.05	-	.18	15
16	.06	.82	-	-	-	-	-	.06	-	-	.12	-	16
17	.01	.40	;40	-	-	-	-	.23	-	-	.25	-	17
18	.08	-	-	-	-	-	.10	.26	.02	-	.09	-	18
19	.40	.19	.19	-	-	.07	.63	.29	.34	-	.12	.10	19
20	.58	.02	.62	-	-	.21	-	.26	.01	-	-	.04	20
21	.04	.71	.71	-	-	-	.42	-	.03	-	-	.05	21
22	-	.03	.03	-	-	-	.10	-	.06	-	-	.04	22
23	-	-	-	-	-	.02	-	-	-	1.00	-	-	23
24	-	-	-	.08	-	.22	-	-	-	1.10	.06	.37	24
25	.10	.04	-	-	-	.06	-	.48	-	-	.07	.07	25
26	.03	-	.08	.04	-	-	-	.26	.14	-	-	.28	26
27	.15	-	.10	.25	-	.03	.02	.70	-	-	-	.10	27
28	.02	-	.45	-	-	-	-	.18	-	-	.21	.27	28
29	.02		-	.13	-	-	-	.14	-	.11	-	.05	29
30	-		.03	.10	-	.28	-	.35	-	-	.23	.36	30
31	.01		-		-		.02	-		-		.41	31
Total	5.48	3.34	4.40	1.77	.43	1.12	2.91	3.27	1.35	3.02	1.74	5.06	Year's Total 33.89
Days with ·01 in. or more	~~26~~	~~12~~	~~21~~	~~13~~	~~6~~	~~10~~	~~13~~	~~12~~	~~11~~	~~9~~	~~13~~	~~25~~	[illegible]

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Good [illegible]

25 JAN 1921

1814
2081

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Blake Gardens. Bridgwater.
in the County of Somerset.
by Bridgwater Town Council.

Lat. Long.
Time of Observation 9 a.m. Bridgwater.
Nearest Railway Station G.W.R. & S & Dorset.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3ft 1 in.
" " " " Sea Level 27 ft. Ordnance Datum.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·33

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·15	·26	–	·17	–	·04	·10	·25	·53	1
2	·28	–	–	·14	–	–	·75	·31	·08	·05	–	·10	2
3	·10	·02	–	·05	·04	–	·07	–	–	·31	–	·03	3
4	–	–	·06	·08	–	–	·13	·41	–	·20	–	–	4
5	–	–	·17	·15	·03	–	·62	·03	–	·09	–	–	5
6	–	–	·14	–	–	–	·04	–	–	·13	·02	–	6
7	–	–	·04	·15	–	–	·26	–	–	–	–	–	7
8	·10	·12	–	·19	·07	–	·39	–	–	–	–	·02	8
9	·33	–	·02	·93	–	·21	·09	–	–	–	–	–	9
10	·85	·05	·02	–	–	·17	·29	–	–	–	–	–	10
11	·20	–	–	·34	·29	·02	·10	–	–	–	–	–	11
12	·14	·03	·07	·11	–	·12	·02	–	–	–	·07	–	12
13	·13	·04	·39	·02	–	·01	–	–	–	–	–	–	13
14	–	·02	·19	·61	–	–	·03	–	·14	·33	·29	·02	14
15	–	·09	·04	·22	·25	·11	–	–	–	·34	·04	–	15
16	–	–	–	–	·03	·22	·18	–	·14	·27	·04	–	16
17	–	–	–	·26	·17	–	–	–	·35	–	–	–	17
18	·06	·02	·02	·03	·02	·14	·04	·41	·17	–	–	–	18
19	–	·18	–	·20	–	·38	–	–	–	–	–	–	19
20	·09	·06	–	·15	–	·24	·01	–	–	–	–	·16	20
21	–	–	–	·06	–	–	·15	–	–	–	–	·19	21
22	–	–	–	·08	–	–	–	·07	–	–	–	·43	22
23	–	–	–	–	–	–	·35	·03	–	–	–	·32	23
24	·04	–	·12	–	·09	–	–	·02	–	–	–	·07	24
25	–	·07	·09	–	–	–	·32	–	–	–	–	·01	25
26	·13	–	·21	–	·20	·08	·09	–	–	–	–	·06	26
27	·14	·03	·08	·05	·02	·31	·15	–	–	–	·01	·23	27
28	·51	–	·10	·17	–	·01	·06	–	–	–	–	·02	28
29	·14	–	·27	–	–	·03	–	–	–	–	·05	·11	29
30	·03	╳	–	·10	·04	·05	·04	–	·40	–	·38	·23	30
31	·09	╳	·45	╳	–	╳	–	–	╳	·47	╳	·08	31
Total	3·36	·73	2·48	4·~~18~~ 24	1·51	2·10	4 [illegible]·35	1·28	1·32	2·29	1·15	2·61	Year's Total 27·~~36~~ 42
Days with ·01 in. or more	~~17~~	~~12~~	~~18~~	~~22~~	~~13~~	~~15~~	~~23~~	~~7~~	~~7~~	~~10~~	~~9~~	~~18~~ 17	17[illegible] ~~[illegible]~~
Days with ·04 in. or more	~~16~~	~~7~~	~~15~~	~~18~~ ~~20~~	~~9~~	~~11~~	~~20~~	~~4~~	~~7~~	~~10~~	~~7~~	~~18~~	138 ~~[illegible]~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

made

REGIS 13

BRIDGWATER
FORE ST
SOMERSET
1913 - 1914

FORM A.
BRITISH RAINFALL.

17 MAR 1914

Kept at 40. Fore St. ... Long. ...

... 9. A.M.

in the County of Some... ...tion Bridgwater

...uge five in.

by I. T. Rainfor... ...ge above Ground 1 ft. 3 in.

„ Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.14	0.16	0.04	0.19	0.00	0.00	0.00	0.19	0.03	0.10	0.72	1
2	0.11	0.21	0.00	0.10	0.16	0.00	0.03	0.00	0.06	0.03	0.06	0.00	2
3	0.12	0.00	0.10	0.00	0.29	0.00	0.00	0.00	0.03	0.00	0.00	0.19	3
4	1.08	0.00	0.07	0.00	0.22	0.00	0.00	0.00	0.33	0.04	0.03	0.22	4
5	0.00	0.03	0.00	0.00	0.23	0.17	0.00	0.00	0.57	0.01	0.05	0.28	5
6	0.03	0.07	0.10	0.00	0.09	0.16	0.24	0.00	0.00	1.70	0.10	0.32	6
7	0.00	0.22	0.00	0.00	0.44	0.14	0.14	0.00	0.00	0.26	0.18	0.00	7
8	0.02	0.06	0.00	0.00	0.12	0.00	0.03	0.14	0.00	0.16	0.00	0.02	8
9	0.00	0.03	0.00	0.05	0.06	0.04	0.00	0.52	0.00	0.00	0.20	0.00	9
10	0.25	0.00	0.00	0.00	0.04	0.00	0.00	0.02	0.00	0.26	0.30	0.00	10
11	0.75	0.03	0.00	0.16	0.24	0.03	0.00	0.00	0.00	0.02	0.76	0.00	11
12	0.00	0.02	0.00	0.00	0.27	0.00	0.03	0.00	0.00	0.00	0.34	0.00	12
13	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.32	0.00	0.09	0.00	13
14	0.17	0.00	0.19	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	14
15	0.14	0.00	0.45	0.47	0.00	0.00	0.00	0.00	0.12	0.00	0.05	0.00	15
16	0.18	0.00	0.60	0.05	0.00	0.02	0.00	0.07	0.22	0.00	0.00	0.00	16
17	0.05	0.00	0.09	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17
18	0.18	0.00	0.12	0.08	0.00	0.03	0.00	0.00	0.00	0.00	0.04	0.00	18
19	0.40	0.00	0.10	0.05	0.02	0.21	0.00	0.00	0.34	0.06	0.00	0.00	19
20	0.32	0.00	0.10	0.15	0.00	0.00	0.00	0.00	0.02	0.05	0.07	0.00	20
21	0.00	0.00	0.21	0.16	0.09	0.00	0.07	0.00	0.00	0.00	0.24	0.00	21
22	0.80	0.00	0.65	0.05	0.00	0.05	0.00	0.02	0.17	0.00	0.00	0.00	22
23	0.04	0.00	0.05	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.06	0.57	23
24	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	24
25	0.02	0.06	0.00	0.18	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.02	25
26	0.00	0.00	0.00	0.35	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.21	26
27	0.19	0.00	0.19	0.22	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.05	27
28	0.15	0.00	0.03	0.28	0.00	0.00	0.00	0.00	0.00	0.52	0.00	0.04	28
29	0.08		0.41	0.21	0.03	0.00	0.00	0.19	0.00	0.11	0.00	0.00	29
30	0.24		0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.40	0.00	0.00	30
31	0.14		0.04		0.12		0.00	0.81		0.00		0.00	31
Total	5.59	0.87	3.66	2.75	2.61	0.88	0.54	2.08	2.39	3.77	2.77	2.64	YEAR'S TOTAL 30.55 ✓
Rain Days.	23	10	18	20	16	10	6	10	12	15	17	11	168 ✓

W.7,000, XI. 13

made ✓

REGISTER OF RA 13

FORM A. BRITISH RAINFALL. 17 MAR 1914

Kept at 40. Fore St. Bridgwater.

in the County of Somersetshire. 3

by I. T. Rainforth.

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Bridgwater

Diameter of Rain-Gauge five in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.14	0.16	0.04	0.19	0.00	0.00	0.00	0.19	0.03	0.10	0.72	1
2	0.11	0.21	0.00	0.10	0.16	0.00	0.03	0.00	0.06	0.03	0.06	0.00	2
3	0.12	0.00	0.10	0.00	0.29	0.00	0.00	0.00	0.03	0.00	0.00	0.19	3
4	1.08	0.00	0.07	0.00	0.22	0.00	0.00	0.00	0.33	0.04	0.03	0.22	4
5	0.00	0.03	0.00	0.00	0.23	0.17	0.00	0.00	0.57	0.01	0.05	0.28	5
6	0.03	0.07	0.10	0.00	0.09	0.16	0.24	0.00	0.00	1.70	0.10	0.32	6
7	0.00	0.22	0.00	0.00	0.44	0.14	0.14	0.00	0.00	0.26	0.18	0.00	7
8	0.02	0.06	0.00	0.00	0.72	0.00	0.03	0.14	0.00	0.16	0.00	0.02	8
9	0.00	0.03	0.00	0.05	0.06	0.04	0.00	0.52	0.00	0.00	0.20	0.00	9
10	0.25	0.00	0.00	0.00	0.04	0.00	0.00	0.02	0.00	0.26	0.30	0.00	10
11	0.75	0.03	0.00	0.16	0.24	0.03	0.00	0.00	0.00	0.02	0.76	0.00	11
12	0.00	0.02	0.00	0.00	0.27	0.00	0.03	0.00	0.00	0.00	0.34	0.00	12
13	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.32	0.00	0.09	0.00	13
14	0.17	0.00	0.19	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	14
15	0.14	0.00	0.45	0.47	0.00	0.00	0.00	0.00	0.12	0.00	0.05	0.00	15
16	0.18	0.00	0.60	0.05	0.00	0.02	0.00	0.07	0.22	0.00	0.00	0.00	16
17	0.05	0.00	0.09	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17
18	0.18	0.00	0.12	0.08	0.00	0.03	0.00	0.00	0.00	0.60	0.04	0.00	18
19	0.40	0.00	0.10	0.05	0.02	0.21	0.00	0.00	0.34	0.06	0.00	0.00	19
20	0.32	0.00	0.10	0.15	0.00	0.00	0.00	0.00	0.02	0.05	0.07	0.00	20
21	0.00	0.00	0.21	0.16	0.09	0.00	0.07	0.00	0.00	0.00	0.24	0.00	21
22	0.80	0.00	0.65	0.05	0.00	0.05	0.00	0.02	0.17	0.00	0.00	0.00	22
23	0.04	0.00	0.05	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.06	0.57	23
24	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	24
25	0.02	0.06	0.00	0.18	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.02	25
26	0.00	0.00	0.00	0.35	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.21	26
27	0.19	0.00	0.19	0.22	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.05	27
28	0.15	0.00	0.03	0.28	0.00	0.00	0.00	0.00	0.00	0.52	0.00	0.04	28
29	0.08		0.41	0.21	0.03	0.00	0.00	0.19	0.00	0.11	0.00	0.00	29
30	0.24		0.00	0.05	0.00	0.06	0.00	0.00	0.00	0.40	0.00	0.00	30
31	0.14		0.04		0.12		0.00	0.81		0.00		0.00	31
Total	5.59	0.87	3.66	2.75	2.61	0.88	0.54	2.08	2.39	3.77	2.77	2.64	YEAR'S TOTAL 30.55 ✓
Rain Days.	23	10	18	20	16	10	6	10	12	15	17	11	168 ✓

and for Pr. W.D. 12.III.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 14 JAN 1915

Kept at 40. Fore Street, Bridgwater.
in the County of Somerset 3
by Mr. J. T. Rainforth.

Lat. 51° 10′ N Long. 3° W
Time of Observation 9 A.M.
Nearest Railway Station Bridgwater.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.01	~~0.08~~	0.07	—	0.06	0.21	0.27	—	—	0.17	0.09	1
2	—	—	—	0.12	0.02	—	0.49	0.46	—	—	0.34	0.34	2
3	—	—	—	0.19	0.20	—	—	0.30	—	—	—	0.06	3
4	—	—	0.28	0.15	0.09	—	0.12	—	—	—	0.69	0.64	4
5	0.21	—	—	0.19	0.09	—	0.02	0.22	—	—	—	0.08	5
6	0.17	—	0.23	0.17	0.05	—	0.31	0.05	—	—	0.13	0.13	6
7	—	0.07	0.03	0.19	0.10	0.10	0.22	0.04	0.03	—	—	0.14	7
8	0.04	0.36	0.09	0.02	0.09	0.58	—	0.07	0.04	—	—	—	8
9	—	—	0.85	0.11	0.09	0.86	—	0.06	0.74	—	—	—	9
10	—	—	0.31	0.10	0.04	0.03	—	—	0.41	—	0.07	—	10
11	0.09	0.13	0.06	—	0.10	0.25	0.22	—	0.32	—	0.03	0.63	11
12	—	0.06	0.39	—	—	—	—	—	0.18	0.05	—	0.50	12
13	—	0.21	0.06	—	—	—	0.05	—	0.12	0.27	0.58	0.05	13
14	—	0.25	0.32	—	—	0.04	—	0.43	0.09	0.11	0.33	—	14
15	—	0.21	0.32	—	—	—	—	0.26	0.11	—	0.14	—	15
16	—	—	0.13	—	—	—	0.12	—	—	—	—	—	16
17	—	—	0.27	—	—	—	—	—	0.06	—	—	0.47	17
18	—	0.17	0.02	—	—	—	0.17	—	—	—	—	0.46	18
19	—	0.03	0.35	—	—	—	0.99	—	—	—	0.06	0.04	19
20	—	0.07	0.07	—	—	0.02	—	—	—	0.34	—	0.21	20
21	—	0.26	0.10	—	—	0.08	—	—	—	0.11	—		21
22	—	0.73	—	—	0.14	0.20	0.08	0.06	—	0.16	—		22
23	—	—	0.18	—	0.02	—	0.03	—	—	0.30	—		23
24	—	0.09	0.04	—	0.01	—	0.10	0.07	—	0.04	0.06	0.77	24
25	—	—	0.17	—	—	—	0.32	0.34	—	0.24	—		25
26	0.12	—	0.15	—	—	—	0.30	0.10	—	0.06	0.04		26
27	—	0.04	0.12	—	—	—	—	—	—	0.50	—		27
28	0.02	—	0.07	—	0.05	—	—	—	—		0.13	0.91	28
29	0.01		0.05	—	0.16	—	0.04	—	—	0.08	0.31	—	29
30	0.05	X	0.04	—	—	0.21	—	—	—	0.23	0.24	0.47	30
31	— ·01	X ·08	—	X	0.03	X	—	—	X	0.64	X	0.26	31
Total	~~0.71~~ ·72	~~2.69~~ 2.76	~~4.78~~ 4.70	1.31	1.28	2.43	3.79	2.73	2.10	3.13	3.32	6.25	YEAR'S TOTAL 34.52
Rain Days.	8 9	15	~~26~~ 25	10	16	11	17	14	10	14	15	21	177

W. 8,000. X. 14.

BRIDGEWATER

KEENTHORNE HSE

SOMERSET

1914 - 1915

FORM A.
BRITISH RAINFALL.

20 APR 1915

REGIS 4

Kept at Keenthorne 7.a.m

in the County of Some Bridgewater

5 in.

by T. W. Cuff above Ground 1 ft. 0 in.

„ Sea Level 220 (c) ft.

IMPORTANT NOTE nd the result entered to the previous day. If an Obs niversal rule, he is earnestly requested to add the readi year in the space provided for it at the end of this paragraph. Full instructio rement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·0	·0	·13	·0	·12	·15	·27	·0	·0	·20	·8	1
2	·0	·0	·3	·4	·0	·0	·65	·1	·0	·0	·38	·51	2
3	·0	·0	·37	·22	·27	·0	·0	·51	·0	·0	·1	·13	3
4	·26	·0	·4	·32	·6	·0	·14	·30	·0	·0	·63	·64	4
5	·20	·0	·25	·18	·3	·0	·0	·2	·0	·0	·0	·6	5
6	·0	·6	·4	·22	·4	·0	·25	·3	·0	·0	·27	·19	6
7	·0	·41	·5	·15	·15	·13	·24	·4	·1	·0	·0	·9	7
8	·0	·0	·74	·2	·14	·59	·0	·2	·0	·0	·0	·0	8
9	·0	·2	·35	·8	·5	1·43	·0	·10	·95	·0	·0	·0	9
10	·15	·15	·3	·16	·12	·4	·0	·0	1·50	·0	·7	·3	10
11	·0	·7	·37	·0	·8	·26	·66	·0	·16	·0	·3	·66	11
12	·0	·26	·6	·0	·0	·0	·0	·0	·17	·6	·0	·75	12
13	·0	·23	·35	·0	·0	·0	·1	·0	·20	·27	·50	·17	13
14	·0	·18	·39	·0	·0	·7	·0	·49	·1	·11	·43	·0	14
15	·0	·0	·13	·0	·0	·0	·11	·43	·4	·1	·20	·0	15
16	·0	·0	·1	·0	·0	·0	·5	·0	·14	·0	·0	·2	16
17	·0	·14	·32	·0	·0	·0	·0	·0	·1	·0	·0	·49	17
18	·0	·6	·2	·0	·0	·0	·7	·0	·6	·0	·0	·35	18
19	·0	·7	·35	·0	·0	·0	1·26	·0	·2	·0	·0	·8	19
20	·0	·20	·12	·0	·0	·0	·0	·0	·0	·0	·6	·32	20
21	·0	·70	·0	·0	·0	·27	·0	·0	·0	·24	·0	·6	21
22	·0	·0	·0	·0	·11	·8	·4	·7	·0	·16	·0	·0	22
23	·0	·4	·15	·0	·0	·0	·0	·0	·0	·32	·0	·0	23
24	·0	·0	·5	·0	·6	·0	·10	·11	·0	·7	·10	·0	24
25	·10	·0	·25	·0	·0	·0	·42	·38	·0	·25	·2	·17	25
26	·0	·0	·20	·0	·0	·0	·42	·1	·0	·2	·20	·45	26
27	·0	·0	·0	·0	·0	·0	·0	·0	·0	·51	·20	·21	27
28	·0	·8	·17	·0	·6	·0	·0	·0	·0	·11	·12	1·5	28
29	·7		·15	·0	·12	·0	·0	·0	·0	·11	·41	·4	29
30	·0		·6	·0	·0	·0	·0	·0	·0	·29	·33	·63	30
31	·0		·0		·4		·25	·0		·79		·40	31
Total	·78	2·67	5·05	1·52	1·33	2·99	4·82	2·79	3·27	3·32	4·16	7·58	YEAR'S TOTAL 40·28
Rain Days.	5	15	26	10	14	9	16	15	12	15	18	24	179

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

20 APR 1915

REGISTER OF RAINFALL IN 1914

Kept at Keenthorne House Fiddington

in the County of Somerset. 3

by T. W. Cuffe

Lat. ________ Long. ________

Time of Observation 9 a.m

Nearest Railway Station Bridgewater

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 220 (c) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·0	·13	·0	·12	·15	·27	·0	·0	·20	·8	1
2	·0	·0	·3	·4	·0	·0	·65	·1	·0	·0	·38	·51	2
3	·0	·0	·37	·22	·27	·0	·0	·51	·0	·0	·1	·13	3
4	·26	·0	·4	·32	·6	·0	·14	·30	·0	·0	·63	·64	4
5	·20	·0	·25	·18	·3	·0	·0	·2	·0	·0	·0	·6	5
6	·0	·6	·4	·22	·4	·0	·25	·3	·0	·0	·27	·19	6
7	·0	·41	·5	·15	·15	·13	·24	·4	·1	·0	·0	·9	7
8	·0	·0	·74	·2	·14	·59	·0	·2	·0	·0	·0	·0	8
9	·0	·2	·35	·8	·5	1·43	·0	·10	·95	·0	·0	·0	9
10	·15	·15	·3	·16	·12	·4	·0	·0	1·50	·0	·7	·3	10
11	·0	·7	·37	·0	·8	·26	·66	·0	·16	·0	·3	·66	11
12	·0	·26	·6	·0	·0	·0	·0	·0	·17	·6	·0	·75	12
13	·0	·23	·35	·0	·0	·0	·1	·0	·20	·27	·50	·17	13
14	·0	·18	·39	·0	·0	·7	·0	·49	·1	·11	·43	·0	14
15	·0	·0	·13	·0	·0	·0	·11	·43	·4	·1	·20	·0	15
16	·0	·0	·1	·0	·0	·0	·5	·0	·14	·0	·0	·2	16
17	·0	·14	·32	·0	·0	·0	·0	·0	·1	·0	·0	·49	17
18	·0	·6	·2	·0	·0	·0	·7	·0	·6	·0	·0	·35	18
19	·0	·7	·35	·0	·0	·0	1·26	·0	·2	·0	·0	·8	19
20	·0	·20	·12	·0	·0	·0	·0	·0	·0	·0	·6	·32	20
21	·0	·70	·0	·0	·0	·27	·0	·0	·0	·24	·0	·6	21
22	·0	·0	·0	·0	·11	·8	·4	·7	·0	·16	·0	·0	22
23	·0	·4	·15	·0	·0	·0	·0	·0	·0	·32	·0	·0	23
24	·0	·0	·5	·0	·6	·0	·10	·11	·0	·7	·10	·0	24
25	·10	·0	·25	·0	·0	·0	·42	·38	·0	·25	·2	·17	25
26	·0	·0	·20	·0	·0	·0	·42	·1	·0	·2	·20	·45	26
27	·0	·0	·0	·0	·0	·0	·0	·0	·0	·51	·20	·21	27
28	·0	·8	·17	·0	·6	·0	·0	·0	·0	·11	·12	1·5	28
29	·7		·15	·0	·12	·0	·0	·0	·0	·11	·41	·4	29
30	·0	×	·6	·0	·0	·0	·0	·0	·0	·29	·33	·63	30
31	·0	×	·0	×	·4	×	·25	·0	×	·79	×	·40	31
Total	·78	2·67	5·05	1·52	1·33	2·99	4·82	2·79	3·27	3·32	4·16	7·58	YEAR'S TOTAL 40·28
Rain Days.	5	15	26	10	14	9	16	15	12	15	18	24	179

W. 8,000. X. 14.

Ex ML

2193

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

18 JAN 1916

Kept at Newthorne House Fiddington
in the County of Somerset
by F W Cuff

3

Lat. 51 N Long.
Time of Observation 9 am
Nearest Railway Station Bridgwater
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24	7	0	0	4	0	0	37	18	32	0	12	1
2	15	25	8	7	0	3	0	25	13	8	0	63	2
3	5	12	4	11	21	0	0	0	0	0	0	38	3
4	3	4	0	0	4	0	4	0	0	0	0	33	4
5	13	50	0	8	0	0	0	9	0	0	0	41	5
6	37	8	0	20	0	0	65	1	0	0	0	21	6
7	35	40	0	5	2	0	14	0	0	0	0	35	7
8	37	20	0	0	0	0	0	12	0	0	0	6	8
9	0	10	0	9	0	0	0	10	0	0	33	72	9
10	10	10	3	8	0	2	0	12	0	14	4	9	10
11	4	25	5	0	0	0	5	18	0	0	91	9	11
12	21	62	0	14	67	0	0	58	0	6	16	0	12
13	0	64	0	0	94	0	0	0	7	0	15	6	13
14	1	2	0	0	0	0	21	6	7	1	0	46	14
15	25	3	0	0	22	0	19	0	0	0	21	12	15
16	1	67	0	0	13	0	66	0	1	0	0	2	16
17	0	26	0	0	40	0	0	0	0	0	0	0	17
18	0	24	0	0	2	0	0	0	0	0	0	0	18
19	0	2	0	0	11	0	20	0	0	0	0	0	19
20	25	0	0	6	0	2	0	0	0	3	0	9	20
21	11	7	0	0	0	0	15	0	0	10	0	11	21
22	5	11	33	7	0	10	63	0	4	1	0	23	22
23	0	3	19	0	0	5	35	0	1	·96	0	42	23
24	0	0	0	3	0	0	9	0	8	38	0	41	24
25	0	0	4	0	0	70	26	0	0	3	0	16	25
26	0	0	0	0	0	0	0	0	0	0	0	54	26
27	0	8	0	0	0	4	6	0	0	48	0	0	27
28	2	12	0	0	0	0	0	0	61	16	0	0	28
29	0		0	0	0	9	8	8	0	0	5	9	29
30	14		0	0	0	10	0	0	0	68	20	28	30
31	0		0		0		5	0		66		20	31
Total	2.86	5.02	·76	·98	2.80	1.15	3.81	1.96	1.20	4.10	2.05	6.58	YEAR'S TOTAL 33·29
Rain Days.	18	24	7	11	11	9	16	11	9	15	8	25	16~~5~~4

W. 8,000. X. 14.

BRISTOL
CORONATION RD
SOMERSET
1911 - 1915

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGIS 911

Kept at 116 Coronatio

in the County of Some

by H. C. Martin

p 5 in.

bove Ground 1 ft. – in.

„ Sea Level 50 ft.

9 am

on { Name Bedminster (GWR)
Distance 1100 yds Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		.03	·08			~~·12~~	·12	from Aug 17 inclusive		.06	Guage not examined between Dec 1 & 6th	1
2				·15	.24		~~·21~~	·21		·03	·36		2
3			·05		·39		~~·01~~	·01			·09		3
4				·02					·59	·02	·30		4
5	·08						~~·29~~	·29			·32		5
6							~~·12~~	·12		·01	·10	·96	6
7	·28										·50		7
8	·21		·41								·06	·41	8
9	·27		·01								·09	·40	9
10	·05	·06	·33		·02						01	·20	10
11	·36	·04	·03								·83	·26	11
12			·63		·16				·06		·57	·14	12
13			·05		·31				·58	·22	·01	·39	13
14		·03								·01		·87	14
15						·03				·01	·25	·10	15
16		·09				·15					·37		16
17		·05				·02		Guage not examined between Aug 17 and Sept 4th owing to absence			·06	·52	17
18		·27	.05	·17		·33			~~·23~~	·03	·03	·34	18
19		·08		·09		·03			·23	·10	·02	·22	19
20	·01	·03	·14	·14					·14	·09		·39	20
21	~~·01~~	·15	·01			Guage not examined between June 21st & 25th			·03	·40		·40	21
22		·03	·40	·04						·21		·49	22
23	·01	·16	·31						·06	·09	·01	·22	23
24	·01	08								·36		·14	24
25	·01		·01	·12		1.80			·01	·02		~~·26~~ 14	25
26		29		·26	·03	·02	·10			·54	·07	·26	26
27		·34	·09	03					·10		·03	·11	27
28		·46		·52		·01					05	·01	28
29				·07		·45			·08	·15			29
30				·03		·04				·23		·01	30
31							·01			·36			31
Total	1·30	2·16	2.55	1.72	1·15	~~2.88~~ 2·88	·11	2·63 75	188	2.88	4·19	6.98	TOTAL for year 28·55
No. of Rain Days.	12(?)	16(?)	15	13	6		2		9	18	22		

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

Form A2.
British Rainfall.
11 JAN 1912

Kept at 116 Coronation Road Bristol
in the County of Somerset
by H. C. Martin

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 50 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bedminster (GWR)
Distance 1100 yds Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		.03	·08			~~.12~~	·12	from Aug 17 inclusive		.06	Guage not examined between Dec 1 & 6th	1
2				·15	.24		~~.21~~	·21		·03	·36		2
3			.05		·39		~~.01~~	·01			·09		3
4				·02					·59	·02	·30		4
5	·08						~~.29~~	·29	·		·32		5
6							~~.12~~	·12		·01	·10	·96	6
7	·28										·50		7
8	·21		·41								·06	·41	8
9	·27		·01								·09	·40	9
10	·05	·06	·33		·02						01	·20	10
11	·36	·04	·03								·83	·26	11
12			·63		·16				·06		·57	·14	12
13			·05		·31				·58	·22	·01	·39	13
14		·03								·01		·87	14
15						·03				·01	·25	·10	15
16		·09				·15					·37		16
17		·05				·02		Guage not examined between Aug 17 and Sept 4th owing to absence			·06	·52	17
18		·27	·05	·17		·33			~~.23~~	·03	·03	·34	18
19		·08		·09		·03			·23	·10	·02	·22	19
20	·01	·03	·14	·14					·14	·09		·39	20
21	~~.01~~	·15	·01			Guage not examined between June 21st & 25th			·03	·40		·40	21
22		·03	·40	·04						·21		·49	22
23	·01	·16	·31						·06	·09	·01	·22	23
24	·01	·08								·36		·14	24
25	·01		·01	·12		1.80			·01	·02		14 ~~.26~~	25
26		29		·26	·03	·02	·10			·54	·07	·26	26
27		·34	·09	·03					·10		·03	·11	27
28		·46		·52		·01					05	·01	28
29				·07		·45			·08	·15			29
30				·03		·04				·23		·01	30
31							·01			·36			31
Total	1·30	2·16	2.55	1.72	1·15	~~2.88~~	·11		2·63	2·88	4·19	6.98	TOTAL for year 28·55
No. of Rain Days.	12(?)	16(?)	15	13	6		2	75	188 9	18	22		

W. 8,000, X. '11.

E. DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
9 - JAN 1913

Kept at 116 Coronation Road Bristol
in the County of Somerset
by H. C. Martin

Lat. 51° 27' N Long. 2° 34' W
Time of Observation 8.30
Nearest Railway Station Bedminster GWR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.18	.01		.27	.10	.34		.79		.26	1
2			.10	.01		.20	.26	from Aug 2nd to 20th inclusive		.01		.02	2
3	.01		.09			.20	.01		.09		.04		3
4	.24		.60		2 days	.32							4
5	.41	.08	.29		.25	.01					.01	.11	5
6		.08	.02		.06		.18				.01	.09	6
7	.34	.12	.09		.17	.43						.17	7
8	.32	.17	.23		.01	.07	.20					.01	8
9	.03	.04	.18	.05		.14	.				.04	.34	9
10	.05	.09	.01	.01		.08	.01				.06	.05	10
11	.07	.03				.01						.52	11
12	.02	.38	.05	.07	.03	.06	.02					.08	12
13	.01	.02	.03	.01								.24	13
14	.05		.70		.16						.01	2 days	14
15	.06	.14	.02		.30	.71						.58	15
16	.59	.01	.24		.02	.06				.15	.08	.09	16
17	.75	.01	.23		.04	.09					.02	.32	17
18	.17	.01	.36			.01				.04		.14	18
19	.05		.03			.09	.17			.24		.01	19
20	from Jan 20th – 31st inclusive	.01	.28		.29		.03	4.04		.30			20
21		.03	.13		.66		.01	.26		.21			21
22		.43	.11		.38	.02	.03	.12		.03	.02	.14	22
23		.48	.40		.01	.05		1.28		.14	.06	.55	23
24		.02	.21			.20	.04	.10		.01	.01	.19	24
25			.01			1.16		.70		.11	.51	from Dec 25 – 31 inclusive	25
26		.02				.02	.15	.41		2 days	1.07		26
27						.20	1.08			1.18	.06		27
28		.08				.27	.44	.57	.06	.40	.46		28
29		.10				.03	.37	.02	.34	.34			29
30			.15			.06	.20		.04	.22			30
31	.80							.02		.01		2.47	31
Total	3.97	2.35	4.74	0.16	2.38	4.76	3.30	7.86	0.53	4.18	2.46	6.38	YEAR'S TOTAL 43.07
Rain Days.		21	25	6	14	25	17		4	17	15		

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 19 JAN 1914

Kept at 116 Coronation Road, Bristol

in the County of Somerset

by H. C. Martin

Lat. 51° 27′ N Long. 2° 36′ W

Time of Observation 9.30 am until Aug afterwards later

Nearest Railway Station Bedminster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. " in.

" " " " Sea Level 50 ft: ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	from Jan 1st to 7th inclusive	·14	·29	·04	·15				Guage not examed	from Aug 13 to Oct 11th inclusive	·15	·02	1
2		·19	·01	·04	fr: May 1st to 5th incl.						from Nov 2 to 9th	from Dec 2nd to 6th	2
3		·02	·17	·01				·01					3
4			·18			·01							4
5		·05	·01		·99	·28	·09						5
6		·06	·19		·18	·07	·04					1·07	6
7	1·31	·18	·03		·16	·21	·07					from Dec 7th to 13th	7
8	·02	·07	·01		·22	·10	·01	·08					8
9		·11	·10	·01	02	·01	from July 9 to 31st inclusive	·44			·76		9
10	·14	·05	·05	·01				·13			from Nov 10th to 15th		10
11	·96		·01	·10		·98				6·51			11
12	·04							02		from Oct 11th to 20th inclusive			12
13	·12		·03		·22			·04				·08	13
14	·13		·30	·03	·02			Guage not examined				from Dec 14th to 20th	14
15	·16	·05	·49	·76							1·49		15
16	·35		·45	·19							from Nov 16th to 21st		16
17	·07		·02	·09									17
18	·14		·10	·15		·02							18
19	·29			·02	·02								19
20	·32		·12	·03						·22		·10	20
21			from ~~Feb~~ 21st to 25th inclu:	·08	·20	·01				from Oct 21st to 26th inclusive	·70	from Dec 21st to 27th	21
22	·69			·01	·04	·08					from Nov 22nd to 30th		22
23	·04					·05							23
24	·16	·01		·02									24
25	·01	·87	·70	·18									25
26		·08	·03	·36						04			26
27	·04		·09	·33						from Oct 27th to 31st inclusive		·56	27
28	~~·24~~ 28		·27	·16	·02							from Dec 28th to 31st	28
29	·02		·47	·31									29
30	·50		·02	·02							14		30
31	·20		04		·17		·22			·57		·07	31
Total	5·99	1·88	4·24	2·95	2·41	1·82	·43	·72		7·34	3·24	1·90	YEAR'S TOTAL 32·92
Rain Days.		13		22		11							

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at 116 Coronation Rd Bristol
in the County of Somerset
by A. C. Martin

Lat. 51° 27′ N Long. 2° 36′ W
Time of Observation 9 am.
Nearest Railway Station Bedminster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.12			1.13	.67			.16	.02	1
2				.02		.03	.74	.01			.72	.43	2
3	.02			.09	.23		.01	.19	.01		.04	.16	3
4				.24	.09		.21	.04			.67	.83	4
5				.54	.10		.26	.01			.03	.14	5
6				.12	.04		.25	.05			.01	.26	6
7		.63	.76	.33	.36	.05	.75	.06				.23	7
8			.85	.03	.03	.39	.17	.09	.08			.04	8
9			.36	.07	.04	.83		.04	.08				9
10	.65		.01	.07	.03	.02		.01	.26				10
11			.31	.01	.07		.30				.07	.36	11
12			.12						.30		.08	.30	12
13			.24				.01		.32	.14	.06	.35	13
14		.89	.54					.12	.03	.18	.17	.01	14
15			.16					.43	.17	.03	.21	.68	15
16			.01				.12	.01	.09			.34	16
17	.01		.12				.04		.02			.27	17
18			.05				.12		.05			.06	18
19			.14				.50				.03	.18	19
20			.10			.05	.01						20
21		1.49	.01			.93				.10			21
22			.01		.23	.21				.07			22
23			.22		.05	.01				.18			23
24			.07		.01		.08			.12	.07	.01	24
25			.12		.01					.34		.36	25
26							.12			.04	.23	.42	26
27							.01			.07	.35	.23	27
28		.16	.13		.05					.01	.76	1.07	28
29			.09		.07		.03			.08	.20	.01	29
30		X	.02			.06				.20	.44	.58	30
31	.45	X		X		X	.21	.50	X	.21	X	.10	31
Total	1.13	3.17	4.44	1.74	1.41	2.58	5.07	2.23	1.41	1.77	4.30	7.44	YEAR'S TOTAL 36.69
Rain Days.	*	*	*	11	15	10	20		11	14	18	25	

W. 8,000. X. 14.

Cx m L

2102

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

20 JAN 1916

Kept at 116 Coronation Road Bristol

in the County of Somerset

by H. C. Martin

Lat. 51°27'N Long. 2°36'W

Time of Observation 9 am

Nearest Railway Station Bedminster GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. " in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.25	·09			·14		.05	·14	·03	·28	·03	·17	1
2	0·20	·28	·11	·20				·81	·04	·05		·12	2
3	0·27	·05	·08	·11	·12		·32	·14				·17	3
4	0.01	·01			·09		·91	·01				1·04	4
5	0·08	·49	·01	·02			·01	·09				·21	5
6	0·27	·02		·26			·33	·04				·20	6
7	0.45	·29		·13	·05		·43	·03				·23	7
8	0.41	·27		·02			·01	·10			·09		8
9	0·02	·01		·05				·07			·31	·91	9
10	0·20		·09					·06		·01	·02	·02	10
11	0·01	·01	·06					·12			·90	·07	11
12	0·14	·30		·20	·45			·04		·06	·26		12
13	0·03	·47			·98		·01	—	·21		·02		13
14	0·14				·01		·16	×	·02	.02			14
15	0·31			·02	absent – total for 3 days ×		·10	×	·08		·07	·05	15
16		·63			×		·99	×				·06	16
17		·18			×85		·01	×					17
18													18
19	0·01	·05			·06		·22						19
20	0·15			·14				total for 16 days		·01		·08	20
21	0·01	·04					·01			·08		·09	21
22		·30	·39	·04		·02	·34					·27	22
23			·20				·28		·07	1.30		·56	23
24			·01	·03			·32		·54	·62		·23	24
25						·27	·06		·01	·01		·24	25
26		·12				·04	·39		·01	·39		·48	26
27		·17	·01			·13	·95		·02	·10		·03	27
28		·08				·01		×	·52	·02			28
29	[illegible]					·18	·01	·73	03	·37	·05	·05	29
30	0·23	✕				·09		·01		·85	·26	·19	30
31	0.01	✕		✕		✕	·09	·17	✕		✕	·38	31
Total	3·20	3·86	0·96	1·22	2·75	0·74	6·00	2·56	1·58	4·17	2·01	5·85	YEAR'S TOTAL 34·90
Rain Days.	20	20	9	12	11	7	22	(20)	12	15	10	23	(181)

W. 8,000. X. 15.

2110
BRUSHFORD NURSERIES
1913 - 20

FORM A.
BRITISH RAINFALL.

-1 MAY 1914

REGI

Kept at Brushford … M.
… ulverton.
in the County of Somers- …
… 5 in.
by George Ruff …
… round 1 ft. 2 in.
… ea Level 400. ft.

IMPORTANT NOT … e result entered to the previous day. If an Obs … al rule, he is earnestly requested to add the readi … of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·25	0·23	0·06	0·02	—	—	—	0·09	0·01	0·24	0·58	1
2	0·09	~~0·23~~	0·02	0·19	0·41	—	—	—	0·01	0·20	0·19	0·05	2
3	0·16	0·01	0·18	0·08	0·25	—	—	—	0·05	0·20	0·01	0·50	3
4	1·15	—	0·12	—	0·21	0·04	—	—	0·11	0·19	0·06	0·45	4
5	0·13	0·02	0·01	—	0·18	0·67	0·12	—	0·24	0·04	0·14	0·40	5
6	0·08	0·13	0·16	—	0·02	0·17	0·12	—	0·01	0·47	0·18	0·24	6
7	0·02	0·47	0·03	—	0·86	0·20	0·12	—	—	0·57	0·24	0·03	7
8	0·02	0·08	—	—	0·45	0·02	0·01	0·04	—	0·07	—	~~0·08~~	0·03 8
9	—	0·06	0·22	0·02	0·09	0·33	0·01	0·07	—	—	0·49	0·12	9
10	0·63	0·01	0·18	0·01	0·20	0·03	—	0·08	—	0·41	0·30	—	10
11	0·78	—	0·06	0·25	0·43	0·09	—	0·05	0·03	0·05	1·19	0·10	11
12	0·08	—	—	—	0·05	0·01	—	—	0·05	—	0·60	0·01	12
13	0·07	—	0·06	—	—	—	0·02	0·18	0·30	—	0·17	—	13
14	0·32	0·02	0·36	0·04	—	—	—	—	—	0·07	0·32	0·09	14
15	0·08	—	0·72	1·05	—	—	—	—	0·26	—	0·40	0·05	15
16	0·29	—	0·71	0·08	—	0·01	0·06	0·14	0·30	0·01	0·07	—	16
17	0·12	—	0·07	0·15	—	—	0·04	—	0·03	—	0·05	—	17
18	0·35	—	0·31	0·16	—	0·05	—	—	0·01	—	0·16	—	18
19	0·45	—	0·12	—	0·14	0·13	0·05	—	0·29	0·04	0·62	—	19
20	0·75	—	0·26	0·13	0·01	0·01	—	—	0·02	0·05	0·33	—	20
21	0·01	—	0·16	0·02	0·10	0·19	0·02	0·03	—	—	0·33	—	21
22	1·51	—	1·07	—	0·04	0·02	—	0·08	0·10	0·01	—	0·10	22
23	0·03	—	0·03	—	—	—	—	0·12	0·01	—	0·07	0·57	23
24	0·09	0·05	—	0·16	—	—	—	0·10	—	—	0·09	—	24
25	—	0·04	—	0·32	—	—	—	—	0·10	0·02	0·10	0·11	25
26	—	—	—	0·64	—	—	—	0·06	—	0·01	0·01	0·47	26
27	0·18	—	0·26	0·22	—	—	—	0·24	—	0·66	0·01	0·06	27
28	0·20	—	0·08	0·35	0·07	—	—	—	—	0·48	—	0·29	28
29	0·05		0·62	0·33	0·01	—	—	0·01	—	0·20	0·05	—	29
30	0·70		—	0·01	0·15		—	—	—	0·59	0·20	—	30
31	0·35		0·23		0·10		—	0·61		—		—	31
Total	8·70	1·37	6·27	4·26	3·79 ~~3·80~~	1·97	0·57	1·76	2·01	4·35	6·02	4·25	YEAR'S TOTAL ~~45·38.~~ 45·32
Rain Days.	28.	12.	25.	20.	20.	15.	10.	14.	18.	21.	27.	19.	229.

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

1 MAY 1914

REGISTER OF RAINFALL IN 1913.

Kept at Brushford Nurseries.

in the County of Somersetshire. 5

by George Ruff.

Lat. 51. Long. 4.

Time of Observation 9 a.m.

Nearest Railway Station Dulverton.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·25	0·23	0·06	0·02	—	—	—	0·09	0·01	0·24	0·58	1
2	0·09	0·23	0·02	0·19	0·41	—	—	—	0·01	0·20	0·19	0·05	2
3	0·16	0·01	0·18	0·08	0·25	—	—	—	0·05	0·20	0·01	0·50	3
4	1·15	—	0·12	—	0·21	0·04	—	—	0·11	0·19	0·06	0·45	4
5	0·13	0·02	0·01	—	0·18	0·67	0·12	—	0·24	0·04	0·14	0·40	5
6	0·08	0·13	0·16	—	0·02	0·17	0·12	—	0·01	0·47	0·18	0·24	6
7	0·02	0·47	0·03	—	0·86	0·20	0·12	—	—	0·57	0·24	0·03	7
8	0·02	0·08	—	—	0·45	0·02	0·01	0·04	—	0·07	—	~~0·08~~	0·03 8
9	—	0·06	0·22	0·02	0·09	0·33	0·01	0·07	—	—	0·49	0·12	9
10	0·63	0·01	0·18	0·01	0·20	0·03	—	0·08	—	0·41	0·30	—	10
11	0·78	—	0·06	0·25	0·43	0·09	—	0·05	0·03	0·05	1·19	0·10	11
12	0·08	—	—	—	0·05	0·01	—	—	0·05	—	0·60	0·01	12
13	0·07	—	0·06	—	—	—	0·02	0·18	0·30	—	0·17	—	13
14	0·32	0·02	0·36	0·04	—	—	—	—	—	0·07	0·32	0·09	14
15	0·08	—	0·72	1·05	—	—	—	—	0·26	—	0·40	0·05	15
16	0·29	—	0·71	0·08	—	0·01	0·06	0·14	0·30	0·01	0·07	—	16
17	0·12	—	0·07	0·15	—	—	0·04	—	0·03	—	0·05	—	17
18	0·35	—	0·31	0·16	—	0·05	—	—	0·01	—	0·16	—	18
19	0·45	—	0·12	—	0·14	0·13	0·05	—	0·29	0·04	0·62	—	19
20	0·75	—	0·26	0·13	0·01	0·01	—	—	0·02	0·05	0·33	—	20
21	0·81	—	0·16	0·02	0·10	0·19	0·02	0·03	—	—	0·33	—	21
22	1·51	—	1·07	—	0·04	0·02	—	0·08	0·10	0·01	—	0·10	22
23	0·03	—	0·03	—	—	—	—	0·12	0·01	—	0·07	0·57	23
24	0·09	0·05	—	0·16	—	—	—	0·10	—	—	0·09	—	24
25	—	0·04	—	0·32	—	—	—	—	0·10	0·02	0·10	0·11	25
26	—	—	—	0·64	—	—	—	0·06	—	0·01	0·01	0·47	26
27	0·18	—	0·26	0·22	—	—	—	0·24	—	0·66	0·01	0·06	27
28	0·20	—	0·08	0·35	0·07	—	—	—	—	0·48	—	0·29	28
29	0·05		0·62	0·33	0·01	—	—	0·01	—	0·20	0·05	—	29
30	0·70		—	0·01	0·15		—	—	—	0·59	0·20	—	30
31	0·35		0·23		0·10		—	0·61		—		—	31
Total	8·70	1·37	6·27	4·26	3·79 ~~3·80~~	1·97	0·57	1·76	2·01	4·35	6·02	4·25	YEAR'S TOTAL ~~45·38.~~ 45·32
Rain Days.	28.	12.	25.	20.	20.	15.	10.	14.	18.	21.	27.	19.	229.

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Brushford Nurseries.
in the County of Somersetshire 9/14 M.
by Geo: Ruff.

Lat. 51. Long. 4.
Time of Observation 9 a.m.
Nearest Railway Station Dulverton.
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1. ft. 2. in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·01	0·07	0·15	—	0·23.	0·39	0·37.	—	—	0·20	0·08	1
2	—	—	0·10	0·09	0·01	0·01.	1·36	0·01	—	—	0·23	0·71	2
3	—	—	0·61	0·18	0·46	—	—	0·01	—	0·01.	0·01	0·21	3
4	0·05	—	0·56	0·32	0·19	—	0·40	0·17	—	—	0·35	0·89	4
5	0·23	—	0·44	0·68	0·11	—	0·03	0·06	—	—	0·01	0·14	5
6	0·20	0·26	0·24	0·40	0·08	—	0·08	0·08	—	—	0·18	0·32	6
7	—	0·42	0·34	0·17	0·28	0·28	0·33	0·20	0·05	—	0·01	0·12	7
8	0·05	—	1·14	0·08	0·41	0·57	—	0·10	0·03	—	—	0·01	8
9	0·29	—	0·34	0·15	0·06	0·60	—	0·10	0·61.	—	—	—	9
10	0·20	0·26	0·02	0·25	0·20	0·05	—	—	0·62	—	0·01	0·02	10
11	0·04	0·18	0·77	—	0·09	0·24	—	—	0·01	—	0·25	0·55	11
12	—	0·53	0·15	—	—	—	—	—	0·46	0·02	0·13	0·45	12
13	—	0·36	0·42	—	—	—	0·01	—	0·71	0·22	0·53	0·28	13
14	—	0·15	0·60	—	—	0·31	—	0·65	0·02	0·25	0·31	0·02	14
15	—	0·07	0·38	—	—	—	0·10	1·06	0·17	0·04	0·31	0·08	15
16	—	—	0·10	—	—	—	0·05	—	0·23	—	—	0·02	16
17	—	0·31	0·40	—	—	—	0·05	—	0·02	—	—	0·71	17
18	—	0·25	0·23	—	—	—	0·04	—	0·11	0·01	—	0·34	18
19	—	0·15	0·58	—	—	—	1·98	—	0·08	—	0·15	0·18	19
20	—	0·35	0·28	—	—	0·24	—	—	—	—	—	0·29	20
21	—	0·45	0·01	—	—	0·04	—	0·06	—	0·20	—	0·08	21
22	—	0·07	0·01	—	0·21	0·63	—	0·03	—	0·83	—	—	22
23	—	0·14	0·07	—	0·01	0·01	0·08	—	—	0·20	—	—	23
24	—	0·17	0·03	—	0·09	—	—	0·05	—	0·01	0·31	—	24
25	0·22	—	0·45	—	—	—	0·14	0·50	—	0·41	0·02	0·21	25
26	0·11	0·01	0·14	—	—	—	0·16	0·11	—	0·04	0·31	0·50	26
27	0·02	—	—	—	—	—	—	—	0·01	0·23	0·24	0·44	27
28	0·07	0·13	0·12	—	0·06	—	0·01	—	—	0·31	0·14	1·03	28
29	0·23		0·11	—	0·14	—	—	—	—	0·36	0·33	0·04	29
30	0·02		0·10	—	—	—	—	—	—	0·26	0·49	0·85	30
31	0·02		—		0·03		0·48	—		0·73		0·50	31
Total	1·75	4·27	8·81	2·47	2·43	3·21	5·69	3·56	3·13	4·13	4·52	9·07	YEAR'S TOTAL 53·04
Rain Days.	14.	19.	29.	10.	16.	12.	17.	16.	14.	17.	21.	27.	212

W.7,000, XI. 13

2204

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Brushford Nurseries

in the County of Somersetshire. 5

by George Ruff.

Lat. 51. Long. 4.

Time of Observation 9 a.m.

Nearest Railway Station Dulverton.

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1. ft. 2. in.

" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·38	0·20	0·01	—	0·07	—	—	0·48	0·10	0·48	0·05	0·12.	1
2	0·11	0·27	0·14	0·13	—	0·05	—	0·42	—	0·05	—	0·71	2
3	0·01	0·11	0·13	0·38	0·17	—	0·04	—	—	—	—	0·55	3
4	0·18	0·13	0·01	—	0·07	—	0·28	—	—	—	—	0·53	4
5	0·20	0·56	0·03	0·16	—	0·01	—	0·28	—	—	—	0·50	5
6	0·28	0·08	—	0·32	—	—	0·35	0·06	—	—	—	0·22	6
7	0·46	0·64	—	0·12	0·16	—	0·15	0·08	—	—	0·02	0·42	7
8	0·33	0·36	—	—	—	—	0·01	0·12	—	—	0·10	0·09	8
9	0·04	0·17	—	0·25	—	—	—	0·02	—	—	0·44	0·99	9
10	0·53	0·26	0·05	0·05	—	—	—	0·22	—	0·26	0·13	0·19	10
11	0·19	0·24	0·02	—	—	—	0·05	0·01	—	0·04	1·03	0·08	11
12	0·31	0·54	—	0·06	0·61	—	—	0·33	—	0·18	0·63	0·01	12
13	0·07	0·55	—	—	0·72	—	0·08	0·19	0·10	0·01	0·26	0·12	13
14	0·12	—	—	—	—	—	0·16	0·28	0·15	0·12	0·04	0·33	14
15	0·36	—	—	—	0·35	—	0·17	0·01	0·17	—	0·19	0·09	15
16	0·03	1·23	—	—	0·13	—	1·26	0·01	0·01	—	—	0·08	16
17	—	0·16	—	—	0·09	—	—	—	—	—	—	—	17
18	—	0·50	—	—	—	—	0·01	—	—	—	—	—	18
19	0·02	0·03	—	0·08	0·26	—	0·14	—	—	—	—	—	19
20	0·77	0·01	—	0·05	—	0·06	—	—	—	0·27	—	0·06	20
21	0·39	0·14	0·01	—	—	—	0·05	—	—	0·28	—	0·21	21
22	0·09	0·05	0·33	0·10	—	0·10	0·26	—	0·03	0·09	—	0·35	22
23	0·01	0·12	0·07	—	—	0·06	0·29	—	0·06	0·91	0·01.	1·04	23
24	—	—	0·01	0·01	—	—	0·50	—	0·05	0·32	—	0·49	24
25	—	—	—	—	—	0·60	0·43	—	—	—	—	0·30	25
26	0·02	0·14	—	—	—	0·42	0·13	—	0·07	—	—	0·62	26
27	—	0·17	—	—	—	0·24	0·37	—	0·01	0·55	—	0·07	27
28	—	0·08	—	—	—	0·04	0·01	0·01	0·56	0·21	0·01	0·02	28
29	—	✕	—	—	—	0·15	—	—	0·02	0·01	0·13	0·20	29
30	0·22	✕	—	—	—	0·02	0·01	—	0·01	0·76	0·34	0·40	30
31	—	✕	—	✕	—	✕	0·08	0·02	✕	0·68	✕	0·18	31
Total	5·52	6·74	0·81	1·71	2·63.	1·75	5·23.	2·54	1·34	5·22	3·38.	9·47.	YEAR'S TOTAL 46·34
Rain Days.	23.	24.	11	12.	10.	11.	22.	16	13.	17.	14.	28.	201.

W. 8,000. X. 14.

Sample

End C&E

2139

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Brushford Nurseries.

in the County of Somersetshire.

by George Ruff.

Lat. 51 Long. 4.

Time of Observation 9. a.m.

Nearest Railway Station Dulverton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.15.	—	0.01	—	0.96	0.10	0.24	—	0.06	0.36	0.07	—	1
2	0.63.	0.06	0.08	0.01	0.07	—	—	—	0.06	0.47	0.18	—	2
3	—	0.87	—	—	0.35	0.06	0.24	—	0.09	0.50	0.28	0.05	3
4	0.37	0.11	—	0.03	0.22	0.63	0.31	—	0.03	0.21	0.73	—	4
5	0.28	0.06	0.11	—	0.22	0.08	—	—	—	0.06	0.80	—	5
6	0.22	0.34	0.03	—	0.15	0.25	0.45	—	—	0.12	0.48	—	6
7	0.07.	0.29	0.50	—	0.25	0.12	0.08	—	—	0.04	0.84	0.15	7
8	—	0.30	0.17	—	0.21	0.11	—	—	—	—	0.39	0.11	8
9	—	0.05	—	—	0.11	—	0.11	—	—	0.19	0.10	0.20	9
10	0.03	0.70	0.01	0.13	0.04	0.02	0.01	—	—	0.04	0.02	0.19	10
11	—	0.02	—	0.32	0.03	—	—	—	0.06	0.01	—	—	11
12	0.21	0.15	0.09	0.25	0.19	—	0.18	0.04	0.01	0.32	—	—	12
13	—	0.51	0.07	0.10	0.01	—	0.01	0.39.	—	0.03	0.01	—	13
14	0.05	0.53	0.04	0.01	0.26	—	—	0.26	—	0.17	0.01	—	14
15	0.03	0.56	0.05	0.15	0.01	—	—	0.48	0.02	0.02	—	—	15
16	0.05	0.31	—	0.39	0.01	—	0.05	0.51	—	0.25	—	—	16
17	0.08	0.45	—	0.15	—	—	—	—	0.80	0.28	0.40	—	17
18	0.06	0.98	0.26	0.22	—	—	—	—	0.40	0.23	0.14	0.05	18
19	0.20	0.08	0.16	0.36	—	—	—	—	—	—	0.20	—	19
20	0.15	0.52	0.25	0.01	—	—	—	—	—	—	0.25	0.61	20
21	0.17	0.10	0.17	—	0.04	—	—	—	—	—	0.01	0.15	21
22	—	—	0.01	0.01	—	0.12	—	0.04	—	0.95	0.02	0.62	22
23	0.03	0.25	0.01	0.06	—	0.06	—	0.32	—	0.08	0.18	0.45	23
24	—	0.22	0.03	0.08	0.53	0.08	—	0.08	—	0.53	0.03	0.28	24
25	—	0.82	0.26	—	0.03	0.03	—	0.33	0.06	0.02	0.54	0.03	25
26	0.04	0.43	0.08	—	0.01	0.25	—	0.12	1.12	0.81	0.09	—	26
27	0.10	—	1.46	—	—	0.16	—	0.27	0.32	1.02	—	0.03	27
28	—	0.18	—	—	—	0.01	—	0.07	0.12	0.55	0.01	0.71	28
29	—	0.42	0.24	—	—	0.46	—	1.76	0.12	0.51	—	0.54	29
30	—	X	—	—	0.03	0.01	—	0.06	—	0.28	—	0.12	30
31	—	X	—	X	—	X	—	0.05	X	0.20	X	0.29	31
Total	2.92	9.31	4.09	2.28	5.73	2.55	1.68	4.78	3.27	8.25	5.78	4.58	YEAR'S TOTAL 53.22.
Rain Days.	19.	26.	22	16	21	17	10	15	14	27	23	17	227

W. 8,000. X. 15.

S. made

2044

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at Brushford Nurseries. Dulverton.

in the County of Somerset.

by G. Ruff.

Lat. 51. Long. 4.

Time of Observation 9. a. m.

Nearest Railway Station Dulverton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·73	—	0·10	0·18	—	0·31	—	0·61	0·10	0·01	0·09	0·01	1
2	0·16	—	—	0·28	—	0·15	—	0·01	—	—	0·05	—	2
3	0·20	—	—	0·10	—	—	0·36	—	—	0·80	0·74	—	3
4	—	0·21	0·29	—	—	—	0·02	—	0·02	0·55	0·01	0·02	4
5	0·32	—	0·45	0·35	—	0·16	—	—	0·07	0·38	0·21	—	5
6	0·01	—	0·14	—	—	0·02	—	—	—	0·08	0·35	0·02	6
7	0·42	—	—	—	—	—	0·08	0·20	—	0·50	0·08	0·10	7
8	0·14	—	0·06	0·20	—	0·19	0·64	0·58	0·03	0·95	0·29	0·16	8
9	—	—	0·05	0·05	0·03	—	0·01	0·13	—	0·58	0·29	0·01	9
10	0·24	—	0·31	0·28	—	0·04	—	0·14	—	0·04	0·06	—	10
11	0·03	—	0·60	0·37	—	—	—	0·52	0·03	0·38	0·13	—	11
12	0·13	—	0·02	—	0·55	—	—	0·03	—	1·11	—	—	12
13	0·04	—	0·22	0·11	—	0·06	—	0·60	0·42	0·26	—	—	13
14	—	—	0·01	0·07	—	—	—	0·17	0·04	0·05	—	0·03	14
15	—	—	—	—	—	—	0·01	0·03	0·02	0·21	—	0·18	15
16	—	0·05	—	0·19	—	—	0·02	0·01	—	0·21	0·02	0·57	16
17	—	0·05	—	0·28	0·03	—	0·43	0·08	0·32	0·18	0·01	—	17
18	—	0·03	—	0·01	—	0·08	0·45	0·05	0·68	0·01	0·02	—	18
19	—	0·43	0·12	—	—	0·35	—	0·01	0·01	—	0·14	—	19
20	—	0·10	0·06	—	0·36	0·05	—	0·04	0·03	—	0·09	0·02	20
21	—	—	0·08	—	0·01	0·08	—	0·02	—	0·03	0·03	—	21
22	—	—	—	—	—	0·01	—	0·38	—	0·18	0·01	—	22
23	—	0·24	—	—	0·17	0·01	—	0·67	0·01	0·15	0·08	0·02	23
24	—	—	—	—	—	0·10	0·10	0·20	—	0·48	0·26	0·01	24
25	—	0·09	0·07	—	—	0·05	0·01	0·11	0·02	0·21	0·15	—	25
26	—	—	—	—	0·25	0·15	—	0·75	0·20	0·06	0·23	—	26
27	—	—	—	—	0·26	0·15	—	1·30	0·01	0·16	0·05	0·01	27
28	—	0·15	0·17	—	0·08	3·65	—	0·49	—	0·02	0·06	0·02	28
29	—	X	0·35	—	—	0·38	0·01	0·07	—	0·31	0·04	0·19	29
30	—	X	0·08	—	—	—	0·25	0·17	—	0·22	0·01	0·01	30
31	—	X	0·03	X	0·10	X	—	0·10	X	0·21	X	0·02	31
Total	1·82	1·35	3·21	2·47	1·84	5·94	2·39	7·37	2·01	8·33	3·50	1·40	YEAR'S TOTAL 41·62
Rain Days.	11.	9.	19.	13.	10.	19.	13.	27.	16.	28.	26.	17.	208.

W. 8,000, IX. 17.

5 made

24 M

128

FORM A.
BRITISH RAINFALL

7 1 19

REGISTER OF RAINFALL IN 1918.

Kept at Brushford Nurseries Dulverton.
in the County of Somerset
by G. Ruff.

Lat. 51. Long. 4.
Time of Observation 9. a. m.
Nearest Railway Station Dulverton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	·15	·01	·15	·05	—	—	1·14	·03	·04	·98	·07	1
2	—	·08	—	·09	—	—	—	·25	·01	·01	·01	·15	2
3	—	·16	—	·08	·05	—	—	—	·09	·08	·11	·04	3
4	—	·05	—	—	—	—	—	·04	·05	·07	·84	·30	4
5	—	·03	·09	·10	—	—	—	·57	·43	·25	·02	·04	5
6	0·18	·56	—	·44	—	—	—	—	—	·19	·01	·06	6
7	—	·20	—	·03	·19	·01	—	·04	·60	·23	0·37	·05	7
8	·13	·07	—	—	—	—	·04	—	·34	·28	·04	·04	8
9	·15	·26	—	·08	—	·36	·23	—	·54	·18	·02	0·39	9
10	·16	·02	—	·20	—	—	·95	—	·62	·10	·01	·65	10
11	·11	·18	·16	·01	—	—	·41	—	·25	·12	·08	·53	11
12	·02	·19	·09	—	·27	·01	·14	—	·19	·01	—	·22	12
13	·61	·02	—	—	·02	·02	·04	—	·48	·11	—	·42	13
14	·28	—	—	—	·02	·02	·45	—	·37	·04	—	·16	14
15	1·95	·03	—	·06	·03	·06	·93	—	·03	·08	—	·53	15
16	·61	—	—	1·20	—	·10	·03	·10	·34	·01	—	·28	16
17	·45	—	·01	·16	—	—	·14	·10	·03	—	—	·27	17
18	1·01	—	·11	·01	—	·67	·28	·01	1·05	·10	—	·48	18
19	·11	·08	·14	·02	—	—	·11	·05	·19	·01	—	·45	19
20	·14	·24	—	·04	—	·13	·28	—	·26	04	—	—	20
21	·09	·08	—	·02	—	·07	·05	—	·88	·03	—	·34	21
22	·02	·04	—	—	·22	—	·74	—	·21	·02	·02	·85	22
23	·10	—	—	—	·18	·01	·27	—	·16	—	·01	·28	23
24	·01	·18	—	—	—	—	·14	·11	·23	—	·32	·13	24
25	—	—	—	—	·14	—	·35	·75	—	·03	·16	·04	25
26	—	·07	—	—	—	—	·71	·05	·15	·07	·36	·51	26
27	—	·26	·08	—	—	·04	·01	·22	·43	·02	·39	·37	27
28	—	·15	·23	—	—	—	—	—	·02	·01	·27	·70	28
29	—		·09	—	—	—	—	—	1·16	—	·09	·27	29
30	—	X	·42	—	—	—	—	·10	·02	·03	·07	·24	30
31	—	X	·41	X	—	X	—	·33	X	·04	X	—	31
Total	6·14	3·10	1·84	2·69	1·17	1·50	6·30	3·80	9·16	2·20	4·18	8·86	YEAR'S TOTAL 50·94
Rain Days.	19	22	12	16	10	12	20	15	28	27	20	29	230

W. 8,000, IX. 17.

R. Made

~~W. 1806~~

1918

12 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Brushford Nurseries.
in the County of Somersetshire
by George Ruff.

Lat. 51. Long. 4.
Time of Observation 9. a.m.
Nearest Railway Station Dulverton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·77	—	·05	·12	·40	—	·19	—	·01	·41	—	·91	1
2	·30	—	·05	—	·10	—	·03	—	·17	·15	·06	·27	2
3	·08	—	·35	—	·11	—	—	—	·06	—	·15	·88	3
4	·35	·50	·60	—	—	·05	·12	·04	·36	—	·01	·17	4
5	·05	·39	·88	—	—	—	·13	—	·06	—	·01	·74	5
6	·62	·39	·23	—	—	—	—	—	—	—	·01	·64	6
7	·28	—	·28	·15	—	—	—	—	—	—	—	·18	7
8	·24	—	·20	·04	—	·05	—	—	—	—	·21	—	8
9	·35	—	·05	·21	·21	—	—	—	—	—	·09	—	9
10	·03	—	·39	·03	·02	—	—	—	—	·06	—	·09	10
11	·11	—	·38	·21	·16	·01	·06	—	·01	—	·13	·22	11
12	·32	—	·23	·04	—	·29	—	—	—	·23	—	—	12
13	·07	0·03	·05	·56	—	—	—	—	—	·11	—	·07	13
14	·51 ·37	·10	—	1·06	·38	—	·02	—	·02	·09	—	·40	14
15	·40	·04	—	·25	—	—	—	—	—	·20	—	·41	15
16	·30	·83	—	—	—	—	—	·01	—	—	·34	·01	16
17	·01	·85	—	—	—	·06	—	·04	—	—	1·10	·01	17
18	·05	·12	·64	—	—	—	·04	·15	·06	—	·51	·06	18
19	·35	·35	·40	—	—	·05	·42	·29	·60	—	·42	·06	19
20	·45	·08	·38	—	—	·14	—	·14	·10	—	·09	·39	20
21	·01	·81	·01	—	—	—	·38	·04	·05	—	·01	·16	21
22	—	·15	—	—	—	·03	·06	—	·10	—	·18	·49	22
23	—	—	—	—	—	—	—	—	—	·76	·19	·31	23
24	—	—	—	—	—	·21	—	—	·05	1·20	·17	·91	24
25	·11	·01	—	·03	—	·03	—	·33	—	·01	·10	·25	25
26	·18	·02	·37	·06	—	—	·01	·04	·20	·04	·08	·51	26
27	·27	—	·13	·49	—	—	—	·93	—	—	—	·11	27
28	·01	—	·41	·01	—	—	—	·06	—	—	·25	·73	28
29	·03		·03	·15	—	—	—	·22	—	·33	—	·11	29
30	—		·03	·13	—	·06	—	·24	·04	·03	·51	·75	30
31	·02		·02		—		·02	—		·01		·40	31
TOTAL	6·27	4·67	6·16	3·54	1·38	·98	1·48	2·53	1·89	3·23	4·22	10·24	YEAR'S TOTAL 47·39
Days with ·01 in. or more	27	15	23	16	7	11	12	13	15	14	21	28	202

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1831

done 6.4.21

20 JAN 1921

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at The Bruschford Nurseries, Dulverton.
in the County of Somerset.
by George Ruff.

Lat. 51. Long. 4.
Time of Observation 9. a. m.
Nearest Railway Station Dulverton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·01	·13	·16	—	·34	·28	·15	·52	·27	·77	1
2	·26	—	—	·19	—	—	·26	·29	·13	·11	—	·14	2
3	·10	—	—	·06	·04	—	·06	—	·05	·99	—	·42	3
4	—	·01	·04	·01	·02	—	·09	·62	·02	·16	—	—	4
5	—	—	·18	—	·26	—	·66	·13	·01	·24	—	—	5
6	—	—	·18	·08	·27	—	·05	—	—	·25	—	—	6
7	·06	—	·01	·25	·09	—	·59	—	·01	·01	·05	—	7
8	·24	·06	—	·45	—	—	·58	·02	—	—	—	·13	8
9	1·40	·65	·04	·12	—	·25	·21	·02	·01	—	·02	—	9
10	1·13	·54	·24	·46	—	·30	·32	—	—	—	·04	—	10
11	·43	·06	·18	·48	·24	·04	·16	—	—	·01	—	·61	11
12	·45	·11	·06	·54	·04	·05	·09	—	~~·08~~	—	·13	—	12
13	·41	·13	·57	·08	—	—	·03	—	~~[illegible]~~	—	·01	·02	13
14	·29	·04	·55	·70	—	—	·06	—	·28	·28	·66	·02	14
15	·04	·17	·15	·35	·06	·09	—	—	[illegible]	·65	·17	—	15
16	·01	·01	·15	·03	·01	·65	·09	—	[illegible]	·25	·24	—	16
17	·21	—	·09	·42	·40	·17	·01	—	·26	·04	—	—	17
18	·02	·01	·06	·02	·05	·08	—	·36	·25	—	—	·01	18
19	·12	·18	—	·36	—	·25	—	—	·50	—	—	—	19
20	·08	·01	—	·51	·04	·10	·02	—	·24	—	—	·28	20
21	—	—	—	·04	—	·02	·18	—	—	·11	—	·21	21
22	·04	—	—	·04	—	·03	·05	·01	—	·01	—	·58	22
23	—	—	·04	—	—	—	·57	·06	·05	—	—	·57	23
24	·09	·02	·19	·05	—	·01	—	—	—	—	·10	·18	24
25	·04	·10	·18	·02	—	·03	·66	—	—	—	·01	·02	25
26	·30	—	·33	—	·01	·10	·06	—	—	—	·10	·15	26
27	·26	·08	·10	·17	·42	·65	·06	—	—	·01	·80	·33	27
28	·66	·01	·13	·15	—	·09	·12	—	—	—	—	·05	28
29	·25	—	·48	·04	·10	·01	·15	—	—	—	·21	·28	29
30	·25	╳	—	·09	·06	·29	·16	—	·54	·14	·45	·43	30
31	·16	╳	·33	╳	—	╳	·05	·02	╳	·58	╳	·18	31
TOTAL	7·36	2·19	4·13	5·84	2·27	3·21	5·57	1·82	2·40	4·36	3·26	4·76	YEAR'S TOTAL 47·17
Days with ·01 in. or more	26.	17.	20.	27.	17.	19.	27.	10.	14.	17.	15	20.	232
Days with ·04 in. or more	24.	11.	21.	23.	14.	14.	24.	6.	10.	13.	12	15.	187

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

F2109

BRUSHFORD RECTORY

1911 - 20

w. stats XII.12

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

333

R

Kept at Brushfor

in the County of So

by B. J. du B

5 in.

Ground 1 ft. in.

Sea Level 450 ft.

Name

Distance Direction

IMPORTANT NO the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·07	·30							·02	·02	1
2			·04	·01	·41			·22		·20	·29	·24	2
3			·05		·34				·01		·17	·03	3
4			·06					·05		·17	·34	·56	4
5	·25		·13	·01	·02			·31		·03	·36	·03	5
6	·33		·22								·34	(1·04)	6
7	·10										·79		7
8	·17		·15								·09	·93	8
9	·10										·70	·52	9
10	·12	·01	·47		·72							·37	10
11	·27	—									·48	·36	11
12			·82					·03	·09		·25	·39	12
13			·02						·45		·12	·52	13
14												·93	14
15		·06	·06			·09					·42	·11	15
16		·02	·01			·29					·16	·30	16
17		·09	·09	·04		·24					·09	·50	17
18		·60	·10	·34		·38				·13	·21	·37	18
19		·02		·22		·35		·01	·20	·10	·24	·88	19
20	·03	·11	·05	·18		·02			·28	·32		·52	20
21		·21				·05			·31	·43		·18	21
22	·08	·03		·08		·14		·18	·17	·52		1·03	22
23	·02	·24	·01			·09			·18	·39	·04	·14	23
24		·65				·37		·11		·51		·21	24
25	·05	·18		·19		·02		·03	·09	·20	·07	·38	25
26	·01	·17		·40				·05		·27		·47	26
27		·40	·07	·08		·02		·28	·16	·25	·16	·25	27
28		·25	·03	·48	·04			·01				·01	28
29				·47		·57	·15	·05	·31	·40	·17		29
30						·06	·12			·23		·04	30
31							·06			·14			31
Total	1·57	3·04	2·45	2·80	1·53	2·69	·33	1·3[illegible]	2·25	4·29	5·51	11·33 ~~10·83~~	TOTAL for year ~~35·62~~
No. of Rain Days	13	15	18	13	5	14	3	1[illegible]	11	16	21	28	169

39·12

8L

w. stats XII·12

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Brushford Rectory, Dulverton

in the County of Somerset 5

by B. J. du Boe

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 450 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·07	·30							·02	·02	1
2			~~·09~~ ·04	·01	·41			·22		·20	·29	·24	2
3			·05		·34				·01		·17	·03	3
4			·06					·05		·17	·34	·56	4
5	·25		·13	·01	·02			·31		·03	·36	·03	5
6	·33		·22								·34	(1·54)	6
7	·10										·79		7
8	·17		·15								·09	·93	8
9	·10										·70	·52	9
10	·12	·01	·47		·72							·37	10
11	·27										·48	·36	11
12			·82					·03	·09		·25	·39	12
13			·02						·45		·12	·52	13
14												·93	14
15		·06	·06			·09					·42	·11	15
16		·02	·01			·29					·16	·30	16
17		·09	·09	·04		·24					·09	·50	17
18		·60	·10	·34		·38				·13	·21	·37	18
19		·02		·22		·35		·01	·20	·10	·24	·88	19
20	·03	·11	·05	·18		·02			·28	·32		·52	20
21		·21				·05			·31	·43		·18	21
22	·08	·03		·08		·14		·18	·17	·52		1·03	22
23	·02	·24	·01			·09			·18	·39	·04	·14	23
24		·65				·37		·11		·51		·21	24
25	·05	·18		·19		·02		·03	·09	·20	·07	·38	25
26	·01	·17		·40				·05		·27		·47	26
27		·40	·07	·08		·02		·28	·16	·25	·16	·25	27
28		·25	·03	·48	·04			·01				·01	28
29				·47		·57	·15	·05	·31	·40	·17		29
30						·06	·12			·23		·04	30
31							·06			·14			31
Total	1·57	3·04	2·45	2·80	1·53	2·69	·33	1·3[illegible]	2·25	4·29	5·51	11·33 ~~10·33~~	TOTAL for year ~~38·62~~
No. of Rain Days	13	15	18	13	5	14	3	12	11	16	21	28	169

39·12

9,000, IX. '10.

346

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Brushford Rectory, Dulverton

in the County of Somersetshire 5

by B. J. du Boe

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·26		·02	·92	·07	·20	·10	1·17		·50	1
2			·26			·22	·06	·02		·04	·03	·02	2
3	·07	·02	·21		·03	·08	·14	1·15	·18			·05	3
4	·46	·01	1·34	·03		·21		·04			·38		4
5	·68	·11	·42	·01				·34				·13	5
6	·97	·18	·05		·30		·23	2·07			·03	·09	6
7	·06	·62	·08		·39	·65		·57			·04	·04	7
8	·60	·18	·37	·04		·18	·02	·14	·06				8
9	·02	·13	·49	·20		·51	·04				·03	·50	9
10	·27	·13	·04	·02		·09		·06	·03		·24	·12	10
11	·04	·14					·02				·21	·49	11
12	·02	·32	·23		·02		·14					·13	12
13	·31		·01					·08		·03		·41	13
14	·12	·02	·64		·08			·18		·01		·07	14
15	·46	·03	·06		·31	1·00		·03				·69	15
16	·50		·23		·03	·03		·23		·17	·03	·10	16
17	·19		·15		·03	·17		·59				·17	17
18	·01	·02	·46					·73		·19	·02	·17	18
19		·27	·11			·03	·11	·62		·13	·01	·03	19
20	·13	·08	·40		·25	·02	·07	·75		·74	·08		20
21		·13	·58		·81		·02	·34		·33			21
22	·40	·24	·18		·03		·27	·58		·10	·02	·08	22
23	·36	·57	·35			·05	·11	1·31		·09	·09	·25	23
24	·06	·06	·17			·37		·01				·08	24
25	·13					·42		·43		·13	·41	·63	25
26		·05						·05		·42	·55	·46	26
27			·05			·46	·52			1·32	·04	·49	27
28		·08	·03			·05	·12	·78	·36	·29	·38	·77	28
29		·13	·03			·22	·38		·63	·32		·12	29
30						·19	·23		·11	·41		·02	30
31			·57				·36	·01		·03		·27	31
Total	5·86	3·52	7·77	·30	2·30	5·87	2·91	11·31	1·47	5·92	2·59	6.88	TOTAL for year 56·70
No. of Rain Days.	21	22	27	5	12	20	18	25	7	18	17	27	219

W. 8,000, X. '11.

82 [illegible] 25.III.14 356

FORM A. BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Brushford Rectory, Dulverton
in the County of Somerset
by Rev. B. J. du Boe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·24	·24	·06	·02				·08	·01	·25	·54	1
2	·09	·22	·02	·12	·50					·17	·18	·03	2
3	·14		·13	·08	·23				·04	·17	·01	·46	3
4	1·20		·09		·22	·04			·15	·14	·06	·40	4
5	·10	·03			·18	·65	·10		·24	·04	·12	·41	5
6	·08	·13	·14			·12	·11			·46	·16	·22	6
7	·01	·42	·03		·87	·20	·14			·65	·25	·04	7
8		·08			·49		·01	·04		·06		·02	8
9		·08	·16		·10	·27	·04	·11			·53	·08	9
10	·71		·13		·18	·02		·03		·47	·25		10
11	·81		·05	·32	·39	·10		·04	·02	·05	1·22	·07	11
12	·08				·04				·04		·58	·01	12
13	·06		·05				·02	·17	·27		·16		13
14	·36		·34	·04				·01	·02	·06	·29	·07	14
15	·09		·64	1·00					·16		·36	·04	15
16	·28		·68	·07		·01	·06	·10	·33		·06		16
17	·12		·05	·13			·03		·02		·03		17
18	·38		·26	·17		·04					·14		18
19	·50		·12		·13	·11	·04		·29	·05	·01		19
20	·78		·28	·13					·01	·06	·31		20
21			·08	·01	·11		·01	·03			·33		21
22	1·44		1·18		·04	·19	·01	·07	·10			·06	22
23	·03		·03			·01		·11			·06	·58	23
24	·07	·07		·16				·06			·08		24
25		·03		·28					·09	·02	·08	·08	25
26				·63				·06				·38	26
27	·19		·28	·19				·13		·64		·06	27
28	·23		·09	·35	·04					·47		·27	28
29	·06		·63	·30	·02			·01		·17	·03		29
30	·62				·20			·01		·60	·16		30
31	·35		·24		·09			·71					31
Total	8·80	1·30 1·80	5·94	4·04	3·85	1·76	·57	1·69	1·86	4·29	5·71	3·82	YEAR'S TOTAL 43·63
Rain Days.	26	9	24	17	18	12	11	16	15	18	25	19	210

W. 7,500, XI. ·12

DL

See D J J

341

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Brushford Rectory, Dulverton

in the County of Somersetshire 5

by Rev. B. J. du Boe

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05	·15		·22	·41	·37			·24	·12	1
2			·05	·08	·01		1·17				·23	·63	2
3	·03		·55	·17	·46							·19	3
4	·19		·42	·32	·17		·43	·18			·34	·86	4
5	·15		·39	·64	·09		·02	·06			·02	·12	5
6		·14	·21	·39	·08		·08	·08			·12	·31	6
7	·05	·41	·29	·15	·24	·25	·32	·21	·05		·01	·11	7
8	·25		1·08	·07	·40	·56		·07	·02			·01	8
9	·17		·27	·13	·07	·61		·09	·61				9
10	·03	·24	·02	·25	·16	·05			·66		·01	·02	10
11		·17	·78		·08	·23			·02		·22	·59	11
12		·56	·14						·44	·02	·14	·49	12
13		·33	·40						·70	·21	·47	·18	13
14		·14	·58			·30		·64	·01	·25	·32	·03	14
15		·06	·35				·07	1·04	·15	·03	·30	·08	15
16			·07				·05		·23			·02	16
17		·28	·37				·04					·73	17
18		·25	·23				·02		·12			·34	18
19		·14	·58				2·10		·08		·14	·17	19
20		·36	·25			·23						·30	20
21		·52				·04		·09		·34		·07	21
22		·08	·01		·19	·60		·02		·86			22
23		·12	·16		·01	·01	·06			·18			23
24		·12	·03		·07						·32		24
25	·19		·43				·13	·53		·44	·02	·21	25
26	·10		·13				·14	·10		·04	·29	·50	26
27	·02									·23	·21	·45	27
28	·06	·11	·12		·06					·31	·13	·96	28
29	·21		·08		·12					·33	·33	·03	29
30	·02		·10							·27	·47	·87	30
31	·01				·01		·50			·75		·62	31
													YEAR'S TOTAL
Total	1·48	4·03	8·14	2·35	2·22	3·10	5·54	3·48	3·09	4·26	4·33	9·01	51·03
Rain Days.	14	17	28	10	16	11	15	13	12	14	20	27	197

W.7,000, XI. 13

82

2203
~~334~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Brushford Rectory, Dulverton
in the County of Somersetshire
by Rev. B. J. du Boe

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·22			·06			·60	·12	·50	·02	·10	1
2	·11	·25	·34	·12		·07		·37		·06		·75	2
3	·01	·07	·13	·30	·18		·03					·55	3
4	·12	·12	·01		·08		·72					·52	4
5	·19	·62	·02	·17		·01		·28				·54	5
6	·69	·07		·31			·41	·06				·22	6
7	·39	·63		·11	·12		·14	·07			·01	·39	7
8	·29	·36		·01				·12			·10	·09	8
9	·02	·16		·22				·01			·38	·99	9
10	47	·29	·05	·04				·21		·24	·13	·08	10
11	·15	·27	·01				·07	·02		·04	1·14	·07	11
12	·32	·66		·05	·62			·43		·12	·61		12
13	·05	·53			·74		07	·20	·10	·01	·26	·13	13
14	·08						·14	·25	·18	·13	·03	·92	14
15	·32				·38		·19		·16		·17	·05	15
16	·03	1·35			·13		1·35					·08	16
17		·15			·10								17
18		·43					01						18
19	·01	·02		·08	·19		·13						19
20	·71			·03		·07				29		·05	20
21	·35	·10					04			27		·18	21
22	·09	·05	36	·10		·10	·25		·03	·10		·35	22
23		·10	·09			·04	·26		·06	·94	·01	1·06	23
24				·01			·49		·05	·31		·47	24
25						·50	·45				·01	·31	25
26	·03	13				·19	·12		·07			·65	26
27		·14				·50	·34			·58		·06	27
28		·07				·03			·59	·22	01	·02	28
29						·16			·03		·14	·21	29
30	·22	X					·02			·79	·35	·42	30
31		X		X		X	·07	·01	X	·68	X	·17	31
Total	4·98	6·79	1·01	1·55	2·60	1·67	5·30	2·63	1·39	5·28	3·37	9·43	YEAR'S TOTAL 46·00
Rain Days.	22	23	8	13	10	10	20	13	10	16	15	27	187

W. 8,000. X. 14.

8L

~~W~~ DL and by Nurseries

2138
~~297~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Brushford Rectory, Dulverton
in the County of Somersetshire
by Rev. B. J. du Boe

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·03		·99	·08	·23		·05	·25	·04		1
2	·50	·07	·09		·07				·06	·47	·22		2
3		·89			·33	·06	·33		·07	·52	·27	·04	3
4	·32	·11		·04	·25	·62	·42		·03	·20	·82		4
5	·25	·05	·11		·23	·09				·06	·72		5
6	·14	·30	·03		·14	·25	·43			·11	·51		6
7	·07	·31	(·52)		·24	·13	·04			·04	·81	·14	7
8		·24	·11		·23	·09					·37	·11	8
9		·04			·16		·10			·19	·09	·21	9
10	·03	·75	·01	·12	·03	·01				·04	·03	·19	10
11		·02		·30	·02		·16		·05				11
12	·17	·13	·08	·15	·18			·04		·28			12
13		·45	·08	·08				·37		·03			13
14	·06	·55	·05		·20			·43		·10			14
15	·03	·38	·05	·19				·29		·02			15
16	·07	·29		·29			·04	·49		·25			16
17	·09	·43		·11					·72	·29	·67		17
18	·03	·84	·28	·19					·34	·22	·01		18
19	·15	·08	·18	·32							·20		19
20	·12	·54	·25								·23	·80	20
21	·14	·09	·18		·04							·08	21
22						·12		·04		·84	·03	·58	22
23	·03	·35	·01	·07		·05		·34		·08	·17	·39	23
24		·23	·03	·07	·48	·09		·08		·60	·02	·28	24
25		·82	·23		·03	·02		·31	·07	·02	·52	·01	25
26	·04	·33	·07			·21		·08	1·18	·91	·06		26
27	·09		1·47			·16		·27	·33	·92			27
28		·12				·01		·11	·12	·53	·01	·68	28
29		·37	·24			·50		1·74	·12	·29		·48	29
30					·02			·06		·27		·05	30
31								·04		·25		·26	31
													YEAR'S TOTAL
Total	2·48	8·78	4·10	1·93	3·64	2·49	1·75	4·69	3·14	7·78	5·80	4·30	50·88 ✓
Rain Days.	19	26	21	12	17	16	8	15	12	26	20	15	207

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

26 JAN 1918

Kept at Brushford Rectory, Dulverton

in the County of Somersetshire

by B. J. du Boe

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·09	·30		·31		·62	·07		·11		1
2	·10			·27		·15		·02			·04	·03	2
3	·14	·03		·07			·39			·94	·83		3
4		·18	·39	·01					·02	·50		·01	4
5	·29		·45	·33		·17			·07	·39	·20		5
6	·01		·13			·02			·02	·10	·33	·02	6
7	·46						·08	·22		·49	·08	·08	7
8	·05		·18	·20		·22	·65	·59	·02	1·00	·30	·18	8
9			·08	·06	·02		·01	·13		·58	·28		9
10	·24		·30	·25		·01		·15		·04	·07		10
11	·02		·62	·27				·50	·03	·40	·14		11
12	·13		·02		·68			·03		1·16			12
13	·04		·23	·09		·06		·63	·43	·25		·02	13
14				·04				·16	·03	·02		·03	14
15				·02				·02	·02	·25		·23	15
16		·06		·12			·01			·21			16
17		·05		·25			·43	·08	·36	·16	·01	·57	17
18		·05		·01	·02	·04	·43	·05	·75	·01	·01		18
19		·46	·08			·36		·01			·15		19
20		·09	·04		·37	·07		·04	·04		·09		20
21			·08		·01	·07		·03		·02	·03		21
22					·01			·45		·18			22
23		·24			·15			·57		·15	·08		23
24						·09	·10	·18		·48	·22	·02	24
25		·10	·07			·04		·11	·03	·22	·14		25
26					·25	·17		·82	·18	·08	·24		26
27					·25	·14		1·35		·17	·04		27
28		·12	·13		·08	3·55		·49			·06	·02	28
29			·33			·25		·12		·32	·05	·19	29
30		X	·08				·21	·17		·23			30
31		X	·02	X	·10	X		·10	X	·25	X	·03	31
Total	1·58	1·38	3·32	2·29	1·94	5·72	2·31	7·64	2·07	8·60	3·50	1·43	YEAR'S TOTAL 41·78
Rain Days.	11	10	18	15	11	17	9	26	14	26	22	13	192

W. 8,000, VIII. 16

81 Eoo 83

12/3

~~263~~

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 30 · 1 · 19

Kept at Brushford Rectory, Dulverton

in the County of Somersetshire

by B. J. du Boe

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·15		·15	·05			1.13	·03	·04	1.14		1
2		·17		·10				·25	·01	·01	·01	·25	2
3		·10		·10	·07				·08	·06	·22	·04	3
4		·06						·05	·15	·09	·80	·35	4
5		·06	·10	·12				·50	·38	·26	·01	·05	5
6	·19	·57		·32					·01	·24		·08	6
7		·20		·08	·19	·02		·02	·73	·22	·39	·09	7
8	·13	·07					·04		·33	·30	·01	·02	8
9	·16	·25		·07		·37	·23		·57	·20	·02	·41	9
10	·15			·20		·03	·95		·66	·10		·68	10
11	·13	·16	·16				·41		·27	·12	·09	·52	11
12		·19	·08		·30	·01	·15		·20	·01		·21	12
13	·61				·03	·01	·10		·50	·12		·45	13
14	·28					·03	·36		·38	·04		·13	14
15	2·04			·07	·04	·05	·45		·09	·08		·55	15
16	·71			1·06		·09	·02	·14	·30	·01		·27	16
17	·47		·02	·15			·20	·07	·05			·30	17
18	1·03		·12	·01		·71	·31		1·32	·17		·45	18
19	·14	·11	·12	·02			·08	·05	·17			·39	19
20	·12	·25		·04		·12	·22		·25	·03			20
21	·11	·07		·01		·06	·08		·95	·03		·37	21
22		·03			·23		·82		·28	·01	·01	·88	22
23	·11				·15		·14		·10		·01	·25	23
24		·17					·15	·13	·25		·32	·06	24
25							·35	·77		·03	·18	·02	25
26		·08					·75	·05	·16	·07	·35	·57	26
27		·24	·15			·03		·23	·43	·02	·40	·33	27
28		·14	·17						·04	·01	·17	·68	28
29			·13						1·24			·10	29
30		X	·45					·09	·01	·03	·15	·25	30
31		X	·40	X		X		·30	X	·03	X	·04	31
Total	6·38	3·07	1·90	2·50	1·06	1·53	5·81	3·78	9·94	2·33	4·28	8·79	YEAR'S TOTAL 51·37
Rain Days.	15	19	11	15	8	12	19	14	29	26	17	29	214

W. 8,000, IX. 17.

81

1917
343

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Brushford Rectory, Dulverton
in the County of Somersetshire
by B. J. du Boe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.79		.10	.11	.40		.25		.07	.42	.01	1.00	1
2	.30		.06		.05		.06		.20		.06	.30	2
3	.07		.33		.12				.06		.12	.81	3
4	.29	.61	.64			.05	.10	.06	.45		.01	.07	4
5	.05	.37	.84				.10		.10			.70	5
6	.71	.31	.26									.55	6
7	.33		.25	.17								.16	7
8	.30		.22	.07		.05							8
9	.34		.05	.20	.25						.22		9
10	.02		.46	.03	.01	.01				.20	.10	.35	10
11	.10		.39	.20	.18		.10						11
12	.32		.11	.12		.33				.24	.11		12
13	.12		.06	.56						.10		.08	13
14	.50	.16		.99	.45		.04			.08		.43	14
15	.43	.05		.26						.22		.40	15
16	.30	.88						.03			.35	.01	16
17	.01	.59				.06		.10			1.13	.02	17
18	.09	.06	.75				.10	.23			.58	.06	18
19	.39	.35	.38			.06	.55	.42	.68		.38	.06	19
20	.49	.17	.39			.12		.08	.11		.09	.35	20
21	.01	.90	.01				.68	.06	.06		.02	.25	21
22		.13				.03	.07		.20		.19	.56	22
23										.76	.18	.24	23
24						.20		.09	.04	1.24	.17	.90	24
25	.15			.04		.03		.50			.16	.21	25
26	.24		.25	.29				.09	.20	.03	.03	.48	26
27	.25		.18	.30				.90				.11	27
28	.01		.42					.06			.24	.77	28
29	.02		.05	.14				.20		.31		.13	29
30		X	.04	.13		.08		.30	.05	.02	.56	.80	30
31	.04	X	.05	X		X	.03		X		X	.40	31
													YEAR'S TOTAL
Total	6.67	4.58	6.29	3.61	1.46	1.02	2.08	3.12	2.22	3.62	4.71	10.20	49.58
Rain Days.	27	12	23	15	7	11	11	14	12	11	20	27	190

49.58
44

W. 6,500, VII. 18. W W & S

306 1830

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Brushford Rectory

in the County of Somersetshire

by B. J. du Boe

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·06	·18		·40	·30	·13	·43	·17	·90	1
2	·26			·18			·29	·30	·13	·12		·14	2
3	·12	·01		·06	·04		·07		·05	1·00		·40	3
4			·03	·05	·02		·04	·67		·20			4
5			·19		·28		·47	·14		·26			5
6			·15	·06	·28		·04			·28			6
7	·07			·26			·65				·05		7
8	·19	·06		·45	·10		·53	·04	·02	·01		·13	8
9	1·53	·75	·05	·12		·25	·24	·02	·01		·01		9
10	1·33	·45	·26	·37		·31	·31				·04		10
11	·29	·02	·17	·60	·31	·04	·16					·01	11
12	·38	·13	·05	·57	·04	·05	·08				·13		12
13	·40	·11	·50	·07						·02		·01	13
14	·30	·04	·62	·74			·05		·16	·33	·71		14
15	·05	·18	·10	·39	·08	·09			·22	·67	·10		15
16	·01	·01	·17	·03		·59	·10		·27	·26	·25		16
17	·22		·10	·38	·40	·12			·51	·05		·01	17
18	·11		·04	·03	·06	·08	·01	·36	·22				18
19	·11	·20		·38		·22	·01						19
20	·08			·51		·16	·17					·30	20
21				·04			·07		·05	·09		·22	21
22	·06			·04		·09	·05					·58	22
23			·02				·54	·05				·60	23
24	·08		·25	·05								·20	24
25	·05	·14	·17	·01	·01	·02	·69					·02	25
26	·32		·33			·12	·07				·43		26
27	·25	·10	·11	·15	·38	·68	·06				·81	·52	27
28	·75	·01	·13	·15		·09	·12					·06	28
29	·24	·01	·51	·04	·10	·02	·13				·22	·30	29
30	·28	×		·10	·06	·33	·23		·61	·11	·50	·45	30
31	·15	×	·33	×		×	·05	·01	×	·72	×	·17	31
TOTAL	7·64	2·22	4·28	5·89 5·79	2·34	3·26 ~~3·16~~	5·63	1·89	2·38	4·55	3·42	5·02	YEAR'S TOTAL 48·52 ~~48·32~~
Days with ·01 in. or more	26	15	21	27	15	17	27	9	12	15	12	18	214

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04	24	10	19	24	13	15	25	7	10	13	11	14	185

BRUTON
SUNNY HILL
SOMERSET
1911 - 1912

RE 1911

FORM A2.
BRITISH RAINFALL.
21 FEB 1912

Agretti & Zambra (maker)

Kept at Sunny
of top 5 in.
top above Ground 1 ft. — in.
in the County of S
,, ,, Sea Level 280 ft.
on 9 a.m.
by H. E. Maki
Station { Name Cole
Distance 200 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·04	·03				·02			·02	·04	1
2	·03		·02	·37	·26			·12		·03	·28	·11	2
3			..		·14			·07			·09	·05	3
4		·01	·09					..	·04		·11	·41	4
5	·08	..	·05			·40		·73		·04	·10	·02	5
6	·16		·09					·01		·13	·08	·48	6
7	·02									·01	·34		7
8	·09		·17								·03	·51	8
9	·16	·01	·02								·05	·62	9
10	·15	·06	·20		·96						..	·10	10
11	·39	·11	·02								·71	·22	11
12		·01	·88		·01						·04	·30	12
13			·01						·25	..	·02	·46	13
14		·08								·01	·20	·87	14
15		·05	·07			·06				·01		·58	15
16	..					·30					·52	·35	16
17	..	·01	·01			·15					·12	·37	17
18		·21	·03	·10	·02	·31				·02	·05	·38	18
19		·14		·03		·13			·23	·13	·01	·58	19
20	·02	·01	·08	·08					·12	·03		·50	20
21	·01	·21	·0~~5~~ 2	·05			~~·52~~	·52	·09	·43		·21	21
22	·09	..	·~~03~~ 41	·03					·03	·66		·39	22
23		·09	·16	·02		·12			·13	·08	·01	·10	23
24		·20				·67	~~·05~~	·05		·49		·32	24
25		·08	·01	·14		·13	—	..	·03	·07		·16	25
26		·05		·26	·08		~~·03~~	·03		·11		·31	26
27		·57	·11	·12			~~·11~~	·11	·13		·01	·23	27
28		·30		·23				·16			·04	..	28
29				·55		·28	·03	·01	·09	·45		..	29
30						·03				·23	·12	·02	30
31										·06.		..	31
Total	1·23	2·20	2·49	2·01	1·47	2·58	·03	1·83	1·14	2·99	2·95	8·69	TOTAL for year 29·61
No. of Rain Days.	12.	18	20	13	~~4~~6.	11	1	11	10	18	21	27.	168

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
21 FEB 1912

REGISTER OF RAINFALL IN 1911.

Kept at Sunny Hill, Bruton
in the County of Somerset.
by H. E. Makins (under H. Crowther Esq)

RAIN GAUGE
Pattern Negretti & Zambra ([illegible])
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 280 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Cole
Distance 200 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·04	·03				·02			·02	·04	1
2	·03		·02	·37	·26			·12		·03	·28	·11	2
3			··		·14			·07			·09	·05	3
4		·01	·09					··	·04		·11	·41	4
5	·08	··	·05			·40		·73		·04	·10	·02	5
6	·16		·09					·01		·13	·08	·48	6
7	·02									·01	·34		7
8	·09		·17								·03	·51	8
9	·16	·01	·02								·05	·62	9
10	·15	·06	·20		·96						··	·10	10
11	·39	·11	·02								·71	·22	11
12		·01	·88		·01						·04	·30	12
13			·01						·25	··	·02	·46	13
14		·08								·01	·20	·87	14
15		·05	·07			·06				·01		·58	15
16	··					·30					·52	·35	16
17	··	·01	·01			·15					·12	·37	17
18		·21	·03	·10	·02	·31				·02	·05	·38	18
19		·14		·03		·13			·23	·13	·01	·58	19
20	·02	·01	·08	·08					·12	·03		·50	20
21	·01	·21	~~·05~~ ·02	·05			~~·52~~	·52	·09	·43		·21	21
22	·09	··	~~·03~~ ·41	·03					·03	·66		·39	22
23		·09	·16	·02		·12			·13	·08	·01	·10	23
24		·20				·67	~~·05~~	·05		·49		·32	24
25		·08	·01	·14		·13	—	··	·03	·07		·16	25
26		·05		·26	·08		~~·03~~	·03		·11		·31	26
27		·57	·11	·12			~~·11~~	·11	·13		·01	·23	27
28		·30		·23				·16			·04	··	28
29				·55		·28	·03	·01	·09	·45		··	29
30						·03				·23	·12	·02	30
31										·06		··	31
Total	1·23	2·20	2·49	2·01	1·47	2·58	·03	1·83	1·14	2·99	2·95	8·69	TOTAL for year 29·61
No. of Rain Days.	12	18	20	13	~~4~~6	11	1	11	10	18	21	27	168

W. 8,000, X. '11.

Wrote for [illegible] 4 ? note June

No reply to reference 4.III.13 D.L. June 7 & 8 estd (Boys)

Cordially answered 24.III.13

FORM A. BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Sunny Hill, Bruton

in the County of Somerset. 2

by H. E. Makins

Lat. 51° Long. 2½° W.

Time of Observation 9 am.

Nearest Railway Station Cole.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·30			·20	·05		·01	·51			1
2			·08			·22	·64					·55	2
3			·04			·36	·15	·57	·03		·03	·10	3
4	·22		(·69)		·02	·23		·06			·30		4
5	·50	·03	·21		·01	·06		·56			·01	·13	5
6	·59	~~·03~~			·14	·01	·34	·36				·02	6
7		·43	·14	·01	·17	(·55)		·11				·10	7
8	·34	·22 ~~·43~~	·67	·02		(·18)	·19	·30				·04	8
9			·24	·05		·12	·02	·03				·68	9
10		·13				·06		·23			·13	·23	10
11	~~·14~~	·08	·10			·06						·39	11
12	·04	·43	·09	·04			·03				·02		12
13			·03			·02		·20				·10	13
14	·17		·45		·09	·01		·08					14
15	·09	·09	·02		·25	·62		·10				·62	15
16	·80		·23		·07			·09		·08	·02	·04	16
17	1·15		·04			·01		·59			·04	·08	17
18	·14		·39					·14		·02	·01	·11	18
19	·03	·12	·12			·12	·07	·18			·02	·03	19
20	·04	·03	·31		·05	·11	·02	·31		·38	·02		20
21	·05	·13	·33		·45			·17		·38			21
22	·10	·14	·04		·27		·14	·37		·07		·05	22
23	·22	·34	·25					·99		·08		·25	23
24	·05	·03	·01			·58		·11			·25	·18	24
25	·11					·03		·34		·38	·24	·59	25
26		·01					·17	·19		·29	·30	·12	26
27						·13	·86			·50		·32	27
28		·08				·12	·03	·20	·09	·48	·46	·57	28
29		·03	·01			·25	·13	·25	·52	·61			29
30						·09	·15		·23	·31			30
31			·51				·26	·07		·02		·05	31
Total	4·78	2·32	(5·70)	·12	1·52	(4·14) ~~3·41~~	3·25	6·54	·88	4·11	1·85	5·35	YEAR'S TOTAL ~~36·87~~ (40·16)
Rain Days.	18	16	24	4	10	23	16	25	5	14	14	23	92

W. 7,500, XI. ·12

1828

REGIST

FORM A.
BRITISH RAINFALL

~~BRUTON~~
REDLYNCH PARK
SOMERSET
1919 - 1920

Kept at Redlynch

in the County of Somerse

by W F Pehler

GW

L

uton GWR

e Five in.

und ft. Seven in.

Level 390 ft.

IMPORTANT NOTE.- result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading the space provided for it at the end of this p of rain, the selection and placing of Rainfall Organization are given in " ication to THE DIRECTOR, British Rainf . 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	—	—	0·06	—	—	~~0·0~~0	—	—	—	—	—	—	—
1	0·56	0·00	0·01	0·06	0·10	0·00	0·63	0·00	0·02	0·10	0·00	1·33	1
2	0·07	0·00	0·20	0·00	0·13	0·00	0·03	0·00	0·21	0·00	0·04	0·16	2
3	1·10	0·00	0·66	0·00	0·11	0·00	0·00	0·00	0·21	0·00	0·07	0·57	3
4	0·21	0·18	0·75	0·00	0·00	0·05	0·00	0·30	0·28	0·00	0·00	0·08	4
5	0·00	0·54	0·00	0·00	0·08	0·00	0·05	0·00	0·14	0·00	0·08	0·50	5
6	0·57	0·09	0·75	0·00	0·04	0·00	0·00	0·00	0·00	0·00	0·05	0·30	6
7	0·23	0·00	0·40	0·10	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·01	7
8	0·25	0·00	— —	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·00	0·00	8
9	0·03	0·00	0·03	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·07	0·00	9
10	0·15	0·00	0·07	0·09	0·00	0·00	0·00	0·00	0·00	0·04	0·00	0·25	10
11	0·01	0·00	0·29	0·21	0·17	0·00	0·~~00~~25	0·00	0·00	0·00	0·00	0·09	11
12	0·05	0·00	0·01	0·01	0·00	0·00	0·02	0·00	0·00	0·12	0·13	0·10	12
13	0·02	0·02	0·02	0·38	0·00	0·00	0·08	0·00	0·00	0·00	0·00	0·02	13
14	0·49	0·07	0·00	0·62	0·02	0·00	0·13	0·00	0·00	0·00	0·00	0·15	14
15	0·11	0·00	0·00	0·03	0·01	0·00	0·00	0·00	0·00	0·01	0·00	0·40	15
16	0·06	0·58	0·00	0·01	0·00	0·00	0·00	0·08	0·00	0·00	0·17	0·00	16
17	0·00	0·41	0·00	0·00	0·00	0·02	0·00	0·07	0·00	0·00	0·34	0·00	17
18	0·02	0·28	0·58	0·00	0·00	0·00	0·25	0·10	0·00	0·00	0·21	0·02	18
19	0·40	0·00	0·93	0·00	0·00	0·01	0·66	0·35	0·22	0·00	0·26	0·10	19
20	0·38	0·10	0·12	0·00	0·00	0·25	0·00	0·16	0·00	0·00	0·00	0·10	20
21	0·00	0·59	0·00	0·00	0·00	0·00	0·46	0·00	0·00	0·00	0·00	0·11	21
22	0·00	0·11	0·00	0·00	0·00	0·20	0·18	0·00	0·00	0·00	0·04	0·45	22
23	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·33	0·01	0·12	23
24	0·00	0·00	0 00	0·00	0·00	0·18	0·08	0·00	0·00	1·01	0·03	0·59	24
25	0·10	0·04	0·10	0·07	0·00	0·04	0·00	0·35	0·00	0·00	0·03	0·12	25
26	0·05	0·00	0·00	0·09	0·00	0·00	0·00	0·21	0·33	0·00	0·00	0·22	26
27	0·13	0·07	0·02	0·38	0·00	0·00	0·03	1·00	0·00	0·00	0·00	0·06	27
28	0·00	0·00	0·44	0·00	0·00	0·00	0·00	0·35	0·00	0·00	0·48	0·40	28
29	0·07	✕	0·00	0·02	0·00	0·00	0·00	0·13	0·00	0·05	0·01	0·02	29
30	0·00	✕	0·00	0·21	0·00	0·06	0·00	0·66	0·00	0·02	0·35	0·27	30
31	0·00	✕	~~0·00~~	✕	0·00	✕	0·01	0·00	✕	0·00	✕	0·31	31
Total	5·00	3·02	5·45	2·39	0·66	0·89	2·86	3·76	1·41	1·68	2·37	6·85	YEAR'S TOTAL 36·34
Rain Days.	22	13	19	15	8	10	14	12	7	8	17	27	172

apr

W, 6,500, VII. 18. W W C

1828

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Redlynch Park, Bruton
in the County of Somerset
by W F Pehler

All over

Lat. 51·07 N Long. 2·26 W
Time of Observation 9 a m
Nearest Railway Station Bruton GWR
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground ft. Seven in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
			0·06			~~0·00~~							
1	0·56	0·00	0·01	0·06	0·10	0·00	0·63	0·10	0·02	0·10	1·00	1·33	1
2	0·07	0·00	0·20	0·00	0·13	0·00	0·03	0·00	0·21	0·00	0·04	0·16	2
3	1·10	0·00	0·66	0·00	0·11	0·00	0·00	0·00	0·21	0·00	0·07	0·57	3
4	0·21	0·18	0·75	0·00	0·00	0·05	0·00	0·30	0·28	0·00	0·00	0·08	4
5	0·00	0·54	0·00	0·00	0·08	0·00	0·05	0·00	0·14	0·00	0·08	0·50	5
6	0·57	0·09	0·75	0·00	0·04	0·00	0·00	0·00	0·00	0·00	0·05	0·30	6
7	0·23	0·00	0·40	0·10	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·01	7
8	0·25	0·00	– –	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·00	0·00	8
9	0·03	0·00	0·03	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·07	0·00	9
10	0·15	0·00	0·07	0·09	0·00	0·00	0·00	0·00	0·00	0·04	0·00	0·25	10
11	0·01	0·00	0·29	0·21	0·17	0·00	0·~~00~~25	0·00	0·00	0·00	0·00	0·09	11
12	0·05	0·00	0·01	0·01	0·00	0·00	0·02	0·00	0·00	0·12	0·13	0·10	12
13	0·02	0·02	0·02	0·38	0·00	0·00	0·08	0·00	0·00	0·00	0·00	0·02	13
14	0·49	0·07	0·00	0·62	0·02	0·00	0·13	0·00	0·00	0·00	0·00	0·15	14
15	0·11	0·00	0·00	0·03	0·01	0·00	0·00	0·00	0·00	0·01	0·00	0·40	15
16	0·06	0·58	0·00	0·01	0·00	0·00	0·00	0·08	0·00	0·00	0·17	0·00	16
17	0·00	0·41	0·00	0·00	0·00	0·02	0·00	0·07	0·00	0·00	0·34	0·00	17
18	0·02	0·28	0·58	0·00	0·00	0·00	0·25	0·10	0·00	0·00	0·21	0·02	18
19	0·40	0·00	0·93	0·00	0·00	0·01	0·66	0·35	0·22	0·00	0·26	0·10	19
20	0·38	0·10	0·12	0·00	0·00	0·25	0·00	0·16	0·00	0·00	0·00	0·10	20
21	0·00	0·59	0·00	0·00	0·00	0·00	0·46	0·00	0·00	0·00	0·00	0·11	21
22	0·00	0·11	0·00	0·00	0·00	0·20	0·18	0·00	0·00	0·00	0·04	0·45	22
23	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·33	0·01	0·12	23
24	0·00	0·00	0 00	0·00	0·00	0·18	0·08	0·00	0·00	1·01	0·03	0·59	24
25	0·10	0·04	0·10	0·07	0·00	0·04	0·00	0·35	0·00	0·00	0·03	0·12	25
26	0·05	0·00	0·00	0·09	0·00	0·00	0·00	0·21	0·33	0·00	0·00	0·22	26
27	0·13	0·07	0·02	0·38	0·00	0·00	0·03	1·00	0·00	0·00	0·00	0·06	27
28	0·00	0·00	0·44	0·00	0·00	0·00	0·00	0·35	0·00	0·00	0·48	0·40	28
29	0·07	✕	0·00	0·02	0·00	0·00	0·00	0·13	0·00	0·05	0·01	0·02	29
30	0·00	✕	0·00	0·21	0·00	0·06	0·00	0·66	0·00	0·02	0·35	0·27	30
31	0·00	✕	~~0·00~~	✕	0·00	✕	0·01	0·00	✕	0·00	✕	0·31	31
Total	5·00	3·02	5·45	2·39	0·66	0·89	2·86	3·76	1·41	1·68	2·37	6·85	YEAR'S TOTAL 36·34
Rain Days.	22	13	19	15	8	10	14	12	7	8	17	27	172

oper

W. 6,500, VII. 18. W W C

1740

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN

Kept at Redlynch House, Bruton
in the County of Somerset
by W F Pepper

Lat. 51·10 N Long. 2·25 W
Time of Observation 9 am
Nearest Railway Station Bruton G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09	0·00	0·01	0·19	0·35	0·00	0·29	0·03	0·05	0·26	0·45	0·45	1
2	0·18	0·00	0·01	0·14	0·00	0·00	0·16	0·55	0·19	0·00	0·00	0·10	2
3	0·16	0·06	0·00	0·02	0·04	0·00	0·40	0·00	0·01	0·67	0·00	0·00	3
4	0·00	0·00	0·03	0·07	0·00	0·00	0·12	0·35	0·00	0·26	0·00	0·02	4
5	0·00	0·00	0·07	0·05	0·15	0·00	0·42	0·49	0·00	0·22	0·00	0·01	5
6	0·00	0·00	0·08	0·00	0·10	0·00	0·27	0·00	0·00	0·03	0·00	0·00	6
7	0·09	0·00	0·09	0·53	0·00	0·00	0·26	0·00	0·00	0·00	0·00	0·00	7
8	0·06	0·15	0·00	0·33	0·02	0·00	0·42	0·00	0·00	0·00	0·00	0·00	8
9	0·61	0·23	0·08	0·10	0·00	0·11	0·00	0·00	0·00	0·00	0·00	0·00	9
10	0·63	0·32	0·30	0·08	0·00	0·22	0·26	0·00	0·00	0·00	0·00	0·00	10
11	0·24	0·00	0·08	0·42	0·23	0·04	0·19	0·00	0·00	0·00	0·00	0·00	11
12	0·29	0·01	0·02	0·20	0·01	0·60	0·02	0·00	0·00	0·00	0·05	0·00	12
13	0·23	0·05	0·40	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	13
14	0·05	0·01	0·20	0·49	0·00	0·00	0·00	0·00	0·12	0·52	0·26	0·00	14
15	0·00	0·08	0·03	0·37	0·03	0·19	0·01	0·00	0·04	0·50	0·03	0·01	15
16	0·00	0·00	0·13	0·03	0·00	0·07	0·10	0·00	0·06	0·09	0·00	0·00	16
17	0·05	0·00	0·01	0·30	0·23	0·00	0·00	0·00	0·31	0·00	0·00	0·01	17
18	0·04	0·00	0·04	0·05	0·09	0·02	0·02	0·38	0·23	0·00	0·00	0·03	18
19	0·05	0·00	0·00	0·15	0·15	0·15	0·00	0·00	0·00	0·00	0·03	0·00	19
20	0·13	0·23	0·00	0·11	0·00	0·50	0·00	0·00	0·00	0·00	0·00	0·14	20
21	0·00	0·00	0·00	0·00	0·00	0·00	0·17	0·00	0·02	0·11	0·00	0·20	21
22	0·03	0·00	0·00	0·15	0·00	0·00	0·01	0·04	0·00	0·00	0·00	0·34	22
23	0·01	0·00	0·00	0·00	0·00	0·00	0·66	0·00	0·00	0·00	0·00	0·30	23
24	0·00	0·00	0·10	0·01	0·02	0·00	0·00	0·00	0·00	0·00	0·08	0·03	24
25	0·00	0·08	0·06	0·00	0·01	0·00	0·32	0·00	0·00	0·00	0·01	0·00	25
26	0·22	0·00	0·10	0·00	0·00	0·05	0·31	0·00	0·00	0·00	0·12	0·05	26
27	0·30	0·02	0·02	0·48	0·02	0·34	0·12	0·00	0·00	0·00	0·00	0·23	27
28	1·04	0·01	0·04	0·05	0·23	0·04	0·04	0·00	0·00	0·00	0·00	0·02	28
29	0·21	0·00	0·14	0·00	0·02	0·25	0·00	0·00	0·00	0·00	0·15	0·13	29
30	0·05	✕	0·01	0·06	0·02	0·40	0·35	0·00	0·27	0·00	0·39	0·19	30
31	0·08	✕	0·32	✕	0·00	✕	0·00	0·00	✕	0·53	✕	0·19	31
													YEAR'S TOTAL
TOTAL	4·84	1·25	2·37	4·51	1·72	2·98	4·92	1·84	1·30	3·19	1·57	2·45	32·94
Days with ·01 in. or more	23	12	24	24	17	14	22	6	10	10	10	18	190
	21	8	16	21	9	13	18	5	8	9	7	11	146

(44,283). Wt.21,958—218 7500. 10/19. Gp.132. A.&E.W.

REC 917

BRUTON

PITCOMBE VICARAGE

SOMERSET

1917 - 1920

FORM A.
BRITISH RAINFALL

Kept at Pitcombe
in the County of
by Francis P.

Long. 2° 29′ W.
9 a.m. (incl. Summer time)
tion Cole
f Rain Gauge 5 in.
ge above Ground 2 ft. 4 in.
„ Sea Level c. 280 ft.

IMPORTANT NO and the result entered to the previous day. If an O universal rule, he is earnestly requested to add the rea g year in the space provided for it at the end of thi surement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	~~Aug.~~	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·13	·26		·15		·87	·09	·01	·09		1
2	·02		Tr	·12		·03		·09		·01			2
3				·06			1·14		Tr	·27	·04		3
4	—	·25	·14	·01			·03	·04		·26			4
5	·31		·27	·21		·24			·24	·24	·09		5
6	·01		·16							·04	·13	·01	6
7	·29		—				·09	·39		·26		·02	7
8	·23		·15	·06			·69	·58		·39	·18	·09	8
9			·05		·02		·03	·42	·13	·27	·29		9
10	·16		·23	·17				·28	·02	·01			10
11	·07	·01	·51	·21	·03		—	·10	·01	·22	·02		11
12	·01			·01				·01		·59	·02		12
13			·14	·02	·50			·38	·06	·02		·01	13
14			·18	·13			·08	·16	Tr		·01		14
15		Tr.					·33	·23	·02	·09		·24	15
16		·18		·03	·03		·07			·45	—	·14	16
17	·01	·02		·27	·12		·63	·10	·52	·19	·02		17
18		·04			·01	·03	·20		·46	·03	·02		18
19	·01	·49	·06			·06		Tr	·12		·05		19
20		·13	·07		·29	·17		·09	(·04)		·02	·08	20
21		·01	·39		Tr	·13		·07		·05			21
22			·04					·34		·03			22
23		·26			·14			·05		Tr		·02	23
24		·06	·01			·18	·08	·10		·14	·03		24
25		·09	·03				·01	·54	·07	·07			25
26		·01	·03		·29			·92	·19	·08			26
27					1·00	·15		·91		·05			27
28		·01	·11		·10	7·90		·03				·04	28
29		X	·13			·25	·10	·09		·48		·14	29
30		X	·16				·42		·01	·09		·01	30
31		X	·16	X		X		·03	X	·15	X	·02	31
Total	1·12	1·57	3·15	1·56	2·53	9·29	3·90	6·82	1·98	4·49	1·01	0·82	YEAR'S TOTAL 38·24
Rain Days.	10	14	21	13	11	11	14	24	14	26	14	12	184

W. 8,000, IX. 17. Aug. 21 – 29 should be just a day later. F.P.S.

✓

REC 17

FORM A.
BRITISH RAINFALL.

Kept at Pitcombe Vicarage, Bruton
in the County of Somerset
by Francis P. Gynge

Lat. 51° 5′ N Long. 2° 29′ W.
Time of Observation 9 a.m. (incl. Summer time)
Nearest Railway Station Cole
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 4 in.
" " " " Sea Level c. 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·13	·26		·15		·87	·09	·01	·09		1
2	·02		Tr	·12		·03		·09		·01			2
3				·06			1·14		Tr	·27	·04		3
4		·25	·14	·01			·03	·04		·26			4
5	·31		·27	·21		·24			·24	·24	·09		5
6	·01		·16							·04	·13	·01	6
7	·29						·09	·39		·26		·02	7
8	·23		·15	·06			·69	·58		·39	·18	·09	8
9			·05		·02		·03	·42	·13	·27	·29		9
10	·16		·23	·17				·28	·02	·01			10
11	·07	·01	·51	·21	·03			·10	·01	·22	·02		11
12	·01			·01				·01		·59	·02		12
13			·14	·02	·50			·38	·06	·02		·01	13
14			·18	·13			·08	·16	Tr		·01		14
15		Tr.					·33	·23	·07	·09		·24	15
16		·18		·03	·03		·07			·45		·14	16
17	·01	·02		·27	·12		·63	·10	·52	·19	·02		17
18		·04			·01	·03	·20		·46	·03	·02		18
19	·01	·49	·06			·06		Tr	·12		·05		19
20		·13	·07		·29	·17		·09	(·04)		·02	·08	20
21		·01	·39		Tr	·13		·07		·05			21
22			·04					·34		·03			22
23		·26			·14			·05		Tr		·02	23
24		·06	·01			·18	·08	·10		·14	·03		24
25		·09	·03				·01	·54	·07	·07			25
26		·01	·03		·29			·92	·19	·08			26
27					1·00	·15		·91		·05			27
28		·01	·11		·10	7·90		·03				·04	28
29			·13			·25	·10	·09		·48		·14	29
30			·16				·42		·01	·09		·01	30
31			·16					·03		·15		·02	31
Total	1·12	1·57	3·15	1·56	2·53	9·29	3·90	6·82	1·98	4·49	1·01	0·82	YEAR'S TOTAL 38·24
Rain Days.	10	14	21	13	11	11	14	24	14	26	14	12	184

W. 8,000, IX. 17. Aug. 21 – 29 should be put a day later. F.P.S.

W DL

39

7.IV.19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Pitcombe Vicarage, Bruton
in the County of Somerset
by Rev. F. P. Synge

Lat. 51·5 Long. 2·28 W.
Time of Observation 9 a.m.
Nearest Railway Station Cole S.D.J.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01			·10			·70	·04		·70	·04	1
2	·02	·03		·38				·26	·30	·02	·03	·12	2
3	—	·03	·03	·10	·17				·02	·03	·05	·03	3
4		·03	·01	·02				·09	·08	·10	·37	·06	4
5		·01	·04	·02	·07			·35	·29	·17		·06	5
6	·22	·28		·02				·08	·10	·03		·14	6
7		·14		·20	·46	·01		·01	·21	·14	·30	·03	7
8		·04						·01	·34	·33	·01	·07	8
9				·21		·29	·44		·38	·13	·02	·27	9
10	·04	·08		·08			·35		·22	·18	·04	·57	10
11	·01	·01	·01	·07			·92		·22	·04	·06	·10	11
12		·02	·02		·30		·07		·12			·07	12
13	·30	·02			·01		·44		·69	·07		·20	13
14	·10	·01	·03		·01	·08	·09		·11	·14		·14	14
15	1·11			·44	·05	·05	·30		·07	·07		·08	15
16	·16		·07	·23			·02		·21			·20	16
17	·67		·07	·18			·33	·03	·07			·09	17
18	·69					·57	·06		·21	·03		·31	18
19	·12	·01	·09	·02			·20	·02	·08	·02		·12	19
20	·27	·09		·19		·07	·14		·15	·04	·02		20
21	·07	·01		·01		·03	·14		·34	·05		·15	21
22	·03				·04	~~0~~	·53		·14	·02		·33	22
23	·12				·29	·07	·75	·07	·11		·03	·05	23
24	·03	·13				·05	·01	·01	·09		·17	·01	24
25							·20	1·04			·01		25
26							1·63		·05	·04	·11	·30	26
27		·25	·02				·01	·15	·21	·04	·13	·03	27
28		·04	·11							·07	·31	·08	28
29	·01		·06						1·20		·02	·02	29
30	·01	X	·10					·10	·06	·03	·10	·12	30
31		X	·76	X		X		·11	X	·10	X		31
Total	3·98	1·24	1·30	2·11	1·50	1·04	6·63	2·97	5·99	1·77	2·48	3·61	YEAR'S TOTAL 34·62 ~~35·12~~
Rain Days.	18	1~~8~~9	14	15	10	9	19	15	26	23	18	28	21~~3~~6

W. 6,500. VII. 18. W W C

[illegible]

182

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Pitcombe Vicarage, Bruton

in the County of Somerset

by (Rev.) Francis P. Gynge

Lat. 51·05 N Long. 2·28 W

Time of Observation 9 a.m.

Nearest Railway Station Cole

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55	··	·04	·06	·07		·60		·03	·20		1·23	1
2	·07				·08		·06		·22	·01	·05	·15	2
3	1·05		·18		·12				·15	·01	·10	·53	3
4	·30	·19	·79			·05		·29	·26		·01	·06	4
5	·01	·55	·66		08 ·08		·12		·29		·09	·43	5
6	·61	·09	·15		·03			··		·01	·02	·28	6
7	·22		·39	·12						·01			7
8	·13		·17			·03					·01		8
9	·05		·03	·13	02 ~~·09~~				·01		·09	·01	9
10	·16		·06	·04						·08	··	·13	10
11	·04		·16	·18	·16		·27					·09	11
12	·06		·02	·01		·03	·01			·13	·15	·08	12
13	·01	·03	·02	·27			·08			·01		·01	13
14	·42	·05		·54	·04		·15			·04		·12	14
15	·15	·01		·02						·02	··	·34	15
16	·05	·55					··	·16			·26	·01	16
17		·28				··		·03	··		·25	··	17
18	·07	·03	·54				·33	·07	·01	·01	·25	·01	18
19	·38	·22	·93			·05	·63	·40	·27	·01	·21	·09	19
20	·27	·06	·13			·33		·24				·05	20
21	·01	·50					·48	·01	·05	··		·07	21
22	·01	·07	··				·11		·20	·01	·02	·26	22
23	·02								·02	·43	·02	·06	23
24				·01		·16	·08	·01		1·14	·02	·54	24
25	·11	·06		·08		·03		·44	·01	·01	·04	·09	25
26	·03	·02	·08	·20		·01		·24	·05		·01	·20	26
27	·22	·03	·02	·26		·01	·03	·59			·01	·09	27
28			·50					·61			·56	·38	28
29	·01			·02				·15		·03	·01	·02	29
30			··	·25		·13		·57		·02	·38	·23	30
31	·01		·01				·02					·44	31
Total	5·02	2·74	4·88 ~~4·92~~	2·19	0·60	0·83	2·97	3·81	1·58	2·18	2·56	6·00	Year's Total 35·36 ~~35·40~~
Days with ·01 in. or more	27	16	19	15	8	10	14	14	13	18	21	28	203

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

and [illegible] by Boys. 1745

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Pitcombe Vicarage
in the County of Somerset
by (Rev.) Francis F. Synge

Lat. 51·05 N. Long. 2·28 W.
Time of Observation 9 a.m. including Summer time
Nearest Railway Station Cole
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		..	·21	·29		·26	·02	·06	·15	·45	·47	1
2	·23			·16			·17	·57	·19	·04		·09	2
3	·17	·06		·04	·06		1·00		·01	·77		·02	3
4	·01	·01	·04	·08			·16	·38		·29	·01		4
5		..	·06	·06	·19		·42	·50		·19			5
6			·21	·02	·08		·29			·13	·01		6
7	·07		·09	·52			·27			·02	·01		7
8	·04	·14		·27	·04		·41			..		·02	8
9	·52	·12	·02	·12		·16	·01			·01		·01	9
10	·49	·32	·15	·08		·25	·30						10
11	·18		·08	·44	·26	·01	·16			..	·01		11
12	·29	·01	·03	·20	·03	·65	·03			·01	·03		12
13	·22	·05	·45	·23							·02	·03	13
14	·06	·01	·18	·37		·02	..		·12	·28	·22		14
15	·02	·10	·02	·26	·04	·18	·03		·04	·53	·02		15
16			·08	·02		·02	·18		·15	·07	·02		16
17	·03			·26	·22		·01	..	·44				17
18	·05		·03	·05	·11	·05	·02	·39	·24		·01	·06	18
19	·06			·19	·13	·16		·01	·01			·01	19
20	·07	·26		·09		·46	·02				·01	·10	20
21				..			·18		·02	·13		·13	21
22	·03			·16		·01	·03	·05		·02	·01	·36	22
23	·01						·73			·01		·25	23
24	·02		·09	·01	·04			·01			·07	·04	24
25		·05	·06		·02		·28			·01	·01	·01	25
26	·23		·11		·02	·05	·17			·01	·13	·06	26
27	·35	·01	·04	·44	·02	·38	·11			·01	·01	·26	27
28	·80		·05	·08	·14	·04	·06			..		·02	28
29	·09	·01	·08		·02	·10			·01		·12	·10	29
30	·04	X	·01	·04	·04	·21	·42		·43		·35	·18	30
31	·07	X	·30	X	·01	X	·04		X	·77	X	·13	31
TOTAL	4·20	1·15	2·18	~~4·44~~ 4·40	1·76	2·75	5·76	1·93	1·72	3·45	1·52	2·35	YEAR'S TOTAL 33·17 ~~33·21~~
Days with ·01 in. or more	26	13	21	25	19	16	26	8	12	19	19	20	224 ✓
Days with ·04 in. or more	~~22~~ 20	8	16	22	13	12	19	5	8	11	6	13	153

cnd by Bopp 25.III.14

✓

REGISTER

BRUTON
SOMERSET
1913 - 1918

FORM A.
BRITISH RAINFALL.
20 JAN 1914

° 27′ W.

Kept at Sexeys' School B

m.

in the County of Somerset

ole.

5 in.

by S. W. Brown (Dece

Ground 1 ft. — in.

Sea Level 280 ft.

IMPORTANT NOTE.—Rain the result entered to the previous day. If an Observer ~~prefers not to conform to this almost~~ ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·37	·09		·04				·37		·15	·54	1
2	·07 ·07	·10	·03	·19	·05		·04		·05	·03 ·03	·13	·	2
3	·16		·11		·37					·16		·09	3
4	·62		·02		·51				·95	·24	·04	·12	4
5	·02	·03			·15	·16			·37		·02	·22	5
6		·09	·09		·20	·22	·14			·71	·04	·65	6
7	·01	·17	·02		·24	·04				·56	·14		7
8		·01			·29	·02				·03		·01	8
9		·02			·09	·12	·15	·49	·03		·12	·01	9
10	·36		·01		·10		·01			·25	·17		10
11	·65	·01		·36	·23	·02				·03	·27		11
12		·01			·44	·01					·28		12
13	·04	·01	·14			~~·005~~		·03	·72		·19		13
14	·23		·17	·05					·18	·01	·35		14
15	·20	·07		·37			·07	·02	·10		·07		15
16	·20		·67	·19					·04				16
17							·04						17
18	·07		·22	·17					·01		·07		18
19	·63		·06		·02	·25	·04		·54				19
20	·04			·09						·20	·08		20
21				·16	·17		·08			·03	·67		21
22	·90		·21	·11				~~·025~~ ·03	·27	·03			22
23	·02		·21			·08			·01		·03	·65	23
24	·05	·01		·14				·25			·06		24
25		·23		·11								·02	25
26		·02		·22				·27				·23	26
27	·03		·25	·05						·04			27
28	·17		·04	·31						·10		·11	28
29	·07		·49	·33	·03			·08		·20	·02		29
30	·46			·04				·01		·33	·02		30
31	·19							·58					31
Total	5·19 ✓	1·15	2·83 ✓	2·89	2·93 ✓	·93	·57	1·76 ✓	3·64	2·95 ✓	2·92	2·65	YEAR'S TOTAL 30·41 ✓
Rain Days.	22	14	~~17~~ (21)	16	15	9	8	9	13	16	20	11	(174)

W. 7,500, XI. ·12

ent by Boyp 25.III.14

REGISTER

FORM A.
BRITISH RAINFALL
20 JAN 1914

Kept at Sexey' School Bruton

in the County of Somerset.

by S.W. Brown (December only)

2

Lat. 51°6' N. Long. 2° 27' W.
Time of Observation 9 a.m.
Nearest Railway Station Cole.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·37	·09		·04				·37		·15	·54	1
2	·07 ·07	·10	·03	·19	·05		·04		·05	·03 ·03	·13	·	2
3	·16		·11		·37					·16		·09	3
4	·62		·02		·51				·95	·24	·04	·12	4
5	·02	·03			·15	·16			·37		·02	·22	5
6		·09	·09		·20	·22	·14			·71	·04	·65	6
7	·01	·17	·02		·24	·04				·56	·14		7
8		·01			·29	·02				·03		·01	8
9		·02			·09	·12	·15	·49	·03		·12	·01	9
10	·36		·01		·10		·01			·25	·17		10
11	·65	·01		·36	·23	·03				·03	·27		11
12		·01			·44	·01					·28		12
13	·04	·01	·14			~~·005~~		·03	·72		·19		13
14	·23		·17	·05					·18	·01	·35		14
15	·20	·07		·37			·07	·02	·10		·07		15
16	·20		·67	·19					·04				16
17							·04						17
18	·07		·22	·17					·01		·07		18
19	·63		·06		·02	·25	·04		·54				19
20	·04			·09						·20	·08		20
21				·16	·17		·08			·03	·67		21
22	·90		·21	·11				~~·025~~ ·03	·27	·03			22
23	·02		·21			·08			·01		·03	·65	23
24	·05	·01		·14				·25			·06		24
25		·23		·11								·02	25
26		·02		·22				·27				·23	26
27	·03		·25	·05						·04			27
28	·17		·04	·31						·10		·11	28
29	·07		·49	·33	·03			·08		·20	·02		29
30	·46			·04				·01		·33	·02		30
31	·19							·58					31
Total	5·19 ✓	1·15	2·83 ✓	2·89	2·93 ✓	·93	·57	1·76 ✓	3·64	2·95 ✓	2·92	2·65	YEAR'S TOTAL 30·41 ✓
Rain Days.	22	14	~~17~~ (21)	16	15	9	8	9	13	16	20	11	(174)

W. 7,500, XI. 12

From Mid-Wessex Association

Cd by Boys thr esp

~~H~~ mg

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

23 MAR 1915

Kept at Sescey's School, Bruton

in the County of Somerset ·2.

by B. F. Dunford

Rev H A Boys

Lat. ______ Long. ______

Nearest Railway Station ______

Time of Observation ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " Sea Level ______ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·09	–	–	·01	–	·46	–	–	·18	·02	1
2	–	–	–	·03	–	–	·14	·11	–	–	·84	·34	2
3	–	–	·28	–	·27	–	·72	·46	–	–	·09	·04	3
4	·10	–	–	·12	·03	–	·03	·28	–	–	·61	·35	4
5	·13	–	–	·14	·17	–	·17	–	–	–	·10	·03	5
6	–	·21		·51	·08	–	·07	–	–	–	·05	·21	6
7	·05	·30		·15	·27	·02	·675	·14	·64	–	–	·29	7
8	·11	·01		·13	·22	·19	·28	·20	·04	–	–	·04	8
9	·28	–		–	·05	·81	·02	·17	·33	–	–	–	9
10	·09	·11		·08	·05	–	–	–	·42	–	·01	–	10
11	–	·12		·045	·04	·21	–	–	·32	–	·06	·38	11
12	–	·17	1·40	–	–	–	·095	–	·11	–	·01	·32	12
13	–	·21		–	–	–	–	–	·03	(·20)*	·26	·51	13
14	– S.	·07		–	–	·03	–	·39	·13	·20	·35	–	14
15	·02	·01		–	–	–	·02	·29	·10	·02	·12	–	15
16	–	–		–	–	–	·31	–	~~·04~~ (·14)*	–	–	–	16
17	–	·39		–	–	–	·13	–	·03	–	–	·41	17
18	–	·02		–	–	–	·025	·04	·01	–	–	·73	18
19	–	·07		–	–	–	·41	–	·01	–	·08	·05	19
20	–	·33	·12	–	–	·01	·985	·03	–	–	–	·24	20
21	–	·73	·03	–	–	·01	–	·05	–	·15	–	–	21
22	–	·05	–	–	·21	·30	–	·01	–	·41	–	·01	22
23	–	·13	·21	–	·04	·02	·01	–	–	·13	–	–	23
24	–	–	–	–	·06	–	·03	–	–	·35	·14	·04	24
25	·06	–	·18	–	–	–	·46	(·22)*	–	·26	·02	·36	25
26	–	–	·01	–	–	–	·13	·06	–	·02	·07	·45	26
27	·11	–	–	–	–	–	·04	–	–	·13	·24	·10	27
28	·05	·12	·22	–	·02	–	–	–	–	·07	·11	·95	28
29	·21		·01	–	(·09)	–	·01	–	–	·22	·12	–	29
30	–		–	–	·085	–	–	–	–	·19	·19	·89	30
31	·01		–		–		·05	–	–	·36		·23	31
Total	1·22	3·05 ~~[illegible]~~	bad ~~2·88~~ (?)	1·205	1·595	1·61	4·81	(2·91)	(1·71)? ~~2·21~~	(2·71) ~~2·51~~	3·65	6·99	TOTAL for year [illegible]
No. of Rain Days	12	17	~~10~~	8	14	10	22	15	13	(14) ~~13~~	20	23	–

* Estimated by Mr Boys.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

from orginals returned

REGISTER OF RAINFALL IN 1915

Sexeys

FORM A.
BRITISH RAINFALL.
5 MAY 1916

Kept at Sexey's School Bruton

in the County of Somerset

by B. F. Dunford ; S. Bowler ; D. G. Martin.
per Rev. H. A. Boys.

Lat. Long. —

Time of Observation

Nearest Railway Station —

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·28	·03		·02			·29	·18	·21	·01	·14	1
2	·43	·14	·26	·08	·02	·02		·36	·01	·03		·59	2
3	·02	·05	·14	·06	·22							·48	3
4					·01							·25	4
5	·07	·73	·01	·09	·01			·14				·30	5
6	·61	·08		·28			·74	·08				·12	6
7	·20	·32		·02	·01		·31	·02		·01		·35	7
8	·21	·36		·01	·31			·08			·01	·01	8
9	·01	·05		·20				·01			·31	·65	9
10	·33	·06	·04					·01		·01		·08	10
11	·02		·09	·03			·03	·20			69	·08	11
12	·20	·50		·14	54			12		·06	·29		12
13		·50			·64			·24	·11		·03	·01	13
14	·02	·23					·19	·24	·05			·67	14
15	·12	·02			·20			·20	·01	·17	·09	·10	15
16		·59			·30		·78	·67				·15	16
17		·37						·08				·01	17
18		·33	·01							·01	·01		18
19							·24						19
20	·28			·05						·01		·06	20
21	·05						·10			·14		·25	21
22	·10	·22	·50	·01			·78		·02			·17	22
23		·03	·07				·16		·17	1·25		·44	23
24			·01	·04			·11		·35	·91		·52	24
25				·01		·12	·60		·05			·19	25
26		·03				·15	·13					·47	26
27		·08				·78	·06	·04		·38			27
28		·05				·14		·04	·58	·03			28
29						·05	·14				·07	·09	29
30	·11	X		·01						·73	·40	·21	30
31	·02	X		X		X		·01	X	·97	X	·09	31
Total	3·23	5·02	1·16	1·03	2·28	1·26	4·37	2·83	1·53	4·92	1·91	6·48	YEAR'S TOTAL 36·02
Rain Days.	18	21	10	14	11	6 ~~7~~	14	18	10	15	10	26	173 ✓

for Mid Wessex R Exd RL

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Bruton Cliffe House

in the County of Somersetshire

by Rev H. A. Boys C. E. T. Mann

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.16	.57	.62		1
2							.01		.01	.48	.03		2
3									.14	.39	.39		3
4							.02		.23	.36	.61		4
5										04	.67		5
6							.44				.46		6
7							.55			.08	.44		7
8											.05		8
9							.03			.03	.10		9
10									.03	.14			10
11										.02	.01		11
12							.12				.01		12
13								.60		.08	.01		13
14								.07		.01			14
15								.25		.08			15
16								.62		.01			16
17								.02	.49	.05	.18		17
18										.52	.19		18
19								01		.12	.18		19
20											.08		20
21							.03				.05		21
22										.43	.04		22
23								.12		.02			23
24								.02		.74	.02		24
25								.17	.01	.02	.18		25
26								.40	.83	.68			26
27								1.06	.50	.30			27
28								.10	.96	.45			28
29								1.83	.31	.39			29
30		X						.02		.38			30
31		X		X		X		.05	X	.04	X		31
Total							1.20	5.34	3.67	6.43	4.32		YEAR'S TOTAL
Rain Days.							7	15	11	26	20		

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Bruton
in the County of Somerset
by Charles E. T. Mann

Lat. 51° 7′ 14 Long. 2° 27′ W.
Time of Observation 9-0 AM.
Nearest Railway Station Cole S&D J.R.
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1″ ft. 0″ in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			S ~~·23~~ 1·1	S ·23				1·81	·02	·01			1
2	·03		·12	S ·14		·14			·03	·01			2
3			·06	·03	Not recorded					·11			3
4		S ·1	·08							·10		·01	4
5	·30	·04	·14			·38			·21	·39			5
6			·30						·01	·02			6
7	·28		·01							·04		·01	7
8	·37		S ·20							·22	·18	·06	8
9			·04					·48	·05	·24	·03		9
10	·13		·16		·05			·23	·01		·19		10
11	·08				·02			·05		·15	·11		11
12	·01				THUNDER ·57			·02	·06	·35			12
13							Total 2·41 inches	·35		·01			13
14			·14			Rainfall not taken		·17					14
15								·19		·06			15
16	S. ·01	·08		Not recorded	·04				·01	·34		S. ·73	16
17		·04			·08			·03	·05	·15			17
18		·10						·02	·13	·02	·05		18
19	·01	·50	·08						·47		·03		19
20	·01	·14	·05		·36						·09		20
21	·01		S ·36					·02					21
22		·05	·03					·16					22
23			·01		·27			·25		·04		·03	23
24		·15			1·2			·02		·13	·02		24
25		·15						·03	·03				25
26								·59	·03		·02		26
27			S.			·05		·39					27
28		·02	·02			9·56		1·03				Sn. ·07	28
29			·18			·03		·03				·14	29
30		X	S&R ·20						·01			·01	30
31	S	X	·19	X		X			X		X	·05	31
Total	1·24	1·37	3·37		2·59	imp	2·41	5·87	1·12	2·39	·72	·51	YEAR'S TOTAL
Rain Days.	11	11	20		(11.)				14	18	9	9	

W. 8,000, IX. 17.

from Middlesex M 2044

FORM B.
BRITISH RAINFALL

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1916

At Bruton Sexey's School

In the County of Somersetshire

Rain Gauge
Diameter of Funnel ______ in.
Height of Top — *Above Ground* ______ ft. ______ in.
Height of Top — *Above Sea Level* ______ ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1.24?	.22	2	12?
FEB.	(5.32)	1.00	4	(22)
MAR.	3.17	1.06	27	24
APR.	1.14	.19	12/16	11
MAY	2.69	1.14	24	15
JUNE	1.63	.48	5	14
JULY				
AUG.				
SEPT.				
OCT.				
NOV.				
DEC.	3.43	1.00	20	16
Total	~~39.41?~~			~~192~~

Signed Rev H A Boys

W. 16,000. viii.16.

[*Please fill in the other side also.*

D G Martin

~~from~~ MO?

REGISTER OF RAINFALL IN 19/7

FORM A.
BRITISH RAINFALL.
2 APR 1918

Kept at Bruton, Sexey's School,

in the County of Somerset.

by Sexey's School per H. A. Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			1·10?										1
2	·03		·02										2
3			·06										3
4		·10	·08										4
5	·30	·04	·14										5
6			·30										6
7	·28		·01	—									7
8	·37		·20										8
9			·04		·05								9
10	·13		·16										10
11	·08				·02								11
12	·01				·57								12
13													13
14			·14										14
15													15
16	·01	·08			·04								16
17		·04			·08								17
18		·10											18
19	·01	·50	·08										19
20	·01	·14	·05		·36								20
21	·01		·36										21
22		·05	·03										22
23			·01		·27								23
24		·15											24
25		·15											25
26					·18								26
27					1·00								27
28		·02	·02		·05	9·56							28
29			·18										29
30			·20										30
31			·19										31
Total	1·24 ✓	1·37 ✓	3·37?		2·62 ✓	imp.							YEAR'S TOTAL
Rain Days.	11 ✓	11 ✓	20 ✓		10 ✓								

W. 8,000, IX. 17.

from Original
sent to Rev H a Boys

Ext Pl.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bruton Saxeys School

in the County of Somersetshire

by C.E.J. Mann Jan–May Rev H a Boys
H.W.T. Herridge – June

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.05	.07								1
2				.21									2
3		.01		.01	.03								3
4		.02											4
5					.15								5
6	.20	.27		.26		.02							6
7		.14		.01	.42								7
8		.01											8
9	.01	.08		.15		.28							9
10	.03	.01		.06		.03							10
11			.01	.01									11
12		.01		.03	.27								12
13	.30	.01											13
14	.07				.01								14
15	1.05		.03	.45		.13							15
16	.43		.02	.25									16
17	}			.17									17
18	} .62					.61							18
19	.10		.09	.07									19
20	.03	.07		.09									20
21				.01		25?							21
22	.03												22
23	.07				.21	.03							23
24		.09		.01									24
25	.01	.03											25
26		.01											26
27		.24											27
28		.01	.08										28
29			.05										29
30		X	.40										30
31		X	.33	X		X			X		X		31
Total	(2.95)	1.01	1.01	1.84	1.16	1.35							YEAR'S TOTAL
Rain Days.	14	15	8	16	7	7							

W. 6,500. VII. 15. W W G

—
BRUTON
KINGS S'CH

SOMERSET
1911 –

REC

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Bruton ... 5 in.
...round 1 ft. – in.
in the County of Somers ... a Level 200 ft.
...n
by D. E. Nort ... me Bruton
...stance 500 45 Direction E

IMPORTANT NOTE.- ... he result entered to the previous day. If an Obse... sal rule, he is earnestly requested to add the readin... in the space provided for it at the end of this ... t of rain, the selection and placing ... h Rainfall Organization are given in " ... lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.09	.05				.02			.02	.03	1
2	.04		.03	.38	.29			.13		.04	.31	.13	2
3			.02	.01	.30			.06	.02		.12	.12	3
4	.01	.01	.12	.01		.56				.05	.14	.42	4
5	.08		.03					.79		.12	.15	.02	5
6	.30		.15					.02		.01	.14	.56	6
7	.03			.01							.36		7
8	.12		.16								.04	.49	8
9	.20	.01	.04								.06	.46	9
10	.18	.07	.30		.62							.26	10
11	.41	.05	.02								.62	.23	11
12			.95		.02				.04		.29	.32	12
13			.01						.24		.05	.52	13
14		.12								.02		.88	14
15		.06	.05			.06				.02	.22	.13	15
16						.27					.55	.85	16
17	.02	.02	.01			.08					.12	.42	17
18		.23	.03	.12	.01	.41				.02	.08	.47	18
19		.14		.05		.17			.27	.15	.03	.44	19
20	.03	.04	.10	.12				.50	.17	.05		.64	20
21		.28	.02	.06					.10	.48		.22	21
22	.10	.01	.45	.05					.02	.79		.39	22
23		.10	.10	.01		.13			.13	.10	.01	.12	23
24	.02	.25	.01			.69		.05		.47		.18	24
25		.09	.02	.21		.13			.04	.10		.28	25
26		.06		.35	.08			.04		.12	.01	.35	26
27		.66	.17	.15				.10	.18	.01	.02	.29	27
28		.36		.31				.18			.06		28
29				.57		.30	.03	.01	.09	.53	.01		29
30				.01		.06	.01			.25	.12	.03	30
31										.08			31
Total	1.60	2.56	2.88	2.41	1.32	2.86	.04	1.90	1.30	3.41	3.53	8.75	TOTAL for year 32.56
No. of Rain Days	14	18	22	17	6	11	2	11	11	19	23	27	181

9,000, IX. '10.

REC

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Bruton

in the County of Somerset 2

by D. E. Norton

Rain Gauge
- Pattern
- Diameter of top 5 in.
- Height of top above Ground 1 ft. – in.
- „ „ „ Sea Level 200 ft.

Time of Observation 9. a.m.

Nearest Railway Station
- Name Bruton
- Distance 500 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.09	.05				.02			.02	.03	1
2	.04		.03	.38	.29			.13		.04	.31	.13	2
3			.02	.01	.30			.06	.02		.12	.12	3
4	.01	.01	.12	.01		.56				.05	.14	.42	4
5	.08		.03					.79		.12	.15	.02	5
6	.30		.15					.02		.01	.14	.56	6
7	.03			.01							.36		7
8	.12		.16								.04	.49	8
9	.20	.01	.04								.06	.46	9
10	.18	.07	.30		.62							.26	10
11	.41	.05	.02								.62	.23	11
12			.95		.02				.04		.29	.32	12
13			.01						.24		.05	.52	13
14		.12								.02		.88	14
15		.06	.05			.06				.02	.22	.13	15
16						.27					.55	.85	16
17	.02	.02	.01			.08					.12	.42	17
18		.28	.03	.12	.01	.41				.02	.08	.47	18
19		.14		.05		.17			.27	.15	.03	.44	19
20	.03	.04	.10	.12				.50	.17	.05		.64	20
21		.28	.02	.06					.10	.48		.22	21
22	.10	.01	.45	.05					.02	.79		.39	22
23		.10	.10	.01		.13			.13	.10	.01	.12	23
24	.02	.25	.01			.69		.05		.47		.18	24
25		.09	.02	.21		.13			.04	.10		.28	25
26		.06		.35	.08			.04		.12	.01	.35	26
27		.66	.17	.15				.10	.18	.01	.02	.29	27
28		.36		.31				.18			.06		28
29				.57		.30	.03	.01	.09	.53	.01		29
30				.01		.06	.01			.25	.12	.03	30
31										.08			31
Total	1.60	2.56	2.88	2.41	1.32	2.86	.04	1.90	1.30	3.41	3.53	8.75	TOTAL for year 32.56
No. of Rain Days	14	18	22	17	6	11	2	11	11	19	23	27	181

9,000, IX. '10.

Exd D.J.J.

REGISTER OF RAINFALL IN 1912

FORM A2.

BRITISH RAINFALL.
21 JAN 1913

Kept at Kings School, Bruton

in the County of Somerset 2

by D. E. Norton

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 200 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Bruton
Distance £ Direction ¼ mile

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.14			.19	.16		.02	.53		.55	1
2			.38	.02		.21	.50				.03		2
3	.01		.08			.32	.20	.44	.04		.03	.07	3
4	.24		.64		.01	.28		.10			.29		4
5	.53	.04	.20		.01	.05		.54			.02	.13	5
6	.76	.18			.16		.36	.42				.12	6
7	.08	.25	.17	.02	.22	.57		.10				.08	7
8	.34	.22	.69	.04		.19	.23	.50	.03			.04	8
9	.04	.02	.29	.08		.06	.08	.05			.02	.60	9
10	.02	.11				.17		.20			.10	.23	10
11	.13	.08	.10			.01					.01	.41	11
12	.06	.44	.12	.04	.02		.08	.01			.03		12
13		.02	.04			.11		.15		.01	.01	.11	13
14	.18		.47	[illegible]	.10	.02		.08		.01		.01	14
15	.13	.10	.05	.06 [illegible]	.25	.78		.06				.78	15
16	.72	.01	.35		.15	.01		.16		.12	.02	.05	16
17	.61		.07		.01	.03		.66			.03	.09	17
18	.14	.01	.38					.19		.05	.01	.12	18
19	.05	.16	.12			.22	.07	.13		.02	.04	.04	19
20	.03	.03	.35	[illegible]	.06	.03 ~~.11~~	.02	.36		.40	.03		20
21	.02	.15	.47		.45	.43	.07	.17		.42			21
22	.37	.18	.05		.27	1 ~~.11~~	.14	.37		.08	.01	.07	22
23	.16	.35	.29			.01		.94		.08	.27	.26	23
24	.08	.03	.03			.43 ~~.17~~	.02	.17		.02		.20	24
25	.05	.02				.11 ~~.16~~		.57		.19	.25	.65	25
26		.01	.01			.30	.18	.19		.35	.31	.17	26
27						.17 ~~.06~~	.85			.73		.40	27
28		.07				.15	.05	.25	.07	.53	.46	.60	28
29		.05	.03			.30	.15	.21	.60	.55	.03	.02	29
30					.01	.06	.22		.24	.38			30
31			.51		.01		.25	.08		.04		.07	31
Total	4.69	2.53	6.03	.21	1.73	4.48	3.44	7.10	1.00	4.51	2.00	5.87	TOTAL for year 43.59
No. of Rain Days.	22	22	25	6	14	24	18	26	6	18	20	25	226

W. 8,000, X. '11.

25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-4 FEB 1914

Kept at King's School, Bruton
in the County of Somerset 2
by D. E. Norton

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Bruton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.38	.12	.01	.07				.40	.09	.28	.38	1
2	.08	.12	.03	.20	.05		.04		.08	.07	.15	.01	2
3	.13	.01	.17	.11	.37					.10		.12	3
4	.82		.04		.58				.85	.26	.04	.18	4
5	.03	.03			.14	.22			.47		.03	.30	5
6	.02	.09	.09		.21	.24	.20			.76	.04	.69	6
7	.01	.17	.04		.25	.01	.07			.52	.16	.02	7
8	.01	.03			.36	.07	.03			.04	.01	.04	8
9		.04			.07	.14	.12	.45	.03		.12	.04	9
10	.20		.02		.06		.02			.31	.19		10
11	.84	.01		.49	.33	.06				.04	.32		11
12		.02			.41	.01	.01			.01	.31		12
13	.07	.01	.12			.02		.03	.76		.23	.04	13
14	.26	.01	.27	.08					.16	.01	.37	.01	14
15	.20	.07	.22	.45			.08	.05	.09		.11	~~.12~~ .02	15
16	.21		.58	.12			.01		.03		.02		16
17	.01		.05	.02		.01	.07		.01		.01		17
18	.10		.22	.20			.01		.01		.10		18
19	.68		.08	.01	.06	.20	.03		.58				19
20	.06		.11	.08		.01				.18	.15		20
21			.07	.19	.18		.10	~~.02~~		.04	.79		21
22	.96		.37	.08	.01	.05		.02	.29	.03		.01	22
23	.02		.07			.06		~~.25~~	.02	.01	.04	.53	23
24	.07	.03		.19				.25			.08		24
25		.20		.11				~~.27~~	.01	.01	.01	.04	25
26		.04		.42				.27			.02	.28	26
27	.05	.01	.25	.12						.07		.01	27
28	.19		.05	.39						.11		.04	28
29	.08		.57	.35	.03			.09		.22		.10	29
30	.50		.01	.03				.03		.38	.03		30
31	.18		.03					.60		.01			31
Total	5.78	1.27	3.52	3.65	3.18	1.10	.79	1.79	3.79	3.27	3.61	2.83	YEAR'S TOTAL 34.58
Rain Days.	25	17	23	20	16	13	13	9	15	21	24	19	215

W. 7,500, XI. 12

[illegible] 12.III.15 [illegible]

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bruton

in the County of Somerset 2

by D. E. Norton

Lat. N 51° 6′ Long. W 2° 28′ 31

Time of Observation 9. a. m

Nearest Railway Station Bruton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03				.09	.50			.18	.03	1
2				.05	.03		.71	.12			.81	.43	2
3			.37	.16	.30		.15	.48		.05	.11	.08	3
4	.12		.19	.18	.04		.21	.31			.65	.40	4
5	.18		.34	.59	.20		.11	.02			.10	.01	5
6		.20	.05	.18	.04	.07	.65	.05			.07	.31	6
7	.05	.38	.08	.15	.38	.03	.27	.23	.02		.02	.35	7
8	.17	.07	1.10	.02	.25	.20	.06	.30	.04			.07	8
9	.36		.42	.15	.04	.82		.18	.67				9
10	.08	.17	.06	.06	.09	.02			.42		.01		10
11		.15	.75	.02	.04	.22	.11		.40		.12	.41	11
12		.14	.23						.36		.02	.31	12
13		.25	.20						.14	.23	.36	.58	13
14		.12	.18			.05	.03	.40	.04	.22	.28	.03	14
15		.03	.16				.32	.35	.14	.03	.18		15
16			.03				.12		.14				16
17		.47	.32				.03		.03			.52	17
18		.04	.05				.41					.70	18
19		.09	.79				1.05	.03	.02		.07	.21	19
20		.35	.31			.01						.23	20
21		.74	.04			.05		.02		.15			21
22		.08			.15	.36	.03	.04		.48			22
23		.14	.23		.11	.05	.03			.14			23
24		.01	.20		.14		.51			.32	.16	.10	24
25	.08		.20				.15	.26		.32	.04	.33	25
26			.01				.06	.08		.03	.27	.53	26
27	.11									.09	.08	.12	27
28	.02	.11	.17		.04					.08	.37	1.24	28
29	.27		.10		.09		.09			.36	.20	.02	29
30			.04							.22	.30	.95	30
31	.03				.02		.12			.35		.10	31
Total	1.47	3.54	6.65	1.56	1.96	1.82	5.31	3.37	2.42	3.07 ~~3.90~~	4.40 4.40	8.14	YEAR'S TOTAL 43.71 43.71
Rain Days.	11	18	27	10	16	11	22	16	12	~~14~~ 15	21	24	203

W. 7,500, XI. 12

2107

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bruton
in the County of Somerset
by D. E. Norton

2

Lat. N 51°6' Long. W 2°28'
Time of Observation 9 a.m.
Nearest Railway Station Bruton
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.61	.31	.04		.07			.16	.16	.26	.02	.16	1
2	.41	.20	.30	.11		.03		.46	.02	.08		.60	2
3	.14	.08	.18	.10	.25		.10	.03				.49	3
4	.04	.02			.02							.27	4
5	.08	.71	.02	.07	.02			.13				.31	5
6	.64	.07		.35			.68	.12				.11	6
7	.32	.43		.07	.11		.39	.02		.01		.43	7
8	.23	.40		.01				.10			.02	.01	8
9	.03	.02		.24				.02			.35	.69	9
10	.37	.11	.05	.05				.02		.02		.07	10
11	.05	.01	.12	.03			.06	.23			.69	.06	11
12	.30	.44		.17	.59		~~.06~~	.24		.06	.35		12
13	.03	.82			.73			.13	.15		.03	.02	13
14	.02	.05					.22	.26	.11	.01		.81	14
15	.14	.04			.21		~~.22~~ .05	.13	.03	.17	.10	.15	15
16		.53			.31		.95	.63	.01			.14	16
17		.64			.32		~~.95~~	.09			.01	.01	17
18	.01	.43	.01		.07								18
19		.01			.07		.29						19
20	.35						~~.29~~			.01		.08	20
21	.05	.03					.13	.01		.15		.39	21
22	.12	.27	.52	.03	~~.01~~	.01	~~.13~~ .52		.02	.01		.21	22
23		.07	.09				.50		.17	1.23		.40	23
24			.01	.06			~~.50~~ .11		.86	.99		.63	24
25				.04	~~.21~~	.21	~~.11~~ .62		.02			.23	25
26		.07			~~.07~~	.07	~~.62~~ .13		.01			.56	26
27		.10			~~.46~~	.46	~~.13~~ .02			.39		.01	27
28		.10			~~.06~~	.06	~~.02~~	.05	.64	.05			28
29					~~.25~~	.25	.13	.05	.01		.10	.06	29
30	.11	╳		.02		.04	.01			.70	.40	.29	30
31	.04	╳		╳		╳	.04	.01	╳	1.08	╳	.25	31
Total	4.09	5.96	1.34	1.35	2.77	1.13	4.95	2.89	1.71	5.22	2.07	7.44	YEAR'S TOTAL 40.92
Rain Days.	21	25	10	14	12	8	18	20	13	16	10	27	194

W. 8,000. X. 14.

W DL [illegible]

2050

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Kings School, Bruton

in the County of Somerset

by W. C. Locke

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Bruton GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12				·33	·03	·02		·15	·58	·71		1
2		·06	·03		·11		·03			·59	·06		2
3	·28	1·17		·01	·10				·18	·44	·33		3
4	·03	·14			·06	·32	·05		·24	·49	·74		4
5	·32	·01	·05		·40	·49				·05	·68		5
6	·17	·21	·03		·06	·02	·50			·08	·55		6
7	·02	·10	·33		·17	·05	·42			·06	·47	·20	7
8	·02	·25	·04		·24						·07	·17	8
9		·01			·11	·10	·02			·05	·11	·04	9
10		·50	·04	·12	·04	·06	05			·16	·01	·28	10
11			·03	·17		·10			·04	·02	·01	·01	11
12	·02		·09	·30	·07		·21			·10	·01		12
13	·16	·29	·18	·02				·62		·01	·01		13
14		·41	·03	·08	·20			·12		·07			14
15	·03	·25	·08	·04				·25		·02			15
16	·02	·07		·27			·03	·64					16
17	·06	·35		·10				03	·65	·62	·19		17
18	·12	·18	·16	·10					·07	·15	·22	·13	18
19	·01	·35	·49	·18				·01			·22	·04	19
20	·08	·12	·35								·10	1·04	20
21	·28	·10	·30		·05		·04				·05	·60	21
22	·07		·03		·01	·04				·44	·07	·61	22
23	·03	·15				·08		·12		·03	·08	·15 ~~·20~~	23
24		·10	·04	·08	·98	·22		·04		·77	·09	20	24
25		1·09	·10		·05			·53	·07	·03	·89		25
26	·01	·05	·04			·27		·20	·74	·72			26
27	·01	·09	1·21			·15		·70	·50	·24			27
28		·36	·06	·04	·01			·08	·55	·57		·23	28
29		·44	·04			·28		2·33	·88	·49		·35	29
30		✕	·01					·04		·43			30
31		✕		✕		✕		·07	✕	·06	✕	·12	31
Total	1·86	6·85	3·76	1·51	2·99	2·21	1·37	5·78 5·78	4·01	7·26	4·87	4·17	YEAR'S TOTAL 46·64 46·64
Rain Days.	20	25	23	13	17	14	10	15	11	26	22	15	211

W. 8,000, VIII. 16

from M.S. [illegible]

1958

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 APR 1918

Kept at Bruton, King's School

in the County of Somerset

by C. H. Tremlett. for the Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·28		·15		·86	·11		·08		1
2				·19		·07		·99	·04	·02	·03		2
3			·12	·05			1·17	·01		·27	·05		3
4		·49?	·25				·05	·03	·01	·28		·01	4
5			·26	·24		·25			·23	·25	·08		5
6			·19							·05	·14		6
7							·04	·31		·38		·02	7
8			·16	·15			·61	·54	·08	·36	·24	·07	8
9			·03	·01	·05		·03	·63	·07	·26	·43		9
10			·25	·20				·27	·02				10
11			·49	·50	·02			·12	·01	·27	·02		11
12					·59			·03		·58	·01		12
13			·15	·02				·38	·10	·04		·01	13
14			·18	·10			·07	·23	·01				14
15							·10	·20	·02	·10		·30?	15
16				·10	·03		·10	·02	·01	·47		·16	16
17				·28	·08		·63	·12	·50	·18	·03		17
18		·05		·01		·02	·21		·42	·07	·02		18
19		·48	·13			·06			·12		·10		19
20		·18	·09		·37	·10		·18	·02		·05		20
21			·48?			·13				·05			21
22		·31	·04					·08		·05			22
23		·23			·15			·37				·03	23
24		·05	·01			·19	·08	·07		·16	·03		24
25		·11	·03					·06	·08	·14			25
26					·23	·01		·63	·19	·08	·02		26
27					1·17	·16		·93		·05	·01		27
28		·02	·13		·06	8·48		·83				·08	28
29			·17			·31	·10	·05		·55		·15	29
30		✕	·15				·43	·10		·07		·01	30
31		✕	·23	✕		✕	·01	·03	✕	·15	✕	·05	31
Total	(1·73)	1·92 ✓	3·55 ✓	2·13 ✓	2·75 ✓	9·93 ✓	3·63 ✓	7·17 ✓	2·04 ✓	4·88 ✓	1·34 ✓	·89 ✓	YEAR'S TOTAL 41·96
Rain Days.	(11)	9 ✓	21 ✓	13 ✓	10 ✓	12 ✓	14 ✓	26 ✓	18 ✓	24 ✓	16 ✓	·11 ✓	185 ✓

W. 8,000, IX. 17.

150

for Original ret^d 6 Rev H a Boys

54RR

40

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Bruton King's School

in the County of Somersetshire

by W C Locke Rev H a Boys

C Thereslett

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.01	.09			.53	.09	.02	.76	.02	1
2		.03		.32				.34	.23	.02	.03	.13	2
3		.04	.03	.11	.17				.01		.02	.03	3
4		.04	.01	.02				.08	.07	.08	.52	.08	4
5			.02		.07			.38	.26	.21		.06	5
6	.23	.47		.40				.13	.11	.08		.14	6
7		.19		.03	.47			.03	.15	.11	.31	.03	7
8		.03						.02	.57	.29	.03	.02	8
9	.01	.11		.23		.37	.42		.40	.11		.27	9
10	.05	.01		.08			.33		.20	.18	.05	.55	10
11		.01	.01	02			.78		.28	.02	.07	.12	11
12		.05	.01		.30		.10		.06			.01	12
13	.33	.02			.02		.72		.75	.07		.19	13
14	.09		.02		.01	.11	.15		.12	.13		.18	14
15	1.16			.42	.06	.03	.35		.01	.01		.15	15
16	.50		.02	.34			.03		.20			.20	16
17	.27			.25			.35	.06	.02	.01		.13	17
18	.85					.59	.10		.18	.02		.31	18
19	.12		.10	.02			.18		.07	.01		.16	19
20	.03	.12		.20		.04	.14		.14	.05			20
21	.05	.02				.07	.27		.38	.06		.16	21
22	.03	.01			.09		.57		.11	.01		.30	22
23	.12				.25		.58	.02	.71		.04	.08	23
24	.01	.13				.04	.01	.02	.11		.12		24
25							.23	.91		.01	.02		25
26		.01					.78		.05	.02	.12	.25	26
27		.29	.02				.04	.20	.20	.02	.15	.10	27
28		.07	.14							.01	.30	.18	28
29			08						1.29			.05	29
30		X	.48					.16	.12	.03	.09	.12	30
31		X	.42	X		X		.16	X	01	X		31
Total	3.85	1.65	1.36	2.45	1.53	1.25	6.13	3.04	6.29	1.59	2.63	4.02	YEAR'S TOTAL 35.79
Rain Days	15	18	13	14	10	7	19	14	28	25	15	27	205

W. 6,500, VII. 18. W W C

BUCKLAND ST. MARY

SOMERSET

1919 - 20

FORM A. 1. **METEOROLOGICA**… …**RGANIZATION**

JAN 20

REGIST… …19.

Kept at Buckland … 8.15

in the County of Somers… Chard

by H. B. Debun… …ain Gauge 5 in.

…bove Ground ft. in.

„ Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						–	80	–	2	25	–	1.17	1
2						–	5	–	8	2	3	2	2
3						–	–	–	14	–	14	37	3
4						7	–	4	72	–	2	8	4
5						–	22	–	59	–	18	13	5
6						–	–	–	–	–	1	32	6
7						–	–	–	–	–	–	3	7
8						1	–	–	–	–	–	–	8
9						–	–	–	–	–	62	–	9
10						–	–	–	–	8	6	76	10
11						–	8	–	–	–	–	12	11
12						15	1	–	–	6	11	13	12
13						–	–	–	–	8	–	7	13
14						–	10	–	4	5	–	49	14
15						–	–	–	–	9	–	26	15
16						–	–	14	–	–	11	–	16
17						–	–	–	–	–	27	–	17
18						–	18	9	2	–	13	–	18
19						1	49	41	45	–	25	5	19
20						21	–	35	2	–	3	4	20
21						–	12	–	7	–	–	10	21
22						2	13	–	26	–	–	12	22
23						–	–	–	–	70	6	3	23
24						10	–	–	2	1.56	8	46	24
25						8	–	43	–	–	–	21	25
26					–	–	–	8	11	–	4	58	26
27					–	1	1	88	–	–	–	9	27
28					–	–	–	51	–	–	50	36	28
29					–	–	–	23	–	10	–	6	29
30					–	16	–	40	–	1	33	62	30
31					–		5	–		–		67	31
TOTAL						.81	2.24	3.51	2.54	3.00	2.97	7.24	YEAR'S TOTAL
Days with ·01 in. or more						10	12	11	13	11	18	26	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICA ORGANIZATION

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Buckland St. Mary

in the County of Somerset Chard

by H. B. Debenham

Lat. Long.

Time of Observation 8.15

Nearest Railway Station Chard

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						–	80	–	2	25	–	1.17	1
2						–	5	–	8	2	3	2	2
3						–	–	–	14	–	14	37	3
4						7	–	4	72	–	2	8	4
5						–	22	–	59	–	18	13	5
6						–	–	–	–	–	1	32	6
7						–	–	–	–	–	–	3	7
8						1	–	–	–	–	–	–	8
9						–	–	–	–	–	62	–	9
10						–	–	–	–	8	6	76	10
11						–	8	–	–	–	–	12	11
12						15	1	–	–	6	11	13	12
13						–	–	–	–	8	–	7	13
14						–	10	–	4	5	–	49	14
15						–	–	–	–	9	–	26	15
16						–	–	14	–	–	11	–	16
17						–	–	–	–	–	27	–	17
18						–	18	9	2	–	13	–	18
19						1	49	41	45	–	25	5	19
20						21	–	35	2	–	3	4	20
21						–	12	–	7	–	–	10	21
22						2	13	–	26	–	–	12	22
23						–	–	–	–	70	6	3	23
24						10	–	–	2	1.56	8	46	24
25						8	–	43	–	–	–	21	25
26					–	–	–	8	11	–	4	58	26
27					–	1	1	88	–	–	–	9	27
28					–	–	–	51	–	–	50	36	28
29					–	–	–	23	–	10	–	6	29
30		X			–	15	–	40	–	1	33	62	30
31		X		X	–	X	5	–	X	–	X	57	31
TOTAL						.81	2.24	3.51	2.54	3.00	2.97	7.24	YEAR'S TOTAL
Days with ·01 in. or more						10	12	11	13	11	18	26	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex' ward

Form A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Buckland St. Mary

in the County of Somerset

by H. B. Debenham

Lat. Long.

Time of Observation 8.15

Nearest Railway Station Chard

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level abt 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7	–	–	11	45	–	48	3	8	24	19	77	1
2	68	–	–	23	–	–	31	40	5	8	–	13	2
3	7	3	–	11	–	–	5	–	4	77	–	7	3
4	–	–	7	2	–	–	12	52	1	43	–	–	4
5	–	–	12	5	7	–	32	9	–	16	–	–	5
6	–	–	47	1	22	–	20	–	–	19	–	–	6
7	2	–	3	27	–	–	96	–	–	–	–	–	7
8	11	6	–	37	8	–	37	–	–	1	–	17	8
9	70	9	–	10	–	18	6	–	–	–	–	–	9
10	1.12	16	18	2	–	35	46	–	–	–	–	1	10
11	37	2	13	66	33	1	18	–	–	–	–	–	11
12	24	4	32	28	–	44	6	–	–	1	7	2	12
13	25	7	54	8	–	–	–	–	–	2	2	2	13
14	2	7	38	79	–	–	3	–	12	40	34	3	14
15	–	14	8	58	34	12	1	–	2	23	5	–	15
16	–	1	3	7	3	4	26	–	9	32	4	–	16
17	1	–	1	28	31	13	1	–	40	–	–	1	17
18	8	–	–	15	6	15	8	38	14	–	–	2	18
19	2	–	–	49	11	14	–	–	–	1	–	–	19
20	1	23	–	36	–	22	–	–	–	–	–	29	20
21	–	–	–	2	–	–	12	2	1	2	–	14	21
22	1	–	–	16	–	–	3	–	–	–	–	53	22
23	2	–	2	–	–	–	75	19	–	–	–	47	23
24	1	–	24	–	–	–	–	1	–	1	28	9	24
25	3	11	16	–	8	–	55	–	–	–	–	–	25
26	33	–	34	–	4	1	7	–	–	–	30	17	26
27	62	2	15	12	–	19	4	–	–	–	13	54	27
28	83	1	15	8	–	6	10	–	–	–	–	5	28
29	30	1	38	10	–	2	–	–	–	–	30	24	29
30	9	☒	1	2	9	15	3	–	55	1	51	35	30
31	4	☒	45	☒	2	☒	–	–	☒	60	☒	23	31
TOTAL	6.05	1.07	3.84	6.53	2.23	2.21	5.65	1.64	1.51	3.51	2.23	4.35	YEAR'S TOTAL 39.82
Days with ·01 in. or more	25	15	20	26	14	15	25	8	11	17	11	21	208 ~~207~~
Days with ·04 in. or more	16	9	15	21	12	12	20	5	8	10	10	15	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BURNHAM

BRENT KNOLL

SOMERSET

1911 — 1920

FORM A2. BRITISH RAINFALL.

5 JAN 1912

1911

Snowdon

Kept at Brent

r of top 5 in.

f top above Ground 2 ft. in.

in the County of S

„ „ Sea Level 26 ft.

ion 9.15 am

by Insp Fitz

Station { Name Brent Knoll

Distance 1 Direction N.W

IMPORTANT N .m., and the result entered to the previous day. If an ost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.02				.08			.07	.01	1
2			.01	.26	.17			.20		.02	.36	.03	2
3					.22						.05	.04	3
4	[illegible]		.16		.11				.07		.17	.45	4
5	.06		.08					.30			.18	.05	5
6	.12		.10					.04			.17	.48	6
7	.05			.07							.36	.02	7
8	.10		.30								.01	.30	8
9	.04										.27	.35	9
10	.11	.02	.15		.35						.05	.23	10
11	.30							"			.57	.26	11
12			.91					.01	.05	.42	.22	.17	12
13			.01						.40		.12	.45	13
14		.15									.45	.91	14
15		.05				.07					.05	.03	15
16	.01					.11					.25	.10	16
17		.02		.01		.08					.07	.20	17
18		.25	.03	.18		.17				.02		.20	18
19		.05	.07	.05		.02			.25	.12	.06	.40	19
20		.05	.16						.24	.06		.28	20
21	.02	.15	.04			.05		dew .03	.02	.37		.23	21
22	.03		.15	.06		.24			.17	.42		.61	22
23	..	.09	.11			.07			.02	.11	.09	.09	23
24		.32				.81		.17		.66		.14	24
25	.01	.16		.10		.13		.01		.04		.26	25
26		.14		.20	.11		.07	.02		.11	.04	.38	26
27		.38	.09	.02		.02		.21	.06	.04		.18	27
28		.27		.47							.02		28
29				.25		.35	.07		.06	.55	.01	.01	29
30				.02		.02				.25	.06	.04	30
31										.11		.01	31
Total	.85	2.10	2.33	1.83	.96	2.14	.14	1.07	1.28	3.30	3.64	6.91	TOTAL for year 26.65
No. of Rain Days	11	14	16	13	5	13	2	10	10	15	23	30	162

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
5 JAN 1912

Kept at Brent Knoll

in the County of Somerset 2

by Mrs FitzGerald

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 26 ft.

Time of Observation 9.15 am

Nearest Railway Station
Name Brent Knoll
Distance 1 Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·02				·08			·07	·01	1
2			·01	·26	·17			·20		·02	·36	·03	2
3					·22						·05	·04	3
4	[illegible]		·16		·11				·01		·17	·45	4
5	·06		·08					·30			·18	·05	5
6	·12		·10					·04			·17	·48	6
7	·05			·01							·36	·02	7
8	·10		·30								·01	·30	8
9	·04										·27	·35	9
10	·11	·02	·15		·35						·05	·23	10
11	·30							"			·57	·26	11
12			·91					·01	·05	·42	·22	·17	12
13			·01						·40		·12	·45	13
14		·15									·45	·91	14
15		·05				·07					·05	·03	15
16	·01					·11					·25	·10	16
17		·02		·01		·08					·07	·20	17
18		·25	·03	·18		·17				·02		·20	18
19		·05	·01	·05		·02			·25	·12	·06	·40	19
20		·05	·16						·24	·06		·28	20
21	·02	·15	·04			·05		dew ·03	·02	·37		·23	21
22	·03		·15	·06		·24			·17	·42		·61	22
23	"	·09	·11			·07			·02	·11	·09	·09	23
24		·32				·81		·17		·66		·14	24
25	·01	·16		·10		·13		·01		·04		·26	25
26		·14		·29	·11		·07	·02		·11	·04	·38	26
27		·38	·09	·02		·02		·21	·06	·04		·18	27
28		·27		·47							·02		28
29				·25		·35	·07		·06	·55	·01	·01	29
30				·02		·02				·25	·06	·04	30
31										·11		·01	31
Total	·85	2·10	2·33	1·83	·96	2·14	·14	1·07	1·28	3·30	3·64	6·91	TOTAL for year 26·65
No. of Rain Days	11	14	16	13	5	13	2	10	10	15	23	30	162

9,000, IX. '10.

cnd by Boys
- [illegible] 5.III.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL

11 JAN 1913

Kept at Brent Knoll

in the County of Somerset

2

by Miss FitzGerald

Lat. Long.

Time of Observation 9.15 am

Nearest Railway Station Brent Knoll GWR

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·17			·14	·02			·69		·38	1
2			·04	·02		·50	·29		..		·04		2
3	..		·11			·19		·35	·04		·04	·04	3
4	·20		·48			·50	·03	..			·01		4
5	·31		·25		·11			·37			·30	·07	5
6	·57	·15	·02 ·07		·11		·17	·06			·01	·07	6
7	·02	·32	·04		·10	·63	·10	·57			·02	·08	7
8	·26	·16	·16			·15	·06	·06			·01	·07	8
9	·03	·02	·02	·06		·09	·05	·03				·63	9
10	·14	·06	·02			·03	·01	·05			·07	·09	10
11	·06	·05	·01									·35	11
12	·05	·47	·12	·14	·03		·04					·22	12
13	·01	·02	·05					·04				·09	13
14	·08	·11	·65	·01	·20			1·04					14
15	·04	·02	·02			·43		·04				·49	15
16	·58	·01	·07		·10	·04		·51			·15	·11	16
17	·63		·20					·61			·03	·16	17
18	·11		·63					·06		·03		·18	18
19	·02	·04	·04			·09	·25	·15		·02	·04	·03	19
20	·02	·06	·25		·35		·04	·73		·57			20
21	·01	·10	·15		·66	·01	·04	·12		·26			21
22	·42	·03	·04		·10		·07	·40		·04		·05	22
23	·35	·72	·30		·01	·03		·80		·16	·13	·43	23
24	·10	·03	·01			·35		·01		·02		·05	24
25	·02		·01			·32		·80		·14	·33	·57	25
26		·02					·04	·25		·20		·30	26
27		·01				·17	·61			·76	·04	·40	27
28		·04				·02	·12	·26	·06	·20	·48	·75	28
29		·15	·01			·14	·21	·08	·59	·62	·03	·11	29
30						·13	·28		·06	·32		·01	30
31			·40		·02		·22	·06	·75			·12	31
Total	4·03	2·59	4·27	·23	1·79	3·96	2·65	8·25	·75	4·03	1·73	5·79	YEAR'S TOTAL 40·05 40·07
Rain Days.	22	21	27	4	11	19	19	24	4	14	16	26	207

W. 7,500, XI. ·12

Written 27.III.14 ✓ cnd for auth 25.III.14 W DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Brent Knoll

in the County of Somerset

by Miss FitzGerald

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Brent Knoll

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. .... in.

" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·23	·13		·11				·23	·03	·06	·36	1
2	·07	·03	·03	·08	·11		·01			·51	·05	·02	2
3	·09		·02	·03	·35					·07	·02	·09	3
4	1·28	·07	·07	·04	·15	·07			·81	·12	·05	·39	4
5	·05	·05	·03		·20	·26	·02		·30		·10	·18	5
6	·07	·04	·10		·02	·15	·12			·77	·13	·50	6
7	·01	·16	·02		·30	·30	·10			·51	·17	·07	7
8		·07		·07	·16	·05				·03			8
9		·06	·07	·02	·07	·21		·22	·02		·11	·02	9
10	·35		·02		·06			·03		·57	·33		10
11	·68	·07		·05	·23	·06				·24	·70	·07	11
12	·03		·03		·14	·01	·03	·01	·10	·01	·14	·02	12
13	·05						·02	·10	·33		·10		13
14	·10		·14						·03	·07	·39		14
15	·18	·02	·29	·24				·03	·11		·17	·07	15
16	·22		·40	·04		·07	·01	·02	·15		·62	·01	16
17	·08		·07	·04			·04		·02				17
18	·18		·12	·13	·07	·02					·05		18
19	·29		·07		·05	·29			·38				19
20	·07		·13	·17		·02	·20			·14	·05		20
21			·05	·26	·07						·45		21
22	·88		·55	·40		·16		·07	·25				22
23	·02							·27	·02		·14	·43	23
24	·05			·02				·04			·02		24
25				·18					·03	·07	·04	·14	25
26		·04		·23								·14	26
27	·10		·09	·30				·08		·08	·02	·02	27
28	·10		·02	·24	·07					·34	·07	·03	28
29	·05		·30	·24				·14		·09		·02	29
30	·15			·02						·65	·03		30
31	·08		·08		·04			·33					31
Total	5·24 5·24	·66	2·67	2·74	2·14	1·55	·53	1·28	2·78	4·12	3·35	2·40	YEAR'S TOTAL 29·48
Rain Days.	26	11	23	20	17	13	9	12	14	17	24	18	204

29·48

W.7,000, XI. 13

cwd by Borp. 12.III.15 W. M 9

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Thorncott, Brent Knoll
in the County of Somerset 2
by Miss FitzGerald

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Brent Knoll
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—		.02	.12		.09	.31	.57			.04	.07	1
2				.03		.02	.46	.05			.52	.37	2
3			.12	.24	.09		"	1.34			.11	.10	3
4	.14		.09	.20	.12		.12	.16			.76	.38	4
5	.09		.24	.37	.02		.01 .05	.02			.02	.30	5
6		.05	.05	.40	.03		.70	.06			.05	.09	6
7	.08	.43	.15	.15	.12	.03	.84	.30	.01			.03	7
8	.08	"	.70		.11	.46	.01	.17	.08			.07	8
9	.13	.02	.33	.08	.04	.65		.11	.73				9
10	.05	.13		.12	.17	.02			.28		.02	.02	10
11		.05	.49		.03	.20	.49		.37		.12	.48	11
12		.16	.21						.34	.02	.06	.20	12
13		.07	.23				.04		.15	.25	.07	.19	13
14		.05	.38	"				.34	.01	.07	.20	.01	14
15			.16				.06	.83	.11	.07	.11	.01	15
16			.03				.11			.07			16
17		.12	.34				.07					.15	17
18		.05	.04				.07					.31	18
19		.08	.19				.94				.07	.28	19
20		.13	.10									.19	20
21		.50	.04				"			.18		.02	21
22		.01			.07	"	.04	.09		.13			22
23		.03	.20		.08	.54	.02			.10		.02	23
24			.07		.04	.02	.11	.07		.09	.24	.04	24
25	.10		.11				.11	.36		.33		.08	25
26		.04	.09				.05	.03		.19	.15	.42	26
27	.04									.35	.13	.06	27
28	.07	.07	.11		.04					.16	.21	.79	28
29	.06		.20		.16		.06			.06	.20		29
30	"	X	.02			.02				.17	.15	.39	30
31		X		X		X	.14 .14		X	.28	X	.19	31
Total	.78	1.99	4.65	1.71	1.12	2.05	4.76	4.50	2.08	2.40	3.23	5.14	YEAR'S TOTAL 34.41
Rain Days.	10	17	26	9	14	11	23	15	9	16	19	27	196

W. 8,000. X. 14.

[illegible] 2125

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at Thorncote Brent Knoll

in the County of Somerset

by Miss FitzGerald

2

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Brent Knoll

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·22			·14			·18	·26	·30		·24	1
2	·08	·12	·24	·11		·21		·24	·15	·02		·35	2
3	·02	·06	·11	·29	·20		·07	·02				·37	3
4	·07	·02			·05		·12					·42	4
5	·03	·37		·07				·08				·26	5
6	·50	·05		·23			·41	·07				·08	6
7	·24	·43		·03			·16					·20	7
8	·31	·25						·14			·02	·04	8
9	·07	·02		·07				·07			·60	·55	9
10	·25	·10	·08			·04		·40		·04		·03	10
11	·04	·02	·06	·10			·07	·24		·16	·40	·07	11
12	·22	·32		·12				·24	·01	·08	·87		12
13	·07	·31			·52		·07		·12			·04	13
14	·02	·03			·50		·22	·37	·04	·07		·39	14
15	·19				·19		·21	·07	·06	·04	·19	·06	15
16		·25			·12		·72	·07		·02		·01	16
17		·13	·02		·40							·01	17
18		·08			·03								18
19					·07		·22						19
20	·32			·11						·03		·07	20
21	·18	·62		·08								·05	21
22	·05	·23	·49			·03	·19		·01	·15		·16	22
23		·02	·25				·11		·03	·99		·61	23
24			·02				·03		·08	71		·23	24
25			·02	·02		·44	·30					·32	25
26						·04	·30		·01			·37	26
27		·07					·18			·36		·01	27
28		·07						·05	·52	·10		·01	28
29						·87		·01			·02	·04	29
30	·21	✕		·07		·67				·36	·12	·26	30
31	·01	✕		✕		✕	·05	·04	✕	·68	✕	·10	31
Total	2.93	3.19	1.49	1.24	2.22	2.30	3.31	2.23	1.29	4.05	2.22	5.29	YEAR'S TOTAL 31.76 34.76
Rain Days.	20	22	9	12	10	7	17	16	11	16	7	28	175

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Brent Knoll
in the County of Somerset
by Miss Fitzgerald

Lat. Long.
Time of Observation between 9 am & 9-30 am
Nearest Railway Station Brent Knoll
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07				·09	·12	·19		·04	·64	·05		1
2	·35	·04	·02		·02		·02		·02	·61	·07		2
3		·56			·26	·07	·06		·02	·31	·07		3
4	·25	·16			·13	·32			·10	·07	·32		4
5	·44	·07			·17	·19				·02	·28		5
6	·02	·22	·07		·11	·16	·28			·03	·33		6
7		·10	·22		·11	·53					·66	·26	7
8		·18	·02		·12	·05				·10	·05	·14	8
9		·04	·07		·12					·03	·06	·06	9
10		·45	·07	·07	·07	·02				·03	·07		10
11				·40	·04				·07		·07		11
12	·04	·09	·08		·28		·13	·02		08	·07		12
13		·33	·50		·07			·06			·07		13
14		·30	·07	·17	·20			·23			·07		14
15		·10	·04	·11	·04			·14					15
16	·04	·05		·34			·09	·91		·04			16
17	·18	·28		·02				·03	·48	·42	·19		17
18	·07	·09	·24	·05					·02		·10	·03	18
19	·12	·07	·72	·25						·20	·15		19
20	·08	·18	·37								·13	1·07	20
21	·03	·02	·21		·09	·02						·18	21
22	·01			·05		·10		·07		·10	·07	·55	22
23	·02	·20		·27		·05		·25		·14	[illegible]	·13	23
24		·09		·07	·97	·06		·04		·79		·28	24
25		·50	·14			·05		·39	·01	·02	·20	·02	25
26		·02	·08		·14	·24		·69	·91	·61	·04		26
27	·02	·15	·78		·06	·11		·33	·64	·42			27
28		·26	·07			·09		·05	·27	23		·48	28
29		·30	·04			·37		1·46	·28	53		·30	29
30										21		·01	30
31								·03		13		·19	31
Total	1·68	4·73	3·51	1·74	3·03	2·49	·77	4·70	2·80	5·70	3·08	3·64	YEAR'S TOTAL 37·87
Rain Days.	15	26	29	11	19	17	6	15	12	23	22	14	200

W. 8,000, VIII. 16

70

FORM A.
BRITISH RAINFALL.

19 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Brent Knoll
in the County of Somerset
by Insp FitzGerald

Lat. ______ Long. ______
Time of Observation 9-30 am
Nearest Railway Station Brent Knoll
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. ___ in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·33	·26		·15		·76	·13		·03		1
2	·05			·03		·16		·07		·03	·07		2
3				·06			1·38	·01		·71	·11		3
4		·23					·06	·03		·05		·01	4
5	·08		·15	·25		·08			·13	·21	·16		5
6			·03							·06	·31		6
7	·26					·20	·36	·33		·19	·02		7
8	·01		·11	·10		·07	·39	·46	·14	·54	·11	·07	8
9			·04		·03		·05		·15	·60	·09		9
10	·20		·18	·18				·20	·01				10
11	·05		1·41	·50	·05			·17	·07	·10	·06		11
12	·02				·59			·13		·80			12
13			·15	·13		·08		17	·12	·05			13
14			·10	·02				1·76	·08	·07			14
15				·05			·17	·37		·13		·13	15
16		·18		·03						·15		·11	16
17		·03			·10		·59	·01	·30	·15	·05		17
18	·01	·02			·03	·01	35		·64		·02		18
19	·01	·68				·10			04		·03		19
20		·02			·25	·07			·04				20
21			·29			·02		·01		·02			21
22								·13		·11			22
23		·13						·28		·14		03	23
24		·01			·07	·31	·05	·13		·18	·04		24
25		·11				·02		·04	·01	·40	·04		25
26					·40	·02		57	·19	·42	·03		26
27					·66	·10		·85		·02			27
28		·01	·08		·03	1·69		·14				·01	28
29			·10			·66				·53		·12	29
30		✕					·15	·15					30
31		✕	·31	✕		✕		·06	✕	10	✕	·04	31
Total	·71	1·42	3·28	1·61	2·21	3·14	3·55	6·83	2·01	5·76	1·17	·52	YEAR'S TOTAL 32·21
Rain Days.	10	10	13	11	10	16	10	23	13	24	15	8	163

W. 8 000, IX. 17.

58

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Brent Knoll
in the County of Somerset
by Miss FitzGerald

Lat. Long.
Time of Observation between 9 a.m. & 10 a.m.
Nearest Railway Station Brent Knoll
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·24

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		·03											
1		·07		·03	·15			·64	·02	·03	·50		1
2		·04		·10				·24		·02	·06	·04	2
3		·05		·15	·10			·02	·03	·04	·05	·02	3
4		·09		·05				·11	·01	·06	·39	·07	4
5				·02	·05			·34	·16	·17	·07	·03	5
6	·15	·45		·23					·01	·08		·02	6
7		·15		·03	·53	·02			·30	·37		·01	7
8	02	·03					·03		·28	·28	·02	·08	8
9	·02	·12		·16		·15	·40		·32	·03	·02	·13	9
10	·03			·15			·38		·24	·13	·07	·26	10
11	·06		·08	·01			·25		·32	·19	·04	·12	11
12		·03	06		·34		·13		·12			·01	12
13	·18	·02	~~06~~				·05		·51	·12		·18	13
14	21		05				·30		·26	·10		·05	14
15	1·16			·17	·08	·30	·31			·02		·24	15
16	·45		·07	·79			·04	·03	·14	·01		·08	16
17	·26			·03			·50	·03	·07			·09	17
18	·33		·05			·49	·22		·95	·07		·42	18
19	·06	·04	·10	·06			·05	·01	·48			·09	19
20	·04	·19		·08		·04	·73		·03	·01			20
21	·01			·03		·01	·48		·63	·04		·13	21
22					·30		·74		·57	·06	·01	·36	22
23	13	·05			·14		·02		·02			·02	23
24		·09					·03	·12	·23		18		24
25					·03		·32	·53		·01	·03		25
26				·02			·31	·01	·02	·02	·32	·25	26
27		·08	·02					·17	·43		·12	·02	27
28		·05	·10						·03		·02	·19	28
29			·03						·96	·02		·02	29
30			·30						·07		·06	15	30
31			·08					·01					31
Total	3·09	1·57	·94	2·11	1·72	1·01	5·29	2·26	7·21	1·88 ~~2·88~~	1·90	3·08	YEAR'S TOTAL 32·06 ~~33·00~~
Rain Days.	15	16	11	17	9	6	19	13	27	22	16	26	197

W. 6,500, VII. 18. w w c

[illegible] 1848

19 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brent Knoll

in the County of Somerset

by M. S. Fitzgerald

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Brent Knoll

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24		·01	·12	·06		·63		·07		"	·71	1
2	·12		·01				·06		·09		·03	·27	2
3	·42		·17		·07	·10			·06		·08	·48	3
4	·26	·26	·31			·01	30	·07	·09		·02	·08	4
5		·47	·57						·37		02	·49	5
6	·45	·09							·01			·16	6
7	·10		·15	·15									7
8	·07		·23		·02	·02							8
9	·16		·03	·10	·05						·13		9
10	·07		·26		·07	·07				·06		·28	10
11	·04		·26	·12	·04		·14			"		·29	11
12	·05		·01	17		·16	"			·15	25		12
13	·02	·01	·04	37			11					·02	13
14	·11	·10		·02	13		17		·05	"		·13	14
15	·35	·15								·03		·18	15
16		·67									·14		16
17		30			·0	·03						·02	17
18	·05	"	·59				·09	·27	·03		·25	·03	18
19	·35	·13	·67			·05	·95	·52	·34		15	·06	19
20	·33	·12	·16			·18		·08	·01			·04	20
21	·02	·54					·19	·07	·08			·13	21
22		·05					·03		·23		·05	·09	22
23						·07				1·20	·02	·06	23
24				11		·26	03	·01		·99	·12	·45	24
25	09					·02		·63			·10	·06	25
26	·01		·07	25				·28	·17			·15	26
27	·19		·05	26		·02		·73				·08	27
28	·07							·05			·23	·07	28
29			·55	·07				·02		·03	·03	·05	29
Snow 30	01		·02	16		·18		·20		·07	24	·28	30
31					·19		·04	·07		02		·35	31
TOTAL	3·40	2·89	4·16	1·90	·57	1·05	2·74	2·88	1·54	2·49	1·86	5·01	YEAR'S TOTAL 30·49
Days with ·01 in. or more	23	12	19	12	8	13	12	13	13	8	16	26	~~161~~ 175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1761

done 7.4.21

18 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Brent Knoll
in the County of Somerset
by Miss FitzGerald

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Brent Knoll
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ~~·10~~ ·33

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·12	·16		·14	·09	·15	·08	15	·42	1
2	·12		·02	·16	·03		·50	·16	·09	·18		·06	2
3	·05	·01		·04	·04		·27		·02	·25		·02	3
4			·05	·03	[illegible]		·13	·47		·20			4
5			13		·41		·57			·14			5
6			·12	·06	·19		·03			·04			6
7			·62	·13			·20		·10				7
8		·05	01	·48	·08		·20	..					8
9	·72	·03	·15	·66		25	·34	..					9
10	·78	·11	·08	·10		·19	·23						10
11	·17			·21	·18	·03	·08						11
12	·21	·01	·11	·05		·28	·08				·09		12
13	·12	·08	39	·11		·03							13
14	·07	·02	·15	·56		..	·03		·14	·37	·25		14
15	·01	·13		·18	·13	·09			·11	·22	·08		15
16		·01	·03	·08	·01	1·19	·21		·21	29	·25		16
17	·02		·02	·05	·13	·09			·27				17
18	·05	·01		·09	·07			·33	·12				18
19	·05	·26		·24	·07	·45		·04					19
20	·11	03		·08		·29	·01					·08	20
21				·05			·09					·21	21
22	·05			·09		·02	·52	·12				·40	22
23							·03					·28	23
24	·03		·08				·05	·07			·06		24
25		05	·05			·04	·24				·01	·07	25
26	·18		17		·03	·79					·05	·07	26
27	·20	fog ·01	·07	·04		·05	·04				·02	·11	27
28	·55	..	12	·03			·20					·03	28
29	·26		·17		·10	·02	·05				·05	·13	29
30	·03		·05	11	·03	·30	·17		34		·41	·07	30
31	·14		48		·02		·02			49		10	31
TOTAL	3·94	·81	2·47	3·75	1·56	4·11	4·43	1·22	1·55	2·26	1·42	1·98	YEAR'S TOTAL 29·50 ~~31·70~~
Days with ·01 in. or more	22	14	21	24	16	16	25	7	10	10	11	14	190
Days with ·04 in. or more	17 ~~18~~	6	16	22	9 8	12	20	6	9	10	9	11	~~145~~ 147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1761

Thorncote
Brent Knoll

15 JAN 1921

14 Jan 21

The rain taken on Jan 1 this year was ·33

M S Fitzgerald

altered W A

POST CARD

1 ONE PENNY 1
POSTAGE

RIDGE
PM 4

The Supt.
British Rainfall Organization
62 Camden Sqre
N W 1

Cnd for pr. W.D. 12.III.15

BURNHAM

SOMERSET.

1914, 1917-1918

REGIST

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Burnham ... n

in the County of Somerse ... urnham ½ mile

... 8" in.

by Wm H. Chowins Em ... Ground — ft. 9" in.

... Sea Level 24 ft.

IMPORTANT NOTE.—I ... the result entered to the previous day. If an Observer ... ersal rule, he is earnestly requested to add the reading a ... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	~~Date.~~
1	—	—	—	16	—	·09	·29	12	++	—	·31	12	1
2	—	—	—	04	—	—	·43	48	—	—	·06	02	2
3	—	—	·15	20	·09	—	—	03	—	—	·42	32	3
4	·14	—	·07	14	·10	—	·12	137	—	—	·16	04	4
5	·15	—	·25	28	·02	—	—	16	—	—	41	54	5
6	—	·07	·05	38	·03	—	·42	01	—	—	04	21	6
7	·10	·41	·10	13	·11	·02	50	11	—	—	07	08	7
8	·07	—	·66	—	·12	·47	—	25	—	—	0	02	8
9	·15	·02	·33	04	·05	·61	—	14	—	—	0	—	9
10	·08	·14	—	11	·17	—	—	10	61	—	0	—	10
11	—	·07	45	—	·03	·19	32	—	50	—	02	—	11
12	—	·20	20	—	—	—	—	—	17	—	18	39	12
13	—	·08	28	—	—	—	03	—	31	—	03	21	13
14	—	·07	31	—	—	—	—	—	29	·24	12	17	14
15	—	—	15	—	—	—	06	33	07	·14	19	—	15
16	—	—	04	—	—	—	07	63	—	·01	08	01	16
17	—	·09	31	—	—	—	08	—	07	—	—	—	17
18	—	·06	05	—	—	—	07	—	—	—	—	19	18
19	—	·08	29	—	—	—	106	—	—	—	—	29	19
20	—	·12	06	—	—	·03	—	—	—	—	06	24	20
21	—	·57	08	—	—	—	—	—	—	—	—	23	21
22	—	—	—	—	·07	·30	·04	10	—	·29	—	01	22
23	—	·04	·19	—	·09	—	++	—	—	·9	—	—	23
24	—	—	·02	—	·06	—	·02	08	—	·23	—	—	24
25	·10	—	·15	—	—	—	·05	37	—	·03	·21	—	25
26	—	—	·03	—	—	—	·04	—	—	·28	·01	08	26
27	03	—	—	—	·05	—	·04	—	—	·07	·10	45	27
28	—	·11	·11	—	—	—	—	—	—	·35	11	06	28
29	·04		·24	—	·19	—	—	—	—	·14	·23	83	29
30	—	X	02	—	—	—	07	—	—	·06	·18	—	30
31	—	X	—	X	·01	X	—	—	X	·16	X	38	31
							~~12~~			·31	~~12~~	·14	YEAR'S TOTAL
Total	·86	2·13	4·59	1·48	1·19	1·71	~~3·71~~ 3.83	~~4·28~~ 4·16	2·02	~~2·09~~ 2·40	~~2·99~~ 2·80	~~4·89~~ 4·91	~~31·94~~ 32·08
Rain Days.	9	15	25	9	15	7	~~18~~ 19	~~15~~ 14	7	~~13~~ 14	20	22	176

W. 8,000. X. 14.

cwd for pr. W.D. 12.III.1

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Burnham
in the County of Somerset 2
by Wm H. Chowins Engineer & Surveyor

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Burnham ½ mile
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground — ft. 9" in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	~~Date.~~
1	—	—	—	16	—	·09	·29	12	++	—	·31	12	1
2	—	—	—	04	—	—	·43	48	—	—	·06	02	2
3	—	—	·15	20	·09	—	—	03	—	—	·42	32	3
4	·14	—	·07	14	·10	—	·12	137	—	—	·16	04	4
5	·15	—	·25	28	·02	—	—	16	—	—	41	54	5
6	—	·07	·05	38	·03	—	·42	01	—	—	04	21	6
7	·10	·41	·10	13	·11	·02	50	11	—	—	07	08	7
8	·07	—	·66	—	·12	·47	—	25	—	—	0	02	8
9	·15	·02	·33	04	·05	·61	—	14	—	—	0	—	9
10	·08	·14	—	11	·17	—	—	10	61	—	0	—	10
11	—	·07	45	—	·03	19	32	—	50	—	02	—	11
12	—	·20	20	—	—	—	—	—	17	—	18	39	12
13	—	·08	28	—	—	—	03	—	31	—	03	21	13
14	—	·07	31	—	—	—	—	—	29	·24	12	17	14
15	—	—	15	—	—	—	06	33	07	·14	19	—	15
16	—	—	04	—	—	—	07	63	—	·01	08	01	16
17	—	·09	31	—	—	—	08	—	07	—	—	—	17
18	—	·06	05	—	—	—	07	—	—	—	—	19	18
19	—	·08	29	—	—	—	106	—	—	—	—	29	19
20	—	·12	06	—	—	·03	—	—	—	—	06	24	20
21	—	·57	08	—	—	—	—	—	—	—	—	23	21
22	—	—	—	—	·07	·30	·04	10	—	·29	—	01	22
23	—	·04	·19	—	·09	—	++	—	—	·9	—	—	23
24	—	—	·02	—	·06	—	·02	08	—	·23	—	—	24
25	·10	—	·15	—	—	—	·05	37	—	·03	·21	—	25
26	—	—	·03	—	—	—	·04	—	—	·28	·01	08	26
27	03	—	—	—	·05	—	·04	—	—	·07	·10	45	27
28	—	·11	·11	—	—	—	—	—	—	·35	11	06	28
29	·04		·24	—	·19	—	—	—	—	·14	·23	83	29
30	—	×	02	—	—	—	07	—	—	·06	·18	—	30
31	—	×	—	×	·01	×	—	—	×	·16	×	38	31
							12			·31	12	·14	YEAR'S TOTAL
Total	·86	2·13	4·59	1·48	1·19	1·71	~~3·71~~ 3.83	~~4·28~~ 4·16	2·02	~~2·09~~ 2·40	~~2·99~~ 3·80	~~4·89~~ 4·91	~~31·94~~ 32·08
Rain Days.	9	15	25	9	15	7	~~18~~ 19	~~15~~ 14	7	~~13~~ 14	20	22	176

W. 8,000. X. 14.

✓ 1917

and fr WA

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Burnham-on-Sea
in the County of Somerset
by

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Burnham-on-Sea
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·04)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26		·01	·17					·09		·09		1
2	·03		·31	·22		·09		·61	·15				2
3	·04			·04		·15		·05		·02	·05		3
4				·07			1·16			·57	·08		4
5		·15	·04				·06	·01		·16		·01	5
6	·24		·19	·19		·05			·15	·19	·15		6
7			·02			·04				·03	·32		7
8	·23						·16	·16		·12	·02	·03	8
9			·09	·15		·06	·41	·38	·13	·54	·10	·09	9
10			·02	·01			·05	·07	·09	·60	·06		10
11	·18		·12	·20				·26	·04				11
12	·05		1·15	·43	·04			·13		·06	·07		12
13	·02				·57	·04		·23		·76			13
14			·12					·11	·15	·10		·01	14
15			·12	·09				1·28	·04	·11			15
16				·04			·18	·05		·05		·11	16
17		·15		·04			·05			·19		·15	17
18		·03		·03	·10		·39		·26	·14	·04		18
19		·02			·01	·02	·31		·55		·02		19
20	·01	·42	·03			·11			·04		·04		20
21		·03	·02		·23	·07							21
22			·26			·05				·02			22
23			·03					·13					23
24		·15	~~·02~~		·09			·21		·06	·02	·02	24
25		·01				·25	·04	·06		·16	·01		25
26		·10	·03					·02	·01	·36	·02		26
27			·02		·34			·53	·17	·44	·03		27
28					·54	·08		·56		·03			28
29			·10		·05	2·75		·38		·45		·01	29
30		X	·08			·27						·08	30
31		X	·05	X		X	·13	·09	X	·09	X		31
	–	·01	·17	–	–	–	–	·09	–	·09	–	(04)	YEAR'S TOTAL
Total	~~1·06~~	~~1·06~~	~~2·81~~	~~1·68~~	~~1·97~~	~~4·03~~	~~2·94~~	~~5·32~~	~~1·87~~	~~5·25~~	~~1·12~~	~~·51~~	~~29·62~~
Rain Days.	·80 8	1·07 19	2·97 20	1·51 13	1·97 9	4·03 14	2·94 11	5·41 29	1·78 13	5·34 23	1·03 16	·55 19	29·40 166

W. 8,000, IX. 17.

57

FORM A.
BRITISH RAINFALL

24 2 19

REGISTER OF RAINFALL IN 1918

Kept at Burnham-on-Sea

in the County of Somerset.

by Burnham Urban District Council.

Lat. ……… Long. ………

Time of Observation 9 a.m

Nearest Railway Station Burnham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·06	·07	·13			·02	·02		·01	·10	1
2		·03						·65		·02	·55		2
3		·04		·21				·42		·02	·10	·02	3
4		·06		·09	·07			·06	·03	·03	·05	·01	4
5		·10		·03				·09		·05	·35	·08	5
6				·02	·05	·05		·46	·11		·12	·01	6
7	·15	·42		·20					·06	·25		·01	7
8									·33		·20	·01	8
9									·12			·05	9
10	·02	·10		·16		·12	·60		·22	·67		·11	10
11	·05			·12			·30		·23	·13	·01	·30	11
12			·08				·23		·47	·10	·02	·16	12
13		·04	·09		·24	·04	·18		·12				13
14		·02				·02	·05		·57	·22		·12	14
15	·31		·05		·01	·08	·23		·27	·15			15
16	1·26			·22	·05	·30	·25	·02		·01		·27	16
17			·06	·87		·01	·02		·15			·20	17
18	·72		·02	·14		·40	·20	·03	·20	·01		·05	18
19	·30		·05				·23		·75	·09		·40	19
20	·06	·04	·16	·06			·06		·32	·01		·15	20
21	·07	·12		·06		·03	1·22		·05				21
22	·02			·03		·01	·25		·65	·04		·20	22
23	·01				·12		·40		·58	·01	·01	·30	23
24	·09	·05			·19		·20		·05	·01		·05	24
25		·11					·02	·08	·20		·10	·01	25
26					·02		·17	·70		·01	·05		26
27			·01				·36	·01	·01	·01	·25	·18	27
28		·12	·11					·19	·40		·15	·02	28
29				·01							·02	·21	29
30		X	·03						1·0	·01	·01	·02	30
31		X	·29	X		X			X		X	·15	31
Total	– ~~3·09~~ 3·06	·06 ~~1·25~~ 1·31	·07 ~~1·01~~ 1·02	·13 ~~2·29~~ 2·35	– ~~·88~~ ·75	– ~~1·06~~ 1·06	·02 ~~4·97~~ 4·99	·02 ~~2·73~~ 2·73	– ~~6·91~~ 6·89	·01 ~~1·85~~ 1·86	·10 ~~2·00~~ 2·09	(–) ~~3·19~~ 3·09	YEAR'S TOTAL ~~31·23~~ 31·20
Rain Days.	1~~3~~2	1~~3~~4	12	15	~~9~~8	10	1~~8~~9	12	2~~4~~3	20	16	2~~6~~5	18~~8~~7

W. 6,500, VII. 18. W W C

81

346

19 11

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

BURNHAM

DUNSTAN HO. CHALBURY

SOMERSET

1911 – 1920

Kept at Burnha

in the County of N.

by H. A. Smi

r of top 5 in.

f top above Ground 1 ft. in.

„ „ Sea Level 20 ft.

ion

Station { Name
Distance Direction

IMPORTANT N m., and the result entered to the previous day. If an lost universal rule, he is earnestly requested to add the on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02		·02			·19			·10		1
2				·21	·16			·20			·35		2
3					·26						·07		3
4			·16		·01						·17	·48	4
5	·07		·17					·30			·15	·05	5
6	·06		·01					·04			·16	·50	6
7											·34		7
8			·25									·31	8
9	·14										·24	·34	9
10	·07	·03	·12		·25							·25	10
11	·27										·57	·22	11
12			·79					·04			·23	·23	12
13									·47	·15	·20	·47	13
14		·10									·15	·98	14
15		·09				·08					·10	·03	15
16						·14					·22	·16	16
17		·02	·03			·09						·17	17
18		·29		·15		·14						·25	18
19		·08		·04					·23	·12		·41	19
20	·02	·10	·16	·10					·27	·05		·26	20
21		·09	·04			·03				·29		·19	21
22		·01	·13	·05		·23			·03	·44		·59	22
23	·01	·05	·13			·06			·15	·15		·07	23
24		·42				·82		·12		·49	·06	·12	24
25		·07		·16		·10				·06		·44	25
26		·16		·22	·34		·17	·01		·13	·05	·28	26
27		·45	·07	·01				·23	·10			·20	27
28		·20		·45				·06			·06	·01	28
29				·22		·33	·09		·05	·52	·01	·02	29
30										·20	·06	·03	30
31										·13			31
Total	·64	2·16	2·08	1·61	1·04	2·02	·26	1·19	1·30	2·73	3·29	7·06	TOTAL for year 25·38
No. of Rain Days	7	15	13	10	6	10	2	9	7	12	19	26	136

9,000, IX. '10.

81

346

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Burnham, Dunstan Ho, Chalbury
in the County of N. Somerset 2
by H. A. Smith Spark

N GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 20 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02		·02			·19			·10		1
2				·21	·16			·20			·35		2
3					·26						·07		3
4			·16		·01						·17	·48	4
5	·07		·17					·30			·15	·05	5
6	·06		·01					·04			·16	·50	6
7											·34		7
8			·25									·31	8
9	·14										·24	·34	9
10	·07	·03	·12		·25							·25	10
11	·27	—									·57	·22	11
12			·79					·04			·23	·23	12
13									·47	·15	·20	·47	13
14		·10									·15	·98	14
15		·09				·08					·10	·03	15
16						·14					·22	·16	16
17		·02	·03			·09						·17	17
18		·29		·15		·14						·25	18
19		·08		·04					·23	·12		·41	19
20	·02	·10	·16	·10					·27	·05		·26	20
21		·09	·04			·03				·29		·19	21
22		·01	·13	·05		·23			·03	·44		·59	22
23	·01	·05	·13			·06			·15	·15		·07	23
24		·42				·82		·12		·49	·06	·12	24
25		·07		·16		·10				·06		·44	25
26		·16		·22	·34		·17	·01		·13	·05	·28	26
27		·45	·07	·01				·23	·10			·20	27
28		·20		·45				·06			·06	·01	28
29				·22		·33	·09		·05	·52	·01	·02	29
30										·20	·06	·03	30
31										·13			31
Total	·64	2·16	2·08	1·61	1·04	2·02	·26	1·19	1·30	2·73	3·29	7·06	TOTAL for year 25·38
No. of Rain Days	7	15	13	10	6	10	2	9	7	12	19	26	136

9,000, IX. '10.

CX ML

340

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Burnham

in the County of Somersetshire

by H. A. Smith Spark

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
„ „ „ Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·02		·15				·07		·26	1
2			·08			·32	·31			·69	·05		2
3			·19			·19		·37	·03		·04	·02	3
4	·21		·39		·01	·60					·29		4
5	·24	·10	·23		·08			·35			·01	·04	5
6	·63	·11			·19		·18	·46				·02	6
7	·02		·11		·05	·72		·28			·01	·10	7
8	·23	·10	·17			·10		·17				·01	8
9	·01			·12		·24	·20	·05			·02	·48	9
10	·20	·09				·05		·03			·06	·07	10
11	·01	·04									·04	·36	11
12	·03	·47	·14	·12	·02		·04					·12	12
13			·01					·13				·08	13
14	·06	·09	·71		·15			·79					14
15	·05	·02	·03		·21	·58		·01				·41	15
16	·79				·25	·04		·39			·14	·09	16
17	·50					·07		·62			·03	·13	17
18	·08		·62					·21		·07	·02	·17	18
19	·03	·04	·02				·27	·05		·05		·04	19
20		·07	·24				·06	·38		·75			20
21	·04	·08	·12		·30		·02	·17		·33			21
22	·35		·12		·72		·11	·34		·06		·04	22
23	·45	·81	·18		·08		·11	·79		·24	·11	·33	23
24	·05		·01			·42				·03		·15	24
25	·01					·20		·76		·25	·28	·49	25
26		·01						·18		·05	·46	·30	26
27						·18	·74			·72		·34	27
28						·09	·08	·25	·13	·17	·42	·72	28
29		·20	·01			·12	·11	·06	·56	·46		·09	29
30						·06	·26			·26		·01	30
31			·36				·19	·06				·09	31
Total	3·99	2·23	3·83	·26	2·06	4·13	2·68	6·90	·72	4·20	1·98	4·96	TOTAL for year 3794
No. of Rain Days.	20	14	20	3	11	17	14	23	3	15	15	26	181

W. 8,000, X. '11.

82

REGISTER OF RAINFALL IN 1913

350

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at Burnham Ex. Hol

in the County of Somerset

by H. A. Smith Spark

2

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·21	·14						·18	·05	·06	·43	1
2	·08	·02	·01	·04	·13		·02			·21	·08		2
3	·10		·01		·25					·02		·25	3
4	1·23			·02	·13	·01			·89	·05	·10	·27	4
5	·02	·05	·04		·15	·28	·01		·20	·90	·09	·20	5
6	·02		·08		·01	·12	·21			·67	·12	·45	6
7		·22	·04		·35	·26	·17				·20	·01	7
8		·02			·07	·02		·12					8
9		·05		·03	·13	·14		·25	·02		·14	·02	9
10	·43		·02		·02			·02		·27	·23		10
11	·63			·08	·25	·07		·01		·06	·59	·02	11
12	·04				·15		·04		·09		·12		12
13	·03		·06	·01				·11	·31		·09		13
14	·11		·13						·04		·29		14
15	·24	·05	·33	·28				·03	·08		·07		15
16	·19		·47	·02				·03	·09		·01		16
17	·06		·03	·07			·02					·02	17
18	·08		·16	·10	·06	·02					·06		18
19	·36				·03	·13			·36				19
20	·06		·14	·16					·01	·06	·08		20
21			·04	·28	·06		·10				·34		21
22	·87		·56	·18		·14		·02	·22				22
23	·01							·13			·14	·42	23
24	·06			·02							·02		24
25		·05		·20						·01	·02	·12	25
26				·25				·09	·03			·16	26
27			·15	·26						·11		·06	27
28	·18		·02	·19	·03					·35		·02	28
29	·06		·32	·20	·01			·15		·06			29
30	·11			·03						·56	·02		30
31	·15		·06		·02			·40					31
Total	5·12	·67	2·81	2·42	1·85	1·19	·57	1·36	2·52	3·38	2·87	2·45	YEAR'S TOTAL 27 21
Rain Days.	23	8	20	19	17	10	7	12	13	14	21	14	178

W. 7,500, XI. ·12

Dh

[illegible]

334

28 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Burnham

in the County of Somersetshire

2

by H. A. Smith Spark

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–			·17		·10	·28	·53			·04	·02	1
2				·02	·01		·45	·01			·41	·34	2
3			·18	·20	·09			1·43			·18	·11	3
4	·16		·07	·15	·11		·12	·16			·39	·49	4
5	·15		·26	·30	·03			·02			·05	·21	5
6		·05	·04	·42	·03		·48	·11			·08	·09	6
7	·15	·41	·10	·13	·10	·06	·64	·36				·02	7
8	·01		·78		·14	·48		·02					8
9	·14		·23	·05	·07	·64	·20	·11	·62				9
10	·07	·15		·11	·16				·54		·03		10
11		·04	·44		·03		·28		·19		·21	·55	11
12		·21	·26			·20			·32		·06	·22	12
13		·07	·22				·03		·29	·26	·10	·18	13
14		·07	·35					·34	·07	·11	·20	·01	14
15			·17				·07	·64		·02	·07		15
16			·04				·08		·07	·17	–		16
17			·31				·08					·20	17
18		·13	·05				·10					·36	18
19		·08	·28				1·05					·17	19
20		·12	·04			·03						·23	20
21		·57	·09							·30		·02	21
22			·02		·08	·29	·04	·10		·06			22
23		·03	·18		·11	·01							23
24			·02		·06		·09	·09		·05		·04	24
25	·10		·14				·05	·39		·28	·26	·07	25
26		·03	·03				·05			·06	·12	·42	26
27	·02								–	·43	·23	·06	27
28	·01	·08	·11		·06						·11	·86	28
29	·04		·25		·19		·06			·06	·17	·01	29
30			·02		–	·02				·15	·12	·37	30
31	·01				·02		·11			·37		·24	31
Total	·86	2·04	4·68	1·55	1·29	1·83	4·26	4·31	2·10	2·32	2·83	5·29	YEAR'S TOTAL 33·36
Rain Days.	11	14	26	9	16	9	19	14	7	13	18	24	180

W.7,000, XI. 13

2123
327

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Burnham

in the County of Somersetshire

by H. A. Smith Spark

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.19	.24	.01		.11			.15	.26	.31		.27	1
2	.15	.12	.24	.11		.24		.33	.19	.03		.42	2
3	.01	.09	.07	.29	.18		.03					.43	3
4	.03	.03			.06		.19					.26	4
5		.39		.05				.10				.27	5
6	.48	.07		.20			.47	.07				.08	6
7	.25	.47		.02	.03		.15	.16			.02	.21	7
8	.31	.17									.05	.11	8
9		.04		.08				.13			.49	.53	9
10	.23	.07	.17	.07				.50		.04	.05	.04	10
11	.09	.05		.03				.12		.10	.61	.03	11
12	.23	.38		.10	.48			.30		.09	.03		12
13	.02	.30			.38		.01		.10	.01	.01	.06	13
14	.01	.01					.28	.36	.03	.01		.35	14
15	.12	.02			.21		.20	.04	.06	.01	.16	.07	15
16	.02	.48			.17		.74	.02				.02	16
17		.08	.02		.22								17
18		.09											18
19	.32			.06	.10								19
20	.11			.03						.03		.07	20
21	.05	.11				.01	.21			.09		.05	21
22		.11	.46	.09			.30			.02		.16	22
23		.01	.19				.02		.04	1.04		.61	23
24				.01			.13			.40		.29	24
25			.02			.53	.27					.18	25
26						.12	.14					.38	26
27		.03				.01	.27			.38		.01	27
28		.09						.05	.53	.11		.04	28
29						.50					.02	.24	29
30	.17	X		.01		.52				.69	.14	.31	30
31	.01	X		X		X	.04	.02	X	.67	X	.09	31
Total	2.80	3.45	1.18	1.15	1.94	1.93	3.45	2.35	1.21	4.03	1.58	5.58	YEAR'S TOTAL 30.65
Rain Days.	19	23	8	14	10	7	16	14	7	17	10	27	172

W. 8,000. X. 14.

82

2063

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Burnham

in the County of Somersetshire

by H. A. Smith Spark

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·02		·08	·08	·19		·04	·62	·04		1
2	·29	·04			·02		·02		·02	·53	·08		2
3	·01	·59			·25	·03	·17		·02	·29	·11		3
4	·36	·16		·03	·11	·14			·16	·02	·44		4
5	·50	·05	·02		·16	·33				·02	·19		5
6	·03	·25			·10	·14	·26			·06	·35		6
7		·12	·07		·07	·34				·11	·70	·23	7
8	·01	·14	·02		·13	·06				·04	·08	·12	8
9		·02			·13	·01					·05	·10	9
10		·43		·06	·05							·08	10
11			·03	·45	·03				·02		·01	·01	11
12	·03	·07	·03		·23		·13	·01		·10			12
13		·30	·42	·02	·02			·04					13
14		·33	·04	·08	·17			·07		·02			14
15		·11	·04	·11	·06			·20					15
16	·05	·06	·01	·25	·01		·11	·68		·07			16
17	·12	·28		·04				·08	·54	·40	·28		17
18		·25	·24	·05					·03		·08	·04	18
19	·13	·01	·73	·12							·13		19
20	·07	·24	·30								·09	·97	20
21	·02	·02	·29		·09	·03					·01	·15	21
22						·11				·19	·04	·69	22
23	·03	·14		·20		·05		·32		·10	·06	·10	23
24		·18			·94	·03		·03		·81		·21	24
25		·42	·18		·01			·35	·03	·01	·17		25
26		·03	·17		·08	·28		·70	1·22	·63	·03		26
27		·11	·84		·10	·08		·12	·39	·42		·02	27
28		·23				·05		·03	·18	·26		·40	28
29	·01	·45				·36		1·33	·27	·59		·25	29
30		X						·01		·20			30
31		X		X		X		·02	X	·16	X	·27	31
Total	1·70	5·03	3·45	1·41	2·84	2·12	·88	3·99	2·92	5·65	2·94	3·64	YEAR'S TOTAL 36·57
Rain Days.	15	26	17	11	21	16	6	15	12	22	19	15	195

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Burnham

in the County of Somersetshire

by H. A. Smith Spark

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

26 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·32	·29		·10		·66	·15		·02		1
2	·04			·06		·15		·06	·01	·04	·05		2
3				·08			1·27	·01		·61	·12		3
4		·45	·15				·05	·02	·02	·10		·01	4
5	·24		·22	·20		·05			·15	·19	·15		5
6	·01									·06	·29		6
7	·25		·02				·30	·27			·04	·03	7
8			·17	·16			·31	·44	13	·74	·10	·10	8
9			·02	·03			·05	·09	10	·59	·08		9
10	·23		·18	·20	·01			·32	·05				10
11	·05		1·15	·49	·04			·14	·05	·07	·08		11
12	·02				·63			·21		·81			12
13			·17			·14		·14	·10	·09			13
14			·10	·11				1·19		·13			14
15				·03			·13	·06		·09		·05	15
16		·17		·04			·07			·18		·16	16
17		·04		·03	·09		·57		·26	·15	·05		17
18	·01	·03			·02	·01	·31		·62		·02		18
19		·59	·03			·11			·02		·04		19
20		·03	·02		·29	·07					·01		20
21			·26			·05							21
22			·02					·14		·05			22
23		·14			·11			·23		·03	·01		23
24		·02	·04			·23	·05	·07		·16			24
25		·09						·05	·02	·36	·05		25
26					·43	·03		·52	·17	·46	·03		26
27					·56	·09		·77		·02			27
28		·01	·12		·05	2·92		·34					28
29			·08			·06		·01		·48		·10	29
30		X	·04				·13	·08		·08			30
31		X	·15	X		X		·02	X	·12	X	·04	31
Total	·88	1·57	3·26	1·72	2·23	4·01	3·24	5·84	1·85	5·61	1·14	·49	YEAR'S TOTAL 31·84
Rain Days.	9	10	19	12	10	13	11	23	14	23	16	7	167

W. 8,000, VIII. 16

86

82

56
~~25·0~~

FORM A.
BRITISH RAINFALL.
30 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Burnham
in the County of Somersetshire
by H. A. Smith Spark

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·02				·11		·03	·62		1
2		·04		·08				·36	·02	·03	·12	·03	2
3		·07		·13	·08			·06	·04	·03	·02		3
4		·10		·03				·09		·05	·40	·08	4
5				·02	·05			·51	·12	·19	·11	·02	5
6		·42		·21						·07			6
7		·15			·46	·04			·36	·32	·19		7
8	·02	·03			·05				·13	·33	·01	·07	8
9		·12		·16		·16	·68		·27	·03		·11	9
10	·05			·12			·34		·20	·14	·02	·30	10
11	·07		·08				·22		·46	·09	·03	·17	11
12		·04	·08		·23	·02	·19		·14				12
13	·25						·04		·57	·24		·16	13
14	·12	·02	·05		·01	·08	·26		·27	·11			14
15	1·21			·28		·30	·25		·01	·02		·25	15
16	·38		·06	·70			·03		·16			·19	16
17	·36		·02	·03			·21	·07	·17			·04	17
18	·29		·08			·39	·21		·71	·08		·38	18
19	·07	·04	·13	·06			·07		·31	·02		·17	19
20	·07	·11		·07		·03	1·17		·05				20
21	·03			·03		·01	·24		·61	·04		·19	21
22					·21		·49		·59	·01		·34	22
23	·09	·06			·17		·11		·04			·03	23
24		·11					·03	·09	·21		·11		24
25							·19	·73	·01	·02	·05		25
26				·02			·34	·02	·02	·02	·23	·20	26
27		·14						·17	·42		·13	·03	27
28		·07	·14						·04		·03	·20	28
29			·03						·89	·01		·02	29
30		X	·30						·05		·08	·16	30
31		X	·07	X		X		·04	X	·03	X		31
													YEAR'S TOTAL
Total	3·01	1·55	1·04	1·96	1·26	1·03	5·07	2·25	6·87	1·91	2·15	3·14	31·24
Rain Days.	13	16	11	15	8	8	18	11	27	22	15	21	185

W. 8,000, IX. 17.

8h

1846
~~738~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Burnham
in the County of Somersetshire
by H. A. Smith Spark

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41		·02	·08	·06		·76		·01	·15		·70	1
2	·11						·12		·05		·02	·21	2
3	·42		·19		·06				·10		·07	·50	3
4	·28	·33	·32			·11	·77	·08	·14		·02	·07	4
5	·01	·54	·43						·37			·45	5
6	·59	·12	·04									·11	6
7	·14		·12	·14								·02	7
8			·23			·04							8
9	·15		·03	·11							·16		9
10			·29		·05	·01				·08		·24	10
11	·04		·27		·04		·13					·20	11
12	·07		·02	·08		·15				·20	·21	·01	12
13			·04	·17			·08			·02		·02	13
14	·13			·39	·12		·17		·06			·14	14
15	·40	·15								·03		·20	15
16	·14	·70									·15	·02	16
17		·25									·37		17
18	·11	·02	·64	·04			·06	·23	·04		·28	·03	18
19	·32	·16	·56			·10	·78	·40	·40		·08	·06	19
20	·22	·09	·12			·17		·11	·01			·09	20
21		·44					·18	·01	·11			·06	21
22		·10					·05	·01	·17		·07	·11	22
23			·02				·02			1·38		·08	23
24				·13		·25				·71	·10	·40	24
25	·10					·03		·75		·01	·08	·15	25
26		·01	·06	·33				·25	·16			·13	26
27	·19		·07			·01		·78				·06	27
28				·16				·02			·22	·56	28
29			·49	·06				·01		·04	·04	·05	29
30		X	·01	·15		·16		·19		·02	·23	·27	30
31	·02	X		X	·15	X	·04		X	·02	X	·46	31
Total	3·85	2·91	3·97	1·84	·48	1·03	3·16	2·84	1·62	2·66	2·10	5·40	YEAR'S TOTAL 31·86
Rain Days.	19	12	20	12	6	10	12	12	12	11	15	28	169

W. 6,500, VII. 18. W W C

300 Ex D L 1759

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Burnham, Dunstan Ho, Chalbury

in the County of Somersetshire

by H. A Smith Spark

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·02	·14	·16		·15	·10	·15	·12	·15	·41	1
2	·20			·20	·02		·47	·16	·06	·19		·08	2
3	·05			·03	·05		·13		·02	·23		·02	3
4			·07	·03			·15	·40		·19			4
5			·13		·38		·61			·12			5
6			·16	·07	·12		·05			·10			6
7				·14	·02		·18						7
8	·07	·06		·39	·08		·27	·02	·03				8
9	·53	·05	·19	·84		·22	·22	·03					9
10	·71	·07	·09	·05		·18	·23						10
11	·17		·08	·38	·31	·01	·10						11
12	·23	·02	·06	·06		·28	·06						12
13	·13	·06	·38	·06							·10		13
14	·08	·04	·14	·43			·03		·18	·40	·22		14
15	·01	·12	·04	·19	·15	·11			·11	·38	·08		15
16			·05	·15	·03	·05	·24		·18	·19	·20		16
17	·02		·01	·06	·13	·43	·01		·14				17
18	·05	·02		·06	·01	·10	·01	·30	·23				18
19	·06	·23		·18		·35		·02					19
20	·08	·02		·08		·37						·09	20
21				·04			·08			·02		·21	21
22	·03			·09			·01	·08				·40	22
23			·01				·39					·26	23
24	·03		·09				·06	·04			·10	·03	24
25		·07	·06				·19						25
26	·19		·14								·06	·07	26
27	·21	·01	·07	·07	·08	·75	·03				·02	·19	27
28	·54		·10	·02		·07	·04					·04	28
29	·19		·20		·11						·06	·10	29
30	·03	×	·08	·13		·20	·23		·40		·38	·08	30
31	·14	×	·45	×	·04	×	·08		×	·48	×	·10	31
TOTAL	3·76	·78	2·62	3·89	1·69	3·12	4·02	1·15	1·50	2·42	1·37	2·08	YEAR'S TOTAL 28·40
Days with ·01 in. or more	23	13	22	24	15	13	25	9	10	11	10	14	189
·04	17	8	19	21	11	12	20	6	8	10	9	12	15·3

(14283). Wt. 21,958—218/7500. 10/19. Gp. 132. A.&E.W.

BURRINGTON
LANGFORD

SOMERSET

1911 - 1920

REC 1911

FORM A2.
BRITISH RAINFALL.

19 MAR 1912

Kept at Langford

in the County of Som

by Miss M. B. Smith

of top .... in.

top above Ground .... ft. .... in.

,, ,, Sea Level .... ft.

on ....

Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.08	.04			.18			.07	.01	1
2				.17	.35			.20			.38	.09	2
3			.02		.36					.05	.09	.02	3
4			.22								.29	.40	4
5	.30		.03					.37	.01	.02	.47		5
6	.40		.05					.07		.05	.21	.58	6
7											.45		7
8	.21		.25									.39	8
9	.20		.01								.12	.35	9
10	.14		.64		.29				.04		.03	.35	10
11	.43	.02	.01		.01			.06			.60	.32	11
12			.73								.47	.24	12
13			.02							.03	.05	.47	13
14		.08									.05	.83	14
15		.05	01			.06			.50		.41	.03	15
16		.07				.08					.35	.23	16
17		.02				.02					.01	.20	17
18		.27	.07	.14	.01	.35				.02	.01	.20	18
19		.10		.07		.12		.04	.37	.04	.05	.35	19
20	.01	.03	.07	.31		.02			.40	.05		.37	20
21		.21		.01		.01		.40	.02	.35		.27	21
22	02	.02	.40	.07		.58				.30		.67	22
23	.01	.12	.17	.01		.09			.08	.11		.20	23
24	.01	.28				.50		.13		.58		.19	24
25		.05		.21		.16				.02		.20	25
26		.03		.36	.02		.26	.04		.22	.04	.31	26
27		.38	.12	.04				.18	.12		.02	.10	27
28		.44		.54				.21			.06	.01	28
29				20		.46	.02		.11	.46			29
30			.07							.35	.02	.02	30
31					.06		.01			.28		.01	31
Total	1.73	2.17	2.91	2.21	1.14	2.45	.29	1.88	1.65	2.93	4.25	7.41	TOTAL for year 31.02
No. of Rain Days.	10	16	18	13	8	12	3	11	9	16	22	28	166

FORM A2.
BRITISH RAINFALL.
19 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at Langford Bristol

in the County of Somerset

by Miss M. B. Smith (Ha Boys)

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	,, ,, ,, Sea Level	ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.08	.04			.18			.07	.01	1
2				.17	.35			.20			.38	.09	2
3			.02		.36					.05	.09	.02	3
4			.12								.29	.40	4
5	.30		.03					.37	.01	.02	.47		5
6	.40		.05					.07		.05	.21	.58	6
7											.45		7
8	.21		.25									.39	8
9	.20		.01								.12	.35	9
10	.14		.64		.29				.04		.03	.35	10
11	.43	.02	.01		.01			.06			.60	.32	11
12			73								.47	.24	12
13			.02							.03	.05	.47	13
14		.08									.05	.83	14
15		.05	01			.06			.50		.41	.03	15
16		.07				.08					.35	.23	16
17		.02				.02					.01	.20	17
18		.27	.07	.14	.01	.35				.02	.01	.20	18
19		.10		.07		.12		.04	.37	.04	.05	.35	19
20	.01	.03	.07	.31		.02			.40	.05		.37	20
21		.21		.01		.01		.40	.02	.35		.27	21
22	.02	.02	.40	.07		.58				.30		.67	22
23	.01	.12	.17	.01		.09			.08	.11		.20	23
24	.01	.28				.50		.13		.58		.19	24
25		.05		.21		.16				.02		.20	25
26		.03		.36	.02		.26	.04		.22	.04	.31	26
27		.38	.12	.04				.18	.12		.02	.10	27
28		.44		.54				.21			.06	.01	28
29				20		.46	.02		.11	.46			29
30			.07							.35	.02	.02	30
31					.06		.01			.28		.01	31
Total	1.73	2.17	2.91	2.21	1.14	2.45	.29	1.88	1.65	2.93	4.25	7.41	TOTAL for year 31.02
No. of Rain Days.	10	16	18	13	8	12	3	11	9	16	22	28	166

W. 8,000, X. '11.

[illegible] 6.III.13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

6 JAN 1913

Kept at Langford W Bristol

in the County of Somerset 2

by Miss M B Smith

RAIN GAUGE:
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level about 60 ft.

Time of Observation 9 am

Nearest Railway Station: Name Langford GWR
Distance 3/4 mile Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.21			.25	[illegible]		.01	.64	.02	.23	1
2			.07		~~.12~~	.12	.30			.01	.04		2
3	.01		.13	.01		.16	.05	.48	.07		.14	.02	3
4	.39		.69		.04	.12		.09			.01		4
5	.50		.14		.01			.75			.01	.09	5
6	.45	.17	.02		.07		.37	.94			.01	.14	6
7	.04	.20	.59		.15	.73		.05				.15	7
8	.41	.22	.27	.01		.07	.27	.11				.08	8
9	.02		.09	.19		.02	.01	.03			.54	.59	9
10	.08	.12	.01			.06		.01			.05	.07	10
11	.07	.05	.01									.48	11
12	.06	.70	.11	.11	.03		.03	.02				.10	12
13	.01	.01	.01	.01								.15	13
14	.10		.82	~~.20~~	.20			.17				.01	14
15	.07	.12	.01	~~.20~~	.28	.63		.04			.38	.67	15
16	.49		.50		.15	.04		.47		.08		.08	16
17	.69		.27		.02	.11		.92			.15	.27	17
18	.10		.55					.07		.11	.01	.18	18
19	.03	.07	.11			.02	.24	.56		.37		.02	19
20	.01	.01	.34		.32		.07	.22		.58			20
21	.01	.24	.24		.63		.03	.23		.15		.12	21
22	.62	.28	.08		.19	.03	.10	.26		.02	.03	.39	22
23	.23	.71	.36		.01	.04		1.00		.10	.09		23
24	.09	.01	.04			.40		.01		.01		.17	24
25						.85		.78		.13	.47	.43	25
26		.03					.08	.15		.48	.62	.25	26
27		.01				.22	.67			.87		.56	27
28		.07				.08	.47	.45	.07	.30	.76	.81	28
29		.27					.49		.33	.38	.01	.05	29
30						.06	.25	.04	.08	.54		.03	30
31			.31		.07		.23			.01		.15	31
Total	4.48	3.29	5.56	~~.73~~ .33	2.~~24~~ 12	4.00	3.66	7.85	.56	4.78	2.84	6.29	TOTAL for year 46.38 45.78
No. of Rain Days.	22	18	25	~~7~~ 5	~~15~~ 14	19	16	24	5	17	17	27	212 9

W. 8,000, X. '11.

W D.L. [illegible] 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Langford
in the County of Somerset
by (Miss) M B Smith

2

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Langford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.15	.30	.10	.17						.05	.19	1
2	.07	.09		.15	.09				.30	.03	.11	.02	2
3	.25		.11		.39							.68	3
4	1.31		.09		.37						.01	.18	4
5	.03	.05	.02		.17		.02		.50		.05	.10	5
6	.05	.06	.17		.04	.63	.22		.28	.70	.19	.43	6
7		.18	.03		.27	.19				.12	.22	.02	7
8		.02	.01		.24	.05				.04		.01	8
9		.11	.01	.01	.06	.32					.08	.02	9
10	.35		.02	.03	.05	.40		.27	.10		.17		10
11	.65	.01	.01	.12	.15			.14			.82	.09	11
12	.15		.04		.07	.11		.01	.20	.07	.17	.01	12
13	.05				.03		.03		.60		.13	.01	13
14	.16	.01	.29	.05			.09	.13			.24	.01	14
15	.23	.02	.37	.85							.26	.08	15
16	.29		.39	.01				.03	.28		.12		16
17	.07		.02	.05					.17		.08		17
18	.10		.18	.14			.09		.07				18
19	.40				.03								19
20	.21		.11	.02		.07	.01		.39	.15	.10		20
21			.11	.21	.14				[illegible]		.37	.01	21
22	.68		.73	.20	.04		.13	.01	.17	.05	.01		22
23	.01					.06		.04			.13	.30	23
24	.08	.01		.05				.31	.03		.01		24
25		.04		.17							.03	.02	25
26		.02		.21								.28	26
27	.08		.12	.36				.10		.08	.01	.04	27
28	.11		.08	.32						.16		.10	28
29	.02		.60	.28						.23	.02	.01	29
30	.50			.19				.21		.53	.09		30
31	.12		.06		.54			.14					31
Total	5.99	.77	3.87	3.52	2.85 ~~2.31~~	1.83	.59	1.39	3.09	2.16	3.47	2.61	YEAR'S TOTAL 32.14 32.66
Rain Days.	25	13	23	20	17 ~~16~~	8	7	11	12	11	24	21	2 190

W.7,000, XI. 13

[illegible] 12.III.15 W

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Langford

in the County of Somerset 2

by Miss M B Smith

Lat. 51.20 Long. 2.47

Time of Observation 9 am

Nearest Railway Station Langford GWR

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
1				.16		.03	.15	1.15			.03	.01
2				.02	.02		.65	.02			.80	.41
3			.10	.24	.12			1.42			.04	.11
4	.20		.17	.28	.30		.15	.14			.60	.41
5	.10		.17	.45	.02		.13	.01			.07	.23
6	.03	.09	.03	.20	.02	.01	.22				.04	.16
7		.68	.29	.05	.17	.02	1.06	.11			.01	.13
8	.21	.01	.90	.14	.07	.40	.10	.09	.15			.03
9	.17		.20		.02	.72		.10	.16			
10		.19	.01	.11	.10				.45			
11		.09	.70		.15	.23	.19				.06	.43
12		.11	.15						.23		.05	.15
13		.30	.44		—		.02		.31	.25	.12	.30
14		.16	.26					.29	.03	.15	.36	
15		.01	.22					.33	.06	.01	.26	
16							.05		.20			
17		.81	.26				.04		.01		.01	.40
18		.03	.06				.12		.01			.39
19		.09	.28				.95				.05	.10
20		.28	.06			.25						.32
21		.73	.01							.16	.01	.01
22		.01	.02	.02	.52	.22		.08		.05		
23		.09	.39		.06		.01			.14		.01
24			.04		.27		.08	.04		.14	.20	
25	.08		.11				.03	.62		.57	.02	.68
26	.01	.01	.03				.05	.07			.31	.46
27	.05		.01							.25	.16	.09
28	.01	.13	.19		.07					.09	.85	.97
29	.26		.17		.14		.01			.08	.15	.01
30	.01	×			.01	.03				.25	.31	.53
31		×		×	.01	×	.22		×	.22	×	.23
Total	1.13	3.82	5.27	1.67	2.07	1.91	~~3.73~~ 4.23	4.47	1.61	2.36	4.51	6.57
Rain Days.	11	18	26	10	17	9	19	14	10	13	22	24

YEAR'S TOTAL 39.62

193

W. 8,000. X. 14.

W DL cnd by Boys. 6.V.16

2137

FORM A. BRITISH RAINFALL. 4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Langford W Bristol

in the County of Somerset

by Miss M B Smith

2

Lat. 51.20 Long. 2.47

Time of Observation 9 am

Nearest Railway Station Langford GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.20						.05	.29	.26	.02	.09	1
2	.13	.27	.13	.20	.11	.02		.55	.20	.03	.01	.23	2
3	.15	.05	.14	.27	.12		.01	.01				.32	3
4	.02		.01	—	.04							.60	4
5	.15	.42	.01	.05			.90	.08				.26	5
6	.41	.08		.27			.36	.08				.18	6
7	.42	.48		.07			.38	.03				.23	7
8	.35	.29		.05				.14			.13	.01	8
9	.03	.05		.02				.13			.31	.74	9
10	.27	.03	.15	.07				.07		.02		.15	10
11	.02		.07	.02	.02			.28			.75		11
12	.15	.36	—	—	.42			.08		.12	.27		12
13	.02	.60			.75		.10	.15	.15		.01	.05	13
14	.10	.03	—				.24	.55	.03			.90	14
15	.28	.02			.06		.13	.13	.10	.02	.11	.04	15
16	—	.80			.30		.80	.24			.01	.04	16
17		.17			.58			.01				.01	17
18		.25			.01					.01			18
19		.02			.05		.27						19
20	.34			.13	.01					.05		.06	20
21	.04	.05			.02		.02			.17	.01	.03	21
22	.06	.22	.45	.03		.04	.53		.03			.16	22
23	.01		.28	.01		.02	.26		.06	.98		.62	23
24			.03			.25	.05		.30	.88		.32	24
25			.02		—	—	.12					.42	25
26	.01	.02					.16		.02			.49	26
27						.03	.65		—	.61			27
28		.10				.01		.01	.66	.10		.	28
29						.28		.01			.05	.04	29
30	.31	X		.01		.15				.38	.19	.17	30
31	.01	X		X		X	.02	.48	X	.89	X	.23	31
Total	3.68	4.51	1.29	1.20 1.20	2.49	.81	5.00 ~~4.98~~	3.02	1.84	4.52	1.87	6.39	YEAR'S TOTAL 36.63 36.62
Rain Days.	22	21	10	~~12~~ 13	13	8	17	19	10	14	12	25	184

W. 8,000. X. 15.

esct 95

2077

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Langford Wr Bristol
in the County of Somerset
by (Miss) M B Smith

Lat. 51. 20 Long. 2. 47
Time of Observation 9 am
Nearest Railway Station Langford GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19		.01			.18	.28		.02	.49	.02		1
2	.79	.08	.02		.24	.01			.01	.65			2
3		.76	.01		.21	.01	.01		.02	.38	.20		3
4	.34	.13	.03	.01	.24	.74			.24	.16	.48		4
5		.01			.23	.09				.01	.12		5
6	.16	.25			.35	.30	.44			.09	.63		6
7	.06	.15	.14		.07	.01				.15	.68	.16	7
8		.24	.05		.22	.13	.01				.10	.15	8
9		.04			.25	.21				.04	.04	.03	9
10		.40	.02	.13	.05	.01					.01	.03	10
11	.03	.01	.02	.28	.05	.07	.17						11
12	.03	.17	.02	.02	.45			.01		.17	.01		12
13		.50	.20					.18		.01	.01		13
14	.01	.66	.05	.07	.36			.25		.05			14
15	.03	.17	.05	.05	.02			.96	.09	.01			15
16	.07	.05		.49	.02		.06	.63					16
17	.11	.13		.03				.23	.48	.47	.13		17
18		.03	.23	.04					.03	.12	.24	.09	18
19	.11		.44	.23						.03	.14		19
20	.20	.04	.47	.01							.15	.72	20
21	.25	.04	.41	.03	.12						.01	.29	21
22	.06		.01			.11		.01		.20	.08	.55	22
23		.20		.31		.03		.23		.13	.24	.10	23
24	.01	.10	.02	.03	1.15	.02		.13		.54	.01	.25	24
25		.45	.23			.01		.25		.05	.28	.15	25
26	.02	.13	.10		.02	.21		.60	.61	.53	.12		26
27	.07	.18	1.53			.07		.35	.23	.70	.02	.01	27
28		.28	.29			.15			.09	1.08		.71	28
29		.28	.14			.47		1.51	.03	.52		.67	29
30		X								.33		.02	30
31		X		X		X		.03	X	.24	X	.04	31
Total	2.54	5.48	4.49	1.73	4.05	2.83	.97	5.37	1.85	7.15	3.72	3.87	YEAR'S TOTAL 44.06
Rain Days.	18	26	23	14	17	19	6	14	11	25	22	16	211

W. 8,000, VIII. 16

1985

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
12. JAN 1918

Kept at Langford W Bristol
in the County of Somerset
by Miss M B Smith

Lat. 51. 20 Long. 2. 47
Time of Observation 9 am
Nearest Railway Station Langford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.23	.74		.08		.92	.50		.07		1
2	.02		.12	.02		.19		.17			.05		2
3	.03			.01			.28			1.06	.04		3
4			.13				.12			.20		.02	4
5	.21		.22	.48					.24	.38	.14		5
6	.01		.13			.20				.08	.31	.01	6
7	.39						.18	.06		.17	.01	.01	7
8	.03		.14	.12			.74	.62	.06	.83	.17	.04	8
9			.02	.02	.06	.08	.01	.14	.11	.36	.07		9
10	.19		.17	.22				.23	.05	.09			10
11	.03		.56	.43	.03			.15	.35	.18	.03		11
12			.01	.01	.30			.87		.85			12
13			.10	.04		.10		.27		.02		.01	13
14			.05	.11				1.07	.15	.04		.01	14
15				.09			.18		.05	.13		.20	15
16		.13		.25			.03			.24		.15	16
17	.01	.03		.13	.12		.37	.10		.16	.02		17
18	.01	.02			.01	.01	.40	.03	.40	.10	.01		18
19		.46	.03			.08		.27	.80		.03		19
20	.02	.18	.02		.35	.25		.01	.05			.01	20
21	.01	.02	.35			.08			.06	.01			21
22			.01			.02		.08		.16		.01	22
23		.11			.02			.28			.02		23
24		.01				.39	.03	.41		.20	.01		24
25		.12	.01			.05		.03	.03	.84			25
26					.15			.73	.25	.34	.05		26
27					.82	.08		.90		.01			27
28		.01	.14		.01	2.75		.75				.01	28
29			.10			.08	.02	.03		.53		.14	29
30		✕	.03				.22	.24		.15	.03		30
31		✕	.11	✕		✕		.07	✕	.05	✕	.02	31
Total	.97	1.09	2.65	2.67	1.87	4.44	2.58	8.43	3.10	7.18	1.06	.64	YEAR'S TOTAL 36.71
Rain Days.	13	10	21	14	10	15	12	24	14	25	16	13	187

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2. 1. 19

Kept at Langford
in the County of Somerset
by (Miss) M. B. Smith

Lat. 51. 20 Long. 2. 47
Time of Observation 9. a.m.
Nearest Railway Station Langford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03		.13	.10			.38		.05	.01	.01	1
2		.02		.05				.37	.08		.63	.52	2
3	—	.02		.17	.10			.01		.02	.16	.01	3
4		.09	—	.07				.03		.08	.41	.17	4
5				.07	.11					.24	.02	.04	5
6	.14	.68		.47				.05	.14	.15		.10	6
7		.18		.01	.58			.07	.46	.60	.26		7
8		.01					.01		1.30	.33		.05	8
9		.14		.47		.18	.27		.83	.10	.02	.29	9
10				.14			.51	—	.30	.13	.03	.41	10
11	.03	.23	.04	.03			.47		.37	.22		.28	11
12	.05	.15	.10		.22		1.53		.08	.01	.09	.09	12
13	.25	.01					.04		.48	.15		.40	13
14	.17		.03		.05	.05	.55		.25	.02		.14	14
15	1.20			.33	.06	.05	.25			.02		.45	15
16	.30			.82			.02	.02	.15			.26	16
17	.28			.12			.29	.13	.25	.02		.32	17
18	1.37					.75	.34		1.55	.04		.22	18
19	.04						.09	.04	1.20	.03		.07	19
20	.02	.21	.20	.07		.01	.50		.09	.04	.01		20
21	.01	.04	.01	.04		.03	.44		.64	.03	.01	.09	21
22		.18			.30		.43		.37	.04		.48	22
23	.18				.07	.01	.42		.04			.05	23
24		.20					.07	.04	.19		.05		24
25				.01	.02			.58		.01	.01	[illegible]	25
26			.01	.19			.32	.04	.08		.13	.47	26
27		.05	.					.28	.46		.14	.04	27
28		.13	.10						.01		.03	.15	28
29			.01						1.03	.03	.01	.04	29
30		✕	.51					.02		.02	.06	.10	30
31		✕	.16	✕		✕		.02	✕	.01	✕		31
Total	4.04	2.37	1.17	3.19	1.61	1.08	6.55	1.94	10.35	2.39	2.08	5.25	YEAR'S TOTAL 42.02 ~~41.88~~
Rain Days.	13	17	10	17	10	7	18	15	23	24	18	26	~~208~~ 198

W. 6,500, VII. 18. W W C

Ex. 1806

1867

19 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Langford
in the County of Somerset
by Miss M B Smith

Lat. 51.20 Long. 2.47
Time of Observation 9 am
Nearest Railway Station Langford GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 8 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.75	.01	.02	.05	.21		.35		.07	.36		.90	1
2	.12				.01				.07		.03	.34	2
3	.53		.22		.04		.20		.10		.11	.69	3
4		.18	.42		.01	.09		.13	.25			.07	4
5	.07	.32	.73		.01		.25		.49		.01	.50	5
6	.45	.08	.26									.15	6
7	.31	.	.27	.11									7
8	.18		.11	.05		.03							8
9	.09		.08	.06							.12	.01	9
10	.04		.29	.01	.02					.03		.36	10
11	.07		.20	.19	.14	.01	.23			.01		.11	11
12	.07		.07			.40	.03			.07		.01	12
13	.16	.01	.01	.33			.03		.02			.03	13
14	.58	.04		.75	.05		.20					.08	14
15	.56			.05						.02		.28	15
16	.27	.68		.01	.01					.14	.25		16
17		.35				.08					.28	.05	17
18		.01	.41				.08	.42			.25	.11	18
19	.30	.25	1.13			.09	.80	.54	.31		.14	.09	19
20	.41	.17	.21			.27						.03	20
21	.01	.75	.01				.09		.19			.12	21
22		.20				.01	.15				.01	.15	22
23						.01			.04	.90	.08	.03	23
24						.17			.04	1.08	.25	.78	24
25	.01			.05		.02		.88			.07	.11	25
26	.19	.05	.11	.03		.01		.20	.20			.79	26
27	.17	.05		.53				.50				.05	27
28	.01		.40					.18			.32	.45	28
29	.02			.15				.04		.06		.16	29
30				.24		.28		.40		.02	.23	.44	30
31	.01		.06				.05					.14	31
TOTAL	5.38	3.15	5.01	2.61	.50	1.47	2.46	3.29	1.78	2.69	2.15	7.03	YEAR'S TOTAL 37.52
Days with ·01 in. or more	24	15	19	15	9	13	12	9	11	10	14	28	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1774

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Langford

in the County of Somerset

by Miss M B Smith

Lat 51.20 Long 2.47

Time of Observation 9 am

Nearest Railway Station Langford. GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 8 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.19	.32		.37	.02	.13	.23	.19	.50	1
2	.08			.10			.20	.30	.09	.12		.05	2
3	.15			.04			.68		.01	.30		.01	3
4	.09	.04	.04	.12			.08	.80	.01	.22			4
5			.18	.37	.26		.44			.21	.05		5
6			.17	.02	.57		.20						6
7	.03		.02	.07	.07		.12						7
8	.04			.51	.10		.53						8
9	.60	.05	.04	.69		.18	.09	.04					9
10	.83		.11	.02		.19	.66						10
11	.46	.26	.16	.49	.31	.02	.07						11
12	.23	.04	.01	.15		.49	.14				.10		12
13	.11	.13	.61	.23			.07					.01	13
14	.13	.07	.31	.65	.13				.12	.30	.40		14
15	.02	.20	.01	.24		.08	.01		.24	.37	.11		15
16	.02		.04	.11		1.44	.28		.33	.09	.48		16
17	.23		.01	.01	.31	.70	.02		.48		.01		17
18	.07			.31	.02	.05	.03		.27				18
19	.02	.14		.27	.08	.06		.44					19
20	.02	.13		.19		.36	.05	.01				.19	20
21				.04			.10					.14	21
22	.03			.09		.02	.66	.15				.34	22
23							.71	.03				.62	23
24	.03		.18	.01				.02			.08	.08	24
25	.01	.09	.09			.03	.58				.01	.01	25
26	.30		.21		.19	.01	.05					.09	26
27	.29		.05	.62	.02	.75	.02				.11	.20	27
28	.89	.01	.17			.02	.04				.01	.03	28
29	.31		.20		.08	.04	.10				.19	.31	29
30	.04	×	.03	.05		.50	.15		.27		.24	.26	30
31	.32	×	.28	×	.03	×	.01		×	.45	×	.28	31
Total	5.35	1.16	2.92	4.99	2.49	4.94	5.86	1.81	1.95	2.29	1.98	3.12	Year's Total 38.86
Days with ·01 in. or more	26	11	21	25	14	7	28	9	10	9	13	16	199
Days with ·04 in. or more	18	10	~~17~~ 16	20	11	12	23	5	8	9	10	13	~~156~~ 155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

RE 11

CANNINGTON
BRYMORE
SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Brymore

in the County of S. So

by W. Kendall

p 5 in.

bove Ground 2 ft. in.

„ Sea Level 65 ft.

on Name
Distance Direction

IMPORTANT NOT and the result entered to the previous day. If an Ob universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.21				.02			.02		1
2				.05	.22			.32		.30	.24	.14	2
3			.02		.24				.02		.06		3
4			.16							.04	.15	.40	4
5	.10		.05					.38		.03	.17	.07	5
6	.35		.11								.12	.47	6
7	.02										.54		7
8	.01		.08								.02	.55	8
9	.02										.18	.39	9
10	.20	.04	.20		.53						.04	.15	10
11	.32	—	.01		.02						.47	.16	11
12			.68					.12	.06		.14	.30	12
13									.32		.05	.38	13
14		.05								.02	.01	1.38	14
15		.04				.05					.25	.02	15
16						.20					.30	.19	16
17			.03			.14					.01	.30	17
18		.33	.15	.18		.11				.10	.04	.12	18
19		.08		.19		.22			.42	.16	.05	.35	19
20	.03	.08	.15	.04				.04	.28	.05		.42	20
21		.16		.01		.02			.06	.50		.15	21
22	.01	.02	.08		—	.07			.05	.53		.74	22
23		.10	.03	.02		.12			.11	.10	.05	.08	23
24		.25				.67		.14		.44		.15	24
25		.29		.04		.17	.02	.04		.04		.07	25
26		.10		.15	.25		.07	.01		.25	.08	.25	26
27		.23	.08	.05				.13	.15	.01		.14	27
28		.23		.40	.01			.09			.06		28
29				.26		.18	.08		.05	.18	.01		29
30						.01				.28	.09		30
31										.15		.01	31
Total	1.06	2.00	1.85 1.85	1.60 1.60	1.27	1.96	.17	1.29	1.52	3.18	3.15	7.38	TOTAL for year 26.43
No. of Rain Days	9	14	15	12	6	12	3	10	10	17	24	25	157

9,000, IX. '10.

343

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Brymore Bridgwater

in the County of S. Somerset 3

by W. Kendall

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 65 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·21				·02			·02		1
2				·05	·22			·32		·30	·24	·14	2
3			·02		·24				·02		·06		3
4			·16							·04	·15	·40	4
5	·10		·05					·38		·03	·17	·07	5
6	·35		·11								·12	·47	6
7	·02										·54		7
8	·01		·08								·02	·55	8
9	·02										·18	·39	9
10	·20	·04	·20		·53						·04	·15	10
11	·32		·01		·02						·47	·16	11
12			·68					·12	·06		·14	·30	12
13									·32		·05	·38	13
14		·05								·02	·01	1·38	14
15		·04				·05					·25	·02	15
16						·20					·30	·19	16
17			·03			·14					·01	·30	17
18		·33	·15	·18		·11				·10	·04	·12	18
19		·08		·19		·22			·42	·16	·05	·35	19
20	·03	·08	·15	·04				·04	·28	·05		·42	20
21		·16		·01		·02			·06	·50		·15	21
22	·01	·02	·08			·07			·05	·53		·74	22
23		·10	·63	·02		·12			·11	·10	·05	·08	23
24		·25				·67		·14		·44		·15	24
25		·29		·04		·17	·02	·04		·04		·07	25
26		·10		·15	·25		·07	·01		·25	·08	·25	26
27		·23	·08	·05				·13	·15	·01		·14	27
28		·23		·40	·01			·09			·06		28
29				·26		·18	·08		·05	·18	·01		29
30						·01				·28	·09		30
31										·15		·01	31
Total	1·06	2·00	2·85	1·60	1·27	1·96	·17	1·29	1·52	3·18	3·15	7·38	TOTAL for year 26·43
No. of Rain Days	9	14	1·85 15	1·60 12	6	12	3	10	10	17	24	25	157

9,000, IX. '10.

8L [illegible] 26 II 13 [illegible]

343

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Brymore, Bridgwater

in the County of Somersetshire 3

by W. Kendall

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15		·01	·36	·02	·10	·06	·83		·26	1
2			·12	·04		·49	·28			·01	·07		2
3			·15			·28	·02	·65			·01		3
4	·20		·70	—	·06	·24		·01			·35		4
5	·49	·10	·23		·01			·30	·01			·09	5
6	·50	·19	·02		·15	·12	·04	·25				·02	6
7	·03	·30	·06		·08	1·15		·83				·10	7
8	·38	·11	·25	·02		·20	·04	·01				·03	8
9	·02	·02		·10		·05	·01	·03			·07	·10	9
10	·10	·09				·07		·17	·15	—	·04	·12	10
11	·09	·07									·05	·40	11
12	·01	·35	·05	·08			·03					·03	12
13	·04							·89					13
14			·60		·10			·10					14
15	·05	·02	·02		·27	·60		·02				·28	15
16	·37	·01	·11		·09	·02		·05		·01	·10	·12	16
17	·45		·16			·03		·60			·03	·08	17
18	·07		·24			·01		·08			·02	·16	18
19	·05	·07	·04				·20	·08		·02		·03	19
20	·10	·02	·48		·27	·01	·09	·41		·53	·02		20
21		·03	·20		·59		·05	·05		·10			21
22	·43	·07	·09		·22		·20	·25		·06		·03	22
23	·52	·68	·22			·01		·79		·22	·09	·27	23
24	·08	·02				·45		·04				·14	24
25	·01	·01				·42		·54		·07	·30	·42	25
26		·02					·03	·12		·26	·33	·47	26
27						·32	·72			·88	·15	·28	27
28		·10		—		·02	·05	·33	·18	·25	·60	·50	28
29		·15	·03			·26	·32	·06	·70	·50	·02	·05	29
30					·07	·04	·15		·10	·35			30
31			·36				·22	·02		·02		·04	31
Total	3·99	2·43	4·28	·24	1·92	5·15	2·47	6·78	1·20	4·11	2·25	4·02	TOTAL for year 38·84
No. of Rain Days.	20	20	21	4	12	21	17	26	6	15	16	23	201

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

35-4

28 JAN 1914

REGISTER OF RAINFALL IN 1913

3

Kept at Brymore, Bridgwater
in the County of Somerset
by W. Kendall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·16	·17	·03	·24				·13	·03	·11	·84	1
2	·06	·18	·03	·06	·09		·03		·03		·05		2
3	·07		·05		·29				·01	·09		·17	3
4	1·48		·03		·19		·02		·66	·04	·01	·19	4
5	·01	·02			·19	·20			·47		·05	·29	5
6	·02	·10	·10		·02	·19	·47			1·05	·10	·39	6
7		·22			·34	·06	·09			·30	·16	·01	7
8		·05			·24			·16		·07			8
9		·02		·05	·12			·44	·02		·20	·01	9
10	·34				·09					·31	·30		10
11	·92	·01		·15	·38			·02			·79		11
12	·05				·26		·02				·36		12
13	·16						·01	·11	·29		·11		13
14	·15		·10	·01						·02	·46		14
15	·29		·46	·45					·20		·08	·02	15
16	·23	·02	·53	·16				·05	·37				16
17	·02		·03	·05									17
18	·14		·16	·05		·02					·07		18
19	·40		·10	·05		·15	·01		·29	·01			19
20	·16		·10	·08						·11	·04		20
21			·10	·12	·04		·06				·24		21
22	·84		·86	·11		·06		·04	·18				22
23	·02		·02					·01			·05	·50	23
24	·03	·02						·02					24
25		·06		·16					·01	·01		·02	25
26		·01		·34				·07	·01			·20	26
27	·12		·20	·22				·01		·16		·05	27
28	·15		·02	·30						·39		·04	28
29	·05		·57	·23	·01			·16		·27		·04	29
30	·20			·04						·60	·01		30
31	·14		·04		·05			·53					31
Total	6·05	·87	3·67	2·66	2·55	·68	·71	1·62	2·67	3·46	3·19	2·77	YEAR'S TOTAL 30 90
Rain Days.	24	12	19	19	15	6	8	12	13	15	18	14	175

W. 7,500, XI. ·12

8L

338

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Brymore, Bridgwater

in the County of Somersetshire 3

by W. Kendall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.08		.10	.17	.34			.12	.05	1
2			.01	.08			.53				.39	.42	2
3			.33	.19	.24			.94			.03	.06	3
4	.21		.04	.24	.04		.12	.26			.63	.62	4
5	.20		.25	.18	.02			.02				.07	5
6		.06	.03	.17	.03	.03	.30	.02			.22	.15	6
7	.03	.34	.04	.13	.18	.08	.25	.03	.02			.06	7
8	.02		.67	.02	.10	.53		.02					8
9	.01	.04	.34	.07	.04	1.54		.04	.70				9
10	.10	.11	.04	.13	.07	.03			1.68		.04	.02	10
11		.07	.44		.10	.23	.84		.20		.02	.57	11
12		.21	.05						.16	.05		.55	12
13		.29	.35				.03	.44	.14	.25	.60	.16	13
14		.17	.36			.02		.32	.02	.09	.41		14
15			.10				.11		.02	.02	.16	.02	15
16			.02				.05		.12				16
17		.12	.27									.42	17
18		.04	.02				.08		.03			.25	18
19		.07	.28			.03	1.07		.01		.06	.12	19
20		.20	.15									.29	20
21		.71						.01		.48			21
22					.10	.24	.08	.07		.12			22
23		.03	.15		.03	.04	.03			.27			23
24			.05		.06		.04	.14		.08	.08	.08	24
25	.10		.15				.35	.34		.29	.01	.15	25
26	.02	.03	.19				.42	.01		.02	.17	.34	26
27	.01									.38	.12	.20	27
28		.06	.14		.07					.18	.15	.96	28
29	.04		.15		.13		.02			.09	.32	.02	29
30			.04							.26	.28	.48	30
31	.02				.03		.22			.56		.23	31
													YEAR'S TOTAL
Total	.76	2.55	4.68	1.29	1.24	2.87	4.71	3.00	3.10	3.14	3.81	6.29	37.14
Rain Days.	11	16	27	10	15	11	18	15	11	15	18	24	191

W.7,000, XI. 13

8d end 6.v.16 294 331

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Brymore, Bridgwater 8d

in the County of Somersetshire 3

by W. Kendall ?

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30	.06			.05			.19	.15	.30		.09	1
2	.14	.29	.12	.04		.04		.43	.17	.08		.60	2
3	.05	.06	.03	.12	.16		.01					.29	3
4	.03	.03			.04							.34	4
5	.10	.42		.04				.07				.40	5
6	.34	.08		.12			.52	.02				.25	6
7	.30	.36		.03			.11					.32	7
8	.37	.15						.10			.01	.03	8
9		.02		.08			.01	.20			.36	.68	9
10	.10	.05	.03	.07		.04		.08		.09	.02	.01	10
11	.03	.26	.05	.01			.06	.19	—	.02	.85	.07	11
12	.20	.37		.12	.52			.54		.04	.12		12
13	.02	.58			.84			.05	.08		.16	.07	13
14	.20	.02					.17	.08	.03	.02		.43	14
15					.22		.09				.20	.14	15
16	.01	.50			(.16)		.67					.03	16
17		.25			.44		.01					.02	17
18		.20			.02					.01			18
19		.01			.11		.21						19
20	.20			.04		.02	.01			.01		.06	20
21	.08	.10								.09		.08	21
22	.04	.14	.30	.03		.02	.17		.03	.01		.20	22
23		.02	.20			.02	.38		.02	1.08		.32	23
24			.01	.02			.07		.05	.32		.40	24
25						.60	.30					.27	25
26		.04					.01					.50	26
27		.05				.03	.17		.01	.51		.02	27
28		.10							.61	.12			28
29			.01			.07	.05	.04			.05	.05	29
30	.12	×				.41				.80	.16	.23	30
31		×		×		×	.06	.01	×	.60	×	.18	31
Total	2.63 ✓	4.16 ✓	.75 ✓	.72 ✓	2.50 ✓	1.25	3.08	2.00	1.15	4.10	1.93	6.08	YEAR'S TOTAL 30.35 ✓
Rain Days.	18 ✓	24 ✓	8 ✓	12 ✓	10	9	19	13	9	16	9	27	174

W. 8,000. X. 14.

82

~~ut 82~~ and for another

2129
~~294~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Brymore, Bridgwater
in the County of Somersetshire
by W. Kendall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05				·51	·04	·23		·06	·43	·22		1
2	·23	·03			·02				·08	·42	·23		2
3		·67			·17	·06	·03		·08	·29	·15		3
4	·20	·12			·21	·12	·12		·02	·02	·51		4
5	·03	·02	·04		·44	·95				·02	·31		5
6	·02	·20			·22	·12	·25			·02	·33		6
7	·03	·05	·06		·12	·09	·05				·79	·18	7
8		·22	·08		·25						·40	·13	8
9		·12			·16					·03	·10	·06	9
10		·36		·05	·05	·02	·03					·16	10
11			·01	·22	·01				·01				11
12	·02	·03	·04	·02	·18		·03	·04		·01			12
13		·23	·25	·04				·24					13
14	·01	·48			·10			·19		·09			14
15		·10	·10	·03				·24		·04			15
16	·04	·12		·17	·01		·06	1·37		·12			16
17	·07	·25		·05				·01	·29	·25	·24		17
18		·18	·24	·08					·08	·12	·02		18
19	·05	·02	·70	·05							·20		19
20	·12	·32	·35								·05	·78	20
21	·05	·11	·35		·10							·24	21
22				·06		·11				·32	·02	·70	22
23	·04	·20	·02	·03	·78	·04		·22		·07	·06	·16	23
24		·11	·01	·02		·08		·02				·26	24
25		·36	·18					·27	·04		·05		25
26	·01		·04		·02	·22		·13	·90	·60	·04		26
27	·01	·10	1·26			·04		·13	·16	·44			27
28		·13			·02			·04	·17	·30		·08	28
29		·67				·14		1·86	·26	·30		·14	29
30		X								·10		·01	30
31		X		X		X		·02	X	·07	X	·14	31
Total	·98 ·98	5·20	3·73	·82	3·37	2·03	·80	4·78	2·15	4·06	3·72	3·04	YEAR'S TOTAL 34·68
Rain Days.	16	25	16	12	18	13	8	14	12	21	17	13	185

W. 8,000. X. 15.

8L ✓ ~~W D~~ and 4 other sly run stats 2032 277

REGISTER OF RAINFALL IN 1917

5. FORM A. BRITISH RAINFALL.

Kept at Brymore, Bridgwater
in the County of Somersetshire
by W. [illegible] ?

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·24	·30		·15		·60			·01		1
2	·03			·05		·04		·01	·01		·04		2
3				·10			·85			·30	·10		3
4		·10	·14				·08	·07	·02	·20		·01	4
5	·16		·30	·05		·14			·15	·17	·06		5
6			·04			·03				·04	·32		6
7	·14						·64	·22		·27	·07		7
8	·02		·12	·11		·11	·13	·51	·07	·34	·09	·04	8
9			·09	·04	·02		·03	·20	·03	·39	·06		9
10	·12		(·29)	·22				·34		·02			10
11	·04		1·03	·49				·29	·12	·09	·08		11
12	·04		·01		·90			·30		·60			12
13			·20	·02		·02		·15	·10				13
14				·05				1·33	·02	·01			14
15				·05			·08			·07		·20	15
16		·12		·02						·13		·10	16
17				·05	·07		·31	·02	·23	·14			17
18		·03				·02	·18		·51				18
19		·35	·05			·12			·05		·01		19
20		·03	·02		·33	·05		·19	·05				20
21			·23			·04		·01		·01			21
22			·02					·20		·08			22
23		·09			·15			·30		·05		·04	23
24		·04				·39	·09	·08		·07	·03		24
25		·10	·02					·04	·02	·23	·02		25
26					·45	·06		·68	·04	·07			26
27					·56	·19		·69		·12	·01		27
28		·02	·05		·05	4·91		·40		·25			28
29			·12			(·18)	·25			~~·30~~		·10	29
30		X	·07				·10	·05		·12			30
31		X	·06	X		X		·03	X	·14	X		31
Total	·59	·88	3·03	1·55	2·53	(6·45)	2·94	6·71	1·42	3·91	·87	·49	YEAR'S TOTAL 31·17
Rain Days.	8	9	19	13	8	15	11	23	14	24	13	6	163

W. 8,000, VIII. 16

·96

84 The Scrabbler

~~261~~ 118

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30.1.19

Kept at 1 Brymore, Bridgwater

in the County of Somersetshire

by W. Kendall Mr

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·04	·14	-		·62		·02	·66		1
2		·04	—	·03				·60	·08		·19	·06	2
3		·06		·10	·06		—	·02	·04	·02	·01	·02	3
4	—	·08						·04	·01		·56	·10	4
5			·01	·05	·04			·19	·15	·14	·04	·02	5
6	·20	·08		·24				·08	·10	·09	·29	·03	6
7		·14		·03	·36	·01			·26	·20		·01	7
8	·03	·04				·18			·14	·32	·02	·03	8
9	·02	·10		·11			·57		·41	·03	·01	·14	9
10	·01			·21			·38		·25	·13		·37	10
11	·01		·05		·01		·25		·35	·16	·09	·07	11
12	·01	·04	·11		·11		·04		·10	·10			12
13	·22				·02		·07		·41	·10		·15	13
14	·17		·04		·01		·73		·25			·08	14
15	1·53			·29	·06	·22	·27			·10		·25	15
16	·53		·02	·63		·05	·03		·21	·02		·17	16
17	·25		·01	·13			·12		·04	·01		·10	17
18	·73		·01			·63	·17		1·33	·10		·30	18
19	·11	·02	·10	·03			·08	·04	·02	·06		·08	19
20	·14	·06		·07			·87	·01	·14	·02		·19	20
21				·03		·04	·07		·55	·03		·33	21
22	·05				·12		·19		·17				22
23	·01				·20		·16		·10		·01	·05	23
24		·10					·07		·07		·04		24
25					·05		·08	·73		·02	·05		25
26				·01			·54		·12	·01	·03	·13	26
27		·10	·04				·10	(·15)	·18		·22	·01	27
28		·06	·15								·02	·04	28
29			·04						1·10			·03	29
30		X	·19						·03		·07	·03	30
31		X	·08	X		X		·04	X		X	·04	31
Total	4·02	·97	·85	~~1·98~~ 2·00	1·18	1·13	4·79	2·52	6·61	1·68	2·31	2·83	YEAR'S TOTAL 30·89 30·97
Rain Days.	16	14	13	15	12	6	19	11	26	20	16	26	194

W. 8,000, IX. 17.

8h

[illegible]

1906

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Brymore, Bridgwater

in the County of Somersetshire

by W. Kendall

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40		·03	·04	·03		·69		·01	·40		·85	1
2	·06						·04		·05		·04	·18	2
3	·31		·20		·05				·09		·12	·42	3
4	·05	·30	·31			·08	·18	·02	·20			·34	4
5	·80	·48	·70				·12		·42		·05	·05	5
6	·32	·27	·03									·23	6
7	·08		·20	·05					·02			·28	7
8	·08		·23			·05						·10	8
9	·20		·02	·04	·05						·34		9
10	·04		·17	·04	·02					·14		·13	10
11	·01		·18	·05	·04		·10					·13	11
12	·06		·15			·12				·24	·10	·01	12
13	·01		·03	·33			·09			·10		·08	13
14	·24	·08		·67	·18		·13			·05		·15	14
15	·24	·08		·03					(·02)	·03		·17	15
16	·07	·83									·10		16
17		·27		·01				·02			·45		17
18	·08	·03	·64				·06	·16	·02		·07	·01	18
19	·29	·21	·48			·05	·83	·28	·33		·14	·08	19
20	·42	·03	·21			·16		·25	·02		·02	·02	20
21	·03	·60	—				·26		·10			·08	21
22		·07					·10					·04	22
23						·01				·55	·05		23
24						·19		—		1·15	·07	·43	24
25	·09	·02		·07		·07		·34			·05	·07	25
26	·03		·09	·04				·30	·12			·25	26
27	·15		·07	·23			·04	·58				·10	27
28	·01		·25					·34			·26	·25	28
29				·15				·08		·05		·07	29
30		✕	·03	·12		·45		·67		·02	·34	·38	30
31	·01	✕		✕		✕	·01		✕		✕	·43	31
													YEAR'S TOTAL
Total	4·08	3·27	4·02	1·87	·37	1·18	2·65	3·04	1·40	2·73	2·20	5·33	32·14
Rain Days.	25	13	19	14	6	9	13	11	12	10	15	27	17~~3~~4

W. 6,500. VII. 18. W W C

done 6.4.7

1816

2087

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cannington, Brymore, Bridgwater

in the County of Somersetshire

by H. H. P. Bouverie, W. Kendall

Lat.………… Long.…………

Time of Observation…………

Nearest Railway Station…………

Diameter of Funnel of Rain Gauge…………in.

Height of top of Gauge above Ground…………ft.…………in.

" " " " Sea Level…………ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·18	·22		·18	·09	·06	·15	·23	·60	1
2	·30			·17			·61	·27	·03	·01		·10	2
3	·20	·02		·06			·07		·01	·31		·07	3
4			·03	·02			·18	·37		·28			4
5			·15		·04		·52			·05			5
6			·21		·01		·10			·17			6
7	·01		·02	·10			·32		·02				7
8	·10	·10			·09		·53						8
9	·20		·01	·31		·21	·07						9
10	·80	·02	·03	·02		·18	·23						10
11	·10		·15	·29	·09		·09						11
12	·09	·01	·05	·13		·14	·02				·06		12
13	·14	·04	·42	·05			[illegible]						13
14		·02	·25	·71			·02		·02	·63	·20		14
15		·08	·05	·27	·60	·10			·04	·33	·07		15
16					·11	·17	·31		·11	·26	·10		16
17	·01			·25	·17				·45				17
18	·06	·03	·02		·08	·10	·04	·46	·22				18
19	·04	·23		·22	·03	·55			·03				19
20		·07		·24		·11	·01					·13	20
21				·03			·12					·19	21
22				·07			·02	·02				·46	22
23							·52	·02				·30	23
24	·11		·16		·02						·09	·06	24
25		·04	·10				·30						25
26	·15		·21			·08	·02				·11	·09	26
27	·19	·05	·11	·09	·19	·26	·08				·07	·20	27
28	·56		·08	·12		·02	·05					·02	28
29	·16		·32		·08	·01					·05	·11	29
30	·03	✕		·03		·04	·02		·40	·04	·32	·19	30
31	·09	✕	·46	✕	·02	✕	·03		✕	·47	✕	·06	31
Total	3·36	·71	2·83	3·36	1·75	1·97	4·46	1·23	1·39	2·70	1·30	2·58	Year's Total 27·64
Days with ·01 in. or more	20	12	19	20	14	13	25	6	11	11	10	14	175
64	16	7	14	16	10	11	18	4	6	10	10	13	135

(44283). Wt. 21,958—216—7500. 10/19. Gp.132. A.&E.W.

estimated

FORM A. 1. METEOROLOGICA RGANIZATION.

REGIS ~~19~~ 1919

CARHAMPTON
VICARAGE
SOMERSET
1919 - 20

Kept at Carhampton V

in the County of Somerset

by Rev. A. G. Lock

3° 20' 5" W.

9·30

Blue Anchor

Rain Gauge 5 in.

above Ground 1 ft 3. in.

" Sea Level 70 ~~75~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		-	-	-	·17	·02	·25	·08	·02	-	-	·45	1
2		-	·03	·01	·~~17~~ 12	-	·06	-	·02	·22	-	1·22	2
3		-	-	-	·~~12~~ 02	-	03	-	·08	04	·05	·12	3
4		-	-	-	~~·02~~ -	-	-	-	·09	-	-	·22	4
5		·19	1·36	-	-*	·21	·08	-	·30	-	-	·05	5
6		·36	·12	-	-	-	·01	-	·03	-	·19	·33	6
7		·19	·14	-	-	-	-	-	-	-	-	·28	7
8	(3.00)	-	·19	·10	-	-	-	-	-	-	-	·10	8
9		-	-	-	-	·01	-	-	-	-	-	-	9
10		-	-	·21	-	-	-	-	-	-	·46	·02	10
11		-	·56	-	·20	-	-	-	-	·04	01	·08	11
12		-	·19	-	·08	-	-	-	-	-	-	·19	12
13		-	·22	-	-	·11	·11	-	-	·22	·11	·03	13
14		-	·06	·34	-	-	·02	-	·02	·11	-	·08	14
15		-	-	·76	·37	-	-	-	·05	·02	-	·20	15
16	·44	-	-	·08	-	-	-	-	-	·06	-	·26	16
17	·09	1·31	-	-	-	-	-	-	-	-	·05	·02	17
18	·01	·52	-	-	-	·08	-	-	-	-	·36	-	18
19	·10	·09	·46	-	-	-	·01	·09	-	-	·15	-	19
20	·25	·13	·17	-	-	·03	·57	·53	·05	-	·13	·05	20
21	·28	·06	·23	-	-	·07	·01	·12	·08	-	·03	·05	21
22	-	·80	-	-	-	-	01	-	·07	-	-	·11	22
23		·03	-	-	-	-	-	-	·15	-	-	·02	23
24		-	-	-	-	-	-	-	-	54	·05	·09	24
25	·~~44~~	-	-	-	-	·10	-	-	-	1·14	·16	·52	25
26	·06	-	-	-	-	·10	-	·43	-	-	·13	·21	26
27	·07	-	·20	·46	-	·03	-	·10	·11	-	-	·37	27
28	·21	-	-	·07	-	-	-	·60	-	-	-	·10	28
29	·02		27	-	-	-	-	·08	-	-	·59	·29	29
30	·01		-	·15	-	-	-	·11	-	-	-	·19	30
31			·06		-		-	·39		·11		·54	31
TOTAL	(4·54) ~~1·54~~	3·68	4·26	2·18	·96	·76	1·16	2·53	1·07	2·50	2·47	6·18	YEAR'S TOTAL (32·29) ~~29·29~~
Days with ·01 in. or more	(25)	10.	16	9·	6.	10.	11·	10	13	10	14	28	(162)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

estimated

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~19~~. 1919

Kept at Carhampton Vicarage

in the County of Somerset

by Rev. A. G. Locke

Lat 51°10' 4"N Long 3°. 20' 5" W.

Time of Observation 9·30

Nearest Railway Station Blue Anchor

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3. in.

" " " " Sea Level 70 ~~75~~. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		–	–	–	·17	·02	·25	·08	·02	–	–	·45	1
2		–	·03	·01	~~·17~~ ·12	–	·06	–	·02	·22	–	1·22	2
3		–	–	–	~~·12~~ ·02	–	03	–	·08	04	·05	·12	3
4		–	–	–	~~·02~~ –	–	–	–	·09	–	–	·22	4
5		·19	1·36	–	–	·21	·08	–	·30	–	–	·04	5
6		·36	·12	–	–	–	·01	–	·03	–	·19	·33	6
7		·19	·14	–	–	–	–	–	–	–	–	·28	7
8	(3.00)	–	·19	·10	–	–	–	–	–	–	–	·10	8
9		–	–	–	–	·01	–	–	–	–	–	–	9
10		–	–	·21	–	–	–	–	–	–	·46	·02	10
11		–	·56	–	·20	–	–	–	–	·04	01	·08	11
12		–	·19	–	·08	–	–	–	–	–	–	·19	12
13		–	·22	–	–	·11	·11	–	–	·22	·11	·03	13
14		–	·06	·34	–	–	·02	–	·02	·11	–	·08	14
15		–	–	·76	·37	–	–	–	·05	·02	–	·20	15
16	·44	–	–	·08	–	–	–	–	–	·06	–	·26	16
17	·09	1·31	–	–	–	–	–	–	–	–	·05	·02	17
18	·01	·52	–	–	–	·08	–	–	–	–	·36	–	18
19	·10	·09	·46	–	–	–	·01	·09	–	–	·15	–	19
20	·25	·13	·17	–	–	·03	·57	·53	·05	–	·13	·05	20
21	·28	·06	·23	–	–	·07	·01	·12	·08	–	·03	·05	21
22	–	·80	–	–	–	–	01	–	·07	–	–	·11	22
23		·03	–	–	–	–	–	–	·15	–	–	·02	23
24		–	–	–	–	–	–	–	–	54	·05	·09	24
25	~~·44~~	–	–	–	–	·10	–	–	–	1·14	·16	·52	25
26	·06	–	–	–	–	·10	–	·43	–	–	·13	·21	26
27	·07	–	·20	·46	–	·03	–	·10	·11	–	–	·37	27
28	·21	–	–	·07	–	–	–	·60	–	–	–	·10	28
29	·02	×	27	–	–	–	–	·08	–	–	·59	·29	29
30	·01	×	–	·15	–	–	–	·11	–	–	–	·19	30
31		×	·06	×	–	×	–	·39	×	·11	×	·54	31
TOTAL	(4·54) ~~1·54~~	3·68	4·26	2·18	·96	·76	1·16	2·53	1·07	2·50	2·47	6·18	YEAR'S TOTAL (32·29) ~~29·29~~.
Days with ·01 in. or more	(25)	10.	16	9.	6.	10.	11.	10.	13	10.	14.	28	(162)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cathampton Vicarage
in the County of Somerset.
by Rev. A. G. Locke

Lat. 51° 10' 4" Long. 3° 20' 5"
Time of Observation 9.30 a.m.
Nearest Railway Station Blue Anchor
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ~~70~~ 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	··	·01	·16	·13		·26	·06	·05	·64	~~·21~~ ·23	·57	1
2	·26	··		·24	·04		·12	·13		·05	·01	·15	2
3	·05	·02		·09	·02		·47			·68		·11	3
4			·03	·07			·04	·37		·09			4
5			·14		·05		·47	·10		·08	·03		5
6			·18		·09		·05		·04	·09	·02		6
7	·02			·09	·02		·32						7
8	·12	·17	·01	·38	·06		·36	·03					8
9	·55	·06	·06	·17		·24	·08						9
10	1·39	·10		·20		·24	·10						10
11	·14		·24	·26	·19	·04	·08						11
12	·22	·07	·04	·30		·04	·64				·10		12
13	·10		·63			·01	·01			·02	·01		13
14		·02	·32	·75		·05	·02			·10	·55		14
15		·09	·10	·51	·21	·28				·26	·09		15
16			·03	·05	·01	·11	·05		·84	·49	·15		16
17	·01			·15	·27	·03		·17	·19	·04	·01	·06	17
18	·11			·02	·03	·07	·03	·08				·02	18
19	·09	·30		·63		·19							19
20		·03	~~·06~~	·13		·06	·02		~~·01~~	·03		·24	20
21				·03			·02	·47	·02			·36	21
22	·04			·02			·09					·47	22
23	(·03)						·61					·34	23
24			·28		·04		·02				·08		24
25	·04	·04	·21				·43				·01	·11	25
26	·31		·41			·07	·01				·10	·07	26
27	·58	·14	·14	·18	·10	·36	·09				·53	·35	27
28	·71		·09	·02	·05	·04	·02				·02	·04	28
29	·41	·02	·51		·08	·05					·11	·28	29
30	·14	✕	·05	·03	·03	·07	·04	·04	·39		·45	·28	30
31	··	✕	·37	✕		✕	·05	·06	✕	·87	✕	·08	31
TOTAL	5·35	1·06	3·85	4·48	1·42	1·98	3·90	1·51	1·53	3·44	2·50	3·53	YEAR'S TOTAL 34·55
Days with ·01 in. or more	21.	12.	20.	23.	17.	17	27	10.	8.	13.	17.	17.	202
	17	8	16	17	12	15	19	9	6	11	10	15	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

REGISTER from

CASTLE ~~CARY~~ CARY

SOMERSET

1917 - 1919

FORM A.
BRITISH RAINFALL.

2 APR 191

Kept at Castle Cary.

in the County of Somerse

by Dr Carey Coombs .

Gauge in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—Rai the result entered to the previous day. If an Observer prefers not to conform ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·02		1
2													2
3										·26	·05		3
4										·20	·01		4
5										·19	·08		5
6										·11	·13		6
7										·11	·02	·02	7
8										·32	·22	·03	8
9										·25	·28		9
10													10
11										·18	·03		11
12										·50	·01		12
13										·03			13
14										·07			14
15										·06		·30	15
16										·25		·09	16
17										·13			17
18											·02		18
19											·05		19
20											·03		20
21										·02			21
22										·03		·03	22
23										·01		·04	23
24										·15	·07		24
25										·05			25
26										·05	·02		26
27										·02		·01	27
28													28
29										·45		·09	29
30		X								·04			30
31		X		X		X			X	·14	X	·01	31
Total										3·62 ✓	1·04 ✓	·62 ✓	YEAR'S TOTAL
Rain Days.										24 ✓	15 ✓	9 ✓	

W. 8,000, IX. 17.

✓

fro

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 APR 191

Kept at Castle Cary.

in the County of Somerset

by Dr Carey Coombs. per H. A Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·02		1
2													2
3										·26	·05		3
4										·20	·01		4
5										·19	·08		5
6										·11	·13		6
7										·11	·02	·02	7
8										·32	·22	·03	8
9										·25	·28		9
10													10
11										·18	·03		11
12										·50	·01		12
13										·03			13
14										·07			14
15										·06		·30	15
16										·25		·09	16
17										·13			17
18											·02		18
19											·05		19
20											·03		20
21										·02			21
22										·03		·03	22
23										·01		·04	23
24										·15	·07		24
25										·05			25
26										·05	·02		26
27										·02		·01	27
28													28
29										·45		·09	29
30		X								·04			30
31		X		X		X			X	·14	X	·01	31
Total										3·62 ✓	1·04 ✓	·62 ✓	YEAR'S TOTAL
Rain Days.										24 ✓	15 ✓	9 ✓	

W. 8,000, IX. 17.

from Original sent to Rev H. A. Boys

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Castlecary, Villa Cary
in the County of Somersetshire
by Carey Coombs Rev H A Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.02	.09					.02	.65		1
2				.40				(1.00)	.06	.01	.02	.14	2
3		.04	.02	.08	.13			.02	.02		.03	.03	3
4		.03		.02				.06	.04	.10	(.50)	.05	4
5			.02	05	.04			.35	.25	.15		.04	5
6	.20	.25		.20				.18	.07	.02		.15	6
7		.17		.02	.60			.02	.14	.06	.30	.04	7
8	.02	.05							.40	.30	.03	.05	8
9	.01			.27		.25	.43		.35	.10		.24	9
10	.09			.06			.45		.34	.18	.02	.44	10
11			.03	.03			.50		.20	.04	.03	.09	11
12			.03		.27		.05		.16	.03	.01	.02	12
13	30?				.02		.39		(.60)			.25	13
14	07?		.03				.08		.11	.14		.16	14
15	1.00			.44	.07	.09	.04		.02	.02		.17	15
16	.45			.20		.04			.13			.11	16
17	.25			.10		.05	.05	.04	.03			.14	17
18	.65					.45	.04		.26	.03		.27	18
19	.13		.11	.17			.02	.02	.04	.02		.17	19
20	.03	.10				.02	.02		.11	.02			20
21	.03	.01				.01	.03		.30			.05	21
22	.02						.42		.09	.02		.34	22
23	.01				.37	.01	.60	.02	.20		.02	.05	23
24		.10					.35	02	09				24
25							.15	.89	.08		.04		25
26							1.60	.01	.02	02	.06	.16	26
27		.25	.01				.02	01	.12	02			27
28		05?	.11				.01					.08	28
29			.05						1.07		.06	.02	29
30		✕	38					.05	02	.05	.07	01	30
31		✕	(30)	✕		✕		05	✕	02	✕		31
Total	3.26	1.05	(1.09)	2.06	1.59	.92	5.25	(2.74)	(5.31)	1.37	(1.84)	3.27	YEAR'S TOTAL (29.75)
Rain Days.	15	10	11	14	8	8	19	16	28	21	14	25	189

W. 6,500, VII. 18. W W C

corrd for with surrounding Stns + for snow

1900

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Carey Combe, Castle Carey
in the County of Som
by per Boys.

Lat.......... Long..........
Time of Observation..........
Nearest Railway Station..........
Diameter of Funnel of Rain Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
" " " " Sea Level..........ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05	·06	·04		·40					·50	1
2					·13				·02	·15			2
3			·15		·10		·04		·17			·13	3
4		·20	·70			·05			·13	·01	·04	·47	4
5		·52	·15		·04			·24	·29				5
6		·08							·265		·03	·37	6
7			·33	·11							·02	·60	7
8			·14										8
9			·03	·10		·02							9
10			·03	·09								·02	10
11			·13	·16	·15		(·15)			·04	·10	·33	11
12						·03	·20			(·10)			12
13			·02	·30			·02			·11	(·20) ~~40~~	·02	13
14		·04		·57	·12		·04						14
15										·04		·20	15
16		·52						(·30)				·50	16
17		·20								·03	·20		17
18			(·20)				·24				·25		18
19		·15	1·00			·03	·63	·11	·005	·01			19
20		·05				(·20)		(·30)	·23		·35	·25	20
21		·45	·04				·45	·35	·05				21
22							·45					·08	22
23			·01			·01			·15		·02		23
24										(·58)	·03	·12	24
25				·06		·10		·52		·50		·47	25
26			·08	·09		(·05)					·07	·07	26
27		·11	·03	·38			·02	·27	·10			(30)	27
28			(·40)					(50)				30	28
29								·35			(·70)	·45	29
30		✕		·34		·15		·13		·04		·15	30
31		✕	·07	✕		✕		·51	✕	·03	✕	·45	31
TOTAL	...	2·32	(3·56) ~~2·96~~	2·26	·58	(·64) ~~·24~~	2·64	(3·58) ~~2·48~~	1·41	(1·64)	2·01	5·78 ~~5·86~~	YEAR'S TOTAL
Days with ·01 in. or more	...	11	20	12 ~~11~~	7	10 ~~6~~	11	11 ~~8~~	10	12	15 ~~13~~	22	...

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CASTLE CARY

ALFORD HSE

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

RE

Kept at Alford Hou

in the County of Som

by Admiral Till

5 in.
Ground 1 ft. in.
Sea Level 98 ft.

Name

Distance Direction

IMPORTANT NOT … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of thi … ment of rain, the selection and placi … itish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04	.06	.01			.06			.02	.02	1
2				.22	.27			.20		.05	.23	.12	2
3					.23			.05	01		.07	.04	3
4			.10			.13			.02	.02	.08	.43	4
5	.05		.05					.75		.07	.15	.03	5
6	.20		.15	.01				.02		.02	.09	.55	6
7											.33		7
8	.08		.18						.01		.02	.42	8
9			.07								.08	.46	9
10	.65		.24		.75						.01	.17	10
11			.02								.59	.22	11
12	.01		.85		.01			.03	.01		.07	.31	12
13									.19	.05	.03	.25	13
14		.09								.02	.01	.75	14
15		.07				.03				.01	.20	.02	15
16						.24					.48	.26	16
17		.03				.19					.11	.31	17
18		.30	.06	.09		.29				.02	.08	.30	18
19		.13		.02		.10			.33	.12	.05	.41	19
20	.03	.04	.08	22					.25	.04		.40	20
21		.30	.05					1.03		.34		.18	21
22	.09	.01	.35	.06					.02	.48		.28	22
23		.08	.08	.02		.18			.10	.09	.01	.10	23
24		.20				.71		.07		.74		.15	24
25		.14		16		.18		.01	.04	.09		.28	25
26		.11		.33	.18			.02		.09	.01	.29	26
27		45	.07	.07				.08	.17	.03	.02	.25	27
28		30		.35				.17			.06	.01	28
29				.53		.23	.06		.11	.46			29
30						.09				.18	.06	.03	30
31										10			31
Total	1.11	2.25	2.39	2.14	1.45	2.37	.06	2.49	1.26	3.02	2.86	7.04	TOTAL for year 28.44
No. of Rain Days.	9	14	15	13	6	11	1	12	12	20	24	28	165

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

REGISTER OF RAINFALL IN 19

24R

Kept at Alford House Castle Cary

in the County of Somerset 2

by Admiral Tillard H a Boys

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 98 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.04	.06	.01			.06			.02	.02	1
2				.22	.27			.20		.05	.23	.12	2
3					.23			.05	01		.07	.04	3
4			.10			.13			.02	.02	.08	.43	4
5	.05		.05					.75		.07	.15	.03	5
6	.20		.15	.01				.02		.02	.09	.55	6
7											.33		7
8	.08		.18						.01		.02	.42	8
9			.07								.08	.46	9
10	.65		.24		.75						.01	.17	10
11			.02								.59	.22	11
12	.01		.85		.01			.03	.01		.07	.31	12
13									.19	.05	.03	.25	13
14		.09								.02	.01	.75	14
15		.07				.03				.01	.20	.02	15
16						.24					.48	.26	16
17		.03				.19					.11	.31	17
18		.30	.06	.09		.29				.02	.08	.30	18
19		.13		.02		.10			.33	.12	.05	.41	19
20	03	.04	.08	.22					.25	.04		.40	20
21		.30	.05					1.03		.34		.18	21
22	.09	.01	.35	06					.02	.48		.28	22
23		.08	.08	.02		.18			.10	.09	.01	.10	23
24		.20				.71		.07		.74		.15	24
25		.14		16		.18		.01	.04	.09		.28	25
26		.11		.33	.18			.02		.09	.01	.29	26
27		45	.07	.07				.08	.17	.03	.02	.25	27
28		30		.35				.17			.06	.01	28
29				.53		.23	.06		.11	.46			29
30						.09				.18	.06	.03	30
31										10			31
Total	1·11	2·25	2·39	2·14	1·45	2·37	·06	2·49	1·26	3·02	2·86	7·04	TOTAL for year 28·44
No. of Rain Days.	9	14	15	13	6	11	1	12	12	20	24	28	165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

10 MAR 1913

Kept at Alford House Castle Cary Ex RA

in the County of Somerset 2

by Admiral Tillard Rev H. A. Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1						.43	.10		.01	53		.43	1
2	.01		} .41	.03		.13	.33				.03		2
3			.05	.01		.30	.24	.48	.02		.03	.05	3
4	.18		.57		.04	.13		.02			.37		4
5	.49	.08	.20		.02	.02		.33			.01	.48	5
6	.48	.19			.18	.01	.60	.35				.10	6
7	.02	.25	.16		.15	.63		.18				.01	7
8	.28	.10	.51	.05		.39	.27	.20				.58	8
9	.02	.02	.42	.08		.12	.05	.03				.04	9
10	.03	.10				.02		.04			.06	.23	10
11	.10	.07	.03									.37	11
12	.04	.61	.10	.05			.03	.02					12
13		.02						.45			.04	.06	13
14	.18		.47		.08			.04					14
15	.10	.10	.14	.03	.28	.75		.08				.64	15
16	.65		.17		.09	.01		.15		.09	.03	.05	16
17	.86		.08			.02		.53			.03	.07	17
18	.08	.02	.27					.18		.01	.01	.13	18
19	.02	.09	.11			.09		.16			.02	.02	19
20	.06	.03	.35		.08	.01	.09	.31		.42	.01		20
21	.01	.17	.37		.28		.03	.10		.26			21
22	.27	.13	.08		.29	.01		.28		.07			22
23	.10	.35	.24		.02		.09	.95		.07	.25	.26	23
24	.11	.03	.02			.28		.15		.09		.17	24
25	.06	.01				.05		.50		.17	.22	.44	25
26		.01					.12	.16		.29	.29	.20	26
27						.08	.70			.60	.01	.32	27
28		.04				.10	.04	26	.09	.50	.45	.51	28
29		06	.03			.09	.17	.23	.50	.49	.01	.02	29
30					04	.09	.14	.01	.21	.22			30
31			.48		.04		.17	.03		.04		.10	31
Total	4.15	2.48	5.26	25	1.59	3.76	3.17	6.22	.83	3.85	1.87	5.28	YEAR'S TOTAL 38.71
Rain Days.	22	21	23	6	13	22	16	27	5	15	17	23	210

W. 7,500, XI. 12

From
Mid Wessex.

Cor. for auth. 8.IV.14.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

8 APR 1914

W. M.

✓ Kept at Alford House, Castle Cary.

in the County of Somerset 2

by Admiral Tillard
Rev. H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·34	·09	·07	·16	·05	–	–	·28	–	·11	·42	1
2	·03	·09	·04	·11	·10	–	–	–	·05	·12	·08	–	2
3	·11	–	–	·08	·37	–	·07	–	–	·04	–	·16	3
4	·69	–	·02	·01	·55	–	–	–	·89	·10	·01	·12	4
5	·02	·03	–	–	·18	·22	·04	–	·31	–	·03	·08	5
6	–	·07	–	–	·10	·20	·07	–	·02	·80	·05	·55	6
7	–	·13	·11	–	·26	·03	·27	–	–	·47	·15	·02	7
8	·01	·02	–	–	·24	·02	·06	–	–	·01	–	–	8
9	–	–	–	–	·02	·10	·02	·35	·03	–	·10	·02	9
10	·19	–	·03	·02	·05	–	·17	·02	–	·18	·17	–	10
11	·41	·02	–	·28	·27	·03	·07	–	–	·05	·43	–	11
12	–	·02	·07	–	·26	–	–	–	·02	–	·30	–	12
13	·07	–	·12	–	–	·02	–	·05	·63	–	·23	–	13
14		–	·21	·04	–	–	–	–	·36	·01	·33	–	14
15	·34	–	·20	·38	–	–	–	·05	·05	–	·06	·01	15
16	·29	–	·55	·09	–	–	·07	–	·05	–	–	–	16
17	–	·05	·02	·02	–	–	·07	–	–	–	·01	–	17
18	·09	–	·21	·16	–	·19	·03	–	–	–	·10	–	18
19	·56	–	·07	–	–	–	–	–	·44	–	–	–	19
20	·05	–	·09	·05	–	–	·11	–	–	·13	·10	–	20
21	–	–	·02	·19	·28	–	–	–	–	·05	·63	–	21
22	·68	–	·26	·10	–	·10	–	·04	·29	–	·01	–	22
23	·02	–	·12	–	–	·03	–	·01	·01	–	·02	·55	23
24	·03	·02	–	·07	–	–	–	·07	–	–	·06	–	24
25	–	·08	–	·09	–	–	–	–	–	–	–	·02	25
26	–	·02	–	·29	–	–	–	·27	–	–	·01	·28	26
27		–	·14	·22	–	–	–	·07	–	·05	–	·03	27
28	·26	–	·07	·25	–	–	–	–	–	·21	–	·03	28
29	·06		·39	·29	–	–	–	·12	–	·40	–	·05	29
30	·33		·02	·08	·02	–	–	–	–	·29	·03	–	30
31	·26		·02		–			·55		·02		–	31
Total	4·51	·89	2·81	~~2·79~~ 2·89	2·86	·99	·87	1·54	3·43	2·93	3·02	2·34	YEAR'S TOTAL ~~28·98~~ 29·08
Rain Days.	23	12	23	21	14	11	12	11	14	16	22	14	~~189~~ 193

W.7,000, XI. 13

From Mid-Wessex Association.

and by authority Boys [illegible]

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
23 MAR 1915

Kept at Alford House, Castle Cary

in the County of Somerset 2.

by Admiral Tillard

RevHABoys

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " Sea Level .... ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·03	–	–	·26	·36	–	–	·13	·02	1
2	–	–	–	·05	·03	–	·56	·14	–	–	1·06	·36	2
3	–	–	·26	·15	·29	–	·05	1·07	–	·01	·12	·04	3
4	·18	–	·10	·14	·03	–	·11	·12	–	–	·55	·31	4
5	·16	–	·29	·48	·07	–	·10	–	–	–	–	·02	5
6	–	·15	·03	·13	(·04)*	–	·98	·02	–	–	·02	·20	6
7	·01	·37	·06	·18	(·38) ~~·42~~	–	·24	·07	·03	–	·02	·23	7
8	·10	·04	1·00	·03	·21	·27	·05	·07	–	–	–	·07	8
9	·12	–	·43	·14	·06	1·02	–	·18	·88	–	–	–	9
10	·10	·13	·04	·04	·08	·01	–	–	·56	–	·02	·01	10
11	–	·11	·61	–	·12	·28	·10	–	·68	–	·04	·38	11
12	–	·13	·19	–	–	–	–	–	·28	–	·02	·35	12
13	–	·19	·25	–	–	–	–	–	·12	·10	·24	·57	13
14	–	·09	·18	–	·01	·05	·02	·39	·03	·22	·25	–	14
15	–	·01	·17	–	–	–	·22	·45	·08	–	·08	–	15
16	–	–	·02	–	–	–	·09	·01	·10	–	–	·02	16
17	–	·30	·25	–	–	–	·01	–	·01	–	–	·27	17
18	–	·05	·05	–	–	–	·39	–	–	–	–	·50	18
19	–	·07	·63	–	–	–	1·01	–	·01	–	·03	·19	19
20	–	·36	·21	–	–	·05	–	·01	–	–	–	·26	20
21	–	·62	·02	–	–	·43	–	·08	–	·14	–	·01	21
22	–	·03	–	–	·25	·28	·02	·02	–	·30	–	–	22
23	–	·10	·27	–	·07	·03	·07	–	–	·05	–	–	23
24	–	·02	·13	–	·07	–	·50	–	–	·30	·11	·04	24
25	·06	–	·13	–	–	–	·26	·23	–	·28	·02	·36	25
26	–	–	–	–	–	–	·10	·05	–	–	·18	·45	26
27	·21	–	–	–	–	–	·07	–	–	·10	·09	·10	27
28	·02	·08	·10	–	·01	–	(·12)	–	–	·05	·35	1·00	28
29	·21		·06	–	·08	–	–	–	–	·18	·18	–	29
30	–		·02	–	–	·03	–	–	–	·14	·21	·66	30
31	·01		–		–		(·10)	–		·45		·07	31
Total	1·18	2·85	5·51	1·37	1·80 1·80	2·45	(5·43) ~~5·29~~ 5·61	3·27 3·28	2·78	2·32	3·72	6·49	30·17 TOTAL for year ~~27·69~~
No. of Rain Days	11	18	26	10	16	10	23 ✓	16	11	13	20	25	199

* Adjustments in red ink by Mr Boys.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

From originals returned

2105

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 MAY 1916

Kept at Alford House

in the County of Somerset.

by Admiral Tillard
per Rev H.A. Boys.

Lat. loc'd 98 Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.38	.28			.04			.15	.18	.27		.07	1
2	.37	.21	.30	.11		.05		.42		.06		.65	2
3	.14	.05	.14	.09	.14		.09	.05				63	3
4	.15	.02			.04							.07	4
5	.08	.48		.03				.17				.25	5
6	.58	.10		.29			.47	.05				.14	6
7	.30	.33		.06	.12		.13					.28	7
8	.33	.33						.13			.03	.02	8
9		.02	.09	.13							.38	.65	9
10	.23	.08	.07	.03				.06		.02		.05	10
11	.05	.01		.02				.18		.01	.58	.05	11
12	.20	.37		.13	.48			.16		.06	.27		12
13	.03	.60			38			.08	.12	.02	.10	.01	13
14	.03	.05					.33	.09	.10	.04		.45	14
15	.14				.21		.05	.03	.02	.02	.11	.18	15
16	.01	.41			.46		.67	.61	.01			.15	16
17		.42			.36			.25		.02		.02	17
18		.23			.10					.02			18
19		.01			.06		.23						19
20	.36			.25		.02				.02		.08	20
21	.06					.01	.08			.12		.18	21
22	.10	.20	.51	.03		.03	.40		.02			} .53	22
23			.12				.35		.06	1.49		}	23
24			.01	.04			.13		.33	.82		.68	24
25				.03		.11	.78		.02			.25	25
26		.05				.02	.16					.50	26
27		.10				.10	.01			.57		.01	27
28		.11				.10		.03	.59	.10			28
29		X				.28	.30	.01	.07		.08	.08	29
30	.10	X		.02		.03				.41	.43	.20	30
31	.04	X		X		X	.09		X	.50	X	.19	31
Total	3.68	4.46	1.24	1.26	2.39	.75	4.27	2.47	1.52	4.57	1.98	6.37	YEAR'S TOTAL 34.96
Rain Days.	20	22	7	~~12~~ 14	11	10	16	16	11	18	8	27	~~168~~ 180

W. 8,000. X. 15.

for Mid Wessex M Eod RL

2047

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Castle Cary Alford House

in the County of Somersetshire 2

by Rev A A Boys adml G F Tillard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13				.27		.02		.16	.40	.20		1
2	.20	.07			.04					.42			2
3		.89			.20	.02			.15	.46	.20		3
4	.21	.07		.01		.23			.34	.30	.35		4
5	.14		.03		.18	.47				.04	.43		5
6		.20	.02		.08	.04	.54			.10	.33		6
7	.02	.07	.15		.12	.03	.29			.03	.50	.25	7
8		.19	.02		.13	.06					.12	.06	8
9						.06	.02			.20	.12	.08	9
10	.01	.40	.01	.10	.03		.03					.09	10
11	.03		.05	.25	.14	.06					.02	.01	11
12		.05	.01	.15	.05		.07			.10	.01		12
13		.36	.11					.53			.01		13
14	.03	.38	.03	.11	.14			.05		.10			14
15	.05	.11	.06	.09				.27					15
16	.10	.05		.22	.01		.03	.57		.08			16
17	.01	.34	.01	.05				.08	.50	.30	.25		17
18	.10	.08	.15	.04					.10	.12	.19	.08	18
19	.20		.46	.05							.24	.05	19
20	.04	.22	.30								.10	1.17	20
21	.04	.04	.18		.08		.06					.01	21
22	.01		.01	.06	.03	.07				.42	.09	.41	22
23		.11		.08		.10		.20		.15	.10	.20	23
24		.23		.02	.63	.10		.05		.70	.05	.20	24
25		.33	.12		.13			.70			.12		25
26		.13	.05			.45		.30	.95	.60	.02	13	26
27	.02	.11	.82	.04		.02		.60	.48	.30			27
28		.24	.02		.04			.10	.28	.35		.17	28
29		.47	.02			.25		1.70	.60	.29			29
30		X	.03							.35			30
31		X		X		X		.09	X	.60	X	.09	31
Total	1.34	5.14	2.66	1.27	2.30	1.96	1.06	5.24	3.56	6.41	3.45	3.00	YEAR'S TOTAL 37.39
Rain Days.	17	23	22	14	17	14	8	13	9	22	20	15	194

W. 8,000, VIII. 16

from M.S.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

5 APR 1918

Kept at Alford House,
in the County of Somerset
by Admiral Tillard per H.A.Boys

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·40		·11		·70			·07		1
2	·01		·05	·06		·06		·06	·05				2
3				·04			·67			·25	·05		3
4		·14	·12				·06		·14	·26			4
5	·25	·02	·14	·12		·09				·20	·05		5
6										·05	·15		6
7	·33						·39	·40		·18		·02	7
8	·24		·22	·17			·38	·73	·05	·35	·20	·07	8
9			·08		·03		·05	·72	·10	·28	·20		9
10	·13		·28	·09				·15	·10				10
11	·08		·60	·39				·35	·	·48	·05		11
12			·02	·02	·27			·06		·33			12
13			·16	·03				·39	·10	·08		·01	13
14			·23	·14			·15	·25					14
15							·06	·10		·20	·01	·64	15
16		·20		·08	·05		·08	·06		·27			16
17	·01			·25	·15		·50	·10	·40	·20	·01	·07	17
18	·02	·06				·13	·28		·41				18
19		·52	·07			·05			·16		·05		19
20	·01	·15	·06		·32	·11		·26			·02		20
21			·34			·15		·06					21
22	·01		·03					·39					22
23		·25			·09		·20	·10		·05		·02	23
24		·03	·03			·23	·20			·15			24
25		·14	·04				·04		·10	·09	·07		25
26		·02			·32			·59	·17	·10	·03		26
27					1·05	·17		·62	·10				27
28		·03	·11		·09	6·95	·03	·70				·04	28
29			·11			·20		·05		·50		·12	29
30		✕	·25				·16	·04		·10		·02	30
31		✕	·08	✕		✕		·10	✕	·15	✕		31
Total	1·09	1·56	3·12	1·79	2·37	8·25	3·25	6·98	1·88	4·27	·96	1·01	YEAR'S TOTAL 36·53
Rain Days.	10	11	22	12	9	11	15	23	12	20	13	9	167

W. 8,000, IX. 17.

·95

1956

FORM A.
BRITISH RAINFALL.

30 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Alford

in the County of Somersetshire

by Admiral Tillard —

Lat. 51-5 Long. 2-34
Time of Observation 9-15 am
Nearest Railway Station Castle Cary
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~2~~ ft. 12 in.
" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						0·11							1
2						·06							2
3													3
4													4
5						09							5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18						13							18
19						05							19
20						11							20
21						15							21
22													22
23													23
24						23							24
25													25
26													26
27						17							27
28						6·95							28
29						·20							29
30		X											30
31		X		X		X			X		X		31
Total						8·25							YEAR'S TOTAL
Rain Days.						11							

A register of rainfall for the each month was kept in previous twenty forming this year —
Duplicate record is sent monthly to Rev H H Bp North Cadbury Rectory:
with whom Dr Mill is acquainted and together they visited some of the places affected by the abnormal rainfall on 28 June —
P. Tillard

W. 500, VIII. 16.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

from Original 201 & Rev H a Boys

~~F24 RR~~

36

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Castle Cary Alford House

in the County of Somersetshire

by Admiral P. F. Tillard Rev H a Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01		.04	.10			.60		.05	.48		1
2		.01		.29				.39			.05	.10	2
3		.03	.02	.09	.16					.05	.04	05	3
4		.03						.10	.11	.05	55	.09	4
5			02	.01	.06			.40	.13	.18		.05	5
6	.21	.20		.24				.15	.06			.16	6
7		.13		.01	.60				.20	.10	30		7
8	.02	.04							.50	.30		.05	8
9		.06		.18			.40		.30	.09		28	9
10	.05			.07		.20	.38		.31	.18	.05	.55	10
11	.01	.01	.06	.01			.54		.16	.21	10	.15	11
12		.03	.11		.24		.05		.21				12
13	.29	.03					.53		.50	.10		.27	13
14	.06		.03			.10	.07		.13	.10		.12	14
15	1.02			.48	.07	.05	.24					.09	15
16	.33		.04	.25		.03	.03		.16			.12	16
17	.34			.11			.32		.06	.06		.09	17
18	.61					.35	.14		.31			.22	18
19	.08		.10				.24	.10	.08			.13	19
20	.03	.10		.13			.07		.09				20
21	.01		.01		.13		.07		.40	.05		.10	21
22						.03	.47		.10			.30	22
23	.07						.38		.19		.04	.11	23
24		.10				.04	.03	.08	.10		.12		24
25							.29	1.25					25
26							1.27	.10	.11		.10	.36	26
27		.21	.02					.12	.20		.10	.05	27
28		05	.14						.06	.04	.14	.09	28
29			.08						.97				29
30		X	.57					.08	.05	.04	.14	.08	30
31		X	.33	X		X		.06	X		X		31
Total	313	1.04	1.53	1.91	1.36	.80	5.52	3.43	5.49	1.60	2.21	3.61	YEAR'S TOTAL 31.63
Rain Days.	14	15	13	13	7	7	18	12	25	15	13	23	175

W. 6,500, VII. 18, W W C

Esc DL

1825

20 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Alford House

in the County of Somerset

by Admiral Tillard, per Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50		·06	·09	·04		·49			·18		1·10	1
2	·10		·02		·08		·05		·15		·08	·37	2
3	·78		·17		·18				·15		·04	·36	3
4	·16	·23	·59			·07		·18	·25		·05	·05	4
5	·02	·35	·56		·07	·07			·33		·10	·45	5
6	·49	·10	·13								·01	·30	6
7	·15		·31	·13								·01	7
8	·13		·29			·03							8
9			·01	·11	·03						·10		9
10	·15		·04							·05	·01	·14	10
11	·02		·11	·24	·16	·01	·15					·05	11
12	·10		·02			·07	·10			·11	·10		12
13	·02			·29			·04					·01	13
14	·32	·05		·57	·16		·14			·07		}	14
15	·24			·03						·06		·34 }	15
16	·05	·44						·24			·23		16
17		·15						·05			·24	·01	17
18	·05		·52				·19	·15			·26	·02	18
19	·48	·15	·88			·08	·68	·30	·30		·29	·14	19
20	·25	·04	·11			·22		·23				·07	20
21	·02	·45					·58		·08		·03	·08	21
22		·04					·18		·13			·15	22
23										·30	·02	·08	23
24				·04		·38	·03	·12	·05	·93	·07	·50	24
25	·13	·05		·08		·03		·48			·08	·26	25
26			·12	·08		·02		·26	·10		·01	·20	26
27	·16	·08	·06	·35		·02		·46				·07	27
28			·41					·45			·30	·34	28
29			·02	·03				·10		·10	·03		29
30				·20		·21		·60			·35	·26	30
31			·03									·26	31
TOTAL	4·32	2·13	4·46	2·24	·72	1·21	2·63	3·62	1·54	1·80	2·40	5·62	YEAR'S TOTAL 32·69
Days with ·01 in. or more	21	12	20	13	7	12	11	13	9	8	20	26	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1743

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Alford House

in the County of

by per Boys Admiral Tillard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·02	·18	·23		·19		·12	·05	·42	·51	1
2	·07		·01	·21			·20	·35	·10	·06		·06	2
3	·07	·05		·01	·04		·73			·60		·03	3
4			·05	·10			·18	·30		·20			4
5			·07	·02	·16		·46	·40		·16			5
6			·22	·02	·07		·37			·05			6
7	·08			·41			·17			·02			7
8	·07	·17		·33	·05		·55						8
9	·34	·03	·05	·15		·11	·02						9
10	·36	·14	·15	·08		·11	·30						10
11	·17		·08	·37	·34		·11						11
12	·17		·04	·11	·01	·44	·02				·05		12
13	·18	·05	·43	·11								·03	13
14	·04	·02	·25	·33		·02			·15	·30	·18		14
15	·02	·09	·05	·09	·09	·18	·05		·14	·45	·02		15
16			·06	·05		·03	·22		·35	·10			16
17	·04			·21	·23	·06			·40				17
18	·05		·03	·03	·08	·07	·10	·35	·15			·02	18
19	·04			·19	·07	·18							19
20	·05	·20		·18		·48	·02					·13	20
21	·01			·02						·05		·10	21
22	·02			·19				·04				·25	22
23							·50					·25	23
24	·02		·09	03	·01						·10	·04	24
25		·05	·08		·13		28					·01	25
26	·20		·13		·02	·04	·12				·12	·10	26
27	·22	·02	·04	·43		·38	·06					·17	27
28	·85	·01	·04	·09	·16	·03	·06					·02	28
29	·13		·17		·02	·03					·11	·13	29
30	·03	X	·01	·06	·03	·17	·32		·43		·37	·17	30
31	·09	X	·29	X		X	·10		X	·70	X	·13	31
													YEAR'S TOTAL
TOTAL	3·37	·83	2·36	4·00	1·74	2·33	5·13	1·44	1·84	2·74	1·37	2·15	29·30
Days with ·01 in. or more	25	11	22	26	17	15	23	5	8	12	8	17	189
Days with ·04 in. or more	20	7	18	20	12	11	20	5	8	11	7	12	151

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

made

REGIST 5

CHARD
TATWOR~~TH~~
VICARAGE
SOMERSET
1915-1916.

FORM A.
BRITISH RAINFALL.
11 FEB 1916

g.

Kept at Tatworth 9-30

Chard Junction

in the County of Som 5 in.

by H. Stuart bove Ground 1 ft. 3 in.

„ Sea Level 345 ft.

IMPORTANT NOTE.—R nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .21

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.18					.02	.07	.20	.37	.11	.20	1
2	.31	.22	.16							.09		.45	2
3	.06	.24		.07	.24	.04	.07	.61				.44	3
4	.05	.14			.05		.08	.05				.21	4
5		.99		.10			.68	.03				.53	5
6	.93	.06		.41								.20	6
7	.33	.68		.07			.10	.70				.24	7
8	.17	.41		.01							.09	.08	8
9	.04	.02		.06				.09			.36	.64	9
10	.29	.16	.02	.05						.10		.04	10
11	.28	.33	.02					.05		.07	1.02	.02	11
12	.21	.80		.15	.61		.02	.21		.10	.26	.02	12
13	.01	.52			.65		.03	.84		.01	.15	.10	13
14	.06	.02						.18	.14	.03		1.13	14
15	.15				.21		.10		.02	.17	.12	.13	15
16	.02	1.70			.07		.07					.26	16
17		.72					1.20	.07				.02	17
18		.19											18
19	.03				.30		.04						19
20	.26					.06	.09			.11		.04	20
21	.15	.16		.10		.10				.32		.05	21
22	.13		.25				.30		.02	.06		.33	22
23		.08	.08				.99		.24	2.74	.04	.47	23
24				.05					.19	.32		.48	24
25	.05		.04	.07		.47	.08		.01			.25	25
26	.02	.19				.10	1.85		.05			.85	26
27		.09					.73		.02	.70		.03	27
28		.04				.15	.11		.57	.07	.02	.04	28
29						.10	.10	.04			.28	.14	29
30	.14					.08	.29			.80	.59	.25	30
31	.03									1.43		(.39)	31
Total	4.15	7.94	.57	1.14	2.13	1.10	6.95	2.94	1.46	7.49	3.04	8.03	YEAR'S TOTAL 46.94
Rain Days.	23	22	6	11	7	8	20	12	10	17	11	24	176

I made

REGIST 5

FORM A. BRITISH RAINFALL.
11 FEB 1916

Kept at Tatworth Vicarage
in the County of Somerset
by H. Stuart King

Lat. g.
Time of Observation 9.30
Nearest Railway Station Chard Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .21

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.43	.18					.02	.07	.20	.37	.11	.20	1
2	.31	.22	.16							.09		.43	2
3	.06	.24		.07	.24	.04	.07	.61				.44	3
4	.05	.14			.05		.08	.05				.21	4
5		.99		.10			.68	.03				.53	5
6	.93	.06		.41								.20	6
7	.33	.68		.07			.10	.70				.24	7
8	.17	.41		.01							.09	.08	8
9	.04	.02		.06				.09			.36	.64	9
10	.29	.16	.02	.05						.10		.04	10
11	.28	.33	.07					.05		.07	1.02	.02	11
12	.21	.80		.15	.51		.02	.21		.10	.26	.02	12
13	.01	.52			.65		.63	.84		.01	.15	.10	13
14	.06	.02						.18	.14	.03		1.13	14
15	.15				.31		.10		.02	.17	.12	.13	15
16	.02	1.70			.07		.07					.26	16
17		.72					1.20	.07				.02	17
18		.19											18
19	.03				.30		.04						19
20	.26					.06	.09			.11		.04	20
21	.15	.16		.10		.10				.32		.05	21
22	.13		.25				.30		.02	.06		.33	22
23		.08	.08				.99		.24	2.74	.04	.47	23
24				.05					.19	.32		.48	24
25	.05		.04	.07		.47	.08		.01			.25	25
26	.02	.19				.10	1.85		.05			.55	26
27		.09					.73		.02	.70		.03	27
28		.04				.15	.11		.57	.07	.02	.04	28
29						.10	.10	.04			.28	.14	29
30	.14					.08	.29			.80	.59	.26	30
31	.03									1.43		(.39)	31
Total	4.15	7.94	.57	1.14	2.13	1.10	6.95	2.94	1.46	7.49	3.04	8.03 ✓	YEAR'S TOTAL 46.94 ✓
Rain Days.	23	22	6	11	7	8	20	12	10	17	11	24	176

✓

W.7,000, XI. 13

2145

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
21 JUN 1917

Kept at Tatworth Vicarage
in the County of Somerset
by H. Stuart King

Lat. Long.
Time of Observation 9.30 a.m
Nearest Railway Station Chard Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 347 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21		.06		.30	.04	.02		.21	.31	.08		1
2	.16	.10			.02				.09	.28	.46		2
3		1.22			.37				.09	.66	.14		3
4	.08	.13				.35			.39	.22	.94		4
5	.02	.04	Snow .04		.08	.14				.08	.25		5
6	.07	.11			.14	.04	.75			.10	1.13		6
7		.07	Snow .45		.03	.03	.25			.15	.61	.17	7
8		Snow .21	.12			.17					.17	.14	8
9		Snow .08			.09	.19				.16	.09	.30	9
10		.45			.06	.06	.06			.09	.03	.17	10
11			.03	.10	.01					.02			11
12	.07	.07	.08	.05	.19		.07						12
13		.35	.24	.04	.01			.12					13
14	.02	.39	.02		.04			.30		.08			14
15		.06	.12	.09				.74		.06			15
16	.20	.12		.24	.08			.30		.20			16
17	.26	.16		.11				.35	.41	.50	Snow x .54		17
18	.05	.07	.24					.49	.22		.04		18
19	.14		.74	.05					.01		.13	.25	19
20	.10	.68	.30								.13	1.75	20
21		.15	.21		.08							.10	21
22				.04		.06		.13		.39	.04	.67	22
23		Snow .17		.06		.20		.16		.11	.25	.05	23
24		Snow .08	.18	.07	.90			.05	.05	.84	.04	.32	24
25		Snow 1.16						.88			.25	.04	25
26	(.02)	Snow .20	.11			.50		.18	.92	.95	.05		26
27		Snow .05	1.31+			.05		.06	.31	.17			27
28		Snow .30						.22	.27	.87		.36	28
29		Snow .41	.03			.49		2.22	.28	.41		.30	29
30		X				.06		.02	.02	.44			30
31		X		X		X		.07	X	.53	X	.02	31
Total	1.40	6.83	4.30	.85	2.40	2.38	1.15	6.29	3.27	~~7.13~~ 7.62	5.37 5.37	4.64	YEAR'S TOTAL 46.50 46.50
Rain Days.	13	25	17	10	15	14	5	16	13	23	19	14	184

W. 8,000, VIII. 16

+ Snow & rain

x & rain

CHARD
COM~~BE~~ HEAD
HOUSE
SOMERSET

1920

FORM A. 1. METEOROLOGICAL GANIZATION.

REGIST O.

Kept at Combe Head H a.m
in the County of Somers Chard
by Mrs Robinson ain Gauge 5 in.
ove Ground 1 ft. 1 in.
" Sea Level ~~about~~ 600 ft.

IMPORTANT NOTE.—Rain s entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·02	·09	·51	—	·46	·03	·06	·13	·20	·80	1
2	·61	—	—	·16	—	—	·31	·52	·04	·16	—	·13	2
3	·07	·02	—	·07	—	—	·04	—	·04	1·14	—	·05	3
4	—	—	·05	·02	—	—	(·11)	·54	·01	·40	—	—	4
5	—	—	·12	·03	·07	—	·36	·13	—	·18	—	—	5
6	—	—	·43	·02	·20	—	·17	—	—	·12	—	—	6
7	·01	—	·03	·28	—	—	·78	—	—	—	—	—	7
8	·12	·05	—	·31	·05	—	·33	—	—	·02	—	·16	8
9	·86	·09	—	·07	—	·17	·10	—	—	—	—	—	9
10	1·12	·13	·05	—	—	·32	·37	—	—	—	—	—	10
11	·79	·01	·12	·74	·27	·01	·18	—	—	—	—	—	11
12	·22	·05	·02	·21	—	·17	·64	—	—	—	~~[illegible]~~ ·07	·03	12
13	·25	·08	·64	·12	—	—	—	—	—	·06	~~[illegible]~~ ·40	·01	13
14	·02	·07	·30	·88	—	—	·02	—	·17	·10	·~~03~~ ·05	—	14
15	—	·24	·07	·54	·18	·10	—	—	—	·22	·~~[illegible]~~ ·02	—	15
16	—	·02	·63	·13	—	·04	·30	—	·22	·23	·~~04~~	—	16
17	—	—	·02	·44	·40	·05	·01	—	·30	—	·01	—	17
18	·06	→	·01	·09	·04	·15	·02	·37	·18	—	—	·03	18
19	·01	·03	—	·45	·20	·19	—	·02	—	—	—	—	19
20	·01	·14	—	·31	·06	·30	—	—	—	—	~~[illegible]~~	·41	20
21	—	—	—	·05	—	—	·13	—	·02	·03	—	·08	21
22	·03	—	—	·11	—	—	·03	—	—	—	—	·66	22
23	—	—	—	—	—	—	·70	·10	—	—	—	·40	23
24	—	—	·19	—	—	—	—	—	—	—	·43	·06	24
25	·01	—	·05	—	·09	—	·58	—	—	—	·01	—	25
26	·31	·06	·25	—	·03	·01	·11	—	—	—	·32	·12	26
27	·96	—	·19	·09	—	·17	·01	—	—	—	·09	·47	27
28	·68	·03	·09	·08	—	·03	·10	—	—	—	—	·15	28
29	·38	—	·40	·03	—	·05	—	—	—	—	·34	·10	29
30	·11	╳	—	·04	·04	·18	·04	—	·66	·61	·45	·40	30
31	·03	╳	·50	╳	·01	╳	·06	—	╳	·57	╳	·27	31
TOTAL	6·70	1·02	3·58	5·36	2·15	1·94	5·36	1·71	1·70	3·37	2·39	4·33	YEAR'S TOTAL 39·61.
Days with ·01 in. or more	22	14	21	25	14	15	25	7	10	14	12	18	197
Days with ·04 in. or more	15	9	15	21	12	12	21	5	8	11	9	15	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL GANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Combe Head House. Wᵣ Chard

in the County of Somerset

by Mrs Robinson

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Chard

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level about 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·02	·09	·51	—	·46	·03	·06	·13	·20	·80	1
2	·Nb	—	—	·16	—	—	·31	·52	·04	·16	—	·13	2
3	·07	·02	—	·07	—	—	·04	—	·04	1·14	—	·05	3
4	—	—	·05	·02	—	—	(·13)	·54	·01	·40	—	—	4
5	—	—	·12	·03	·07	—	·36	·13	—	·18	—	—	5
6	—	—	·43	·02	·20	—	·17	—	—	·12	—	—	6
7	·01	—	·03	·28	—	—	·78	—	—	—	—	—	7
8	·12	·05	—	·31	·05	—	·33	—	—	·02	—	·16	8
9	·86	·09	—	·07	—	·17	·10	—	—	—	—	—	9
10	1·12	·13	·05	—	—	·32	·37	—	—	—	—	—	10
11	·79	·01	·12	·74	·27	·01	·18	—	—	—	—	—	11
12	·22	·05	·02	·21	—	·17	·64	—	—	—	~~[illegible]~~ ·07	·03	12
13	·25	·08	·64	·12	—	—	—	—	—	·06	~~[illegible]~~ 40	·01	13
14	·02	·07	·30	·88	—	—	·02	—	·17	·10	~~·[illegible]~~ ·05	—	14
15	—	·24	·07	·54	·18	·10	—	—	—	·22	~~·[illegible]~~ ·02	—	15
16	—	·02	·63	·13	—	·04	·30	—	·22	·23	~~·[illegible]~~	—	16
17	—	—	·02	·44	·40	·05	·01	—	·30	—	·01	—	17
18	·06	→	·01	·09	·04	·15	·02	·37	·18	—	—	·03	18
19	·01	·03	—	·45	·20	·19	—	·02	—	—	—	—	19
20	·01	·14	—	·31	·06	·30	—	—	—	—	— ~~[illegible]~~	·41	20
21	—	—	—	·05	—	—	·13	—	·02	·03	—	·08	21
22	·03	—	—	·11	—	—	·03	—	—	—	—	·66	22
23	—	—	—	—	—	—	·70	·10	—	—	—	·40	23
24	—	—	·19	—	—	—	—	—	—	—	·43	·06	24
25	·01	—	·05	—	·09	—	·58	—	—	—	·01	—	25
26	·31	·06	·25	—	·03	·01	·11	—	—	—	·32	·12	26
27	·96	—	·19	·09	—	·17	·01	—	—	—	·09	·47	27
28	·68	·03	·09	·08	—	·03	·10	—	—	—	—	·15	28
29	·38	—	·40	·03	—	·05	—	—	—	—	·34	·10	29
30	·11	╳	—	·04	·04	·18	·04	—	·66	·61	·45	·40	30
31	·03	╳	·50	╳	·01	╳	·06	—	╳	·57	╳	·27	31
TOTAL	6·70	1·02	3·58	5·36	2·15	1·94	5·36	1·71	1·70	3·37	2·39	4·33	YEAR'S TOTAL 39·61
Days with ·01 in. or more	22	14	21	25	14	15	25	7	10	14	12	18	197
Days with ·04 in. or more	15	9	15	21	12	12	21	5	8	11	9	15	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL

4 - JAN 1914

~~CHARD~~

CRICKET HOUSE
SOMERSET.
1914 — 20

RI

Kept at Cricke R. M. Chard

in the County of 5 in.

by H. M. H ove Ground 1 ft. in.

Sea Level 444 ft.

pre to the
requeste arnestly
for it at is paragraph. Full instructions for the provided the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			20		33				19	2	25	1	1
2	10	39	1		20					20	21		2
3	30		7	13	22				4			45	3
4	5		5		35				20	38	9	10	4
5	10	5	1	5	10	6			66		10	26	5
6	4	9	16		2	24				2.16	4	43	6
7	4	51	5	4	90	4	4			1.13	39	1	7
8		15		2	40		6	3		1		1	8
9		9			20	11	40		1		45	1	9
10	60			6	2			6		43	19		10
11	1.05				30	2				32	1.11		11
12				30	43			15	3		10		12
13	9			15					43		13		13
14	36		13						9	1	8		14
15	30		1	9					19		4		15
16	8		78	20				1					16
17	3		0.	4									17
18	8		46	21							3		18
19	85		12			7			50				19
20	10		10	19						25	24		20
21	1		48	25					13	5	40	13	21
22	50			16		2		3			1	85	22
23	1										12		23
24				5								7	24
25		9		23								4	25
26				60				9				21	26
27	5		32	1.05						23		1	27
28	11		1.86	49						50		1	28
29	12			40				5		65		9	29
30	59			3						53	1		30
31	16		5		2		7	25		5			31
Total	5.70	1.33	4.86	4.74	3.39	.56	.57	.67	~~2.54~~ 2.57	6.92 6.92	4.27	2.63	YEAR'S TOTAL ~~38.8~~ 38.89
Rain Days.	24.	9.	17.	21.	13.	7.	4.	8.	11.	16.	19.	16.	163

W. 7,500, XI. 12

written 26.11.14

RE 3

FORM A. BRITISH RAINFALL.

4-JAN 1914

Kept at Cricket House

in the County of Somerset 6

by H. M. Horsey

Time of Observation 9 a.m.

Nearest Railway Station Chard

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 444 ft.

pre server to the requeste ng at 9 a earnestly for it at the this paragraph. Full instructions for the measurement of rain, provided the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			20		33				19	2	25	1	1
2	10	39	1		20					20	21		2
3	30		7	13	22				4			45	3
4	5		5		35				30	38	9	10	4
5	10	5	1	5	10	6			66		10	26	5
6	4	9	16		2	24				2.16	4	43	6
7	4	51	5	4	90	4	4			1.13	39	1	7
8		15		2	40		6	3		1		1	8
9		9			20	11	30		1		45	1	9
10	60			6	2			6		43	19		10
11	1.05				30	3				32	1.11		11
12				30	43			15	3		10		12
13	9			15					43		13		13
14	36		13						9	1	8		14
15	30		1	9					19		4		15
16	8		78	20				1					16
17	3		0.	4									17
18	8		46	21							3		18
19	85		12			7			50				19
20	10		10	19						25	24		20
21	1		48	25					13	5	70	13	21
22	50			16		2		3			1	85	22
23	1					1					12		23
24				5								1	24
25		7		23								.4	25
26				60				9				21	26
27	5		32	1.05						23		1	27
28	11		1.86	49						50		1	28
29	12			40				5		65		9	29
30	59			3						65	1		30
31	16		5		3		7	95		5			31
Total	5.70	1.33	4.86	4.72	3.39	56	57	1.37	2.54 2.57	6.92 6.92	4.27	2.63	YEAR'S TOTAL 38·89
Rain Days.	24	9	17	21	13	7	4	8	11	16	19	16	163

38·89

W. 7,500, XI. 12

Esc. Mg

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Cricket House
in the County of Somerset 6
by H. R. Harvey

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Chard
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 444 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 70

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		1	3	1				80			27	4	1
2	1		1	2	8	1	65	2			98	54	2
3			12	12	60		1	21			6	5	3
4	10		6	25	13		25	27			60	64	4
5			10	26	11		7				15	5	5
6		27	1	17	5		5	1			1	80	6
7	2	95	10	2	8		20	9	5			35	7
8	8	1	40	5	13	27		12				6	8
9	1	2	53	31	6	68		27	1.07				9
10		55	2	10	2	2			42			3	10
11		20	55		8	19	37				2	81	11
12		15	9						28	7		75	12
13		48	38				4		9	28	23	58	13
14		44	33			86	3	80		42	45	5	14
15	3	1	22					92		4	28	1	15
16			1						38				16
17		63	22									1.03	17
18		3	5				50		5			31	18
19		6	20				2.57		6			2	19
20		77	64									37	20
21		92	1			10				44	1	4	21
22		5			24	6	3	2		24		1	22
23		11	27		3		3			74		1	23
24	1	15	3		12					16	5	1	24
25		1	30		1		6	70		51	3	66	25
26		1	12				5	9		6	47	61	26
27	24						2			3	17	25	27
28	2	12	11		5	3	2			5	24	91	28
29	30		57		20	3				21	80	1	29
30	3		13			8				32	62	1.27	30
31	30				4		49			91		47	31
Total	1.15	5.98	5.91	1.31	2.13	2.33	5.44	4.32	2.40	4.48	5.36	10.74	YEAR'S TOTAL 51.45
Rain Days.	12	22	28	10	17	11	18	13	8	15	18	29	201

W.7,000, XI. 13

~~FW~~ [illegible] cord. b. v. 16

2211

FORM A. BRITISH RAINFALL. 5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cricket House

in the County of Somerset 6

by F. G. Harvey

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Chard

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 444 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	70	17	0	0	0	0	0	40	9	0	6	30	1
2	32	22	14	8	0	2	0	78	3	14	1	33	2
3	4	25	16	5	28	0	3	0	0	1	0	40	3
4	7	15	1	0	4	0	0	0	0	0	0	48	4
5	8	1.11	0	5	0	0	0	21	0	0	0	53	5
6	87	11	0	41	0	0	75	1	0	0	0	20	6
7	19	48	0	8	0	0	14	2	0	0	3	24	7
8	13	54	0	0	0	0	0	15	0	0	37	5	8
9	2	1	0	3	0	0	0	0	0	0	0	70	9
10	27	20	3	6	0	0	0	0	0	11	1	4	10
11	17	46	1	12	0	0	1	19	0	1	1.08	0	11
12	25	77	0	13	70	0	0	54	0	15	22	3	12
13	3	54	0	0	65	0	0	0	10	1	8	7	13
14	5	3	0	0	0	0	15	24	5	3	0	1.23	14
15	17	2	0	0	20	0	15	0	2	2	14	24	15
16	0	1.99	0	0	10	0	95	0	0	0	1	30	16
17	0	73	0	0	17	0	1	28	0	0	0	2	17
18	0	30	0	0	1	0	0	0	0	0	1	0	18
19	2	1	0	0	28	0	12	0	0	0	0	1	19
20	18	1	0	8	0	6	0	0	0	4	0	4	20
21	11	16	0	0	0	0	7	0	0	36	0	7	21
22	16	4	25	3	0	25	71	0	0	2	0	37	22
23	5	1	13	0	0	0	21	0	27	3.35	2	40	23
24	0	0	1	5	0	0	30	0	21	37	1	62	24
25	0	0	3	2	0	57	80	0	0	1	0	21	25
26	1	18	0	0	0	0	18	0	3	0	2	1.11	26
27	0	6	0	0	0	27	36	0	9	62	0	3	27
28	0	3	0	0	0	14	0	2	60	13	3	2	28
29	0		0	0	0	17	17	3	0	1	26	4	29
30	13	X	0	0	0	11	1	0	34	95	66	52	30
31	1	X	0	X	0	X	10	0	X	1.32	X	50	31
Total	4.03 4.03	8.58	77	1.19	2.43	1.59	5.22	2.87	1.83	7.66	3.02	9.10	YEAR'S TOTAL 48.29 ~~49.20~~
Rain Days.	23	26	9	13	9	8	19	12	11	19	17	29	195

W. 8,000. X. 14.

2147

FORM A.
BRITISH RAINFALL.
6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Cricket House

in the County of Somerset

by H. M. Harvey

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chard

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 444 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24	0	51	0	34	2	2	0	25	20	52	0	1
2	19	13	0	0	1	0	0	0	3	27	46	0	2
3	2	2.13	0	0	26	0	0	0	4	32	40	0	3
4	10	21	0	0	10	32	0	0	4	40	1.40	0	4
5	2	3	8	0	13	5	0	0	0	21	39	0	5
6	4	14	4	0	15	6	78	0	0	15	1.22	1	6
7	2	8	25	0	2	3	16	0	0	5	64	20	7
8	1	17	18	0	32	57	0	0	0	0	18	15	8
9	0	17	2	0	12	7	1	0	0	12	4	29	9
10	1	42	0	3	5	0	4	0	0	5	3	22	10
11	1	1	3	3	0	0	0	0	0	0	0	0	11
12	3	6	9	6	13	0	3	7	0	2	0	0	12
13	0	39	21	2	1	0	0	87	0	0	0	0	13
14	3	44	1	0	3	0	0	5	0	9	0	0	14
15	0	10	10	6	0	0	0	19	0	3	0	0	15
16	20	11	1	26	0	0	5	64	0	6	0	0	16
17	29	15	0	14	0	0	0	7	20	70	44	0	17
18	4	8	26	0	0	0	0	0	15	4	10	7	18
19	11	0	73	3	0	0	0	0	0	0	8	15	19
20	27	78	32	0	0	0	0	0	0	0	10	0	20
21	1	20	36	0	6	0	0	0	0	0	0	2.50	21
22	0	0	3	0	0	4	0	8	0	53	5	15	22
23	1	0	1	4	0	5	0	29	0	8	31	0	23
24	0	0	0	8	1.17	20	0	8	0	94	9	40	24
25	0	30	15	0	3	2	0	80	0	0	24	0	25
26	1	3	10	0	0	52	0	19	70	110	6	10	26
27	0	12	1.57	0	0	2	0	3	77	38	0	0	27
28	0	65	0	0	0	0	0	12	53	73	0	32	28
29	0	62	2	0	0	47	0	2.85	21	34	0	22	29
30	0	╳	1	0	0	5	0	1	14	44	0	0	30
31	0	╳	0	╳	0	╳	0	7	╳	28	╳	0	31
Total	1.66	7.42	5.09	75	2.93	2.49	1·09 1.09	6.41	3.66	7.51	6.75	4.78	YEAR'S TOTAL 49.94
Rain Days.	20	24	23	10	16	15	7	16	11	24	19	13	198

W. 8,000, X. 15.

FORM A.
BRITISH RAINFALL.

7. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Cricket House

in the County of Somerset

by H. M. Horsey

Lat. .... Long. —

Time of Observation 9. A. M

Nearest Railway Station Chard

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 444 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 01.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	14	13	0	22	0	69	4	0	9	0	1
2	0	0	1	33	0	9	0	2	0	0	1	0	2
3	0	0	0	11	0	0	59	3	0	22	36	0	3
4	1	0	50	1	0	0	4	0	0	32	0	0	4
5	10	0	31	38	0	12	0	0	13	10	13	0	5
6	0	0	5	0	0	0	0	3	0	7	22	1	6
7	38	0	0	0	0	0	80	21	0	28	4	3	7
8	3	0	6	0	0	0	48	45	6	45	20	13	8
9	0	0	11	8	0	0	15	18	9	10	0	0	9
10	27	0	44	26	0	0	0	40	1	2	10	0	10
11	3	0	71	26	0	4	0	0	0	18	1	0	11
12	15	0	4	10	22	0	0	0	0	33	0	0	12
13	0	0	18	7	0	0	0	70	3	10	0	0	13
14	0	0	2	14	0	0	24	24	1	0	0	2	14
15	0	0	0	2	0	0	1.15	16	0	22	0	34	15
16	2	27	0	10	0	0	11	0	1	55	0	27	16
17	0	2	0	10	0	0	31	19	69	0	0	0	17
18	0	11	0	1	0	0	19	0	55	0	0	0	18
19	0	57	10	0	0	16	0	0	13	0	0	0	19
20	0	12	3	0	38	5	3	6	16	0	0	0	20
21	0	1	15	0	0	35	0	2	0	5	0	0	21
22	0	1	5	0	3	0	0	24	0	7	0	0	22
23	0	12	0	0	0	0	0	41	0	10	0	3	23
24	0	73	1	0	0	1	14	15	0	10	5	1	24
25	0	0	6	0	0	0	1	15	12	5	0	0	25
26	0	0	0	0	57	10	0	65	11	10	2	0	26
27	0	0	0	0	38	27	0	1.24	0	4	0	0	27
28	0	3	13	0	17	1.85	0	21	0	5	0	3	28
29	0		11	0	0	68	10	0	0	75	3	24	29
30	0	╳	21	0	0	0	51	15	0	5	0	0	30
31	0	╳	12	╳	0	╳	0	0	╳	17	╳	0	31
Total	99	1.39	3.54	2.10 2·10	1.75	3.94	4.85	6.58	2.14	4.47	1.26	1.11	YEAR'S TOTAL 34.12 34·12
Rain Days.	8	10	22	15	6	12	15	22	14	24	12	10	170

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

9. 1. 19

Kept at Cricket House
in the County of Somerset
by A. D. Horsey

Lat. Long.
Time of Observation 9. AM
Nearest Railway Station Chard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 444 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 64

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1	8	0	12	9	0	0	75	0	1	1.55	1	1
2	0	37	0	6	0	0	0	10	1	1	2	41	2
3	0	20	2	12	17	0	0	12	3	7	9	2	3
4	0	4	1	1	0	0	0	14	20	0	1.22	28	4
5	0	0	27	4	36	0	0	50	58	19	3	12	5
6	19	20	0	27	0	0	0	0	0	15	1	27	6
7	0	16	0	0	32	0	0	0	20	4	49	32	7
8	0	28	0	0	0	0	0	0	23	30	2	8	8
9	11	3	0	7	0	12	51	0	61	8	0	47	9
10	11	0	0	35	0	0	35	0	17	16	2	51	10
11	1	4	9	2	0	0	62	0	20	51	5	8	11
12	0	6	9	0	31	0	10	0	7	0	0	2	12
13	0	1	0	0	19	0	21	0	66	5	0	4	13
14	57	0	1	0	5	12	3	0	20	20	0	10	14
15	1.34	0	0	45	4	0	58	0	0	4	0	33	15
16	19	0	1	35	0	5	6	0	48	1	0	7	16
17	74	0	0	38	0	0	36	0	5	0	0	30	17
18	1.00	0	4	0	0	86	24	0	54	1	0	23	18
19	44	3	0	0	0	0	13	0	4	6	0	13	19
20	9	15	0	18	0	1	8	0	15	18	0	0	20
21	4	5	0	4	0	2	7	0	41	12	0	31	21
22	4	0	0	0	9	0	78	0	18	32	0	18	22
23	15	0	0	0	5	0	60	0	7	0	4	0	23
24	2	14	0	9	0	0	0	0	7	0	10	14	24
25	3	0	0	6	10	0	16	73	0	1	12	1	25
26	1	1	0	0	0	0	36	0	2	6	18	18	26
27	2	0	8	0	0	0	2	15	21	3	1	1	27
28	0	20	23	0	0	0	0	0	0	2	0	5	28
29	0	~~2~~	14	0	0	0	0	0	1.16	10	0	2	29
30	0	X	53	0	0	0	0	0	28	0	12	1	30
31	0	X	10	X	0	X	0	14	X	30	X	0	31
Total	5.11	2.65	1.62	2.61	1.77	1.18	5.26	2.63	6.76	2.93	4.07	4.70	YEAR'S TOTAL 40.67
Rain Days.	19	17	13	16	11	6	18	8	25	25	16	28	202

W. 8,000, IX. 17.

1

1924

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

18 JAN 20

Kept at Cricket House
in the County of Somerset
by H. M. Horsey

Lat. .... Long. ....
Time of Observation 9 A.M
Nearest Railway Station Chard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 444 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	64	0	17	3	16	0	72	0	2	19	0	1.24	1
2	17	2	2	0	2	0	4	0	34	0	4	5	2
3	48	0	25	0	4	0	0	0	31	0	9	21	3
4	26	45	85	0	0	0	0	5	79	0	2	10	4
5	55	33	1.00	0	0	0	62	0	36	0	10	10	5
6	1.45	36	5	0	0	0	0	0	0	0	2	27	6
7	76	0	46	13	0	0	0	0	0	0	0	7	7
8	59	0	21	0	0	0	0	0	0	0	0	0	8
9	12	0	4	15	3	0	0	0	0	0	62	0	9
10	21	0	31	1	0	0	0	0	0	8	5	69	10
11	2	0	46	19	36	0	27	0	0	0	1	15	11
12	24	0	4	5	0	0	1	0	0	2	8	4	12
13	11	2	6	71	0	0	4	0	0	3	0	5	13
14	70	7	0	93	17	0	14	0	5	2	0	10	14
15	27	10	0	4	0	0	0	0	0	10	0	70	15
16	4	64	0	0	x7	0	0	16	0	0	8	0	16
17	5	39	0	0	0	0	0	0	0	0	20	0	17
18	3	34	72	0	0	0	20	5	2	0	20	2	18
19	1.10	8	85	0	0	0	65	30	32	0	12	3	19
20	95	5	10	0	0	40	0	46	4	0	1	3	20
21	0	95	3	0	0	0	10	1	5	0	0	10	21
22	0	5	0	0	0	0	7	0	53	0	0	7	22
23	0	0	0	0	0	0	0	0	0	70	6	4	23
24	0	0	0	7	0	10	0	0	0	68	4	30	24
25	13	1	0	15	0	3	0	40	0	0	1	17	25
26	5	0	8	0	0	0	0	5	5	0	0	58	26
27	21	0	6	17	0	0	3	84	0	0	0	3	27
28	0	0	34	1	0	0	0	77	0	0	49	52	28
29	2	X	1	7	0	0	0	19	0	7	9	4	29
30	0	X	0	10	0	12	0	50	0	0	57	75	30
31	0	X	0	X	0	X	3	0	X	1	X	58	31
Total	9.15	4.46	6.09	2.81	85	65	2.92	3.78	2.88	1.88	3·0	7·3	YEAR'S TOTAL 45·50
Rain Days	24	15	21	15	7	4	13	12	12	10	20	27	180

W. 8,000, IX. 17.

WD 4.4.21

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cricket House
in the County of Somerset
by G. F. Richardson

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Chard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 444 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 15 ~~·20~~

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·2		·46	·08		·24			·71	·56	·45	1
2	~~·74~~	·00	·05	·21	·41		·24	·59		·17	·35	·75	2
3	·06	·0		·12	·02		·40		·08	·32		·18	3
4	·0	·07		·05			·37	·38	·03	·22		·02	4
5	·0	·01		·02			·54			·24			5
6	·0	·0	·11	·04	·08		·40	·50		·20			6
7	·0	·0	·45	·04	·22		·35			·18			7
8	·02	·0	·02	·35	·02		·60						8
9	·11	·06		·37			·51					·11	9
10	·68	·02		·31		·10	·19						10
11	·97	·08		·0		·28	·30						11
12	·21	·0	·30	·71	·12		·15						12
13	·24	·06		·20		·30	·05				·12	·03	13
14	·23	·10	·56	·45						·18		·02	14
15	·0	·03	·29	·60			·01		·19	·11			15
16	·0	·0	·11	·31	·07	·01	·32		·30	·33	·45		16
17	·0	·14		·09	·25				·21	·12			17
18	·0	0	·03	·30	·12	·03	·02		·49				18
19	·01	·0		·11	·05	·20	·13	·40	·13			·04	19
20	·01	·0		·25	·04	·25			·18			·02	20
21	·0	·23		·33		·34						·53	21
22	·0			·07								·04	22
23	·02			·13			·10					·42	23
24	·0						·70	·06				·47	24
25	·02		·30								·27		25
26	·0	·05	·18		·25		·35				·01	·08	26
27	·32		·17		·07		·03				·24	·15	27
28	·88		·16	·07		·16	·05				·07	·41	28
29	·58		·11	·02		·03						·07	29
30	·52		·35	·03							·31	·31	30
31	·19											·40	31
	·02		·46	·03		·24			·71	·56	·45	·15	38·76
TOTAL	~~5·87~~ 5·89	~~·87~~ ·85	~~3·10~~ 3·65	~~5·64~~ 5·21	1·77	1·94	~~6·25~~ 6·01	1·93	~~1·61~~ 2·32	~~2·79~~ 2·63	2·27	~~4·59~~ 4·34	YEAR'S TOTAL ~~38·67~~ ~~38·81~~
Days with ·01 in. or more	20	11	16		13	11	21		9				170
	14		14	21	11	8	18	5	8	11	8	15	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1837

26 APL 1921

The Rainfall at Cricket House, Chard

measured on the morning of January 1st, 1921

was .15

Signed G. F. Richardson

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

B. made
~~B~~

FORM A. I. METEORO GANIZATION.

R 19

2050. —

CHARD

HIGH ST Co. SCHOOL

1919 - 20

25 JUN 20

3° 0' W.

Kept at High St C

.am.

Chard

in the County of S

in Gauge 5 in.

by Fred Ba

ove Ground 1 ft. 2 in.

, Sea Level 425 ft.

IMPORTANT NOT entered to the previous day.

If an Observer prefers not ested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65	—	·18	·09	·18	—	·78	—	·04	·25	—	·95	1
2	·25	—	·03	—	·04	—	·03	—	·22	·01	·01	·03	2
3	·76	—	·31	—	·04	—	—	—	·20	—	·13	·28	3
4	·62	·57	·65	—	—	·04	—	·07	1·02	—	·01	·08	4
5	·08	·37	1·03	—	—	—	·01	—	·52	—	·10	·20	5
6	1·15	·34	·07	—	—	—	—	—	—	—	·02	·33	6
7	·50	—	·42	·12	—	—	—	—	—	—	—	·01	7
8	·44	—	·22	—	—	—	—	—	—	—	—	—	8
9	·17	—	·03	·21	·04	—	—	—	—	—	·38	—	9
10	·08	—	·19	·01	·03	—	—	—	—	·04	·04	·75	10
11	·02	—	·48	·17	·38	—	·23	—	—	—	—	·13	11
12	·21	—	·05	·03	—	·05	·01	—	—	·04	·08	·03	12
13	·11	·08	·07	·65	—	—	·01	—	—	·03	—	·18	13
14	·59	·09	—	1·03	·27	—	·09	—	·07	·01	—	·57	14
15	·25	·06	—	·10	·03	—	—	—	—	—	—	·26	15
16	·04	·56	—	—	·02	—	—	·12	—	·09	·10	·01	16
17	—	·53	—	—	—	—	—	—	—	—	·29	—	17
18	·11	·08	·72	—	—	—	·21	·08	—	—	·16	·01	18
19	·85	·48	·72	—	—	—	·48	·25	·33	—	·25	·04	19
20	·81	·07	·08	—	—	·35	—	·11	—	—	·03	·08	20
21	—	·78	—	—	—	—	·10	·02	·08	—	—	·13	21
22	—	·06	—	—	—	—	·09	—	·25	—	—	·19	22
23	—	—	·01	—	—	—	—	—	—	·50	·05	·05	23
24	—	—	—	·07	—	·07	—	—	—	1·22	·10	·37	24
25	·16	—	—	·20	—	·06	—	·27	—	—	·01	·19	25
26	·16	—	·10	·10	—	—	—	·08	·09	—	·03	·56	26
27	·23	—	—	·14	—	—	—	1·64	—	—	—	·07	27
28	—	—	·41	—	—	—	—	·19	—	—	·43	·44	28
29	·02	✕	—	·11	—	—	—	·16	—	·07	—	·04	29
30	—	✕	—	·08	—	·09	—	·42	—	·01	·50	·84	30
31	—	✕	—	✕	—	✕	·05	—	✕	—	✕	·48	31
TOTAL	8·26	4·07	5·77	3·11	1·03	·66	2·09	3·41	2·82	2·27	2·72	7·30	YEAR'S TOTAL 43·51
Days with ·01 in. or more	23	13	19	15	9	6	12	12	10	11	19	28	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEORO GANIZATION.

JUN 20

REGISTER OF RAINFALL IN 1919

Kept at High St Council School Chard

in the County of Somerset

by Fred Barnard

Lat. 50° 53' N. Long. 3° 0' W.

Time of Observation 9 a.m.

Nearest Railway Station Chard

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65	—	·18	·09	·18	—	·78	—	·04	·25	—	·95	1
2	·25	—	·03	—	·04	—	·03	—	·22	·01	·01	·03	2
3	·76	—	·31	—	·04	—	—	—	·20	—	·13	·28	3
4	·62	·57	·65	—	—	·04	—	·07	1·02	—	·01	·08	4
5	·08	·37	1·03	—	—	—	·01	—	·52	—	·10	·20	5
6	1·15	·34	·07	—	—	—	—	—	—	—	·02	·33	6
7	·50	—	·42	·12	—	—	—	—	—	—	—	·01	7
8	·44	—	·22	—	—	—	—	—	—	—	—	—	8
9	·17	—	·03	·21	·04	—	—	—	—	—	·38	—	9
10	·08	—	·19	·01	·03	—	—	—	—	·04	·04	·75	10
11	·02	—	·48	·17	·38	—	·23	—	—	—	—	·13	11
12	·21	—	·05	·03	—	·05	·01	—	—	·04	·08	·03	12
13	·11	·08	·07	·65	—	—	·01	—	—	·03	—	·18	13
14	·59	·09	—	1·03	·27	—	·09	—	·07	·01	—	·57	14
15	·25	·06	—	·10	·03	—	—	—	—	—	—	·26	15
16	·04	·56	—	—	·02	—	—	·12	—	·09	·10	·01	16
17	—	·53	—	—	—	—	—	—	—	—	·29	—	17
18	·11	·08	·72	—	—	—	·21	·08	—	—	·16	·01	18
19	·85	·48	·72	—	—	—	·48	·25	·33	—	·25	·04	19
20	·81	·07	·08	—	—	·35	—	·11	—	—	·03	·08	20
21	—	·78	—	—	—	—	·10	·02	·08	—	—	·13	21
22	—	·06	—	—	—	—	·09	—	·25	—	—	·19	22
23	—	—	·01	—	—	—	—	—	—	·50	·05	·05	23
24	—	—	—	·07	—	·07	—	—	—	1·22	·10	·37	24
25	·16	—	—	·20	—	·06	—	·27	—	—	·01	·19	25
26	·16	—	·10	·10	—	—	—	·08	·09	—	·03	·56	26
27	·23	—	—	·14	—	—	—	1·64	—	—	—	·07	27
28	—	—	·41	—	—	—	—	·19	—	—	·43	·44	28
29	·02		—	·11	—	—	—	·16	—	·07	—	·04	29
30	—		—	·08	—	·09	—	·42	—	·01	·50	·84	30
31	—		—		—		·05	—		—		·48	31
TOTAL	8·26	4·07	5·77	3·11	1·03	·66	2·09	3·41	2·82	2·27	2·72	7·30	YEAR'S TOTAL 43·51
Days with ·01 in. or more	23	13	19	15	9	6	12	12	10	11	19	28	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

es at q/s.

1838

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Chard. High St Council School
in the County of Somerset
by Fred Barnard

Lat. 50° 53' N. Long. 3° 0' W.
Time of Observation 9 am
Nearest Railway Station Chard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	·13	·55	—	·55	·02	·04	·23	·20	·85	1
2	·57	—	—	·14	—	—	·54	·45	·04	·15	—	·20	2
3	·06	·03	—	·05	·02	—	·03	—	·08	·79	—	·06	3
4	—	—	·05	—	—	—	·10	·61	—	·41	—	—	4
5	—	·01	·12	·04	·08	—	·35	·50	—	·16	—	—	5
6	—	—	·48	·14	·24	—	·16	—	—	·11	—	—	6
7	·02	—	·08	·39	—	—	·76	—	—	—	—	—	7
8	·08	·05	—	·30	·05	—	·46	—	—	·01	—	·13	8
9	·90	·04	—	·06	—	·16	·05	—	—	—	—	—	9
10	1·16	·15	·08	·01	—	·28	·45	—	—	—	—	—	10
11	·42	—	·13	·75	·28	·01	·18	—	—	—	—	—	11
12	·24	·05	·01	·22	—	·14	·04	—	—	—	·09	·06	12
13	·28	·11	·66	·11	—	—	—	—	—	·10	·02	·01	13
14	·03	·03	·30	·80	—	—	·02	—	·17	·10	·42	·03	14
15	·01	·14	·07	·46	·16	·19	·01	—	·03	·38	·05	—	15
16	—	·02	·03	·07	·04	·11	·29	—	·23	·21	·02	—	16
17	·01	—	·01	·46	·28	·05	·01	—	·34	—	—	—	17
18	·08	—	·01	·06	·08	·16	·14	—	·16	—	—	·02	18
19	·04	—	—	·41	—	·26	·01	·44	—	—	—	—	19
20	·02	·16	—	·30	·04	·32	—	—	—	—	—	·55	20
21	—	—	—	·03	—	—	·14	—	·03	·02	—	·09	21
22	·02	—	—	·21	—	—	·04	·03	—	—	—	·46	22
23	·04	—	—	—	—	—	·95	—	—	—	—	·49	23
24	·01	—	·29	—	—	—	—	·05	—	—	·38	·04	24
25	·01	·07	·07	—	·13	—	·66	·02	—	—	—	—	25
26	·39	—	·28	—	·05	—	·03	—	—	—	·28	·17	26
27	1·08	·02	·21	·12	—	·16	·02	—	—	—	·04	·41	27
28	·66	·01	·15	·08	—	·03	·10	—	—	—	—	·07	28
29	·53	·01	·34	·02	—	·04	—	—	—	—	·42	·29	29
30	·20		—	·03	0·04	·23	·09	—	·73	—	·43	·40	30
31	·06		·46		·01		—	—		·80		·20	31
													YEAR'S TOTAL
TOTAL	6·99	·90	3·83	5·39	2·05	2·14	6·18	2·12	1.85	3·47	2·35	4·53	41·80
Days with ·01 in. or more	26	15	20	25	15	14	26	8	10	13	11	19	202
Days with ·04 in. or more	18	8	16	21	13	12	19	~~8~~5	~~10~~8	11	9	16	156

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CHARD
VICARAGE
SOMERSET
1911- 1916

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

REGIST 10

Kept at Chard Vica rwdon 5 in.

ve Ground 1 ft. – in.

in the County of Somers Sea Level 380 ft.

9 a.m.

by Walter Fo Name Chard

Distance 1/2 mile Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	.02	.27	.04	–	–	.01	–	.01	.01	.03	1
2	–	–	–	.06	.32	–	–	.25	–	.10	.23	.45	2
3	–	.01	.02	–	.25	–	–	–	–	.03	.11	.08	3
4	–	.01	.06	.02	–	–	–	–	.02	–	.16	.60	4
5	.16	–	.09	–	–	–	–	.64	–	.12	.15	.01	5
6	.57	–	.20	–	–	–	–	.05	–	.01	.13	1.27	6
7	.04	–	.01	.02	–	–	–	–	–	–	.45	.03	7
8	.03	–	.22	–	–	–	–	–	–	–	.03	.92	8
9	.03	–	–	–	–	–	–	–	–	–	.24	.95	9
10	.09	.04	.82	–	.28	–	–	–	–	–	.04	.57	10
11	.43	–	.02	–	.36	–	–	–	–	–	1.03	.06	11
12	.01	–	.87	–	.01	–	–	.01	–	–	.08	.39	12
13	–	–	.01	–	–	–	–	–	.22	.01	.04	.38	13
14	–	.01	–	–	–	–	–	–	–	.03	.01	1.61	14
15	–	.01	.03	–	–	.03	–	–	–	–	.52	.02	15
16	–	.04	.01	–	–	.47	–	–	–	.01	.88	.90	16
17	–	.03	.11	–	–	.15	–	–	–	.10	.17	1.08	17
18	–	.25	.05	.30	.02	.65	–	–	–	.05	.09	.69	18
19	–	.05	–	.06	–	.07	–	–	.45	.18	.10	.56	19
20	.06	.06	.17	.06	–	.03	–	–	.17	.22	–	.63	20
21	.02	.25	.01	.02	–	.02	–	–	.15	.72	–	.14	21
22	.08	.05	.03	.03	–	.02	–	–	.15	.31	–	.43	22
23	–	.13	.07	.02	–	.18	–	–	.07	.19	.05	.46	23
24	.01	.18	–	–	–	.35	–	.09	–	.67	–	.26	24
25	–	–	.01	.18	–	.15	–	.03	.09	.23	–	.16	25
26	–	.20	–	.48	.15	–	–	.05	–	.18	.06	.32	26
27	–	.36	.13	.06	–	.01	–	.04	.06	.65	.04	.11	27
28	–	.30	–	.63	–	–	–	.07	–	–	.13	–	28
29	–		–	.85	–	.20	.23	–	.11	.39	.02	–	29
30	–		.01	–	–	.05	–	–	–	.25	.54	.04	30
31	–		–		–		.03	–		.07		–	31
Total	1.53	1.98	2.97	3.06	1.40	2.38	.26	1.24	1.49	4.53	5.31	13.15	TOTAL for year
No. of Rain Days	12	17	22	15	8	14	2	10	10	22	25	28	39.30 on 185 days

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

REGISTER OF RAINFALL IN 1910

Kept at Chard Vicarage

in the County of Somerset 6

by Walter Farrer.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 380 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Clard
Distance 1/2 mile Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	.02	.27	.04	–	–	.01	–	.01	.01	.03	1
2	–	–	–	.06	.32	–	–	.25	–	.10	.23	.45	2
3	–	.01	.02	–	.25	–	–	–	–	.03	.11	.08	3
4	–	.01	.06	.02	–	–	–	–	.02	–	.16	.60	4
5	.16	–	.09	–	–	–	–	.64	–	.12	.15	.01	5
6	.57	–	.20	–	–	–	–	.05	–	.01	.13	1.27	6
7	.04	–	.01	.02	–	–	–	–	–	–	.45	.03	7
8	.03	–	.22	–	–	–	–	–	–	–	.03	.92	8
9	.03	–	–	–	–	–	–	–	–	–	.24	.95	9
10	.09	.04	.82	–	.25	–	–	–	–	–	.04	.57	10
11	.43	–	.02	–	.36	–	–	–	–	–	1.03	.06	11
12	.01	–	.87	–	.01	–	–	.01	–	–	.08	.39	12
13	–	–	.01	–	–	–	–	–	.22	.01	.04	.38	13
14	–	.01	–	–	–	–	–	–	–	.03	.01	1.61	14
15	–	.01	.03	–	–	.03	–	–	–	–	.52	.02	15
16	–	.04	.01	–	–	.47	–	–	–	.01	.88	.90	16
17	–	.03	.11	–	–	.15	–	–	–	.10	.17	1.08	17
18	–	.25	.05	.30	.02	.65	–	–	–	.05	.09	.69	18
19	–	.05	–	.06	–	.07	–	–	.45	.18	.10	.56	19
20	.06	.06	.17	.06	–	.03	–	–	.17	.22	–	.63	20
21	.02	.25	.01	.02	–	.02	–	–	.15	.72	–	.14	21
22	.08	.05	.03	.03	–	.02	–	–	.15	.31	–	.43	22
23	–	.13	.07	.02	–	.18	–	–	.07	.19	.05	.46	23
24	.01	.18	–	–	–	.35	–	.09	–	.67	–	.26	24
25	–	–	.01	.18	–	.15	–	.03	.09	.23	–	.16	25
26	–	.20	–	.48	.15	–	–	.05	–	.18	.06	.32	26
27	–	.36	.13	.06	–	.01	–	.04	.06	.65	.04	.11	27
28	–	.30	–	.63	–	–	–	.07	–	–	.13	–	28
29	–		–	.85	–	.20	.23	–	.11	.39	.02	–	29
30	–		.01	–	–	.05	–	–	–	.25	.54	.04	30
31	–		–		–		.03	–		.07		–	31
Total	1.53	1.98	2.97	3.06	1.40	2.38	.26	1.24	1.49	4.53	5.31	13.15	TOTAL for year
No. of Rain Days	12	17	22	15	8	14	2	10	10	22	25	28	39.30 on 185 days

9,000, IX. '10.

REGISTER OF RAINFALL IN 19 12

FORM A2.
BRITISH RAINFALL.
11 JAN 1913

Kept at Chard Vicarage

in the County of Somerset 6

by Walter Farrer

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 380 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Chard
Distance 1/2 mile Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.20	-	-	.48	-	.10	.10	.88	-	.44	1
2	-	-	.31	.02	-	.06	.08	.19	-	.06	.01	-	2
3	-	-	.19	-	-	.44	.14	.96	.05	-	.02	.05	3
4	.16	-	1.60	-	.01	.07	-	.03	-	-	.20	-	4
5	.77	.28	.22	-	.04	.10	-	.65	-	-	-	.30	5
6	.59	.23	.11	-	.23	.06	.88	.84	-	-	-	.05	6
7	.07	.68	.19	.01	.12	.89	-	.15	-	-	-	.24	7
8	.54	.30	.67	.03	-	.12	.05	.16	-	-	-	.03	8
9	.05	.06	.05	.08	-	.20	.06	.07	-	-	-	.36	9
10	.04	.22	.02	-	-	-	.03	.02	-	-	.03	.34	10
11	.08	.07	.02	-	-	.11	.02	.02	-	-	.08	.59	11
12	.04	.51	.14	.04	-	.03	.05	.21	-	-	-	.03	12
13	-	-	.01	-	-	-	.02	.03	-	.01	.04	.15	13
14	.21	.02	.60	-	.28	-	-	.07	-	-	-	.07	14
15	.67	.15	-	-	.15	.56	-	.03	-	-	-	.29	15
16	.77	.05	.62	-	.07	.04	=	.15	-	.10	.08	.05	16
17	.45	-	.15	-	.04	.12	-	1.35	-	-	-	.03	17
18	.39	.04	.28	-	-	-	-	.18	-	-	.06	.07	18
19	.10	.06	.17	-	-	.10	.14	.36	-	.01	.02	.04	19
20	.07	.06	.48	-	.09	-	.04	.27	-	.40	.04	.01	20
21	.02	.24	.39	-	.54	-	.03	.16	-	.22	-	-	21
22	.47	.35	.14	-	.15	-	.10	.08	-	.22	-	.08	22
23	.35	.48	.26	-	-	-	-	.49	-	.10	.11	.31	23
24	.11	.06	.04	-	-	.78	-	.07	-	-	-	.38	24
25	.17	.02	.01	-	-	.26	-	.30	-	.15	.26	.74	25
26	-	.06	-	-	-	-	.03	.08	-	.74	.55	.37	26
27	-	.01	-	-	-	.66	.75	-	-	1.85	.03	.36	27
28	-	.08	-	-	-	.11	.10	.74	.29	.82	.63	.64	28
29	-	.29	.02	-	-	.08	.12	.37	.72	.49	.03	.02	29
30	-		.04	-	.02	.85	.11	-	.24	.13	-	-	30
31	-		.36				.65	-		.05		.23	31
Total	6.12	4.32	7.29	.18	1.74	6.12	3.40	8.13	1.40	6.23	2.19	6.27	TOTAL for year
No. of Rain Days.	21	23	27	5	12	21	19	28	5	16	16	27	53.39 220

W. 8,000, X. '11.

Eg 9b

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
3 JAN 1914

Kept at Chard Vicarage

in the County of Somerset 6

by Walter Farrer

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chard
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	-	.32	.31	.03	.34	-	-	-	.23	.05	.18	.04	1
2	.07	.10	.02	.13	.17	-	.05	-	.01	.20	.25	-	2
3	.57	.01	.08	.04	.14	-	-	-	.13	.09	-	.30	3
4	1.64	-	.04	.01	.32	.04	-	-	.12	.36	.08	.13	4
5	.08	.04	.02	-	.18	.12	-	-	.67	~~1.45~~	.11	.22	5
6	.18	.07	.18	-	.04	.15	.11	-	-	1.45	.06	.42	6
7	.03	.59	.04	-	.76	.05	.13	-	-	.47	.40	-	7
8	.05	.15		-	.47	.01	.02	.04	-	.02	-	-	8
9	-	.06		.02	.16	.13	.05	.05	.04	-	.48	.02	9
10	.47	.02	.01	-	.05	.02	-	.02	-	.35	.11	-	10
11	.86	.02		.12	.24	.03	-	-	-	.22	1.34	.01	11
12	-	.01		-	.35	.02	-	-	.06	-	.14	.04	12
13	.10	.02	.03	-	.01	-	-	.12	.65	.01	.12	-	13
14	.37	-	.10	.08	-	-	-	-	.09	.03	.05	-	14
15	.32	-	.29	.62	-	~~.02~~	-	.05	.13	-	.04	-	15
16	.10	-	.53	.07	-	.02	-	.02	.13	-	-	-	16
17	.05	-	.06	.04	-	-	-	-	-	-	.02	-	17
18	.08	-	.54	.21	-	-	-	-	-	-	.05	-	18
19	.82	-	.13	-	.04	.08	-	-	.52	.03	-	-	19
20	.18	-	.10	.20	-	-	-	-	.02	-	.18	-	20
21	.01	-	.11	.32	.12	-	-	-	-	.16	.49	-	21
22	.61	-	.54	.20	.01	.12	.11	.06	.12	.02	-	.10	22
23	.03	-	.01	-	~~.01~~	.02	-	-	.02	.01	.14	.72	23
24	.01	.03		.05	-	-	-	-	-	.01	.02	-	24
25	-	.04		.22	-	-	-	-	.02	.01	-	.06	25
26	-	-		1.16	-	-	-	.17	~~.02~~	-	-	.24	26
27	.13	-	.27	.44	-	-	-	-	-	.32	-	.03	27
28	.20	-	.05	.54	-	-	-	-	-	.61	-	.15	28
29	.12		.73	.32	.03	-	-	.10	-	.30	-	.04	29
30	.69			-	.04	-	-	-	-	.59	.02	-	30
31	.20		.05		-		.13	.89		.10		-	31
Total	7.97	1.48	4.24	4.82	3.47	.81	.60	1.52	2.96	5.41	4.28	2.52	YEAR'S TOTAL 40.08
Rain Days.	26	14	23	20	18	13	7	10	16	22	20	15	204

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at Chard Vicarage
in the County of Somerset 6
by Walter Farrer.

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Chard
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.05	.02	-	-	.16	.90	-	-	.14	.03	1
2	-	-	.03	.04	.11	.03	.77	.02	-	-	85 ~~.90~~	.59	2
3	-	-	.11	.14	.66	-		.32	-	-	.01 ~~.11~~	.05	3
4	.11	-	.10	.31	.21	-	.33	.17	-	-	.58 ~~.25~~	.64	4
5	.07	-	.13	.30	.13	-	.06	.01	-	-	.05 ~~.01~~	.06	5
6	.03	.20	.02	.20	.07	-	.74	.05	-	-	.03 ~~.58~~	.58	6
7	-	1.35	.17	.06	.10	.05	.31	.12	.06	-	.01 ~~.05~~	.35	7
8	.05	.01	.68	.05	.19	.31 ~~.05~~	.02	.13	.02	-	~~.03~~	.04	8
9	-	.03	.45	.49	.07	.67	-	.25	1.06	-	~~.11~~	-	9
10	.06	.52	.06	.13	.04	.04	-	-	.52	-		.03	10
11	-	.16	.62	-	.12	.25	.34	-	.01	-	.01	.77	11
12	-	.18	.10	-	-	-	-	-	.22	.09		.70	12
13	-	.44	.50	-	-	-	.06	-	.10	.38	.27	.46	13
14	-	.29	.35	-	-	.72	.02	.69	-	.32	.50	.02	14
15	.03	.02	.20	-	-	-	.05	1.39	-	.06	.08	.01	15
16	-	~~.56~~	.03	-	-	-	-	-	.42	-		-	16
17	-	.56	.30	-	-	-	-	-	-	-		.88	17
18	-	.05	.07	-	-	-	.32	-	.07	-		.43	18
19	-	.06	.75	-	-	-	2.76	-	.06	-	.06	.04	19
20	-	.74	.25	-	-	.03	-	-	-	-		.29	20
21	-	.96	.02	-	-	.06	-	-	-	.42		.04	21
22	-	.03	.01	-	20 .20	.06	.02	.03	-	.27		-	22
23	-	.15	.40	-	.03	.02	.03	-	-	1.04		.01	23
24	-	.02	.05	-	.17	-	-	.02	-	.30	.08	-	24
25	.06	-	.25	-	.05	-	.12	.59	-	.67	.03	.48	25
26	.07	.02	.11	-	-	-	.08	.08	-	.05	.43	.83	26
27	.15	.02	-	-	-	-	-	-	-	.04	.14	25 .25	27
28	.02	.10	.51	-	.06	-	-	-	-	.06	.17	1.35	28
29	.24	×	.30	-	.13	-	.05	-	-	.26	.90	.03	29
30	.01	×	.13	-	-	-	-	-	-	.35	.50	1.09	30
31	.21	×	-	×	.08	×	.50	-	-	.90	×	.34	31
Total	1.11	5.91	6.75	1.74	2.42	2.24	6.74	4.77	2.54	5.21	4.84	10.39	YEAR'S TOTAL 54.66
Rain Days.	13	21	29	10	17	11	19	15	10	15	19	27	206

W. 7,500, XI. 12

2210

FORM A. BRITISH RAINFALL.
26 JAN 1916

REGISTER OF RAINFALL IN 1915

6

Kept at Chard Vicarage
in the County of Somerset
by Walker Farrer

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Chard
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.48	.23	–	–	–	–	–	.41	.05	.43	.14	.25	1
2	.32	.20	.15	.05	–	.04	–	.60	–	.43	–	.36	2
3	.05	.26	.15	.03	.26	–	.05	–	–	.02	–	.43	3
4	.06	.19	–	–	.05	–	–	–	–	~~.02~~	–	.28	4
5	.09	.80	–	.07	–	–	–	.18	–	–	–	.58	5
6	.85	.16	–	.51	–	–	.70	.02	–	–	–	.24	6
7	.27	.64	–	.09	–	–	.13	.03	–	–	.01	.21	7
8	.24	.46	–	.03	–	–	–	.13	–	–	.04	.06	8
9	.04	.05	–	.08	–	–	–	.04	–	–	.41	.72	9
10	.32	.10	.02	.06	–	–	–	.16	–	.12	–	.05	10
11	.22	.35	.01	.08	–	–	.03	.19	–	.04	1.05	.04	11
12	.21	.67	–	.13	.68	–	–	.68	–	.10	.28	.01	12
13	.03	.60	–	–	.77	–	–	–	.10	–	.17	.02	13
14	.10	.04	–	–	–	–	.16	.16	.07	.03	–	1.44	14
15	.17	–	–	–	.22	–	.15	–	.02	.05	.14	.15	15
16	.03	1.82	–	–	.06	–	1.08	–	–	–	–	.35	16
17	–	.77	–	–	.09	–	.02	.05	–	.01	–	.02	17
18	–	.19	–	–	.01	–	–	–	–	–	–	–	18
19	.02	.03	–	–	.27	–	.15	–	–	–	–	–	19
20	.19	–	–	.09	–	.07	–	–	–	.11	–	.05	20
21	.18	.09	–	–	–	.01	.10	–	.03	.33	–	.05	21
22	.12	.08	.27	.04	–	.13	.68	–	–	–	–	.34	22
23	.02	.03	.11	–	–	–	.10	–	.25	2.93	.02	.45	23
24	–	–	–	.05	–	–	.58	–	.17	.36	–	.48	24
25	–	–	.06	.04	–	.53	1.10	–	–	–	–	.30	25
26	.05	.21	–	–	–	.02	.33	–	.05	–	–	1.08	26
27	–	.09	–	–	–	.10	.40	–	–	.74	–	.04	27
28	–	.04	–	–	–	.18	–	–	.63	.11	.03	.05	28
29	–	X	–	–	–	.13	.27	.02	–	–	.30	.06	29
30	.16	X	–	–	–	.06	.09	–	–	.69	.58	.45	30
31	.02	X	–	X	~~[illegible]~~	X	.10	–	X	1.41	X	.44	31
Total	4.24	8.10	.77	1.35	2.41	1.27	6.22	2.67	1.37	7.61	3.17	9.00	YEAR'S TOTAL 48.18
Rain Days.	24	24	7	14	9	10	19	13	9	17	12	29	187

W. 8,000. X. 14.

2146

from Mid Wessex m

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Chard Vicarage

in the County of Somersetshire

by Rev H. a Boys   Rev Preb W Farrer

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25		.10		.30								1
2	.24	.13			.02								2
3	.01	1.68			.31								3
4	.11	.15			.13								4
5	.03	.03	.05		.10								5
6	.04	.14	.02		.15								6
7	.03	.10	.34		.02								7
8		.20	.15		.35								8
9		.12	.02		.17								9
10		.48		.03	.08								10
11			.03	.05									11
12	.09	.07	.09	.06	.14								12
13	.01	.37	.25	.03									13
14	.03	.45	.02	.02	.04								14
15		.10	.13	.06									15
16	.17	.12		.29									16
17	.26	.17		.15									17
18	.06	.08	.28	.02									18
19	.10	.02	.71	.04									19
20	.28	.57	.20										20
21	.01	.25	.32	.02	.08								21
22			.03	.03									22
23		.15		.06									23
24		.15		.05	.99								24
25		1.11	.17										25
26	.02	.22	.16										26
27	.02	.10	1.37										27
28		.29	.02										28
29		.45	.03										29
30		X											30
31		X		X		X			X		X		31
Total	1.76	7.70	4.49	.91	2.88								YEAR'S TOTAL
Rain Days.	18	26	21	14	14								

W. 8,000, VIII. 16

CHELWOOD
RECTORY
SOMERSET
1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGIS 911

ard

Kept at Chelwood Rectory

in the County of Somerset

by Hubert Satchell

p 5 in.

bove Ground 1 ft. — in.

„ Sea Level 300 ft.

9 a.m.

n { Name Pensford
Distance 2½ m Direction W.N.W.

IMPORTANT NOTE.—I nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03	.07	.02		.01	.03					1
2	.03		.01	.01	.36			.20					2
3			.01		.34								3
4			.18	.01									4
5	.08	.01	.04					.60					5
6	.38		.08					.04					6
7	.01												7
8	.15		.15										8
9	.18		.01										9
10	.08	.07	.47		.27								10
11	.38		.01		.03								11
12		.05	.62										12
13		.01	.01		.08								13
14		.04											14
15	.01	.02				.01							15
16		.05	.01			.19							16
17		.07				.04							17
18		.35	.08	.09		.23							18
19		.02	.01	.06		.13							19
20		.02	.13	.11		.03							20
21	.01	.25	.18	.01				.24					21
22		.05	.33	.02		.10							22
23		.26	.19	.01		.04							23
24	.01	.18				.47		.06					24
25		.09	.01	.11		.12							25
26	.01	.02		.24	.05	.01	.20						26
27		.40	.18	.05				.16					27
28		.51		.48				.05					28
29				.14		.41	.01						29
30				.01		.02	.01						30
31													31
Total	1.33	2.47	2.74	1.42	1.15	1.80	.23	1.38	?	?	?	?	TOTAL for year
No. of Rain Days.	12	19	21	15	7	13	4	8					

Observations ceased on 12th Sept
Rain fell on 13th Sept.

W. 8,000, X. '11.

REGISTER OF RAINFAL 911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Chelwood Rectory

in the County of Somerset

by Hubert Satchell

RAIN GAUGE
Pattern Howard
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Pensford
Distance 2½ m Direction W.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03	.07	.02		.01	.03					1
2	.03		.01	.01	.36			.20					2
3			.01		.84								3
4			.18	.01									4
5	.08	.01	.04					.60					5
6	.38		.08					.04					6
7	.01												7
8	.15		.15										8
9	.18		.01										9
10	.08	.07	.47		.27								10
11	.38		.01		.03								11
12		.05	.62						Observations ceased on 12th Sept				12
13		.01	.01		.08				Rain fell on 13th Sept.				13
14		.04											14
15	.01	.02				.01							15
16		.05	.01			.19							16
17		.07				.04							17
18		.35	.08	.09		.23							18
19		.02	.01	.06		.13							19
20		.02	.13	.11		.03							20
21	.01	.25	.18	.01				.24					21
22		.05	.33	.02		.10							22
23		.26	.19	.01		.04							23
24	.01	.18				.47		.06					24
25		.09	.01	.11		.12							25
26	.01	.02		.24	.05	.01	.20						26
27		.40	.18	.05				.16					27
28		.51		.48				.05					28
29				.14		.41	.01						29
30				.01		.02	.01						30
31													31
Total	1.33	2.47	2.74	1.42	1.15	1.80	.23	1.38	?	?	?	?	TOTAL for year
No. of Rain Days.	12	19	21	15	7	13	4	8					

W. 8,000, X. '11.

CHARLCOMBE

SOMERSET

1911-1920

FORM A.
BRITISH RAINFALL.
17 JAN 1912

RI l

2°21′

Kept at Charlc

in the County of Som 9 a.m

8 in.

by Bath Wa ove Ground 2 ft. in.

Sea Level 325 ft.

NOTE.—Rain should be mea Full instructions for the measurement of rain and particulars as to the servers," sent post-free on application to Dr. H. R. MILL, 62, Camden

Date	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date.
	in.	in.	in							in.	in.	in.	
1	·09		·								·04	·02	1
2	·01			·02	·25			·15		·12	·41	·20	2
3			·02		·31						·12	·04	3
4			·17						·01	·06	·22	·44	4
5	·06		·06					·67		·03	·42	·01	5
6	·31		·07					·08			·12	·52	6
7	·03		·11								·46		7
8	·16		·13									·45	8
9	·16										·12	·43	9
10	.02	·12	·36		·10							·20	10
11	25		·03		·05						·71	·17	11
12			·71						·01		·32	·16	12
13			·02		·06				·42	·05		·68	13
14		·02								·02		·81	14
15		·01				.01				·03	·42	·06	15
16		·05				·25				·17	·41	·34	16
17	·01	·08				·06				·04	·02	·34	17
18		·43	·11	·10		·41				·72	·02	·33	18
19		·03		·05		·14			·32	·12	·12	·36	19
20	·02	·02	·14	·64		·04			·09	·12		·50	20
21		·30	·08	·01				·04		·77		·22	21
22		·01	·40			·09				·02		·68	22
23		·33	·25			·04			·07	·13	·02	·14	23
24	·02	·12				·43						·12	24
25		·08		·11	·15	·12		·02				·17	25
26	·01	·10		·20		·05	·01					·25	26
27		·26	·16	·11				·14	·15		·10	·18	27
28		·45		·68		·02		06			·03		28
29				·07		·39	·01	~~·04~~	·11	·21			29
30						·02		·04		19	·03	·02	30
31										34			31
Total	1·15	2·41	2.85	1·50	·92	2·07	·02	1·22	1·18	3·14	4·11	7·84	TOTAL for year 28·41
No. of Rain Days	13	16	17	11	6	14	2	9	8	17	19	27	159

6,000, XI. '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAI

FORM A.
BRITISH RAINFALL.
17 JAN 1912

Kept at Charlcombe

in the County of Somerset

by Bath Waterworks

Lat. 51·24 Long. 2°·21'

Nearest Railway Station

Time of Observation 9 a.m

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. in.

" " " Sea Level 325 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09		·03	·11				·02			·04	·02	1
2	·01			·02	·25			·15		·12	·41	·20	2
3			·02		·31						·12	·04	3
4			·17						·01	·06	·22	·44	4
5	·06		·06					·67		·03	·42	·01	5
6	·31		·07					·08			·12	·52	6
7	·03		·11								·46		7
8	·16		·13									·45	8
9	·16										·12	·43	9
10	·02	·12	·36		·10							·20	10
11	25		·03		·05						·71	·17	11
12			·71						·01		·32	·16	12
13			·02		·06				·42	·05		·68	13
14		·02								·02		·81	14
15		·01				·01				·03	·42	·06	15
16		·05				·25				·17	·41	·34	16
17	·01	·08				·06				·04	·02	·34	17
18		·43	·11	·10		·41				·72	·02	·33	18
19		·03		·05		·14			·32	·12	·12	·36	19
20	·02	·02	·14	·64		·04			·09	·12		·50	20
21		·30	·08	·01				·04		·77		·22	21
22		·01	·40			·09				·02		·68	22
23		·33	·25			·04			·07	·13	·02	·14	23
24	·02	·12				·43						·12	24
25		·08		·11	·15	·12		·02				·17	25
26	·01	·10		·20		·05	·01					·25	26
27		·26	·16	·11				·14	·15		·10	·18	27
28		·45		·68		·02		06			·03		28
29				·07		·39	·01	~~·04~~	·11	·21			29
30						·02		·04		19	·03	·02	30
31										34			31
Total	1·15	2·41	2.85	1·50	·92	2·07	·02	1·22	1·18	3·14	4·11	7.84	TOTAL for year 28·41
No. of Rain Days	13	16	17	11	6	14	2	9	8	17	19	27	159

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

6,000, XI. '08.

Price 2d.

Ex. Hel

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 14 JAN 1913

Kept at Charlcombe

in the County of Somerset

by Bath Waterworks

Rain Gauge:
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. in.
,, ,, ,, Sea Level 325 ft.

Time of Observation 9 a.m

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14			·20	·16		·01	·71		·23	1
2			·26	·05		·21	·30						2
3	·03		·08			·26	·14	·45	·10		·04	·03	3
4	·26		·01		·06	·47		·15			·21		4
5	·36	·05	·36		·07	·08		·57				·23	5
6	·42	·15	·06		·10			·85			·02	·18	6
7	·02	·15	·15		·06	·42		·18			·01	·08	7
8	·38	·17	·45			·04	·08		·02			·02	8
9	·08	·06	·55	·10		·12	·02	·02				·26	9
10	·05	·07	·02			·07		·04			·08	·14	10
11	·07	·06	·01			·02						·34	11
12	·01	·38	·05	·05		·02	·01				·07	·06	12
13	·16	·01	·02			·02		·02	~~·02~~	·02	·03		13
14	·07		·43		·43			·06				·07	14
15	·77	·09		02	·20	·49		·01				·53	15
16	·79	·01	·16			·02		·10	~~·08~~	·08	·07	·05	16
17	·14		·03		·01	·18		·55			·02	·21	17
18	·05		·66					·06	~~·05~~	·05	·01	·07	18
19	·03	·16	·03			·11	·10	·53	~~·17~~	·17		·01	19
20	·01	·01	·52		·05		·04	·09	~~·49~~	·49	·01		20
21	·49	·04	·24		·68		·02	·17	~~·26~~	·26			21
22	·24	·26	·18		·12	·01	·07	·19	~~·12~~	·12	·03	·10	22
23	05	·46	·41			·05	·04	·80	~~·12~~	·12	·09	·55	23
24			·14			·21	·02	·12	~~·01~~	·01		·17	24
25						28		·76		·05	·45	·49	25
26		·05	·01				·38	·27		·46	·65	·25	26
27						·11	1·22			·81	·13	·46	27
28		·07				·06	·25	·44	·21	52	·43	·65	28
29		·10					·51	·03	·47	28		·06	29
30						·12	·18		·12	32			30
31	·01		·15		·04		·38	·03		01		·11	31
Total	4·49	2.35	5·12	0.22	1.82	3.57	3·92	6·49	·93	4·48	2·35	5·35	TOTAL for year 41·09
No. of Rain Days.	~~21~~ 22	19	25	4	11	23	18	24	6	17	17	25	211

Exd D.L.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
21 JAN 1914

Kept at Charlcombe
in the County of Somerset
by Bath Waterworks

Lat. 51°24′ Long. 2°21′
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·24	·20	·02	·14				·44		·14	·20	1
2	·03	·13		·08			·07		·01	·06	·16		2
3		·01	·12	·01	·81					·03	·04	·34	3
4	·06	·01	·21		·56				1·50	·17	·04	·07	4
5	·91	·03			·09	·17	·13		·24		·03	·10	5
6	·01	·05	·18		·22	·08	·08			·68	·09	·69	6
7		·35	·02		·25	·13	·04			·44	·18	·03	7
8	·07	·05			·20	·15	·01			·26		·01	8
9		·16	·03	·02	·03	·13		1·00	·07		·08	·03	9
10	·28		·04	·02		·02		·07		·17	·10		10
11	·81		·03	·18	·13	·01				·08	·72	·05	11
12	·01	·03			·25						·12		12
13	·02		·03				·03	·05	·17		·19		13
14	·13	·01	·18	·11				·02		·18	·07		14
15	·16	05	·40	·79				·14	·03		·23		15
16	·34		·60	·07			·02	·01	·28		·01		16
17	·04		·02	·05		·01	·05		·06		·12		17
18			·17	·15	·04	·02					·05		18
19	·63		·01			·03	·09		·31				19
20	·08		·10	·06	·19					·10	·09		20
21			·20	·12	·04		·11				·40		21
22	·69		·59			·07		·02	·22				22
23						·06		·23	·01		·08	·23	23
24	·09	·01		·02				05					24
25		·09		·12					·01	·02	02	·07	25
26		·04		·36				21				·18	26
27	·03		·15	·45						·10			27
28	29		·06	·27						·10		·03	28
29	01		·43	55				·08		·34	·03	·01	29
30	·44									37	·09		30
31	18		·09					23					31
Total	5·26	1·26	3·86	3·45	2·95	·88	·63	2·11	3·35	3·10	3·08	2·04	YEAR'S TOTAL 31·97
Rain Days.	23	15	22	19	13	12	10	12	13	15	23	14	191

W.7,000, XI. 13

Exd

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Charlecombe
in the County of Somerset
by Bath Waterworks

Lat. 51°24′ Long. 2.21
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06		·01	·02	·34			·43	·04	1
2				·05		·01	·61	·16			·82	·40	2
3			·06	·20				·38			·10	·09	3
4	·20		·11	·23	·23		·18	·26			·43	·51	4
5	·11		·14	·42	·21		·32	·07			·14	·09	5
6	·01	·05	·12	·13	·11	·02	·05	·08			·03	·34	6
7		·61	·27	·18	·05	·01	·30	·08			·01	·10	7
8	07	·02	·84	·04	·30	·44	·10	·04	·08				8
9			·25	·13	·06	·80		·04	·13				9
10	·20	·23		·14	·02				·36		·01	·01	10
11		·13	·24		·03	·22	·08				·07	·60	11
12		·14	·12		·07	·01	·02		·28		·12	·19	12
13		·27	·40				·01		·24	·13	·13	·51	13
14		·31	·38					·14	·10	·30	·20		14
15			·20					·53	·03	·02	·12		15
16							·06		·20				16
17		·34	·24						·02			·69	17
18		·01	·05				·33		·01			·53	18
19		·17	·29				·57			·09	·05	·06	19
20		·36								·09		·24	20
21		·58	·20			·01				·09			21
22			·01		·09	·51		·03		·09			22
23		·03	·19		·05	·01	·01			·19			23
24			·05		·06		·05			·16	·07		24
25	·06		·13					·22		·32	·01	·25	25
26							·12	·02		·09	·28	·51	26
27	·07									·07	·25	·10	27
28	·01	·07	·15		·02		·17			·06	·45	1·21	28
29	·15		·06		·07			·02		·17	·24		29
30			·03							·29	·50	·70	30
31	·01				·05		·17			·57		·10	31
Total	·89	3.32	4.53	1·58	1·42	2.05	3.17	2.41	1·45	2.46	4.46	7.27	YEAR'S TOTAL 35.01
Rain Days.	10	15	23	10	15	11	18	15	10	14	21	21	183

W.7,000, XI. 13

Exc DL

2095

FORM A.
BRITISH RAINFALL.
10 JAN 1916

REGISTER OF RAINFALL IN 195

Kept at Charlcombe

in the County of Somerset

by Bath Waterworks

Lat. 51°24′ Long. 2°21′

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·44	·11			·11			·15	·14	·29	·01	·15	1
2	·30	·27	·10	·18				·61	·05	·20		·21	2
3	1·29	·06	·05	·08	·11			·06				·22	3
4	·03	·66			·01		·14					·46	4
5	·05	·05						·17				·30	5
6	·35	·42		·26			·44	·04				·14	6
7	·35	·31		·06	·32		·25	·04				·13	7
8	·36	·03		·02			·05	·10			·06		8
9	·03							·01			·31	1·02	9
10	·17		·14	·08				·09		·03		·06	10
11	·01		·05	·02				26			·91	·08	11
12	·20	·40		·20	·42		·02	·20			·36	·01	12
13	·02	·79			·83			·25	·15				13
14	·18						·17	·52	·06	·05		·55	14
15	·35			·04	·08		·11	·05	·06	·04	·19	·04	15
16		·75			·36		·86	04				·14	16
17	·01	·86	·01		·51			·01		·01		·03	17
18		·26			·06						·01		18
19		·03			·06		·39			·06			19
20	·31			·12	·01							·15	20
21		·06			·03		·01			·09		·20	21
22	·07	·74	·46	·02			·56					·22	22
23		·02	·12				·20		21	·81		·51	23
24			·02	·08			·41		55	1·01		·28	24
25				·01		·63	·08			·03		·11	25
26		·12				·32	·18		01			·46	26
27		·05				·17	20			·33		·01	27
28		·09				·02			63	·02			28
29						·26		·03	02	·01	·09	·05	29
30	·20	×				·20				·40	·30	·31	30
31		×		×		×	·04	·16	×	·98	×	24	31
Total	4·72	6·08	·95	1·17	2·91	1·60	4·11	2·79	1·88	4·36	2·24	6·08	YEAR'S TOTAL 38·89
Rain Days.	·19	20	8	13	13	6	17	18	10	16	9	26	175

W. 8,000. X. 15.

Exd CJE

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

8 JAN 1917

Kept at Charlcombe
in the County of Somerset
by Bath Waterworks

Lat. 51°.24' Long. 2.21
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15				·11	·07	·37		·04	·21	·20		1
2	·80	·05	·04		·09		·01			1·31	·03		2
3		·86			·09		·01		·11	·39	·18		3
4		·03			·14	·61			·19	·16	·62		4
5	·20	·05	·04		·31	·12				·02	·31		5
6	·19	·16	·03		·14	·20	·33			·05	·62		6
7	·08	·07	·16		·03					·06	·61	·25	7
8	·02	·11	·05		·17	·51					·02	·13	8
9					·18	·22	·01			05	·02	·09	9
10		·49	·01	·14	·05	·04	·09			·12		·04	10
11	·02	·02	·04	·10	·02	·03			·02				11
12	·04	·10	·06	·05	·34		·19	·01		·14	·01		12
13		·44	·15					·17		·01			13
14		·52	·06	·04	·19			·15		·03			14
15	·02	·28	·06	·06	·02			·49					15
16	·04	·06		·30	·05		·10	·51		·02			16
17	·10	·18		·02				·09	·42	·57	·05		17
18		·01	·07	·03					·02	·15	·21	·10	18
19	·20	·05	·38	·29							·07		19
20	·12	·03	·48								·09	·79	20
21	·11		·59		·11						·03	·65	21
22				·02		·05				22	·03	·71	22
23	·04	·14		·10		·02		·27		·22	·19	·15	23
24		·07		·06	·48	·03		·06		·58	·01	·30	24
25		·30	·15					·27		·01	·21	·04	25
26	·05	·05	·10			·26		·33	20	·49	·02		26
27	·15	·05	1·41				·25	·10	21	40		·02	27
28		·25	·19	·02		·11		·01		1·00	·01	·56	28
29		·41	·07			·34		1·80	·03	·85		·71	29
30		×								·51		·01	30
31		×		×		×		·05	×	·18	×	·01	31
Total	2.33	4·78	4·14	1.23	2.52	2.61	1.36	4.31	1.24	7·75	3.54	4.56	YEAR'S TOTAL 40.37
Rain Days.	17	25	20	13	17	14	9	14	9	25	21	16	200

W. 8,000, VIII. 16

1917

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Charlcombe
in the County of Somerset
by Bath Waterworks

Lat. 51°24′ Long. 2°21′
Time of Observation 9 a.m.
Nearest Railway Station –
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·02	·25	·17		·11		·86	·20		·06		1
2	·03			·59		·17		·07			·04		2
3	·07			·02			·32	·03		·92	·02		3
4		·22	·03	·01			·05	·06		·23			4
5	·27		·21	24		·13			·33	·36	·10		5
6			·54							·11	·16		6
7	·15						·08	·18		·37	·01		7
8	·62		·15	·11			·30	·68	·06	·41	·07	·10	8
9			·09		·05		·01	·59	·12	·09	·23		9
10	·11		·27	·18	·01			·19	·16	·01			10
11	·09		·44	·47				·45	·05	·08	·01		11
12			·02		·66			·17		·60	·01		12
13			·12			·02		·19	·13	·08		·01	13
14			·17	·10				·40	·03	·01			14
15	·01	·05					·14	·10	·01	·06		·19	15
16				·16			·08			·31	·02	·05	16
17				29	·26	·11	·43	·08	·89	·08	·02		17
18	·01	·01			·01	·01	(·34)	·04	·44		·01		18
19		·43	·05			·04		·02	·07				19
20		·11	·08		27	·09		·02	·08				20
21			·25							·02			21
22			·03			·58		·03		·14			22
23		·14			·12			28		·04	·01	·04	23
24		·04				·48	·03	40		·14			24
25		·10	·08						·02	·43	·05		25
26					·07			·94	·16	·21	·03		26
27					1·03			·86		·01			27
28			·08		·02	2.21		1.01		·01	·02		28
29			·24			·20	·12	·06		·55		·11	29
30		✕	·07				·21	·20		·22			30
31		✕	·15	✕		✕		·04	✕	·03	✕		31
Total	1.39	1.12	3.32	2.34	2.50	4.15	2.11	7·95	2.75	5.52	·87	·50	YEAR'S TOTAL 34.52
Rain Days.	10	9	20	11	10	12	12	26	15	26	17	6	174

Excd 90

28

REGISTER OF RAINFALL IN 198

FORM A.
BRITISH RAINFALL.
8.1.19

Kept at Charlcombe
in the County of Somerset
by Bath Waterworks

Lat. 51°24′ Long. 2°21′
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02		.01	.04			.27		.04	.55	.08	1
2		.03		.22				.47	.01	.02	.03	.27	2
3				.21	.17			.27	.13	.08	.01		3
4		.09		.01				.04		.02	.97	.05	4
5				.01	.24			28	.03	.14	.06	.01	5
6	.10	.40		.24						.07		.08	6
7	.01	.20			.62	.03			.09	.25	.38		7
8									.76	.15		.05	8
9	.01	.18		.42		.31	.42		.59	.10	.03	.15	9
10				.06			.69		.28	.13		.26	10
11	.05	.20	.02				.27		.72		.05	.19	11
12		.26			.38		.15		.02	.06		.12	12
13	.10				.01		.14		.39	.11		.42	13
14	.23		.02			.06	.56		.35			.17	14
15	1.17			.51	.06	.13	.26			.02		.26	15
16	.32		.03	.68			.02		.15			.14	16
17	.25		.02	.06			.34	.13	.03			.19	17
18	.68					.50	.28		.47	.03		.07	18
19	.08	.02	.13	.05			.05	.05	41	.05		.04	19
20	.01	.16		.29			.20		.17				20
21	.05	.06					.04		.83	.15		.16	21
22	.01				.03		.41		.18	.05	.03	.29	22
23	.10				.18	.04	.55	.04			.05		23
24		.17				.05	.02	.03	.15		.05		24
25							.07	1.14		.02	.04	.07	25
26							.73	.29	07	.03	.10	.14	26
27		.04	.12						13		.09	.06	27
28		.10	.29								17	.16	28
29			.05						1.02			.04	29
30		×	.21					.03	.08	.04	.05	.08	30
31		×	.26	×		×			×	.02	×		31
Total	3.17	1.93	1.15	2.77	1.73	1.12	5.20	3.04	7.06	1.58	2.66	3.55	YEAR'S TOTAL 34.96
Rain Days.	15	14	10	13	9	7	18	12	23	21	16	25	183

W. 6,500, VII. 18. w w c

1819

7 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Charlcombe
in the County of Somerset
by Bath Waterworks

Lat. 51.24 Long. 2.21
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31		.04	.02	.34		.25			.23		1.22	1
2	.12		.01		.04		.05		.17	.02	.13	.31	2
3	1.33		.14		.05				.14		.04	.61	3
4	.29	.11	.51		.02	.05	39	.05	.20			.11	4
5		.47	.60		.09				.38			.28	5
6	.31	.04	.09		.01						.03	.16	6
7	.18		.34	.06								.03	7
8	.17		.14	.09									8
9	.08			.13							.14		9
10	.06		.17	.05						.03		.23	10
11	.02		.28	.11	.10		.30					.02	11
12			.22	.02		.37				.12	.03	.29	12
13	.05	.02		.41			.02			.02		.03	13
14	.64	.05		.54			.16			.03		.06	14
15	.20			.05	.02					.04		.23	15
16	.10	.78									.15	02	16
17		.32				.02					.25	01	17
18		.07	.72				.11	.28			.08	.04	18
19	.32	.22	.31			.13	.18	.40	.12		.31	.07	19
20	.33	.12	.25			.28		.23				.18	20
21		.44	.01				.06	.01	.02			.03	21
22		.19				.02	.10	.01	.15			.18	22
23										.56	.15	.04	23
24						.08			.11	1.07	.17	.62	24
25	.16			.02				.55			.03	.14	25
26	.19	.04	.15	.10				.13	.20		.01	.36	26
27	.09	.03		.27				.50				.06	27
28			26	~~04~~				.48			.31	.38	28
29	.01			04		.03		.01		.15	.09	.12	29
30				24		.22		.19		03	15	.38	30
31												.14	31
TOTAL	4.96	2.90	4.24	2.15	.67	1.20	1.62	2.84	1.49	2.30	2.07	6.35	YEAR'S TOTAL 32.79
Days with ·01 in. or more	20	14	17	15	8	9	10	12	9	11	16	29	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1737

6 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Charlcombe

in the County of Somerset

by Bath Waterworks

Lat. 51° 24′ Long. 2° 21′

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. in.

" " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·36	·35		·28	·03		·24	·20	·45	1
2	·08		·03	·12	·02		·22	·26	·13	·23		·05	2
3	·05	·06		·10			·26		·01	·48		·07	3
4			·11	·04			·09	39		·15			4
5			·08	·01	·08		·43	·02		·25		·02	5
6			·32		·40		·17			·11			6
7	·06		·06	·11	·02		·12				·02		7
8		·06		·35	·09		·55				·01		8
9	·48	·21	·04	·70		·08	·08	·06					9
10	·95	·31	·04	·11		·30	·39				·01	·02	10
11	·22	·02	·10	·50	32	·01	·08						11
12	·20	·02		·15	05	·82	·02				·09		12
13	·11	·11	·38	·17								·04	13
14	·02	·01	·36	·43		·04	·03		·05	·34	·34		14
15	·11	·20	·09	·26	·02	·06	·05			·66	·11		15
16			·02	·15		·11			·04	·13	·45		16
17	·09			·12	·19	·41			·21				17
18	·10			·07	·05			·32	·30		·02	·03	18
19	·08	·16		·36	·15	·17							19
20	·02	·15		·16		·48	·01					·24	20
21							·23		·01	·03		·11	21
22	·02			·11			·06	·10		·01		·45	22
23							1.15					·42	23
24	·09		·19	·03							·05	·12	24
25		·21	·06	·02			·36						25
26	·10		·20				·04			·01	·04	·10	26
27	·36	·05	·03	·24		·70	·10					·34	27
28	·10	·02	·09	·10	·30	·02	·03					·02	28
29	·18	·01	·17	·02	·02	·03	·05				·13	·26	29
30	·03	╳		·06		·15	·30		·32		·45	·20	30
31	·17	╳	·24	╳	·02	╳	·04		╳	·42	╳	18	31
TOTAL	3.64	1.60	2.61	4.85	2.08	3.38	5.14	1.18	1.07	3.06	1.92	3.12	YEAR'S TOTAL 33.65
Days with ·01 in. or more	23	15	19	26	15	154	25	7	8	13	13	18	196
Days with ·04 in. or more	18	10	16	22	10	~~12~~ 11	21	5	6	10	9	14	152

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

CHEWTON MENDIP
THE PRIORY

SOMERSET
1911- 1920

FORM A.
BRITISH RAINFALL.
19 JAN 1912

REC

Kept at Chewton Priory Binegar
in the County of S
a m
by Earl Wa
5 in.
Ground 1 ft. 5 in.
Sea Level 550 ft.

NOTE.—Rain should be measure instructions for the measurement of rain and particulars as to the Brit rs," sent post-free on application to Dr. H. R. Mill, 62, Camden Squ

Date.	Jan.	Feb.	March.							ct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	0.05	—	0.14							—	0.09	0.07	1
2	0.01	—	0.03	0.30	0.00	—	—	0.27	—	0.03	0.50	0.23	2
3	—	—	0.04	0.01	0.40	—	—	0.01	—	—	0.14	0.06	3
4	—	0.01	0.16	0.01	—	—	—	0.08	—	0.07	0.31	0.37	4
5	0.13	—	0.05	0.01	—	—	—	0.81	—	0.02	0.40	—	5
6	0.58	—	0.13	0.01	—	—	—	0.09	—	—	0.36	0.56	6
7	0.08	—	—	—	—	—	—	—	—	—	0.61	—	7
8	0.21	—	0.36	—	—	—	—	—	—	—	0.02	0.48	8
9	0.17	—	0.02	—	—	—	—	—	—	—	0.19	0.56	9
10	0.23	0.06	0.68	—	0.44	—	—	—	—	—	0.02	0.53	10
11	0.49	0.08	0.02	—	0.02	—	—	—	—	—	0.83	0.40	11
12	—	—	1.01	—	—	—	—	—	0.02	—	0.64	0.27	12
13	—	—	0.02	—	—	—	—	—	0.29	0.10	0.23	0.52	13
14	—	0.13	—	—	—	—	—	—	—	0.01	0.09	0.89	14
15	—	0.15	0.01	—	—	0.03	—	—	—	—	0.52	0.17	15
16	—	0.09	—	—	—	0.38	—	—	—	—	0.56	0.49	16
17	—	0.07	0.01	—	—	0.12	—	—	—	—	0.10	0.42	17
18	—	0.50	0.16	0.17	0.02	0.30	—	—	—	0.03	0.03	0.39	18
19	—	0.15	—	0.06	—	0.15	—	—	0.51	0.22	0.06	0.41	19
20	0.02	0.06	0.12	0.53	—	—	—	—	0.16	0.14	—	0.62	20
21	—	0.42	—	0.02	—	—	—	1.91	—	0.84	—	0.39	21
22	0.06	0.03	0.31	0.08	—	0.15	—	—	0.01	0.48	—	0.82	22
23	—	0.21	0.16	0.03	—	0.04	—	—	0.23	0.20	0.01	0.20	23
24	0.02	0.41	—	—	—	0.47	—	0.22	—	0.66	—	0.37	24
25	0.01	0.25	—	0.41	—	0.15	—	0.05	0.01	0.02	—	0.49	25
26	—	0.10	0.02	0.73	—	0.01	—	0.06	—	0.17	0.05	0.60	26
27	—	0.67	0.19	0.06	0.02	—	—	0.18	0.12	—	0.06	0.19	27
28	—	0.62	—	0.57	—	—	—	0.05	—	—	0.07	0.02	28
29	—	|	—	0.30	—	0.54	—	—	0.29	0.85	—	—	29
30	—	|	—	0.03	—	0.05	—	—	—	0.26	0.04	0.02	30
31	—	|	—	|	—	|	0.05	—	|	0.31	|	—	31
Total	2.06	4.01	3.64	3.52	1.52	2.39	0.05	3.85	1.64	4.41	5.93	10.54	TOTAL for year 43.56
No. of Rain Days	13	18	20	18	7	12	1	12	9	17	24	27	178

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REC

FORM A.
BRITISH RAINFALL.
19 JAN 1912

Kept at Chewton Priory, Chewton Mendip

in the County of Somerset

by Earl Waldegrave

Lat. Long.

Nearest Railway Station Binegar

Time of Observation 9 a.m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " Sea Level 550 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	—	0.14	0.13	0.02	—	—	0.12	—	—	0.09	0.07	1
2	0.01	—	0.03	0.36	0.60	—	—	0.27	—	0.03	0.50	0.23	2
3	—	—	0.04	0.01	0.40	—	—	0.01	—	—	0.14	0.06	3
4	—	0.01	0.16	0.01	—	—	—	0.08	—	0.07	0.31	0.37	4
5	0.13	—	0.05	0.01	—	—	—	0.81	—	0.02	0.40	—	5
6	0.58	—	0.13	0.01	—	—	—	0.09	—	—	0.36	0.56	6
7	0.08	—	—	—	—	—	—	—	—	—	0.61	—	7
8	0.21	—	0.36	—	—	—	—	—	—	—	0.02	0.48	8
9	0.17	—	0.02	—	—	—	—	—	—	—	0.19	0.56	9
10	0.23	0.06	0.68	—	0.44	—	—	—	—	—	0.02	0.53	10
11	0.49	0.08	0.02	—	0.02	—	—	—	—	—	0.83	0.40	11
12	—	—	1.01	—	—	—	—	—	0.02	—	0.64	0.27	12
13	—	—	0.02	—	—	—	—	—	0.29	0.10	0.23	0.52	13
14	—	0.13	—	—	—	—	—	—	—	0.01	0.09	0.89	14
15	—	0.15	0.01	—	—	0.03	—	—	—	—	0.52	0.17	15
16	—	0.09	—	—	—	0.38	—	—	—	—	0.56	0.49	16
17	—	0.07	0.01	—	—	0.12	—	—	—	—	0.10	0.42	17
18	—	0.50	0.16	0.17	0.02	0.30	—	—	—	0.03	0.03	0.39	18
19	—	0.15	—	0.06	—	0.15	—	—	0.51	0.22	0.06	0.41	19
20	0.02	0.06	0.12	0.53	—	—	—	—	0.16	0.14	—	0.62	20
21	—	0.42	—	0.02	—	—	—	1.91	—	0.84	—	0.39	21
22	0.06	0.03	0.31	0.08	—	0.15	—	—	0.01	0.48	—	0.82	22
23	—	0.21	0.16	0.03	—	0.04	—	—	0.23	0.20	0.01	0.20	23
24	0.02	0.41	—	—	—	0.47	—	0.22	—	0.66	—	0.37	24
25	0.01	0.25	—	0.41	—	0.15	—	0.05	0.01	0.02	—	0.49	25
26	—	0.10	0.02	0.73	—	0.01	—	0.06	—	0.17	0.05	0.60	26
27	—	0.67	0.19	0.06	0.02	—	—	0.18	0.12	—	0.06	0.19	27
28	—	0.62	—	0.57	—	—	—	0.05	—	—	0.07	0.02	28
29	—		—	0.30	—	0.54	—	—	0.29	0.85	—	—	29
30	—		—	0.03	—	0.05	—	—	—	0.26	0.04	0.02	30
31	—		—		—		0.05	—		0.31		—	31
Total	2.06	4.01	3.64	3.52	1.52	2.39	0.05	3.85	1.64	4.41	5.93	10.54	TOTAL for year 43.56
No. of Rain Days	13	18	20	18	7	12	1	12	9	17	24	27	178

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

8-81

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 FEB 1913

Kept at The Priory, Chewton-Mendip
in the County of Somerset
by Earl Waldegrave

Old Gauge moved to new ~~position~~ alongside new gauge on July 1st.

Lat. Long.
Nearest Railway Station Binegar.
Time of Observation 9. a. m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " Sea Level 550 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.13	—	—	0.24	0.23	0.02	0.01	0.65	—	0.42	1
2	—	0.03	0.30	0.02	—	0.24	0.36	—	—	—	0.03	0.01	2
3	0.04	—	0.11	0.01	—	0.26	0.22	0.82	0.17	—	0.03	0.23	3
4	0.53	—	1.05	—	0.04	0.22	—	0.02	0.03	—	0.19	—	4
5	0.58	—	0.54	—	0.09	—	—	0.30	—	—	0.02	0.23	5
6	0.79	0.18	0.02	—	0.16	—	0.31	1.55	—	—	—	0.13	6
7	0.05	0.23	0.12	0.01	0.20	0.70	0.01	0.09	—	—	0.01	0.08	7
8	0.42	0.28	0.89	0.04	—	0.15	0.11	0.36	—	—	—	0.04	8
9	0.06	0.02	0.32	0.18	—	0.04	0.02	0.04	—	—	0.03	0.95	9
10	0.02	0.15	—	—	—	0.03	—	0.12	—	—	0.10	0.14	10
11	0.12	0.10	0.01	—	—	—	—	—	—	—	—	0.56	11
12	0.08	0.88	0.21	0.07	0.01	—	0.03	—	—	—	—	0.24	12
13	0.01	0.01	0.04	—	—	—	—	0.04	—	—	0.02	0.21	13
14	0.20	—	1.06	—	0.27	—	—	0.73	—	—	—	0.11	14
15	0.08	0.18	0.03	0.01	0.18	0.94	—	0.04	—	—	—	1.08	15
16	0.71	—	0.89	—	0.15	0.02	—	0.55	—	0.17	0.05	0.17	16
17	0.78	0.01	0.08	—	0.02	0.09	—	1.15	—	0.01	0.04	0.19	17
18	0.18	—	0.99	—	—	—	—	0.13	—	0.17	—	0.15	18
19	0.04	0.14	0.11	—	—	0.04	0.13	0.32	—	0.27	—	0.02	19
20	0.03	0.03	0.74	—	0.20	0.01	0.17	0.95	—	0.80	0.02	—	20
21	0.02	0.24	0.56	—	0.58	—	0.01	0.11	—	0.45	—	—	21
22	0.48	0.28	0.08	—	0.16	0.01	0.18	0.39	—	0.04	0.06	0.17	22
23	0.35	0.54	0.49	—	0.01	0.02	—	1.30	—	0.18	0.27	0.53	23
24	0.08	0.05	0.08	—	—	0.44	0.02	0.15	—	0.03	—	0.21	24
25	—	—	—	—	—	0.27	—	0.57	—	0.07	0.56	0.58	25
26	—	0.03	0.01	—	—	—	0.19	0.15	—	0.50	0.74	0.24	26
27	—	0.02	0.02	—	—	0.40	0.89	—	—	1.12	0.10	0.80	27
28	—	0.06	—	—	—	0.07	0.77	0.77	0.10	0.71	0.54	0.50	28
29	—	0.07	—	—	—	0.05	0.24	0.06	0.45	0.43	0.01	0.10	29
30	—	│	0.03	—	—	0.05	0.25	—	0.18	0.72	—	—	30
31	0.02	│	0.29	│	0.12	│	0.35	0.09	│	0.03	│	0.55	31
Total	5.67	3.53	9.20	0.34	2.19	4.49	4.49	10.82	0.94	6.35	2.82	8.64	TOTAL for year
No. of Rain Days.	23	21	27	7	14	21	19	26	6	17	18	27	59.48 226

1,000, I. '12,

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cmp'd by old g. 25.11.13 ~~H~~ DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 FEB 1913

Kept at The Priory, Chewton Mendip
in the County of Somerset
by Earl Waldegrave

Lat. Long.
Nearest Railway Station Binegar
Time of Observation 9 a m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 550 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							0.22	0.01	0.01	0.65	—	0.42	1
2							0.35	—	—	—	0.02	0.01	2
3		New Snowdon Gauge					0.22	0.82	0.17	—	0.03	0.23	3
4							—	0.02	0.03	—	0.19	—	4
5							—	0.30	—	—	0.02	0.25	5
6							0.31	1.55	—	—	—	0.13	6
7							0.01	0.09	—	—	0.01	0.10	7
8							X.10	0.35	—	—	—	0.04	8
9						0.03	0.01	0.04	—	—	0.03	0.99	9
10						0.02	—	0.12	—	—	0.09	0.12	10
11						—	—	—	—	—	—	0.61	11
12						—	0.03	—	—	—	—	0.24	12
13						—	—	0.03	—	—	0.02	0.21	13
14						—	—	0.73	—	—	—	0.11	14
15						0.93	—	0.04	—	—	—	1.12	15
16						0.02	—	0.54	—	0.16	0.05	0.17	16
17						0.09	—	1.15	—	0.01	0.03	0.19	17
18						—	—	0.13	—	0.17	—	0.15	18
19						0.04	0.13	0.30	—	0.25	—	0.02	19
20						0.01	0.17	0.95	—	0.80	0.02	—	20
21						—	0.01	0.11	—	0.45	—	—	21
22						0.02	0.18	0.39	—	0.04	0.06	0.17	22
23						001	—	1.30	—	0.18	0.27	0.53	23
24						0.42	0.02	0.15	—	0.02	—	0.21	24
25						0.25	—	0.56	—	0.07	0.58	0.61	25
26						—	0.18	0.15	—	0.50	0.78	0.23	26
27						0.37	0.89	—	—	1.16	0.10	0.80	27
28						0.06	0.77	0.77	0.10	0.73	0.54	0.50	28
29						0.04	0.22	0.06	0.45	0.43	0.01	0.10	29
30						0.04	0.25	—	0.18	0.70	—	—	30
31						|	0.34	009	|	0.03	|	0.55	31
Total						—	4.41	10.75	0.94	6.35	2.85	8.81	TOTAL ~~for~~ ½ year
No. of Rain Days.							19	26	6	17	18	27	~~34.11~~

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at The Priory, Chewton Mendip

in the County of Somerset

by Earl Waldegrave

Lat. 51.16 Long. 2.35 W Lon.

Time of Observation 9 a.m

Nearest Railway Station Binegar

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.30	0.19	0.09	0.12	—	—	—	0.47	0.01	0.15	0.31	1
2	0.10	0.08	0.05	0.20	0.11	—	0.06	—	0.03	0.15	0.12	0.07	2
3	0.10	—	0.20	—	0.44	—	—	—	—	—	0.02	0.45	3
4	1.41	—	0.10	0.01	0.51	—	0.01	—	0.55	0.14	0.03	0.26	4
5	0.05	0.08	0.02	—	0.25	0.59	0.06	—	0.43	—	0.07	0.11	5
6	0.16	0.05	0.15	—	0.15	0.34	0.02	—	—	0.83	0.09	0.53	6
7	0.01	0.40	0.04	—	0.44	0.18	0.17	—	—	0.39	0.18	—	7
8	0.01	0.07	0.01	—	0.38	0.10	—	—	—	0.05	—	0.04	8
9	—	0.15	0.20	0.01	0.07	0.40	0.04	0.25	0.09	—	0.10	0.15	9
10	0.20	—	0.12	0.05	—	—	—	0.04	—	0.18	0.18	—	10
11	0.76	—	0.06	0.20	0.28	0.09	—	—	—	0.02	0.81	0.07	11
12	0.04	—	—	—	0.24	—	0.01	—	0.05	—	0.15	0.04	12
13	0.02	0.01	0.10	—	—	0.02	0.07	0.07	0.80	—	0.35	—	13
14	0.14	0.02	0.32	0.37	0.02	—	—	0.01	0.14	0.09	0.47	0.04	14
15	0.40	0.06	0.52	0.47	—	—	—	0.02	0.04	—	0.40	0.10	15
16	0.27	—	0.84	0.20	—	—	0.01	—	0.04	—	0.03	—	16
17	0.15	—	0.02	0.06	—	—	0.08	—	0.01	—	0.39	—	17
18	0.14	—	0.28	0.29	—	0.06	—	—	—	—	0.20	—	18
19	0.61	—	0.03	—	0.13	0.16	0.01	—	0.51	—	0.01	—	19
20	0.19	—	0.11	0.05	—	—	—	—	—	0.21	0.13	—	20
21	—	—	0.25	0.17	0.22	—	0.06	0.02	—	—	0.45	—	21
22	1.01	—	0.54	0.20	0.07	0.11	—	0.05	0.21	0.01	—	—	22
23	0.03	—	0.01	—	—	0.03	—	0.15	—	—	0.09	0.37	23
24	0.11	0.03	—	0.11	—	—	—	0.06	—	—	0.03	~~0.14~~	24
25	—	0.08	—	0.23	—	—	—	—	0.01	—	0.08	0.19	25
26	—	0.03	—	0.28	—	—	—	0.21	—	—	—	0.20	26
27	0.06	—	0.16	0.43	—	—	—	—	—	0.14	0.03	0.07	27
28	0.15	—	0.19	0.41	—	—	—	—	—	0.15	—	0.16	28
29	0.04		0.69	0.52	0.01	—	—	0.11	—	0.35	0.05	—	29
30	0.59		—	0.02	—	—	—	—	—	0.54	0.30	—	30
31	0.26		0.05		—		—	0.38		0.01		—	31
Total	7.01	1.36	5.25	4.37	3.44	2.08	0.60	1.37	3.38	3.27	4.91	3.16	YEAR'S TOTAL 40.20
Rain Days.	26	13	26	21	16	11	12	12	14	16	26	17	210

W.7,000, XI. 13

FORM A. BRITISH RAINFALL.
11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Chewton Priory, Chewton Mendip
in the County of Somerset
by Earl Waldegrave

Lat. 51.16 Long. 2.35
Time of Observation 9 a.m.
Nearest Railway Station Binegar
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0.07	—	0.02	0.52	0.53	—	—	0.04	0.06	1
2	—	—	—	0.09	0.01	—	0.47	0.26	—	—	0.99	0.28	2
3	—	—	0.29	0.35	0.33	—	0.20	0.42	—	—	0.05	0.12	3
4	0.24	—	0.59	0.43	0.15	—	0.17	0.27	—	—	0.62	0.65	4
5	0.17	—	0.44	0.63	0.22	—	0.11	0.02	—	—	0.07	0.45	5
6	0.02	0.29	0.05	0.50	0.17	—	0.24	0.20	—	—	0.04	0.30	6
7	0.04	0.86	0.32	0.37	0.75	0.01	0.35	0.18	—	—	—	0.12	7
8	0.33	0.08	1.33	0.04	0.18	0.53	0.05	0.28	0.19	—	—	—	8
9	0.38	—	0.34	0.23	0.04	0.74	—	0.06	0.28	—	—	—	9
10	0.03	0.14	0.01	0.17	0.19	—	—	—	0.68	—	0.02	—	10
11	—	0.21	0.91	0.01	0.08	0.17	0.25	—	—	—	0.09	0.35	11
12	—	0.08	0.22	—	—	—	—	—	0.47	—	0.18	0.30	12
13	—	0.29	0.54	—	—	—	—	—	0.41	0.24	0.30	0.60	13
14	—	0.47	0.68	—	—	0.01	0.02	0.24	0.05	0.28	0.26	—	14
15	—	0.01	0.41	—	—	—	0.07	0.60	0.09	0.03	0.16	—	15
16	—	—	0.01	—	—	—	0.06	—	0.43	—	—	—	16
17	—	1.38	0.29	—	—	—	—	—	0.05	—	—	0.53	17
18	—	0.08	0.04	—	—	—	0.40	—	0.07	—	—	0.65	18
19	—	0.14	0.50	—	—	—	0.98	—	0.01	—	0.05	0.29	19
20	—	0.61	0.15	—	—	0.05	—	—	—	—	—	0.37	20
21	—	0.40	0.02	—	—	0.55	—	—	—	0.18	0.02	—	21
22	—	0.01	0.03	0.01	0.21	0.38	—	0.14	—	0.43	—	—	22
23	—	0.13	0.36	—	0.04	0.02	0.02	—	—	0.26	—	—	23
24	—	—	0.08	—	0.05	—	0.07	—	—	0.27	0.36	—	24
25	0.05	—	0.12	—	0.03	—	0.03	0.67	—	0.78	0.02	0.39	25
26	—	—	—	—	—	—	0.06	0.01	—	0.13	0.65	0.60	26
27	0.11	—	—	—	—	—	—	—	—	0.12	0.18	0.22	27
28	0.04	0.31	0.22	—	0.03	—	—	—	—	0.10	0.68	1.31	28
29	0.43	X	0.18	—	0.10	—	—	—	—	0.18	0.29	—	29
30	0.03	X	0.04	—	—	—	—	—	—	0.32	0.40	0.92	30
31	0.02	X	—	X	0.01	X	0.32	—	X	0.30	X	0.12	31
Total	1.89	5.49	8.18	2.90	2.59	2.48	4.39	3.88	2.73	3.62	5.47	8.63	YEAR'S TOTAL 52.25
Rain Days.	13	17	26	12	17	10	19	14	11	14	21	20	194

W. 8,000. X. 14.

2073

FORM A.
BRITISH RAINFALL.
13 JAN 1916

+ Me

REGISTER OF RAINFALL IN 1915

Kept at Chewton Priory, Chewton Mendip
in the County of Somerset
by Earl Waldegrave

Lat. 51.16 Long. 2.35
Time of Observation 9. a.m.
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.41	0.35	—	—	0.13	—	—	0.20	0.28	0.27	0.03	0.53	1
2	0.44	0.27	0.52	0.31	—	0.09	—	0.75	0.04	0.07	—	0.39	2
3	0.36	0.05	0.29	0.29	0.23	—	0.06	—	—	—	—	0.41	3
4	0.02	0.02	0.01	—	0.06	—	0.07	—	—	—	—	0.45	4
5	0.16	0.61	0.02	0.04	—	—	—	0.12	—	—	—	0.30	5
6	0.52	0.04	—	0.52	—	—	0.42	0.06	—	—	—	0.12	6
7	0.50	0.49	—	0.06	0.13	—	0.23	0.01	—	—	—	0.55	7
8	0.45	0.47	—	0.05	—	—	—	0.08	—	—	0.12	0.03	8
9	0.02	0.10	—	0.16	—	—	—	0.02	—	—	0.62	0.86	9
10	0.53	0.01	0.09	0.04	—	—	—	0.12	—	0.02	0.01	0.08	10
11	0.05	—	0.05	0.03	0.01	—	0.01	0.30	—	—	0.83	0.10	11
12	0.18	0.39	—	0.24	0.62	—	—	0.20	—	0.12	0.28	0.01	12
13	0.04	1.20	—	—	1.28	—	0.01	—	0.12	—	0.03	0.03	13
14	0.12	0.03	—	—	—	—	0.10	0.84	0.18	0.03	—	1.55	14
15	0.48	—	—	0.01	0.18	—	0.16	0.03	0.10	0.04	0.10	0.10	15
16	—	0.95	—	—	0.75	—	1.32	—	—	—	—	0.16	16
17	—	0.74	—	—	0.85	—	—	0.02	—	—	—	0.02	17
18	—	0.42	0.01	—	0.01	—	—	—	—	0.01	—	—	18
19	0.02	—	—	—	0.07	—	0.48	—	—	—	—	—	19
20	0.70	—	—	0.16	—	—	—	—	—	0.02	—	0.13	20
21	0.09	0.24	—	—	0.08	—	0.02	—	—	0.04	—	0.19	21
22	0.08	0.26	0.50	0.06	—	0.02	0.95	—	0.01	—	—	0.36	22
23	—	0.07	0.12	—	—	—	0.37	—	0.08	1.44	—	0.49	23
24	—	—	—	0.08	—	—	0.38	—	0.39	0.80	—	0.53	24
25	—	—	—	0.03	—	0.30	0.30	—	—	0.02	—	0.48	25
26	—	0.05	—	—	—	—	0.25	—	0.02	—	—	0.57	26
27	—	0.09	—	—	—	0.16	0.05	—	—	0.59	—	0.01	27
28	—	—	0.07	—	—	0.03	—	—	0.76	0.10	—	—	28
29	—	X	—	—	—	0.14	—	0.01	—	—	0.13	0.08	29
30	0.27	X	—	0.01	—	0.08	—	—	—	0.38	0.45	0.23	30
31	0.13	X	—	X	—	X	0.13	0.02	X	1.13	X	0.29	31
Total	5.57	6.85	1.68	2.09	4.40	0.82	5.31	2.78	1.98	5.08	2.60	9.05	YEAR'S TOTAL 48.21
Rain Days.	21	21	10	16	13	7	18	15	10	16	10	28	185

W. 8,000. X. 15.

Exe D.L.

2016

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Chewton Priory, Chewton-Mendip
in the County of Somerset
by Earl Waldegrave

Lat. 51.16 Long. 2.35
Time of Observation 9 a.m
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.31	—	—	—	0.39	0.16	0.34	—	0.05	0.43	0.17	—	1
2	0.99	0.11	0.07	—	0.08	0.01	0.05	—	0.01	0.83	0.07	—	2
3	0.01	0.82	—	—	0.18	—	—	—	0.27	0.65	0.19	—	3
4	0.27	0.15	—	0.01	0.21	1.13	—	—	0.26	0.17	0.52	—	4
5	0.09	0.02	0.03	—	0.33	0.22	—	—	—	0.03	0.45	—	5
6	0.19	0.42	0.01	—	0.34	0.11	0.72	—	—	0.09	0.57	—	6
7	0.11	0.09	0.26	—	0.03	0.05	—	—	—	0.22	0.60	0.16	7
8	—	0.14	0.05	—	0.26	0.35	—	—	—	—	0.03	0.17	8
9	—	0.02	—	—	0.19	0.32	0.07	—	—	0.15	0.07	0.11	9
10	—	0.49	0.03	0.15	0.08	—	—	—	—	0.04	0.03	0.09	10
11	0.02	0.01	0.02	0.23	0.03	0.10	—	—	0.03	0.01	—	—	11
12	0.19	0.21	0.09	0.18	0.35	—	0.35	0.06	—	0.20	—	—	12
13	—	0.44	0.18	—	—	—	—	0.26	—	0.02	—	—	13
14	—	0.39	0.03	0.10	0.23	—	—	0.43	—	0.10	—	—	14
15	0.02	0.26	0.23	0.05	—	—	—	0.24	—	0.02	—	—	15
16	0.05	0.15	—	0.54	0.07	—	0.01	0.58	—	0.03	—	—	16
17	0.27	0.20	—	0.06	—	—	—	0.08	0.95	0.63	0.13	—	17
18	0.02	0.06	0.14	0.09	—	—	—	—	0.05	0.14	0.34	0.09	18
19	0.27	—	0.50	0.82	—	—	—	—	—	—	0.24	0.03	19
20	0.27	0.09	0.56	0.01	—	—	—	—	—	—	0.22	0.95	20
21	0.17	0.07	0.43	—	0.14	—	0.03	—	—	—	—	0.45	21
22	0.03	—	0.01	0.03	—	0.09	—	—	—	0.25	0.07	0.78	22
23	0.02	0.12	—	0.23	—	0.07	—	0.23	—	0.32	0.47	0.17	23
24	—	0.05	0.02	0.16	1.31	0.04	—	0.06	—	0.67	0.02	0.28	24
25	—	0.48	0.18	—	0.08	0.08	—	0.50	—	0.01	0.28	0.10	25
26	0.05	0.06	0.30	—	—	0.27	—	1.63	0.53	0.38	0.06	—	26
27	0.09	0.25	2.07	—	—	0.01	—	0.19	0.39	0.30	—	0.01	27
28	—	0.26	0.53	—	—	0.20	—	0.06	0.35	0.76	0.03	0.96	28
29	—	0.44	0.19	—	—	0.67	—	2.25	0.16	1.17	—	0.96	29
30	—	×	0.02	—	—	—	—	—	—	0.43	—	0.06	30
31	—	×	—	×	—	×	—	0.18	×	0.20	×	0.10	31
Total	3.44	5.80	5.95	2.66	4.30	3.88	1.57	6.75	3.05	8.25	4.56	5.47	YEAR'S TOTAL 55.68
Rain Days.	20	26	23	14	17	17	7	14	11	27	20	17	213

W. 8,000, VIII. 16

1926

FORM A.
BRITISH RAINFALL.

14. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Chewton Priory, Chewton Mendip

in the County of Somerset

by Earl Waldegrave

Lat. 51.16 Long. 2.35

Time of Observation 9. a.m.

Nearest Railway Station Binegar

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	—	0.09	0.15	—	0.20	—	1.19	0.41	—	0.07	—	1
2	0.09	—	0.03	0.04	—	0.17	—	0.14	—	0.01	0.04	—	2
3	0.15	—	—	0.02	—	—	0.47	0.01	—	1.08	0.14	—	3
4	—	0.15	0.04	0.03	—	—	0.11	0.10	—	0.27	—	—	4
5	0.45	—	0.21	0.66	—	—	—	—	0.24	0.37	0.19	—	5
6	—	—	0.32	—	—	0.19	—	—	—	0.21	0.26	0.03	6
7	0.61	—	—	—	—	—	0.21	0.48	—	0.31	0.01	0.04	7
8	0.15	—	0.10	0.21	—	—	0.79	0.64	0.03	0.84	0.24	0.05	8
9	—	—	0.02	0.02	0.10	—	0.03	0.16	0.03	0.36	0.15	—	9
10	0.22	—	0.32	0.23	—	—	—	0.18	0.33	0.01	—	—	10
11	0.04	—	0.85	0.46	—	—	—	0.86	0.06	0.35	003	—	11
12	—	—	—	—	0.24	0.01	—	0.42	—	0.98	—	—	12
13	—	—	0.15	0.01	—	0.04	—	0.35	0.35	0.02	—	0.01	13
14	—	—	0.14	0.17	—	—	0.01	1.00	0.13	0.03	—	0.02	14
15	—	—	0.05	0.01	—	—	1.00	—	0.02	0.33	—	0.36	15
16	0.02	0.09	—	0.42	0.05	—	0.32	—	—	0.44	—	0.10	16
17	—	0.02	—	0.33	0.08	—	0.52	0.10	0.68	0.12	0.03	—	17
18	0.02	0.02	—	0.01	0.01	0.03	0.43	0.01	0.82	0.01	0.02	—	18
19	0.03	0.59	0.13	—	—	0.07	—	0.02	0.08	—	0.04	—	19
20	—	0.08	0.06	—	0.41	0.13	—	0.28	0.08	—	0.01	—	20
21	—	0.02	0.57	—	—	0.02	—	—	—	006	—	—	21
22	—	—	0.04	—	0.02	0.01	—	0.24	—	0.24	—	—	22
23	—	0.11	—	—	0.08	—	—	0.53	—	0.02	0.01	0.03	23
24	—	0.06	0.01	—	—	0.70	0.09	0.35	—	0.42	0.02	—	24
25	—	0.10	0.05	—	—	—	—	0.04	0.07	0.79	—	—	25
26	—	—	—	—	0.18	—	—	1.06	0.55	0.49	0.10	—	26
27	—	—	—	—	0.72	0.10	0.01	1.47	—	0.03	0.02	—	27
28	—	—	0.10	—	0.15	3.89	—	0.49	—	—	0.07	0.04	28
29	—	X	0.15	—	—	0.33	0.07	0.18	—	0.55	0.02	0.21	29
30	—	X	0.09	—	—	—	0.17	0.35	—	0.13	—	—	30
31	—	X	0.23	X	0.01	X	0.01	0.13	X	0.07	X	0.04	31
Total	1.80	1.24	3.81	2.77	2.05	5.89	4.24	10.78	3.88	8.54	1.47	0.93	YEAR'S TOTAL 47.40
Rain Days.	11	10	22	15	12	14	15	26	15	27	19	11	197

W. 8,000, IX. 17.

159

11

FORM A.
BRITISH RAINFALL
9 JAN 1919

REGISTER OF RAINFALL IN 1918

Kept at Chewton Priory, Chewton Mendip

in the County of Somerset

by Earl Waldegrave

Lat. 51.16 Long. 2.35

Time of Observation 9. a. m

Nearest Railway Station Binegar

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		~~0.01~~		~~0.15~~	~~0.06~~			~~0.44~~		~~0.02~~	~~0.68~~	~~0.01~~	
1	—	0.01	—	0.15	0.06	—	—	0.44	—	0.02	0.68	0.01	1
2	—	0.03	—	0.13	—	—	—	0.45	—	0.04	0.07	0.64	2
3	—	0.05	0.01	0.19	0.15	—	—	0.04	0.04	0.07	0.02	0.02	3
4	—	0.10	—	0.02	—	—	—	0.07	—	0.15	0.78	0.18	4
5	—	—	—	0.15	0.14	—	—	0.25	0.06	0.39	—	0.02	5
6	0.16	0.95	—	0.47	—	—	—	—	0.01	0.18	—	0.20	6
7	0.03	0.30	—	0.04	0.72	0.02	—	0.02	0.46	0.34	0.38	0.03	7
8	—	0.09	—	—	—	—	—	—	0.76	0.35	—	0.08	8
9	0.02	0.26	—	0.46	—	0.23	0.65	—	0.56	0.25	0.03	0.40	9
10	0.08	0.02	—	0.10	—	—	0.84	—	0.39	0.15	0.09	0.59	10
11	0.12	0.29	0.06	0.02	0.01	—	0.16	—	0.30	0.16	0.12	0.36	11
12	—	0.20	0.19	—	0.58	—	0.64	—	0.07	—	—	0.22	12
13	0.33	0.02	—	—	—	0.08	0.14	—	0.97	0.13	—	0.39	13
14	0.22	—	0.03	—	—	0.14	0.48	—	0.31	0.24	—	0.15	14
15	1.26	—	—	0.47	0.10	0.06	0.34	—	0.01	0.02	—	0.46	15
16	0.42	—	0.03	0.54	—	—	0.05	0.03	0.11	0.02	—	0.30	16
17	0.37	—	0.03	0.12	—	—	0.27	0.17	0.25	0.01	—	0.31	17
18	0.90	—	—	—	—	0.96	0.21	—	0.68	0.02	—	0.46	18
19	0.05	—	0.08	—	—	—	0.06	0.04	0.76	0.04	—	0.16	19
20	0.03	0.40	—	0.06	—	0.04	0.75	—	0.27	0.09	—	—	20
21	0.03	0.10	—	—	—	0.03	0.25	—	0.86	0.03	—	0.13	21
22	0.02	0.01	—	—	0.09	—	0.53	—	0.67	0.10	—	0.52	22
23	0.37	0.05	—	—	0.33	0.01	0.26	0.04	0.01	—	0.05	0.10	23
24	—	0.15	—	—	—	—	0.04	0.01	0.25	—	0.12	—	24
25	0.01	—	—	0.04	—	—	0.34	1.08	—	0.02	0.03	—	25
26	—	—	—	0.02	—	—	0.65	0.01	0.10	0.03	0.36	0.65	26
27	—	0.12	0.05	—	—	—	—	036	0.54	0.01	0.25	0.20	27
28	—	0.10	0.16	—	—	—	—	—	0.01	0.01	0.16	0.56	28
29	—	✕	0.15	—	—	—	—	—	0.99	—	0.01	0.05	29
30	—	✕	0.53	—	—	—	—	0.20	0.03	0.04	0.08	0.24	30
31	—	✕	0.45	✕	—	✕	—	0.02	✕	0.06	✕	—	31
Total	4.42 ~~3.42~~	3.25	1.77	3.03	2.18	1.57	6.66	3.23	9.47	2.97	3.23	7.43	49.21
Rain Days.	17	19	12	16	9	9	18	16	26	27	16	27	212

W. 6,500, VII. 18. W W C

G+RL (801)

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

12 JAN 20

Kept at Chewton Priory, Chewton Mendip
in the County of Somerset
by Earl Waldegrave

Lat. 51.16 Long. 2.35
Time of Observation 9 a.m.
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.95	—	0.06	0.07	0.67	—	0.97	—	0.01	0.16	0.02	1.38	1
2	0.37	—	0.03	—	0.05	—	0.05	—	0.11	—	0.05	0.35	2
3	1.31	—	0.23	—	0.07	—	—	—	0.09	—	0.10	0.85	3
4	1.19	0.17	0.40	—	0.01	0.04	—	0.14	0.50	—	—	0.12	4
5	0.02	0.38	0.82	—	0.08	—	0.13	—	0.46	—	0.04	0.70	5
6	0.36	0.12	0.38	—	—	—	—	—	—	—	0.02	0.25	6
7	0.16	—	0.54	0.12	—	—	—	—	—	—	—	0.03	7
8	0.15	—	0.10	0.02	—	0.02	—	—	—	—	—	—	8
9	0.11	—	0.07	0.12	0.01	—	—	—	—	—	0.35	—	9
10	0.07	—	0.22	0.02	0.01	—	—	—	—	0.03	—	0.32	10
11	0.07	—	0.27	0.21	0.35	0.02	0.30	—	—	—	—	0.06	11
12	0.13	—	0.09	0.05	—	0.34	0.01	—	—	0.13	0.12	0.24	12
13	0.19	—	0.03	0.57	—	—	—	—	0.01	—	—	0.09	13
14	0.53	0.08	—	0.73	0.01	—	0.17	—	0.04	—	—	0.10	14
15	0.23	0.01	—	0.03	—	—	—	—	—	0.09	—	0.31	15
16	0.24	0.93	—	—	—	—	—	—	—	—	0.31	0.01	16
17	0.01	0.48	—	—	0.02	0.03	—	0.03	—	—	0.71	0.06	17
18	0.05	—	0.46	—	—	—	0.25	0.56	0.09	—	0.39	0.10	18
19	0.36	0.29	1.17	—	—	0.12	0.84	0.46	0.30	—	0.50	0.09	19
20	0.59	0.25	0.14	—	—	0.34	—	0.22	0.02	—	—	0.25	20
21	—	0.69	0.01	—	—	—	0.39	0.01	0.03	—	0.02	0.34	21
22	—	0.39	—	—	—	0.04	0.13	—	0.40	—	0.09	0.40	22
23	—	—	—	—	—	0.01	—	—	—	0.64	0.15	0.16	23
24	—	—	—	0.08	—	0.18	0.02	0.01	0.07	1.23	0.19	0.65	24
25	0.10	—	—	0.02	—	0.02	—	0.83	0.02	—	0.04	0.16	25
26	0.11	0.02	0.32	0.12	—	0.01	—	0.65	0.24	—	—	0.73	26
27	0.18	0.02	0.04	0.53	—	—	—	0.67	—	—	—	0.10	27
28	0.07	—	0.42	—	—	—	—	0.27	—	—	0.41	0.66	28
29	0.03	×	—	0.11	—	0.01	—	0.03	—	0.08	—	0.26	29
30	—	×	—	0.18	—	0.17	—	0.22	—	0.03	0.45	0.80	30
31	0.02	×	0.01	×	—	×	0.02	—	×	—	×	0.23	31
TOTAL	7.60	3.83	5.81	2.98	1.28	1.35	3.28	4.10	2.39	2.39	3.46	9.80	YEAR'S TOTAL 48.77
Days with ·01 in. or more	26	13	21	16	10	14	12	13	15	8	18	29	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

GU CM7 1720

9 JAN 192

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Chewton Priory, Chewton Mendip

in the County of Somerset

by Earl Waldegrave

Lat. 51.16 Long. 2.35

Time of Observation 9 a.m.

Nearest Railway Station Binegar

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	—	—	0.25	0.35	—	0.33	0.08	0.13	0.19	0.24	0.47	1
2	0.07	—	0.03	0.08	—	—	0.38	0.44	0.10	0.09	—	0.10	2
3	0.09	0.08	—	0.09	0.06	—	0.82	—	0.02	0.64	—	0.09	3
4	—	—	0.07	0.11	0.01	—	0.09	0.83	—	0.21	—	—	4
5	—	—	0.14	0.06	0.32	—	0.63	0.11	—	0.24	—	—	5
6	—	—	0.33	0.06	0.67	—	0.10	—	—	0.03	—	0.01	6
7	0.06	—	0.18	0.16	—	—	0.25	—	—	0.01	0.01	—	7
8	0.07	0.10	—	0.68	0.08	—	0.63	—	—	0.01	—	—	8
9	1.02	0.20	0.02	0.71	—	0.15	0.25	0.06	0.01	—	—	—	9
10	1.08	0.63	0.35	0.06	—	0.20	0.88	—	—	—	0.01	—	10
11	0.49	—	0.17	0.58	0.40	0.06	0.12	—	—	—	—	—	11
12	0.33	0.03	0.01	0.15	—	0.55	0.14	—	—	—	0.23	—	12
13	0.23	0.23	0.60	0.15	—	—	—	—	—	—	0.01	0.02	13
14	0.25	0.03	0.29	0.68	—	—	0.04	—	0.19	0.53	0.56	0.01	14
15	0.03	0.17	0.04	0.49	0.08	0.02	0.05	—	0.09	0.35	0.15	—	15
16	—	0.01	0.02	0.07	0.02	0.70	0.49	—	0.35	0.07	0.18	—	16
17	0.20	—	0.12	0.23	0.30	0.28	—	0.02	0.41	—	—	0.02	17
18	0.12	0.03	0.02	0.27	0.05	0.03	0.03	0.43	0.11	—	—	0.03	18
19	0.04	0.11	—	0.36	0.17	0.21	—	—	—	—	—	0.01	19
20	0.05	0.18	—	0.23	—	0.33	—	—	—	—	—	0.41	20
21	—	—	—	0.04	—	—	0.26	—	0.01	—	—	0.26	21
22	0.03	—	—	0.18	—	0.02	0.10	0.11	0.02	—	—	0.47	22
23	0.01	—	—	—	—	—	1.06	0.01	—	—	—	0.61	23
24	0.05	—	0.23	0.10	—	—	0.02	—	—	—	0.12	0.18	24
25	0.03	0.18	0.07	—	0.07	—	0.40	—	—	—	0.01	—	25
26	0.37	0.01	0.20	—	—	0.04	0.04	—	—	0.01	0.08	0.13	26
27	0.23	0.04	0.08	0.40	0.01	0.89	0.06	—	—	—	—	0.32	27
28	1.19	0.03	0.20	—	0.15	0.04	0.17	—	—	—	—	0.04	28
29	0.20	—	0.15	—	0.16	0.03	0.12	—	—	—	0.29	0.40	29
30	0.15	×	0.01	0.08	0.03	0.45	0.33	—	0.44	—	0.40	0.19	30
31	0.35	×	0.31	×	—	×	0.04	—	×	0.80	×	0.22	31
Total	6.78	2.06	3.64	6.27	2.93	4.00	7.83	2.09	1.88	3.18	2.29	3.99	YEAR'S TOTAL 46.94
Days with ·01 in. or more	26	16	23	25	17	16	27	9	12	13	13	20	217
Days with ·04 in. or more	22	10	17	25	13	12	25	7	8	9	9	14	~~161~~ 171

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

3. JAN 1916

CHEWTON ~~MENDIP~~ MENDIP
WALDERGROVE HSE
SOMERSET
1915 - 1919

REGISTE

Kept at Waldegrave House, Ch .35 w

a m

llatrow

in the County of Somerset 5 in.

by James Hollis e Ground 1 ft. 1 in.

Sea Level 440 ft.

IMPORTANT NOTE.—Rai the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	18	32	0	0	12	0	0	38	17	28	0	33	1
2	43	25	30	28	0	06	0	53	05	05	0	34	2
3	30	05	25	20	20	0	05	0	0	0	0	34	3
4	02	0	02	0	07	0	07	0	0	0	0	40	4
5	12	75	01	08	0	0	0	13	0	0	0	30	5
6	47	04	0	45	0	0	42	06	0	0	0	17	6
7	46	45	0	06	12	0	20	0	0	0	0	45	7
8	45	47	0	03	0	0	0	10	0	0	25	05	8
9	02	12	0	13	0	0	0	02	0	0	45	80	9
10	53	02	08	05	0	0	0	20	0	0	0	09	10
11	03	0	04	03	01	0	02	25	0	0	88	10	11
12	18	45	0	20	62	0	0	20	0	07	18	02	12
13	02	90	0	0	1.16	0	02	0	04	0	03	14	13
14	10	0	0	0	0	0	08	62	18	05	0	1.40	14
15	49	02	0	02	15	0	33	03	07	02	12	10	15
16	0	1.21	0	0	73	0	1.07	01	0	0	0	14	16
17	0	70	03	0	82	0	0	03	0	0	0	02	17
18	0	33	0	0	0	0	0	0	0	02	0	0	18
19	04	0	0	04	07	0	42	0	0	0	0	0	19
20	58	0	0	10	0	0	0	0	0	03	0	14	20
21	10	30	0	0	06	0	09	0	0	04	0	12	21
22	10	22	50	05	0	03	82	0	02	0	0	34	22
23	0	05	10	0	0	0	40	0	10	1.45	0	57	23
24	0	0	04	09	0	0	39	0	28	66	0	54	24
25	0	0	0	03	0	25	30	0	0	02	0	28	25
26	0	07	0	0	0	06	20	0	02	0	0	55	26
27	0	07	0	0	0	03	05	0	0	65	0	0	27
28	0	12	04	0	0	02	0	0	72	06	0	0	28
29	0	—	0	0	0	18	0	02	0	0	12	10	29
30	47	✗	0	0	0	07	0	0	0	42	48	53	30
31	04	✗	0	✗	0	✗	14	02	✗	1.10	✗	26	31
Total	5.13	6.91	1.41	1.84	4.13	0.70	5.07	2.60	1.65	4.92	2.51	8.62	YEAR'S TOTAL 45.49 ✓
Rain Days.	21	21	11	16	12	8	18	15	10	15	8	27	182 ✓

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.
3. JAN 1916

Kept at Waldegrave House, Chewton Mendip

in the County of Somerset

by James Hollis

Lat. 51·17 N Long. 2·35 W

Time of Observation 9 a m

Nearest Railway Station Hallatrow

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	18	32	0	0	12	0	0	38	17	28	0	33	1
2	43	25	30	28	0	06	0	53	05	05	0	34	2
3	30	05	25	20	20	0	05	0	0	0	0	34	3
4	02	0	02	0	07	0	07	0	0	0	0	40	4
5	12	75	01	08	0	0	0	13	0	0	0	30	5
6	47	04	0	45	0	0	42	06	0	0	0	17	6
7	46	45	0	06	12	0	20	0	0	0	0	45	7
8	45	47	0	03	0	0	0	10	0	0	25	05	8
9	02	12	0	13	0	0	0	02	0	0	45	80	9
10	53	02	08	05	0	0	0	20	0	0	0	09	10
11	03	0	04	03	01	0	02	25	0	0	88	10	11
12	18	45	0	20	62	0	0	20	0	07	18	02	12
13	02	90	0	0	1.16	0	02	0	04	0	03	14	13
14	10	0	0	0	0	0	08	62	18	05	0	1.40	14
15	49	02	0	02	15	0	33	03	07	02	12	10	15
16	0	1.21	0	0	73	0	1.07	01	0	0	0	14	16
17	0	70	03	0	82	0	0	03	0	0	0	02	17
18	0	33	0	0	0	0	0	0	0	02	0	0	18
19	04	0	0	04	07	0	42	0	0	0	0	0	19
20	58	0	0	10	0	0	0	0	0	03	0	14	20
21	10	30	0	0	06	0	09	0	0	04	0	12	21
22	10	22	50	05	0	03	82	0	02	0	0	34	22
23	0	05	10	0	0	0	40	0	10	1.45	0	57	23
24	0	0	04	09	0	0	39	0	28	66	0	54	24
25	0	0	0	03	0	25	30	0	0	02	0	28	25
26	0	07	0	0	0	06	20	0	02	0	0	55	26
27	0	07	0	0	0	03	05	0	0	65	0	0	27
28	0	12	04	0	0	02	0	0	72	06	0	0	28
29	0	—	0	0	0	18	0	02	0	0	12	10	29
30	47	X	0	0	0	07	0	0	0	42	48	53	30
31	04	X	0	X	0	X	14	02	X	1.10	X	26	31
Total	5.13	6.91	1.41	1.84	4.13	0.70	5.07	2.60	1.65	4.92	2.51	8.62	YEAR'S TOTAL 45.49
Rain Days.	21	21	11	16	12	8	18	15	10	15	8	27	182

W. 8,000. X. 14.

2071

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Chewton Mendip (Waldegrave House)

in the County of Somerset

by James Hollis

Lat. 51.17 Long. 2.35

Time of Observation 9 a.m (true time)

Nearest Railway Station Hallatrow. G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	34	0	0	0	36	13	33	0	5	43	16	0	1
2	92	12	7	0	5	1	4	0	1	77	9	0	2
3	0	94	0	0	28	2	0	0	21	59	21	0	3
4	25	13	0	0	10	1.10	0	0	26	32	60	0	4
5	8	2	3	0	30	16	0	0	0	3	35	3	5
6	22	34	8	0	34	12	62	0	0	9	60	0	6
7	9	10	23	0	3	3	0	0	0	15	59	14	7
8	0	12	5	0	28	19	0	0	0	0	2	15	8
9	0	2	0	0	15	20	6	0	0	11	6	0	9
10	0	44	4	13	4	0	0	0	0	4	3	18	10
11	3	0	5	21	2	12	0	0	2	1	0	1	11
12	14	18	6	12	31	0	30	5	0	18	0	0	12
13	0	45	17	0	0	0	0	34	0	2	0	0	13
14	1	46	3	9	18	0	0	29	0	15	0	0	14
15	1	28	11	6	0	0	0	27	0	1	0	0	15
16	6	5	0	41	4	0	0	62	0	4	0	0	16
17	25	15	0	5	0	0	0	8	77	60	12	0	17
18	2	5	17	8	0	0	0	0	4	14	42	0	18
19	24	0	43	78	0	0	0	0	0	0	15	14	19
20	26	11	55	1	0	0	0	0	0	0	15	95	20
21	19	4	44	3	13	0	6	0	0	0	0	44	21
22	2	0	0	3	0	9	0	0	0	24	8	77	22
23	3	19	0	21	0	5	0	21	0	33	49	15	23
24	0	9	3	14	1.18	3	0	5	0	65	2	28	24
25	0	49	17	0	6	1	0	48	0	2	29	0	25
26	5	2	27	0	0	21	0	1.35	48	40	3	10	26
27	5	20	2.30	0	0	2	0	28	37	28	4	0	27
28	0	30	5	0	0	13	0	6	41	80	4	83	28
29	0	46	19	0	0	63	0	2.12	13	1.05	0	80	29
30	0	X	0	0	0	0	0	0	0	39	0	5	30
31	0	X	0	X	0	X	0	13	X	22	X	9	31
Total	3.26	5.75	5.52	2.35	3.85	3.25	1.41	6.33	2.75	8.06	4.54	5.11	YEAR'S TOTAL 52.18
Rain Days.	20	25	21	14	17	18	6	14	11	27	21	16	210

W. 8,000, VIII. 16

1927

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

JAN 1918

Kept at Chewton Mendip. (Waldegrave House)
in the County of Somerset
by James Hollis

Lat. 51.17 Long. 2.35
Time of Observation 9 a.m (true time)
Nearest Railway Station Hallatrow, G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2	1	8	19	0	20	0	1.30	38	0	5	0	1
2	7	0	2	4	0	16	0	14	0	2	3	0	2
3	12	0	0	2	0	0	46	2	0	1.03	15	0	3
4	0	14	12	2	0	0	12	10	0	27	0	0	4
5	37	0	22	60	0	16	0	0	32	35	19	0	5
6	0	0	32	0	0	0	0	0	0	25	25	3	6
7	53	0	0	0	0	0	20	38	0	31	2	3	7
8	20	0	11	17	0	0	60	57	4	83	24	4	8
9	0	0	4	2	9	0	3	13	4	31	13	0	9
10	22	0	28	37	0	0	0	16	31	2	0	0	10
11	3	0	83	53	0	0	0	1.00	9	33	2	0	11
12	0	0	0	0	24	0	0	27	0	83	0	0	12
13	0	0	14	3	0	3	0	31	25	2	0	0	13
14	0	0	19	19	0	0	2	93	10	3	0	2	14
15	0	0	0	2	0	0	90	0	1	32	0	37	15
16	2	7	0	37	0	0	35	0	0	35	0	8	16
17	0	2	0	29	13	0	45	9	65	9	0	0	17
18	4	3	0	0	0	4	49	0	76	0	0	0	18
19	2	59	12	0	0	6	0	3	7	0	3	0	19
20	0	5	5	0	36	14	0	20	8	0	0	0	20
21	0	2	24	0	0	2	0	0	0	5	1	0	21
22	0	0	5	0	1	8	0	29	0	16	0	0	22
23	0	10	0	0	9	3	0	50	0	2	2	4	23
24	0	5	1	0	0	65	10	46	0	39	0	0	24
25	0	10	4	0	0	0	0	5	6	78	0	0	25
26	0	0	0	0	20	0	0	83	45	47	10	0	26
27	0	0	0	0	67	10	1	1.31	0	2	1	0	27
28	0	0	13	0	20	3.48	0	46	0	0	6	4	28
29	0	X	15	0	0	29	7	6	0	62	3	23	29
30	3	X	9	0	0	0	16	30	0	11	0	1	30
31	0	X	20	X	0	X	1	13	X	6	X	4	31
Total	1.67	1.18	3.43	2.86	1.99	5.44	3.97	10.02	3.61	8.04	1.34	0.93	YEAR'S TOTAL 44.48
Rain Days.	12	11	21	14	9	14	15	25	15	26	16	11	189

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2. 1. 19

Kept at Chewton Mendip (Waldegrave House)
in the County of Somerset
by James Hollis

Lat. 51.17 Long. 2.35
Time of Observation 9 a.m (true time)
Nearest Railway Station Hallatrow G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	1	0	16	5	0	0	43	0	2	76	0	1
2	0	3	0	15	0	0	0	39	0	4	8	67	2
3	0	6	0	20	14	0	0	3	4	6	3	1	3
4	0	9	1	1	0	0	0	5	0	16	87	18	4
5	0	0	0	16	13	0	0	21	6	35	0	3	5
6	14	92	0	52	0	0	0	0	0	16	0	19	6
7	6	30	0	2	73	0	0	1	54	27	30	2	7
8	0	10	0	0	0	0	0	0	63	33	0	6	8
9	2	30	0	44	0	24	62	0	62	19	3	43	9
10	5	6	0	11	0	0	81	0	33	14	8	58	10
11	10	24	5	2	0	0	13	0	31	16	10	33	11
12	0	20	15	0	52	0	65	0	5	0	0	17	12
13	22	2	0	0	0	8	11	0	95	12	0	40	13
14	25	0	4	0	0	5	37	0	33	15	0	12	14
15	1.30	0	0	49	8	10	51	0	0	2	0	47	15
16	45	0	6	64	0	0	5	4	18	2	0	19	16
17	30	0	0	12	0	0	24	12	25	1	0	38	17
18	1.03	0	0	0	0	95	16	0	64	2	0	40	18
19	8	0	6	0	0	0	7	3	73	3	0	13	19
20	3	39	0	6	0	2	60	0	30	9	0	0	20
21	4	10	0	0	0	2	25	0	86	3	0	10	21
22	1	1	0	0	10	0	53	0	64	10	2	58	22
23	35	4	0	0	21	3	27	4	2	0	3	3	23
24	0	17	0	0	0	1	3	1	21	0	10	0	24
25	0	0	0	3	0	0	33	1.04	0	2	4	0	25
26	0	0	0	1	0	0	43	1	14	3	20	63	26
27	0	9	5	0	0	0	0	30	49	0	21	17	27
28	0	11	18	0	0	0	0	0	0	0	15	53	28
29	0	-	15	0	0	0	0	0	1.09	0	0	4	29
30	0	X	52	0	0	0	0	11	4	4	9	24	30
31	0	X	48	X	0	X	0	3	X	5	X	0	31
Total	4.43	3.24	1.75	3.14	1.96	1.50	6.16	2.85	9.45	2.61	3.09	7.08	YEAR'S TOTAL 47.26
Rain Days.	16	19	11	16	8	9	18	16	23	25	16	26	203

W. 8,000, IX. 17.

L806

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Chewton Mendip (Waldegrave House)

in the County of Somerset

by James Hollis

Lat. 51.17 Long. 2.35

Time of Observation 9 a.m. (true time)

Nearest Railway Station Hallatrow. G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.02	0	5	12	73	0	78	0	0	18	1	1.35	1
2	28	0	3	0	5	0	4	0	10	0	7	47	2
3	1.30	0	30	0	4	0	0	0	9	0	10	66	3
4	85	0	37	0	2	4	0	10	46	0	0	12	4
5	0	56	83	0	8	0	10	0	43	0	4	67	5
6	49	11	40	0	0	0	0	0	0	0	1	21	6
7	18	0	57	11	0	0	0	0	0	0	0	1	7
8	18	0	10	2	0	0	0	0	0	0	0	0	8
9	12	0	8	12	1	1	0	0	0	0	39	0	9
10	6	0	25	1	1	0	0	0	0	4	1	40	10
11	6	0	25	21	32	2	28	0	0	0	0	8	11
12	8	0	11	3	0	35	1	0	0	7	12	22	12
13	20	0	3	63	0	0	1	0	2	0	0	10	13
14	58	8	0	74	3	0	16	0	3	2	0	15	14
15	24	3	0	2	1	0	0	0	0	5	0	30	15
16	24	1.03	0	0	0	0	0	0	0	0	19	1	16
17	0	60	0	0	2	2	0	2	0	0	70	3	17
18	7	0	43	0	0	0	12	48	8	0	52	9	18
19	50	33	1.14	0	0	11	85	54	30	0	30	9	19
20	46	24	20	0	0	33	0	17	1	0	0	52	20
21	0	94	2	0	0	0	31	1	5	0	3	7	21
22	0	16	0	0	0	3	9	0	32	0	7	39	22
23	0	0	0	0	0	0	0	0	0	79	15	11	23
24	0	0	0	7	0	16	0	0	5	76	18	73	24
25	15	0	0	0	0	2	0	83	1	0	3	5	25
26	0	3	34	16	0	2	0	52	20	0	0	86	26
27	24	3	4	47	0	0	0	93	0	0	0	3	27
28	3	0	42	1	0	0	0	4	0	0	15	51	28
29	3		0	11	0	0	0	2	0	6	0	18	29
30	2		0	17	0	18	0	20	0	2	45	70	30
31	0		0		0		1	0		0		25	31
Total	7.38	4.14	5.96	3.00	1.32	1.29	2.76	3.86	2.15	1.99	3.52	9.36	YEAR'S TOTAL 46.73
Rain Days.	23	12	20	16	11	12	12	12	14	9	19	29	189

47

FORM A. BRITISH RAINFALL.

14.1.19

REGIST AI 18

CHILTON - UPON - POLDEN

SOMERSET

1917 - 18

Kept at Chilton Polden,

in the County of Somerse

by Hugh R. Carve

ong. 2.56 W

8.30 a.m.

on Bridgwater G.W.R.

Rain Gauge 5 in. in.

e above Ground 1 ft. in.

„ Sea Level 90 ft.

IMPORTANT NOTE. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 46

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		3		3	10			59	2	2	54	2	1
2		1		14				30	1	2	4	3	2
3		3		6	11			3	3	2	2	2	3
4		10		1				3	1	4	39	10	4
5					2			42	17	10	7	2	5
6	19	14		27				4	2	7		4	6
7		24		2	50				52	17	34	1	7
8		1				1			9	52	1	6	8
9	4	16		22		22	(·35)		26	9	2	18	9
10	2			12			35		20	21	2	24	10
11	~~25~~		}(·14)				26		23	30	4	9	11
12	25	4			26		7		15				12
13					2		8		40	13		21	13
14	14		1		1	5	40		24	17		10	14
15	1.18			20	10	8	29		9	3		15	15
16	47		4	45		2	2		11	1		12	16
17	27		1	2	1		31	7	13	1		8	17
18	56		2			70	5		31	1		27	18
19	5	1	16	1			6		2	8		11	19
20	4	13		13		3	57		6	1			20
21	1			2		1	8		49	3		15	21
22	2				17		17		28	5		28	22
23	2				25		30	1	8		1	5	23
24		7					17	1	8		6		24
25					2		8	64		1	4		25
26				11			35		21	2	10	16	26
27		14	1					17	25		11		27
28		5	13						2		3	17	28
29			4						102	3		3	29
30		X	25					8	3	1	9	3	30
31	1	X	17	X		X		1	X		X		31
Total	3.27	1.16	·98	1.81	1.57	1.12	3.96	2.40	5.53	2.16	1.93	2.72	YEAR'S TOTAL 28·61
Rain Days.	15	14	19	15	12	8	18	13	29	25	17	25	~~198~~

203

W, 6,500, VII. 18. W W C

FORM A. BRITISH RAINFALL

14.1.19

REGISTER OF RAINFAL 18

Kept at Chilton Polden, nr. Bridgwater

in the County of Somerset

by Hugh R. Carver.

Lat.

ong. 2.56 W

Time of Observation 8.30 a.m.

Nearest Railway Station Bridgwater. G.W.R.

Diameter of Funnel of Rain Gauge 5in. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 46

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		3		3	10			59	2	2	54	2	1
2		1		14				30	1	2	4	3	2
3		3		6	11			3	3	2	2	2	3
4		10		1				3	1	4	39	10	4
5					2			42	17	10	7	2	5
6	19	14		27				4	2	7		4	6
7		24		2	50				52	17	34	1	7
8		1				1			9	52	1	6	8
9	4	16		22		22	(·35)		26	9	2	18	9
10	2			12			35		20	21	2	24	10
11	~~25~~		}(·14)				26		23	30	4	9	11
12	25	4			26		7		15				12
13					2		8		40	13		21	13
14	14		1		1	5	40		24	17		10	14
15	118			20	10	8	29		9	3		15	15
16	47		4	45		2	2		11	1		12	16
17	27		1	2	1		31	7	13	1		8	17
18	56		2			70	5		31	1		27	18
19	5	1	16	1			6		2	8		11	19
20	4	13		13		3	57		6	1			20
21	1			2		1	8		49	3		15	21
22	2				17		17		28	5		28	22
23	2				25		30	1	8		1	5	23
24		7					17	1	8		6		24
25					2		8	64		1	4		25
26				11			35		21	2	10	16	26
27		14	1					17	25		11		27
28		5	13						2		3	14	28
29			4						102	3		3	29
30		×	25					8	3	1	9	3	30
31	1	×	17	×		×		1	×		×		31
Total	3.27	1.16	·98	1.81	1.57	1.12	3.96	2.40	5.53	2.16	1.93	2.72	YEAR'S TOTAL 28·61
Rain Days.	15	14	19	15	12	8	18	13	29	25	17	25	~~198~~ 203

W. 6,500, VII. 18. W W C

✓ Exac

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
14 FEB. 1918

Kept at Chilton Polden, nr. Bridgwater
in the County of Somerset.
by Hugh R. Carver

Lat. 51·9 N. Long. 2·56. W
Time of Observation 8.30. a.m.
Nearest Railway Station Cossington. Som. & Dor. Rly
Diameter of Funnel of Rain Gauge 5i. in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1		18	s 34		11		70	6	1	1		1
2	1			s 3		4		12	1	23			2
3	.			s 4			76				17		3
4	2	s	9				7	3		23		1	4
5	23		34	9		6			13	26	11		5
6	1		3			22				1	23		6
7	15						17	28		21	2		7
8	1		s	22		10	55	44	5	39	17	8	8
9	.		12	3	4		3	16	4	42	12		9
10	18		22	s 11				10					10
11	4		103	s 37	1			68	14	9	6		11
12	1		1	16	36	2		26		63			12
13	.		18					36	9	1			13
14	.		8	10				35	2				14
15	.	10		1			13	1		4		12	15
16	.	14		2			27	1		17		7	16
17	.	1		6	15		36	1	29	8			17
18	.	3			1	1	18		60		1		18
19	1	44	7			7		87	9		2		19
20	.	1	3		20	22			3				20
21	.		s 24			36							21
22	.							7		6			22
23	.	17			2			26		1		5	23
24	.	1				18	11	3		10			24
25	.	11				2			2	20	2		25
26	.		2		26	10		33	10	22	3		26
27	.				65	410		66		8	2		27
28	.		4		13	14		54				1	28
29	.		8				1	1		22		5	29
30	.	X	10				8	3		13			30
31	.	X	6	X		X			X	11	X	1	31
Total	68 ✓	102 ✓	292 ✓	158 ✓	183 ✓	575 ✓	272 ✓	631 ✓	167 ✓	391 ✓	99 ✓	40 ✓	YEAR'S TOTAL 29.78 ✓
Rain Days.	11 ✓	9 ✓	18 ✓	13 ✓	10 ✓	15 ✓	12 ✓	23 ✓	14 ✓	23 ✓	13 ✓	8 ✓	169 ✓

W. 8,000, IX. 17.

FORM A. 1. METEOROLOG… …NIZATION.

REG…

CLEVEDON

MOUNT HEBER COTT

SOMERSET

1920

Kept at Mount Heber…

in the County of Some…

by G. M. S. Farn…

…52 W

… m.

… mile

…Gauge 5 in.

…e Ground 1 ft. — in.

…Sea Level 144 ft.

14 JAN 1921

IMPORTANT NOTE.– …ntered to the previous day.

If an Observer prefers not t… …sted to add the reading at 9 a.m. on 1st … …t the end of this paragraph. Full instruct… …rain gauges, and particulars as to the Br… …l Observers," sent post-free on applicatio… …62, Camden Square, London, N.W. 1.

R…

Jan. 1, following.
·51

Date	Jan.	Feb.	March	April	May	June	July				Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	Trace	—	·23	·28	—	·47	·25	(·20) +	·05	·16	·48	1
2	·01	—	·01	·09	—	—	·15	·26		·25	Trace	·12	2
3	·03	·05	—	·09	—	—	·26	—		·19	—	·01	3
4	—	—	·03	·05	Trace	—	·16	·86	—	·21	—	—	4
5	—	—	·10	·11	·23	—	·46	·02	—	·14	—	—	5
6	—	—	·26	Trace	·50	—	·06	—	—	·12	Trace	—	6
7	·05	Trace	·03	·06	·04	—	·03	—	—	Trace	·03	—	7
8	·02	·03	—	·60	·16	—	·32	·08	—	Trace	—	Trace	8
9	·38	·25	·03	·67	—	·14	·02	·14	·05	—	—	Trace	9
10	1·05	·21	·04	·35	—	·28	·09	—	—	—	Trace	—	10
11	·15	Trace	·06	·29	·42	·02	·11	—	—	—	—	—	11
12	·16	·05	Trace	·12	Trace	·59	·05	—	—	—	·08	Trace	12
13	·04	·03	·40	·14	—	—	—	1·06 from 12th Aug: to 4th	—	—	—	Trace	13
14	·04	·03	·43	·33	—	—	·05		·11	·49	·45	Trace	14
15	·06	·09	·05	·21	·10	·05	·01		·15	·73	·23	—	15
16	·01	Trace	Trace	·02	·04	·42	·61	+	·29	·13	·34	—	16
17	·18	—	·01	—	·27	·21	—	+✓	·53	·03	Trace	·01	17
18	·15	—	Trace	·01	·08	·12	Trace	+✓	·18	—	—	·02	18
19	Trace	·36	—	·37	—	·09	—		—	—	—	Trace	19
20	·01	·06	—	·15	—	·30	Trace	(·86)	·03	—	—	·15	20
21	—	—	—	·02	—	—	·01	+½	—	·06	—	·02	21
22	·01	Trace	—	·04	—	Trace	·07	+✓	Trace	Trace	—	·40	22
23	—	Trace	—	—	—	—	·60	+✓	—	—	—	·47	23
24	—	Trace	·23	—	—	—	Trace	+	—	—	—	·17	24
25	—	·04	·09	—	—	Trace	·51		—	—	Trace	Trace	25
26	·30	—	·37	—	—	—	·01		—	Trace	·10	·08	26
27	·25	·01	·04	·01	·06	·77	Trace		—	—	—	·14	27
28	·70	Trace	·11	—	·02	·03	·03		—	—	—	·03	28
29	·05	Trace	·17	·08	·07	·07	·05		—	—	·16	·04	29
30	·09	✕	·02	·06	—	·37	·35		·35	—	·47	·52	30
31	·32	✕	·29	✕	·02	✕	—		✕	·26	✕	·25	31
TOTAL	407	121	277	410	229	346	448	(2·47) ~~267~~	(1·89) ~~169~~	266	202	291	YEAR'S TOTAL 3433
Days with ·01 in. or more	~~25~~ 23	12	20	23	14	14	23	(12)	(11)	12	9	16	(189)
Days with ·04 in. or more	~~14~~ 16	8	14	19	12	12	17	(9)	(8)	11	8	11	(145)

FORM A. 1. METEOROLOG NIZATION.

14 JAN 1921

REGISTER OF RAINFALL IN 192

Kept at Mount Heber Cottage Clevedon
in the County of Somerset
by G. M. S. Farmer

Lat. 51·26 Long. 2·52 W
Time of Observation 9 a.m.
Nearest Railway Station ½ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 144 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·51

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	Trace	—	·23	·28	—	·47	·25	(·20)	·05	·16	·48	1
2	·01	—	·01	·09	—	—	·15	·26		·25	Trace	·12	2
3	·03	·05	—	·09	—	—	·26	—		·19	—	·01	3
4	—	—	·03	·05	Trace	—	·16	·86	—	·21	—	—	4
5	—	—	·10	·11	·23	—	·46	·02	—	·14	—	—	5
6	—	—	·26	Trace	·50	—	·06	—	—	·12	Trace	—	6
7	·05	Trace	·03	·06	·04	—	·03	—	—	Trace	·03	—	7
8	·02	·03	—	·60	·16	—	·32	·08	—	Trace	—	Trace	8
9	·38	·25	·03	·67	—	·14	·02	·14	·05	—	—	Trace	9
10	1·05	·21	·04	·35	—	·28	·09	—	—	—	Trace	—	10
11	·15	Trace	·06	·29	·42	·02	·11	—	—	—	—	—	11
12	·16	·05	Trace	·12	Trace	·59	·05	—	—	—	·08	Trace	12
13	·04	·03	·40	·14	—	—	—		—	—	—	Trace	13
14	·04	·03	·43	·33	—	—	·05		·11	·49	·45	Trace	14
15	·06	·09	·05	·21	·10	·05	·01		·15	·73	·23	—	15
16	·01	Trace	Trace	·02	·04	·42	·61		·29	·13	·34	—	16
17	·18	—	·01	—	·27	·21	—		·53	·03	Trace	·01	17
18	·15	—	Trace	·01	·08	·12	Trace		·18	—	—	·02	18
19	Trace	·36	—	·37	—	·09	—		—	—	—	Trace	19
20	·01	·06	—	·15	—	·30	Trace	(·86)	·03	—	—	·15	20
21	—	—	—	·02	—	—	·01		—	·06	—	·02	21
22	·01	Trace	—	·04	—	Trace	·07		Trace	Trace	—	·40	22
23	—	Trace	—	—	—	—	·60		—	—	—	·47	23
24	—	Trace	·23	—	—	—	Trace		—	—	—	·17	24
25	—	·04	·09	—	—	Trace	·51		—	—	Trace	Trace	25
26	·30	—	·37	—	—	—	·01		—	Trace	·10	·08	26
27	·25	·01	·04	·01	·06	·77	Trace		—	—	—	·14	27
28	·70	Trace	·11	—	·02	·03	·03		—	—	—	·03	28
29	·05	Trace	·17	·08	·07	·07	·05		—	—	·16	·04	29
30	·09	╳	·02	·06	—	·37	·35		·35	—	·47	·52	30
31	·32	╳	·29	╳	·02	╳	—		╳	·26	╳	·25	31
TOTAL	407	121	277	410	229	346	448	~~267~~ (2·47)	~~169~~ (1·89)	266	202	291	YEAR'S TOTAL 3433
Days with ·01 in. or more	~~25~~ 23	12	20	23	14	14	23	(12)	(11)	12	9	16	(189)
Days with ·04 in. or more	~~16~~	8	14	19	12	12	17	(9)	(8)	11	8	11	(145)

1·06 from 12th Aug. to 4 Sept

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2047

CLEVEDON, BOWLING GREEN

1912-20

912 '2

FORM A2.
BRITISH RAINFALL.
1913

Kept at Bowling

in the County of S

by Major A. B

or me after usual Pattern

5 in.

ove Ground ~~ft.~~ 11 in.

„ Sea Level 125.68 ft. O.D.

9.0 Am.

Name G.W.R. Clevedon

Distance 430 Yds Direction South

IMPORTANT nd the result entered to the previous day. If a universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—nil	—nil	nil	nil	nil	0.11 0.20	Nil	Nil	0.01	0.73	Nil	0.80	1
2	—nil	—nil	0.30	nil	nil	1.00	0.29	Nil	Nil	0.01	nil	nil	2
3	—nil	—nil	—nil	nil	nil	0.21	0.02	0.30	0.08	Nil	nil	nil	3
4	0.30	snow 0.10	0.85	nil	nil	0.05	Nil	0.08	Nil	Nil	0.16	nil	4
5	0.65	0.20	nil	nil	nil	Nil	Nil	0.35	Nil	Nil	nil	0.15	5
6	nil	nil	nil	0.27	0.08	Nil	0.06	0.55	Nil	Nil	nil	0.02	6
7	0.30	—nil	nil	nil	0.11	0.37	Nil	0.03	Nil	Nil	0.02	0.13	7
8	0.25	0.32	0.40	nil	nil	0.15	0.10	Nil	Nil	Nil	nil	nil	8
9	nil	nil	nil	nil	nil	Nil	0.02	0.26	Nil	Nil	nil	0.46	9
10	0.28	0.30	nil	nil	nil	0.24	Nil	0.03	Nil	Nil	0.15	nil	10
11	nil	Nil	nil	nil	nil	Nil	Nil	Nil	Nil	Nil	nil	0.63	11
12	nil	nil	0.15	nil	nil	Nil	0.04	Nil	Nil	Nil	nil	0.08	12
13	nil	0.50	0.88	0.17	nil	Nil	Nil	Nil	Nil	Nil	nil	0.35	13
14	0.29	nil	nil	nil	nil	Nil	Nil	0.03	Nil	Nil	nil	0.02	14
15	0.82	nil	nil	nil	0.42	0.69	Nil	0.05	Nil	Nil	nil	0.44	15
16	nil	nil	nil	nil	nil	Nil	Nil	0.47	Nil	0.15	0.09	0.03	16
17	nil	nil	0.10	nil	0.07	0.10	Nil	0.86	Nil	Nil	0.03	0.42	17
18	snow. 0.67	nil	nil	nil	0.02	Nil	Nil	1.00	Nil	0.07	nil	0.16	18
19	nil	nil	nil	nil	nil	0.08	0.25	0.48	Nil	0.19	nil	0.02	19
20	0.01	0.40	1.20	nil	0.12	Nil	0.04	0.30	Nil	0.48	nil	nil	20
21	nil	0.50	nil	nil	0.82	Nil	Nil	0.43	Nil	0.13	nil	0.15	21
22	nil	nil	0.35	nil	0.10	Nil	0.04	0.37	Nil	Nil	0.04	0.05	22
23	nil	0.35	nil	nil	Nil	0.04	Nil	0.70	Nil	0.18	0.06	0.10	23
24	0.90	nil	nil	nil	Nil	0.22	Nil	0.38	Nil	Nil	0.01	0.34	24
25	nil	nil	nil	nil	Nil	0.67	Nil	0.50	Nil	0.14	0.29	0.36	Xmas Day 25
26	nil	nil	nil	nil	Nil	Nil	0.11	0.18	Nil	0.67	0.69	0.14	26
27	nil	nil	nil	nil	Nil	0.34	0.60	Nil	Nil	1.00	nil	0.60	27
28	nil	nil	nil	nil	Nil	0.18	0.70	0.79	0.04	0.29	0.37	0.84	28
29	nil	nil	nil	nil	Nil	Nil	0.51	Nil	0.40	0.40	nil	0.08	29
30	nil	~~nil~~	nil	nil	0.02	0.09	0.19	Nil	0.06	0.18	nil	nil	30
31	nil	~~nil~~	0.30	nil	0.18	✕	0.54	0.04	✕	Nil	✕	0.02	31
Total	4.47	2.67	4.53	0.44	1.89	4.74	3.56	8.18	0.59	4.59	1.91	6.39	TOTAL for Year 43.96
No. of Rain Days.	10	8	9	2	10	16	15	22	5	14	11	24	146

W. 8,000, X. '11.

12

2

FORM A2.
BRITISH RAINFALL.
1913

Kept at Bowling Green, Clevedon

in the County of Somerset. 2

by Major. A. B. Trestrail.

RAIN GAUGE
Pattern Made for me after usual Pattern
Diameter of top 5 in.
Height of top above Ground ~~ft~~ 11 in.
" " " Sea Level 125.68 ft. O.D.

Time of Observation 9.0 Am.

Nearest Railway Station
Name G W R. Clevedon
Distance 430 Yds Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—nil	—nil	nil	nil	nil	0.11 0.20	Nil	Nil	0.01	0.73	Nil	0.80	1
2	—nil	—nil	0.30	nil	nil	1.00	0.29	Nil	Nil	0.01	nil	nil	2
3	—nil	—nil	—nil	nil	nil	0.21	0.02	0.30	0.08	Nil	nil	nil	3
4	0.30	snow 0.10	0.85	nil	nil	0.05	Nil	0.08	Nil	Nil	0.16	nil	4
5	0.65	0.20	nil	nil	nil	Nil	Nil	0.35	Nil	Nil	nil	0.15	5
6	nil	nil	nil	0.27	0.08	Nil	0.06	0.55	Nil	Nil	nil	0.02	6
7	0.30	—nil	nil	nil	0.11	0.37	Nil	0.03	Nil	Nil	0.02	0.13	7
8	0.25	0.32	0.40	nil	nil	0.15	0.10	Nil	Nil	Nil	nil	Nil	8
9	nil	nil	nil	nil	nil	Nil	0.02	0.26	Nil	Nil	nil	0.46	9
10	0.28	0.30	nil	nil	nil	0.24	Nil	0.03	Nil	Nil	0.15	nil	10
11	nil	Nil	nil	nil	nil	Nil	Nil	Nil	Nil	Nil	nil	0.63	11
12	nil	nil	0.15	nil	nil	Nil	0.04	Nil	Nil	Nil	nil	0.08	12
13	nil	0.50	0.88	0.17	nil	Nil	Nil	Nil	Nil	Nil	nil	0.35	13
14	0.29	nil	nil	nil	nil	Nil	Nil	0.03	Nil	Nil	nil	0.02	14
15	0.82	nil	nil	nil	0.42	0.69	Nil	0.05	Nil	Nil	nil	0.44	15
16	nil	nil	nil	nil	nil	Nil	Nil	0.47	Nil	0.15	0.09	0.03	16
17	nil	nil	0.10	nil	0.07	0.10	Nil	0.86	Nil	Nil	0.03	0.42	17
18	snow. 0.675	nil	nil	nil	0.02	Nil	Nil	1.00	Nil	0.07	nil	0.16	18
19	nil	nil	nil	nil	nil	0.08	0.25	0.48	Nil	0.19	nil	0.02	19
20	0.01	0.40	1.20	nil	0.12	Nil	0.04	0.30	Nil	0.48	nil	nil	20
21	nil	0.50	nil	nil	0.82	Nil	Nil	0.43	Nil	0.13	nil	0.15	21
22	nil	nil	0.35	nil	0.10	Nil	0.04	0.37	Nil	Nil	0.04	0.05	22
23	nil	0.35	nil	nil	Nil	0.04	Nil	0.70	Nil	0.15	0.06	0.10	23
24	0.90	nil	nil	nil	Nil	0.22	Nil	0.38	Nil	Nil	0.01	0.34	24
25	nil	nil	nil	nil	Nil	0.67	Nil	0.50	Nil	0.14	0.29	0.36	X mas 25 Day
26	nil	nil	nil	nil	Nil	Nil	0.11	0.18	Nil	0.67	0.69	0.14	26
27	nil	nil	nil	nil	Nil	0.34	0.60	Nil	Nil	1.00	nil	0.60	27
28	nil	nil	nil	nil	Nil	0.18	0.70	0.79	0.04	0.29	0.37	0.84	28
29	nil	nil	nil	nil	Nil	Nil	0.51	Nil	0.40	0.40	nil	0.08	29
30	nil	~~nil~~	nil	nil	0.02	0.09	0.19	Nil	0.06	0.18	nil	nil	30
31	nil	~~nil~~	0.30	nil	0.13		0.59	0.04		Nil		0.02	31
Total	4.475	2.67	4.53	0.44	1.89	4.74	3.56	8.18	0.59	4.59	1.91	6.39	TOTAL for year 43.96
No. of Rain Days.	10	8	9	2	10	16	15	22	5	14	11	24	146

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bowling Green Clevedon
in the County of Somerset 2
by Major A. B. Trestrail.

Lat. 51° 52' 15" N Long. 2° 51' W
Time of Observation 9 A.M.
Nearest Railway Station GWR 1340ft S.S.E
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 125·68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·11	0·31	0·04	0·08	—	—	—	0·22	—	0·10	0·05	1
2	0·05	0·12	0·10	0·09	0·07	—	—	—	0·06	0·23	0·14	0·02	2
3	0·23	—	—	—	0·35	—	—	—	—	0·24	0·02	0·13	3
4	1·15	0·04	0·12	—	0·06	—	0·03	—	0·90	0·30	0·01	—	4
5	0·03	0·07	0·08	—	0·27	0·19	0·02	—	0·38	—	0·20	0·25	5
6	0·02	0·07	0·12	—	0·06	0·20	0·04	—	—	0·49	0·14	0·48	6
7	—	0·10	—	—	0·17	0·17	0·26	—	—	0·33	0·30	0·01	7
8	0·01	0·12	—	—	0·15	—	0·02	—	—	0·06	—	0·03	8
9	—	0·15	—	—	0·09	0·34	—	0·09	0·06	—	0·05	—	9
10	0·28	—	—	—	0·08	—	—	0·10	—	0·27	0·23	—	10
11	0·41	0·02	—	0·10	0·12	—	0·01	—	—	0·03	0·90	0·04	11
12	0·05	0·01	—	—	0·10	—	—	0·03	0·05	—	0·38	—	12
13	Snow. 0·10	—	0·15	—	—	—	0·02	0·11	0·57	—	0·16	—	13
14	0·10	—	0·32	—	—	—	—	—	0·04	0·15	0·06	0·03	14
15	0·30	0·06	0·37	1·00	—	—	—	0·08	0·09	—	0·10	0·04	15
16	0·21	—	0·47	—	—	—	—	0·04	0·06	—	0·01	—	16
17	0·14	—	—	0·05	—	—	0·03	—	0·01	—	0·05	—	17
18	0·06	—	0·10	0·18	—	—	—	—	—	—	0·04	—	18
19	0·18	—	0·02	—	0·02	0·10	—	—	0·22	—	—	0·02	19
20	0·40	—	0·15	0·06	—	—	—	—	—	0·02	0·21	—	20
21	—	—	0·12	0·18	0·18	—	0·19	—	—	—	0·35	—	21
22	0·81	—	0·51	—	0·02	0·13	—	0·06	0·28	—	—	—	22
23	—	—	—	—	—	0·05	—	0·25	0·03	—	0·12	0·22	23
24	0·13	—	—	0·05	—	—	—	0·03	—	—	0·01	—	24
25	—	0·04	—	0·27	—	—	—	—	0·03	—	0·02	0·15	25
26	—	—	—	0·18	—	—	—	0·07	—	—	—	0·15	26
27	0·11	—	0·09	0·33	—	—	—	—	—	0·12	—	—	27
28	0·45	—	—	0·34	0·03	—	—	—	—	0·14	—	—	28
29	—		0·49	0·27	—	—	—	0·14	—	0·25	0·03	—	29
30	0·52		—	—	—	—	—	—	—	0·40	0·05	Frost. —	30
31	0·20		0·02		0·20		—	0·05		—		—	31
Total	5·94	0·91	3·54	3·14	2·14	1·18	0·62	1·05	3·00	3·03	3·68	1·62	YEAR'S TOTAL 29·85
Rain Days.	23	12	17	14	17	7	9	12	15	14	24	14	178

1,000, XI. '12
EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Bowling Green, Clevedon,
in the County of Somerset 2
by Major A. B. Trestrail

Lat. 51° 52'15" N Long. 2° 51' W
Time of Observation 9. A.M.
Nearest Railway Station G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 125.68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	—	—	0.07	—	0.09	0.36	0.48	—	—	0.01	0.03	1
2	—	—	—	0.01	0.02	0.03	0.78	0.05	—	—	0.62	0.53	2
3	0.01	—	0.07	0.05	0.46	—	—	—	—	—	0.16	0.10	3
4	0.13	—	0.08	0.45	0.20	—	0.21	0.04	—	—	0.49	0.71	4
5	0.10	—	0.09	0.34	—	—	0.03	—	—	—	0.07	0.04	5
6	—	0.07	0.06	0.08	0.04	—	0.22	0.09	—	—	0.03	0.16	6
7	0.02	0.53	0.43	0.16	0.17	—	0.33	0.18	0.02	—	0.01	0.08	7
8	0.20	—	0.55	0.03	0.03	0.76	0.03	0.08	0.17	—	—	0.02	8
9	0.30	0.05	0.26	0.15	0.10	Thunder 0.92	—	0.07	0.12	—	—	—	9
10	—	0.11	—	0.22	—	0.03	—	—	0.36	—	—	0.02	10
11	—	0.07	0.44	—	0.06	0.23	Thunder 0.57	—	—	—	0.05	0.51	11
12	—	0.16	0.13	—	—	—	—	—	0.33	—	0.06	0.08	12
13	—	0.40	0.53	—	—	—	0.02	—	0.44	0.26	0.05	0.22	13
14	0.02	0.20	0.37	3.01 —	—	—	0.08	Thunder 0.30 Storm	0.07	0.10	—	—	14
15	—	—	0.22	—	—	—	—	0.41	0.67	0.02	0.73	—	15
16	—	—	—	—	—	—	0.06	—	0.25	—	—	0.01	16
17	—	0.50	0.28	—	—	—	0.04	—	0.03	—	—	0.52	17
18	—	0.05	0.07	—	—	—	0.22	—	—	—	—	0.38	18
19	—	0.10	0.25	—	—	—	0.84	—	—	—	0.05	0.05	19
20	—	0.16	0.09	—	—	0.11	—	—	—	—	—	0.14	20
21	—	0.27	0.01	—	—	—	0.07	—	—	0.12	—	—	21
22	—	0.04	0.05	—	Thunder 0.40 Storm	0.13	—	0.22	—	0.18	—	—	22
23	—	0.03	0.14	—	—	—	—	—	—	0.19	—	—	23
24	0.01	—	0.03	—	0.04	—	0.21	0.11	—	0.07	0.10	—	24
25	0.07	—	0.11	—	—	—	—	0.44	—	0.42	—	0.53	25
26	0.01	—	0.03	—	—	—	0.02	—	—	0.11	0.28	0.29	26
27	—	—	—	—	—	—	—	—	—	0.14	0.34	0.26	27
28	0.04	0.20	0.07	13.5 —	0.09	—	—	—	—	—	0.55	0.70	28
29	0.46		0.26	—	0.20	—	—	—	—	0.08	0.15	—	29
30	—		0.03	—	—	—	—	—	—	0.26	0.53	0.59	30
31	0.02		—		0.06		0.39	—		0.14		0.08	31
Total	1.43	2.94	4.65	1.56	1.87	2.30	4.48	2.47	2.46	2.09	4.28	6.05	YEAR'S TOTAL 36.58 36.58
Rain Days.	14.	16	25	10	1.87 13	8	18	12	10	13	18	23	180

1,000, XI. '12
EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

cnd 6.V.16

2151

FORM A.
BRITISH RAINFALL
3 JAN 191

REGISTER OF RAINFALL IN 1915

Kept at Bowling Green, Clevedon

in the County of Somerset.

by Major A. B. Trestrail

2

Lat. 51°52'15"N Long. 2°51 W.

Time of Observation 9. A M.

Nearest Railway Station Great Western Railway.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 125.68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.14	0.13	—	—	0.15	—	—	0.05	0.15	0.28	—	0.18	1
2	0.01	0.14	0.19	0.10	—	0.01	—	0.45	0.31	0.06	—	0.19	2
3	0.08	0.05	0.10	0.20	0.15	—	0.01	0.09	—	—	—	0.36	3
4	0.02	0.02	—	0.08	0.05	—	0.77	—	—	—	—	0.69	4
5	0.08	0.26	—	—	—	—	—	0.08	—	—	—	0.27	5
6	0.36	0.03	—	0.21	—	—	0.40	0.05	—	—	—	0.35	6
7	0.24	0.33	—	0.07	—	—	0.33	—	—	—	—	0.22	7
8	0.25	0.27	—	0.05	—	—	—	0.11	—	—	0.13	—	8
9	0.02	0.05	—	0.05	—	—	—	0.01	—	—	0.18	1.05	9
10	0.20	0.02	0.08	—	—	—	—	—	—	0.02	—	0.06	10
11	0.01	—	1.00	0.09	—	—	—	0.01	—	0.01	0.95	0.04	11
12	0.05	0.19	—	0.06	0.41	—	—	—	—	0.25	0.14	—	12
13	0.01	0.35	—	—	0.89	—	0.15	0.03	0.30	—	0.03	0.09	13
14	0.10	—	—	—	—	—	0.09	0.04	0.03	0.02	—	0.80	14
15	0.34	—	—	—	0.08	—	0.20	0.11	0.08	0.09	0.09	0.02	15
16	—	0.74	—	—	0.48	—	0.84	0.02	—	—	—	0.06	16
17	—	0.23	—	—	0.80	—	—	0.11	—	—	—	—	17
18	—	0.26	0.01	—	—	—	—	—	—	0.02	—	—	18
19	0.02	0.06	—	←	0.08	—	0.36	—	—	—	—	—	19
20	—	—	—	0.21	—	—	—	—	—	0.08	—	0.06	20
21	0.06	0.22	—	—	0.03	—	—	—	—	0.21	—	0.02	21
22	0.38	0.03	0.45	0.05	—	—	0.75	—	0.05	—	—	0.21	22
23	—	—	0.25	—	—	0.03		—	—	1.07	—	0.57	23
24	—	—	0.05	—	—	—	0.05	—	0.25	0.48	—	0.31	24
25	—	—	—	—	—	0.16	0.24	—	—	0.07	—	0.28	25
26	—	0.08	—	—	—	0.21	0.19	—	—	—	—	0.41	26
27	—	0.07	—	—	—	0.12	0.21	—	0.01	0.40	—	0.01	27
28	—	0.04	—	—	—	—	—	—	0.59	0.12	—	0.01	28
29	—	▨	—	—	—	0.31	—	0.04	—	—	0.05	0.05	29
30	—	▨	—	—	—	0.52	—		—	0.19	0.19	0.25	30
31	0.23	▨	—	▨	—	▨	0.05	0.21	▨	0.47	▨	0.26	31
Total	2.79	3.57	2.13	1.17	3.12	1.36	4.64	1.41	1.77	3.84	1.76	6.82	YEAR'S TOTAL ~~34.28~~ 34.29
Rain Days.	19	21	8	11	10	7	15	15	9	17	8	26	166

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2029

FORM A.
BRITISH RAINFALL.

3 JAN

REGISTER OF RAINFALL IN 1916

Kept at Bowling Green Clevedon

in the County of Somerset.

by Major. A. B. Trestrail

Lat. 51° 52′ 15″ N Long. 2° 51′ W.

Time of Observation 9. am

Nearest Railway Station Great Western Rail

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 125·68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·14	—	0·02	—	0·11	0·13	0·69	—	0·02	0·84	0·10	—	1
2	0·72	0·04	0·02	—	0·35	0·09	—	—	0·03	1·11	0·12	—	2
3	—	0·70	—	—	0·23	—	—	—	—	0·36	0·19	—	3
4	0·48	0·18	—	—	0·25	0·75	—	—	0·08	0·12	0·30	—	4
5	0·06	—	—	—	0·15	0·13	—	—	—	0·03	0·11	—	5
6	0·05	0·31	—	—	0·39	0·28	0·35	—	—	0·28	0·40	0·22	6
7	0·01	0·27	0·10	—	0·21	—	—	—	—	0·30	0·34		7
8	—	0·12	0·04	—	0·09	—	—	—	—	—	0·01	0·22	8
9	—	0·03	—	—	0·04	0·20	0·09	—	—	0·03	0·07	0·05	9
10	—	0·44	0·04	0·08	0·09	0·03	—	—	—	0·06	—	0·02	10
11	0·06	—	0·06	0·18	0·27	0·11	—	—	—		—	—	11
12	0·03	0·18	—	0·02	0·01	—	0·15	0·03	—	0·23	—	—	12
13	—	0·54	0·24	0·02	—	—	—	0·34	—	0·05	—	—	13
14	—	0·35	0·03	0·05	0·21	—	—	0·48	—	0·10	—	—	14
15	0·02	0·19	0·10	0·17	—	—	—	0·74	0·09	0·02	—	—	15
16	0·04	0·05	—	0·40	—	—	0·05	0·29	—	0·07	—	—	16
17	0·09	0·17	—	0·08	0·09	—	—	0·60	0·24	0·39	0·05	—	17
18	—	0·05	0·21	—	—	—	—	—	0·03	0·05	0·28	0·06	18
19	0·18	—	0·45	0·04	—	—	—	—	—	—	0·10	—	19
20	0·11	0·10	0·50	—	—	—	—	—	—	—	0·07	0·74	20
21	0·24	0·09	0·44	—	—	0·03	—	—	—	—	0·01	0·07	21
22	—	—	—	—	0·01	0·19	—	—	—	0·19	0·11	0·60	22
23	0·03	0·08	—	0·24	1·48	0·04	—	0·36	—	0·08	0·16	0·06	23
24	—	0·16	—	0·09	—	0·02	—	0·07	—	0·49	0·02	0·24	24
25	—	0·21	0·30	—	0·02	—	—	0·47	—	0·15	0·05	0·06	25
26	0·04	0·20	0·04	—	—	0·22	—	—	0·37	0·31	0·12	—	26
27	0·13	0·03	0·96	—	—	0·09	—	0·06	0·28	0·52	—	—	27
28	—	0·23	0·10	—	—	0·08	—	—	0·11	0·35	—	0·03	28
29	0·01	0·46	0·08	—	—	0·45	—	1·85	—	0·29	—	0·80	29
30	—	▨	—	—	—	—	—	—	—	0·47	—	0·60	30
31	—	▨	—	▨	—	▨	—	0·06	▨	0·39	▨	0·03	31
Total	2·44	5·18	3·73	1·37	4·00	2·84	1·33	5·35	1·25	7·28	2·61	3·80	YEAR'S TOTAL 41·18
Rain Days.	18	24	18	11	17	16	5	12	9	26	19	15	190

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1997

FORM A.
BRITISH RAINFALL
8. JAN. 1918

REGISTER OF RAINFALL IN 1917

Kept at Bowling Green Clevedon
in the County of Somerset
by Major. W.B. Trestrail

Lat. 51° 52' 15 N Long. 2·51 W.
Time of Observation 9 a.m.
Nearest Railway Station Great Western
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 125·68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	0·03	0·22	0·47	–	0·12	–	1·61	0·14	–	0·08	–	1
2	0·03	–	–	0·06	–	0·14	–	0·05	–	0·02	0·08	–	2
3	0·03	0·14	–	0·08	–	–	0·15	–	–	1·60	–	–	3
4	0·01	0·12	0·13	–	–	–	0·14	0·02	–	–	–	–	4
5	–	–	0·16	0·25	–	–	–	–	0·38	0·25	0·20	–	5
6	·20) 0·02	–	0·15	–	–	–	–	–	–	0·08	0·32	0·02	6
7	0·21	–	–	–	–	–	0·06	0·22	–	–	0·03	0·08	7
8	0·03	–	0·18	–	–	–	0·75	0·86	0·20	0·87	0·20	0·17	8
9	–	–	0·05	0·08	0·13	–	0·01	0·69	0·21	–	0·02	–	9
10	0·22	–	0·26	0·09	–	–	–	0·34	0·03	–	–	–	10
11	0·02	–	0·05	0·42	0·17	–	–	0·50	0·09	0·05	0·05	–	11
12	–	–	0·02	–	0·36	0·75	–	0·13	–	1·12	–	–	12
13	–	–	0·13	0·07	–	–	–	0·20	0·10	–	0·02	–	13
14	–	–	0·13	–	–	–	0·04	0·47	–	–	–	–	14
15	–	–	–	0·05	–	–	0·09	0·02	0·03	–	–	0·22	15
16	0·03	0·18	–	0·08	–	–	–	–	–	0·21	–	0·08	16
17	–	0·03	–	0·07	0·21	–	0·34	0·13	0·39	0·16	–	–	17
18	0·02	0·03	–	–	0·03	–	0·43	0·08	1·00	–	0·05	–	18
19	–	0·64	0·05	–	–	–	–	–	0·03	–	0·02	–	19
20	–	0·17	–	–	0·27	–	–	–	0·07	–	–	–	20
21	–	0·02	0·30	–	–	0·52	–	0·04	–	0·04	–	–	21
22	–	–	0·03	–	–	0·10	–	0·10	–	0·10	–	–	22
23	–	0·14	–	–	–	–	–	0·39	–	0·06	0·02	0·02	23
24	–	0·03	–	–	–	0·07	0·11	0·10	–	0·34	–	–	24
25	–	0·07	0·04	–	–	–	–	0·07	–	0·08	–	–	25
26	–	–	–	–	0·13	–	–	0·80	0·31	0·18	0·09	–	26
27	–	–	–	–	0·90	–	–	0·82	–	–	0·02	–	27
28	–	–	0·13	–	–	0·90	–	0·62	–	–	0·02	–	28
29	–		0·04	–	–	0·41	0·04	0·42	–	0·45	–	0·18	29
30	–		–	–	–	–	0·08	–	–	0·29	0·04	–	30
31	–		0·24		–		–	0·23		0·06		–	31
Total	0·83	1·60	3·31	1·72	2·20	3·01	2·24	8·91	2·98	5·96	1·26	0·77	YEAR'S TOTAL 34·79
Rain Days.	11	12	18	11	8	8	12	24	13	18	16	7	158

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

CX 94

84

FORM A.
BRITISH RAINFALL.

20.1.19

REGISTER OF RAINFALL IN 1918

Kept at Bowling Green Clevedon
in the County of Somerset
by Major A. B. Trestrail

Lat. 51° 52' 15" N. Long. 2° 51' W.
Time of Observation 9 AM
Nearest Railway Station G.W.R
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground – ft. 11 in.
" " " " Sea Level 125·68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0·10	0·03	0·08	0·06	–	–	0·28	–	0·09	0·40	0·20	1
2	–	0·10	–	–	–	–	–	0·34	–	–	0·22	0·26	2
3	–	0·04	–	0·19	0·11	–	–	0·03	0·18	–	0·05	–	3
4	·02	0·13	–	0·07	–	–	–	0·03	–	0·16	0·63	0·15	4
5	·02	–	–	–	–	–	–	0·35	0·29	0·40	0·02	–	5
6	0·15	0·70	–	0·24	0·11	–	–	0·10	0·30	0·28	–	0·10	6
7	–	0·20	–	0·04	0·67	–	–	–	0·24	0·30	0·24	–	7
8	–	0·19	–	–	–	–	0·09	–	0·53	0·15	–	0·08	8
9	–	0·08	–	0·42	–	0·32	0·20	–	0·52	0·05	0·04	0·21	9
10	0·03	0·04	–	0·10	–	–	1·12	–	0·69	0·07	–	0·27	10
11	0·05	–	0·07	0·15	–	–	0·15	–	2·25	0·46	0·10	0·30	11
12	–	0·17	–	–	0·23	–	0·01	–	0·06	–	–	0·30	12
13	0·07	–	0·17	–	–	–	0·04	–	0·33	0·08	–	0·46	13
14	0·50	–	–	–	0·05	0·03	0·39	–	0·13	–	–	0·25	14
15	0·49	–	0·04	0·14	0·04	0·27	0·30	–	0·16	–	–	0·40	15
16	0·50	–	0·10	0·46	–	0·06	0·02	–	0·30	–	–	–	16
17	0·63	–	–	0·15	–	–	0·40	0·19	0·17	0·03	–	–	17
18	0·88	–	–	0·02	–	0·71	0·13	–	0·82	0·02	–	–	18
19	0·05	0·02	0·13	–	–	–	0·04	–	0·48	0·05	–	–	19
20	–	0·14	–	0·02	–	–	0·34	–	0·88	0·03	–	0·39	20
21	0·02	0·04	–	–	–	–	0·22	–	1·48	0·02	–	–	21
22	–	–	–	–	0·22	–	0·59	–	–	0·05	–	–	22
23	0·11	–	–	–	0·14	–	0·28	–	·03	–	–	–	23
24	–	0·11	–	–	–	–	0·49	–	–	–	0·08	–	24
25	–	–	–	–	0·17	–	0·14	0·72	0·27	0·10	0·11	–	25
26	–	–	–	0·03	–	–	0·43	0·04	–	0·04	0·14	–	26
27	–	–	–	–	–	–	–	0·36	–	–	0·15	–	27
28	0·02	–	0·33	–	–	–	–	–	0·25	–	–	–	28
29	–	–	0·10	–	–	–	–	–	1·25	–	–	–	29
30	–	☒	0·33	–	–	–	–	–	0·01	0·02	0·12	–	30
31	–	☒	0·22	☒	–	☒	–	–	☒	–	☒	1·18	31
Total	3·54	2·06	1·52	2·11	1·80	1·39	5·38	2·44	11·62	2·40	2·30	4·55	YEAR'S TOTAL 41·11
Rain Days.	15	14	10	14	10	5	19	10	23.	19	13	14	166

W. 8,000, VIII. 16

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bowling Green, Clevedon

in the County of Somerset

by Major A. 3. Instrail M.B.E.

Lat 51° 52' 15 N Long 2° 51' W.

Time of Observation 9 A.M.

Nearest Railway Station G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

" " " " Sea Level 125.68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·05	—	0·08	—	0·25	—	0·09	0·14	—	0·80	1
2	—	—	0·08	—	—	—	0·20	—	0·25	—	0·13	0·28	2
3	—	—	0·26	—	0·07	0·15	—	—	0·07	—	0·10	0·55	3
4	—	—	0·23	—	—	—	0·45	0·05	0·47	—	—	0·14	4
5	—	0·46	1·05	—	0·02	—	0·02	—	0·43	—	0·05	0·28	5
6	—	0·14	—	—	—	—	—	—	—	—	—	0·12	6
7	—	—	0·50	0·25	—	—	—	—	—	—	—	—	7
8	—	—	—	0·15	0·03	0·03	—	—	—	—	—	—	8
9	—	—	0·08	0·08	—	—	—	—	—	—	0·14	—	9
10	—	—	0·15	—	0·18	—	—	—	—	—	—	0·15	10
11	—	—	0·48	0·21	—	—	0·24	—	—	—	—	0·18	11
12	0·09	—	0·32	0·03	—	0·28	—	—	—	0·10	0·06	—	12
13	0·13	—	—	0·27	0·03	—	0·01	—	0·05	—	—	0·10	13
14	0·60	0·14	—	0·46	—	—	0·22	—	—	0·02	—	0·05	14
15	0·38	—	—	0·07	—	—	—	—	—	—	—	0·19	15
16	0·23	0·08	—	—	—	—	—	—	—	—	0·15	—	16
17	—	0·70	—	0·03	0·05	0·10	—	—	—	—	0·18	—	17
18	0·10	0·41	0·55	—	—	—	0·03	0·64	0·02	—	0·19	0·08	18
19	0·44	0·27	0·68	—	—	0·16	0·86	0·38	0·01	—	0·08	0·05	19
20	0·20	0·16	0·26	—	—	0·11	—	0·23	—	—	—	0·03	20
21	—	0·86	—	—	—	—	0·10	0·02	0·01	—	—	0·07	21
22	—	0·10	—	—	—	0·02	—	—	0·37	—	—	0·02	22
23	—	—	—	—	—	—	—	—	—	0·95	0·10	0·38	23
24	—	—	—	0·05	—	0·15	—	—	0·05	1·09	0·30	0·33	24
25	0·18	—	—	—	—	0·04	—	0·35	—	—	0·60	0·44	25
26	0·17	—	0·09	0·21	—	—	—	0·10	0·13	—	0·02	0·44	26
27	0·03	0·08	0·06	—	—	—	—	0·62	—	—	—	0·15	27
28	0·10	—	0·37	—	—	—	—	0·16	—	—	—	0·30	28
29	0·03		—	0·07	—	—	—	—	—	0·03	0·30	0·33	29
30	—		—	0·15	—	0·34	—	0·24	—	—	0·25	0·47	30
31	0·02		—		0·12		—	—		—		0·07	31
TOTAL	2·70	3·40	5·21	2·03	0·58	1·38	2·38	2·79	1·95	2·33	2·65	6·00	YEAR'S TOTAL 33.40
Days with ·01 in. or more	14	11	16	13	8	10	10	10	12	6	15	25	150

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1786

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Clevedon Bowling Green
in the County of Somerset
by Major A. J. Trestrail

Lat 51° 52' 15¼" Long 2° 51' W.
Time of Observation 9. A.M.
Nearest Railway Station G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft 11 in.
„ „ „ „ Sea Level 125.68 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.67	0.28	—	0.54	0.24	0.18	0.07	0.17	1.00	1
2	—	0.08	—	0.10	—	—	0.23	0.28	0.28	0.25	—	—	2
3	—	—	—	0.06	—	—	0.24	—	—	0.19	—	—	3
4	—	—	—	0.10	—	—	0.06	0.90	0.90	0.21	—	—	4
5	—	—	—	0.10	0.21	—	0.49	0.03	0.03	0.12	—	—	5
6	—	0.05	—	0.07	0.53	—	0.08	—	—	0.12	0.01	—	6
7	—	—	—	0.70	0.05	—	0.05	—	—	—	0.04	—	7
8	—	—	0.40	0.70	0.18	—	0.35	0.09	0.09	—	—	—	8
9	0.54	—	0.02	0.10	—	0.15	0.04	0.15	0.15	—	—	—	9
10	1.10	0.45	—	0.25	—	0.27	0.30	—	—	—	—	—	10
11	0.04	—	—	0.30	0.46	0.05	0.12	—	—	—	—	—	11
12	0.15	—	0.10	0.24	—	0.59	0.05	—	—	—	—	—	12
13	0.04	0.10	—	—	—	—	—	—	—	—	—	—	13
14	0.05	—	0.75	0.35	—	—	0.06	—	—	0.50	0.40	—	14
15	0.06	0.11	—	0.19	0.15	0.05	0.01	—	—	0.80	0.37	—	15
16	0.08	—	0.05	—	0.02	0.45	0.65	—	—	0.10	—	—	16
17	0.02	—	—	—	0.28	0.23	—	0.10	0.10	0.04	—	—	17
18	0.28	—	—	0.22	0.09	0.07	—	0.58	0.58	—	—	—	18
19	0.01	—	—	0.22	—	—	—	0.02	0.02	—	—	—	19
20	0.01	0.42	—	0.08	—	—	0.02	—	—	—	0.30	0.04	20
21	—	—	0.01	0.01	—	—	(0.02)	—	—	0.07	0.30	0.05	21
22	0.01	—	—	0.04	—	—	0.07	0.16	0.16	—	0.50	0.40	22
23	—	0.04	—	—	—	—	0.63	0.05	0.05	—	—	0.45	23
24	—	—	0.15	—	—	—	—	0.01	0.01	—	—	0.05	24
25	0.28	—	0.15	—	—	—	0.52	0.02	0.02	—	—	0.02	25
26	—	—	—	—	—	—	0.01	—	—	—	—	0.10	26
27	0.25	0.02	0.26	0.03	0.07	0.70	0.03	—	—	—	—	0.14	27
28	0.65	—	0.24	—	0.03	0.04	0.06	—	—	—	—	0.15	28
29	—	—	—	0.08	0.06	0.47	0.36	—	—	—	—	0.50	29
30	0.39	X		0.06	—	0.40	0.36	—	—	—	—	0.29	30
31	—	X	0.05	X	0.03	X	—	—	X	0.21	X	0.50	31
TOTAL	3.91	1.27	2.18	4.67	2.44	3.47	5.04	2.63	2.57	2.68	2.59	3.69	YEAR'S TOTAL 36.64
Days with ·01 in. or more	17	8	11	22	14	12	25	13	13	12	8	13	168.
	12	7	9	20	11	12	20	9	9	12	7	12	140

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.
5 MAR 1913

2046

CLEVED~~ON~~ P. S

1912 - 20

RE 2

Kept at Tickenham 0 am

in the County of Som 5 in.

by Jos: Haughr: Esq. ove Ground about 1 ft. 6 in.

Sea Level ft.

IMPORTANT N the result entered to the previous day. If an versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.10		0.01	0.59			0.02	0.75		0.15	1
2			0.06			0.76	0.27			0.02	0.01		2
3	0.01		0.14			0.17	0.02	0.32	0.08		0.02	0.01	3
4	0.15		0.31		0.06	0.04		0.04			0.12		4
5	0.42	0.13	0.11		0.02			0.44				0.07	5
6	0.25	0.11			0.10		0.09	0.46			0.03	0.09	6
7	0.03	0.15	0.08		0.07	0.40		0.02			0.01	0.05	7
8	0.30	0.15	0.22			0.14	0.05	01				0.12	8
9	0.01	0.06	0.06	0.11		0.03	0.01	0 22			0.03	0.40	9
10	0.09	0.07				0.33		0.03			0.07	0.03	10
11	0.07	0.04	0.01					0.01				57	11
12	0.03	0.48	0.04	0.10	0.03	0.02	0.04					0.07	12
13	0.03		0.01	0.01						0.01		0.29	13
14	0.12		0.80		0.20	0.01		0.03				0.01	14
15	0.07	0.12	0.02	0.01	0.23	0.68		0.04				0.43	15
16	0.43		0.23		0.06	0.03		0.32		0.09	0.12	0.02	16
17	0.60		0.26		0.01	0.08		0.86		0.01	0.03	0.38	17
18	0.13	0.02	0.26					0.54		0.05	0.01	0.15	18
19	0.02	0.02	0.03			0.08	0.29	0.66		0.19		0.01	19
20	0.01	0.02	0.19		0.13		0.03	0.08		0.41			20
21	0.02	0.10	0.08		0.77		0.02	0.38		0.12			21
22	0.45	0.34	0.13		0.12	0.01	0.04	0.34		0.01	0.02	0.05	22
23	0.31	0.34	0.31			0.07		0.78		0.12	0.06	0.33	23
24	0.18		0.04			0.18		0.02		0.01		0.15	24
25						0.64		0.84		0.13	0.26	0.43	25
26		0.02					0.12	0.14		0.50	0.65	0.14	26
27		0.01				0.30	0.86			0.94	0.01	0.52	27
28		0.06			0.01	0.18	0.46	0.72	0.04	0.27	0.39	0.81	28
29		0.02				0.03	0.50	0.02	0.32	0.50		0.08	29
30		X	0.01			0.07	0.19		0.05	0.15		0.01	30
31		X	0.24	X	0.03	X	0.55	0.03	X		X	0.18	31
Total	3.73	2.26	3.79	0.23	1.85	4.84	3.54	7.35	0.51	4.28	1.84	5.55	YEAR'S TOTAL 39.77
Rain Days.	22	19	24	4	15	22	16	25	5	18	16	27	213

W. 7,500, XI. 12

REGISTER OF R IN 1912

FORM A. BRITISH RAINFALL. 5 MAR 1913

Kept at Ickenham Road Clevedon

in the County of Somerset 2

by Jos. Hargler: Sup. Clevedon Water Co.

Long.

of Observation 9.0 am

st Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground about 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.10		0.01	0.59			0.02	0.75		0.15	1
2			0.06			0.76	0.27			0.02	0.01		2
3	0.01		0.14			0.17	0.02	0.32	0.08		0.02	0.01	3
4	0.15		0.31		0.06	0.04		0.04			0.12		4
5	0.42	0.13	0.11		0.02			0.44				0.07	5
6	0.25	0.11			0.10		0.09	0.46			0.03	0.09	6
7	0.03	0.15	0.08		0.07	0.40		0.02			0.01	0.05	7
8	0.30	0.15	0.22			0.14	0.05	.01				0.12	8
9	0.01	0.06	0.06	0.11		0.03	0.01	.22			0.03	0.40	9
10	0.09	0.07				0.33		0.03			0.07	0.03	10
11	0.07	0.04	0.01					0.01				.57	11
12	0.03	0.48	0.04	0.10	0.03	0.02	0.04					0.07	12
13	0.03		0.01	0.01						0.01		0.29	13
14	0.12		0.80		0.20	0.01		0.03				0.01	14
15	0.07	0.12	0.02	0.01	0.23	0.68		0.04				0.43	15
16	0.43		0.23		0.06	0.03		0.32		0.09	0.12	0.02	16
17	0.60		0.26		0.01	0.08		0.86		0.01	0.03	0.38	17
18	0.13	0.02	0.26					0.54		0.05	0.01	0.15	18
19	0.02	0.02	0.03			0.08	0.29	0.66		0.19		0.01	19
20	0.01	0.02	0.19		0.13		0.03	0.08		0.41			20
21	0.02	0.10	0.08		0.77		0.02	0.38		0.12			21
22	0.45	0.34	0.13		0.12	0.01	0.04	0.34		0.01	0.02	0.05	22
23	0.31	0.34	0.31			0.07		0.78		0.12	0.06	0.33	23
24	0.18		0.04			0.18		0.02		0.01		0.15	24
25						0.64		0.84		0.13	0.26	0.43	25
26		0.02					0.12	0.14		0.50	0.65	0.14	26
27		0.01				0.30	0.86			0.94	0.01	0.52	27
28		0.06			0.01	0.18	0.46	0.72	0.04	0.27	0.39	0.81	28
29		0.02				0.03	0.50	0.02	0.32	0.50		0.08	29
30		X	0.01			0.07	0.19		0.05	0.15		0.01	30
31		X	0.29	X	0.03	X	0.55	0.03	X		X	0.18	31
Total	3.73	2.26	3.79	0.23	1.85	4.84	3.54	7.35	0.51	4.28	184	5.55	YEAR'S TOTAL 39.77
Rain Days.	22	19	24	4	15	22	16	25	5	18	16	27	213

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

25 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Tickenham Road. Clevedon

in the County of Somerset 2

by Jos: Harger: Sec Clevedon Wate Co

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·09	0·27	0·03	0·04				0·20		0·13	0·05	1
2	0·03	0·10	0·01	0·04					0·04	0·19	0·13	0·01	2
3	0·09	0·01	0·09		0·30					0·17	0·02	0·11	3
4	1·23	0·01	0·10		0·12	0·01	0·01		1·12	0·19	0·01	0·10	4
5	0·01	0·08	0·06		0·25	0·19	0·06		0·34		0·18	0·08	5
6	0·02	0·05	0·15		0·06	0·19	0·01				0·15	0·50	6
7	0·01	0·09	0·01		0·17	0·17	0·18			0·54	0·24	0·02	7
8		0·10		0·01	0·12		0·01			0·33		0·01	8
9		0·12			0·06	0·33		·11	0·09		0·04		9
10	0·18	0·01		0·02	0·05			[illegible] ·9		0·04	0·22		10
11	0·54			0·07	0·09		0·01			0·34	0·66	0·04	11
12	0·04	0·02	0·01		0·08			0·02	0·02	0·03	0·39		12
13	0·06	0·01	0·11				0·02	0·11	0·62	0·01	0·15	0·02	13
14	0·06	0·01	0·30	0·01				0·01	0·04	0·14	0·05		14
15	0·22	0·05	0·27	0·85				0·05	0·09		0·08	0·04	15
16	0·24		0·45	0·02			0·02	0·01	0·09		0·01		16
17	0·06	0·01		0·05			0·03		0·03		0·03		17
18	0·15		0·07	0·15			0·01		~~[illegible]~~		0·04		18
19	0·13		0·01		0·02	0·09			0·21			0·03	19
20	0·31		0·44	0·05						0·11	0·17		20
21			0·02	0·16	0·21		0·22	0·01	0·01		0·34		21
22	0·71		0·54		0·03	0·10		0·05	0·24				22
23	0·03					0·03		0·32	0·02		0·12	0·20	23
24	0·10	0·04		0·06				0·03			0·01		24
25		0·01		0·18					0·02		0·02	0·14	25
26				0·20				0·08	0·01			0·13	26
27	0·11		0·09	0·24	0·02					0·05		0·02	27
28	0·37		0·02	0·28	0·01					0·15			28
29	0·01	X	0·47	0·24				0·13		0·28	0·02		29
30	0·42	X	0·01							0·37	0·03		30
31	0·18	X	0·01	X	0·33	X		0·06	X		X		31
Total	531	0.81	321	266	196	111	058	108	319	294	324	150	YEAR'S TOTAL 27·59
Rain Days.	25	17	22	18	17	8	11	13	17	15	24	16	203

W.7,000, XI. 13

17.v.15

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL.

17 APR 1915

Kept at Tickenham Road, Clevedon

in the County of Somerset. 2

by J. Harger Pye

Lat. ______ Long. ______

Time of Observation 9 A.M.

Nearest Railway Station Clevedon

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

2612

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.14	0.08		0.07	0.54	0.45			0.02	0.01	1
2					0.02	0.02	0.78	0.04			0.65	0.42	2
3			·05	0.14	0.42						0.08	0.09	3
4	0.12		0.10	·28	0.21		0.21				0.51	0.71	4
5	0.09		0.07	0.32	0.02		0.04	0.02			0.05	07	5
6	0.04	0.08	0.07	0.05	0.04		0.21	0.10				0.15	6
7	0.02	0.67	0.32	0.18	·20		·29	0.14	0.02			07	7
8	·20		0.63	0.05	0.02	0.72	0.04	07	0.19		0.03	02	8
9	0.28	0.03	·26	0.09	0.03	0.75		0.08	0.15			0.01	9
10	0.02	0.11		0.19	0.08				0.40				10
11		0.05	0.39		·05	·23	0.36		0.12		0.04	0.53	11
12		0.11	0.11				0.01		0.20		0.05	0.10	12
13		0.42	0.45				0.03		0.46	0.32	0.02	0.22	13
14		0.21	0.35				0.02	0.25	0.03	0.10	0.22		14
15	0.02	0.02	0.20				0.02	0.40	0.40	0.02	0.43	0.01	15
16							0.08		25			01	16
17		0.45	0.25				0.04		·02			0.50	17
18		0.04	07				0.11			0.02	0.03	0.30	18
19		0.11	0.29				0.98					0.04	19
20		0.11	0.08			0.33						15	20
21		0.31				0.07	0.05			0.08		02	21
22		0.03	0.07		0.54	0.12		0.10		0.11			22
23		0.04	0.14		0.06			0.01		0.18		01	23
24		0.01	0.04				0.17	0.11		0.13	07	0.37	24
25			0.11				02	0.39		0.36	0.01	0.38	25
26			0.02				0.02			0.09	0.27	0.29	26
27	0.02									0.11	0.25	26	27
28	0.03		0.07		0.09					0.01	0.60	0.75	28
29	0.40	X	0.21		0.15					0.09	0.13	0.01	29
30	0.02	X	0.03		01	01				0.25	0.48	0.52	30
31	0.02	X		X	0.02	X	0.36		X	0.16	X	0.05	31
Total	1.28	2.80	4.52	1.38	1.96	2.27	4.38	2.16	2.24	2.03	3.94	6.07	YEAR'S TOTAL 35.03
Rain Days.	13	17	25	9	16	9	21	13	11	15	19	28	196

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2150

FORM A. BRITISH RAINFALL.
29 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Tickenham Rd. Pumping Sta.
in the County of Somerset
by Clevedon Water Company

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Clevedon
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.12	0.12			·13			0.03	0.14	0.30	0.01	0.23	1
2	0.07	0.16	0.19	·26		0.01		0.62	0.31	0.03		0.15	2
3	0.09	0.03	0.14	0.18	·13		0.02	0.07				0.22	3
4	0.03	0.03	0.01		0.04		0.75	0.01				0.86	4
5	0.07	0.25		0.04				·14				·24	5
6	0.35	0.02		0.23			0.44	0.03				0.35	6
7	0.36	0.30		0.08			0.48	0.02			0.01	0.20	7
8	0.26	0.30						0.09			0.11		8
9	0.02	·05		0.02				0.05			0.16	0.97	9
10	0.19	0.06	0.10	·07						0.01		0.04	10
11	0.01		0.09	0.03						0.01	0.87	0.03	11
12	0.16	0.27	0.01	0.12	46					0.32	0.18		12
13	0.01 ~~0.10~~	0.30			83		0.12	0.05	0.34		0.05	0.04	13
14	0.10						0.07	0.02	0.03	0.01		0.72	14
15	0.22	0.01		0.01	0.08		0.13	0.16	0.09	0.05	0.09	0.05	15
16	0.01	0.59			0.56		0.87	0.04				0.03	16
17		0.35	0.01		0.68			0.10					17
18		0.26											18
19	0.01	0.02			0.09		0.30						19
20	0.22			·20						0.08		0.06	20
21	0.05	0.19			0.08		0.01			0.19		·01	21
22	0.08	0.07	0.44	0.04		0.01	0.91		0.02	0.01		0.18	22
23			0.18			0.03	0.04		0.03	0.89		0.54	23
24			0.04	0.02			0.06		0.22	0.70		0.22	24
25	0.01		0.02			0.23	0.35			0.05		0.28	25
26		0.09				0.17	0.22					0.40	26
27		0.09				0.22	0.07		0.01	0.37		0.02	27
28		0.06				0.01			0.62	0.08		·01	28
29		X				0.48		0.03			0.03	0.04	29
30	0.20	X		0.03		0.27				0.24	·10	·18	30
31	0.01	X		X		X	0.04	0.20	X	0.59	X	0.25	31
Total	2.65	3.52	1.23	1.33	3.08	1.43	4.78	1.66	1.81	3.93	1.61	6.32	YEAR'S TOTAL 33.35
Rain Days.	23	22	11	14	10	9	17	16	10	17	10	26	185

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2058

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
12. FEB 1917

Kept at Tickenham Rd. Clevedon
in the County of Somerset
by J. Harger Pye

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station 1½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	~~June.~~	July.	Aug.	Sept.	~~Oct.~~	Nov.	Dec.	*Date.*
1	0.09		0.01		0.08	·12	0.46		0.05	0.43	0.19		1
2	0.72	0.04	0.02		0.04	0.07			0.01	1.42	0.08	0.01	2
3		0.70			0.15	0.03	0.01		0.02	0.27	0.26		3
4	0.50	0.17	0.01	0.02	0.29	0.76			0.02	0.22	0.34		4
5	0.06		0.02		0.11	·12			0.13	0.03	0.06		5
6	0.05	0.31	0.02		0.35	0.31	0.31			0.20	0.34		6
7	0.01	·26	0.09		0.15					0.06	0.34	·21	7
8		0.14	0.03		·24	0.01					0.01	0.16	8
9		0.02			0.07	0.42	0.07			0.02	0.05	0.04	9
10		0.44	0.03	0.07	0.05	0.04				0.05	0.01	0.02	10
11	0.04	0.01	0.05	0.19	0.09	0.07							11
12	0.03	0.17	0.04	002	0.25		17	0.02		0.25			12
13		0.49	0.17	[illegible]	·01			0.28		0.05	0.01		13
14		0.31	0.03	·04	0.19			0.41		0.05		0.01	14
15	0.02	0.15	0.13	·10				0.67	0.07	0.02			15
16	0.02	0.06		46	0.01		0.03	·28		0.02			16
17	0.06	0.15		07				0.41	0.23	043	0.11		17
18		0.04	0.20	02					0.03	0.04	·24	0.05	18
19	0.13		0.39	03						0.01 ~~0.19~~	0.10		19
20	0.14	0.12	0.45	~							0.05	0.67	20
21	0.25	0.07	0.48	–	0.05	·02					0.01	0.29	21
22	0.01			02		0.12				0.16	0.11	0.54	22
23	0.02	0.19		15	1.33	0.16		0.30		0.10	0.14	0.13	23
24		0.10		10		0.04		0.05		0.37	0.02	·24	24
25		0.36	0.30			0.01		0.47	0.01	0.10	0.17	0.06	25
26	0.04	0.09	0.04		0.05	0.22			0.45	029	0.03	0.02	26
27	0.13	0.02	1.34			0.09		0.10	0.31	0.43		0.01	27
28		0.29	002			0.06			014	0.48		0.84	28
29		·42	007			0.40		1.70	0.02	0.27		0.58	29
30		X								0.44		0.02	30
31		X		X		X		0.01	X	0.25	X	0.05	31
Total	2.32	5.12	3.94	1.29	3.51	3.07	1.05	4.70	1.49	6.46	2.67	3.95	YEAR'S TOTAL 39.57
Rain Days.	18	25	22 ~~17~~	13	18	19	6	12	13	27	21	19	213

W. 8,000. X. 15.

Exd

1996

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

FEB

Kept at Tickenham Road, Clevedon

in the County of Somerset

by J. Harger Pye

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Clevedon 1½ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.02	·20	·53				1.41	0.19		0.06		1
2	0.03		0.02	0.04				0.05		0.02			2
3	0.01	0.07		0.03			0.15	0.01	0.01	1.45	0.07		3
4		·20	0.11	0.01			0.11						4
5	0.20		0.12	0.29		·23			0.57	0.48	0.17		5
6	0.01		0.18							0.05	0.29	0.01	6
7	0.18						0.12	0.32		0.13	0.01	0.04	7
8	0.03		0.17	0.06			0.85	0.80	0.20	0.64	0.18	0.10	8
9			0.05	0.01	0.07		0.01	0.69	0.12	·13	0.01		9
10	0.17		0.23	0.17				0.23	0.06				10
11	0.02		0.79	0.31	0.09			0.66	0.18	0.10	0.04		11
12			0.03		0.32	0.23		0.19		0.81	0.02	0.01	12
13			0.10	0.06		0.07		0.18	0.08	0.04	0.01		13
14			0.12	0.01			0.02	0.52					14
15		0.01		0.01			0.10	0.03	0.02	0.14	0.01	0.20	15
16	0.02	0.13		0.06						0.07		0.05	16
17		0.02		0.06	0.16		0.34	0.08	0.37	0.11	0.02		17
18	0.01	0.3			0.02	0.01	0.41	0.05	0.97		0.01		18
19	0.01	54	0.03			0.13					0.02		19
20	0.01	·20	0.01		0.27	0.14		0.01	·08		0.01		20
21		0.03	0.34			0.05	0.01	0.03		0.02			21
22		0.01	0.02			0.07		0.10		0.12			22
23		0.10				0.01		0.56		0.02	0.01	0.01	23
24			0.01			0.08	0.10	0.08		0.29	0.01		24
25		0.06	0.02					0.02	0.01	0.10			25
26					0.10			0.74	0.30	0.11	0.05		26
27					0.95	0.17	0.02	0.71			0.02		27
28		0.01	0.08		0.01	0.90		0.62			0.01	0.02	28
29		×	0.07			0.29	0.01	0.02	0.01	0.46	0.01	0.18	29
30		×					0.05	0.35	0.01	0.27	0.02		30
31		×	0.27	×	0.01	×		0.10	×	0.04	×	0.04	31
Total	0.72	1.43	2.97	1.65	2.00	2.38	2.30	8.56	3.18	5.60	1.06	0.66	YEAR'S TOTAL 32.57
Rain Days.	13	~~13~~ 14	21	14	10	13	14	26	17	22	22	12	196

W. 8,000, IX. 17.

1.53

Exd Cfs. 83

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 23. 1. 19

Kept at Tickenham Road
Clevedon
in the County of Somerset
by J. Harger Pye

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Clevedon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.07		.05	.06			.27		.08	.39		1
2	.01	.04		.02				.36		.01	.06	.46	2
3		.02		.17	.18			.05	.11	.02	.10		3
4	.01	.14		.02				.04	.06	.09	.56	.16	4
5				.02	.12			.31	.19	.38			5
6	.13	.61		.27				.01	.48	.18		.09	6
7		.17		.01				.02	.21	.30	.28	.05	7
8		.10			.62		.03		.65	.18		.01	8
9		.08		.39		.24	.30		.43	.05	.03	.13	9
10	.01			.12			1.11		.67	.06		.32	10
11	.03	.02	.04				.14		2.29	.48	.09	.29	11
12		.21	.14		.26				.05			.10	12
13	.10						.05		.28	.03		.67	13
14	.40		.03		.02	.03	.53		.21	.06		.11	14
15	1.21			.14	.04	.26	.32		.04			.52	15
16	.25			.49		.06	.02	.15	.21			.01	16
17	.21		.07	.12			.61	.03	.21	.03		.17	17
18	.81		.02			.63	.13		.71	.03		.14	18
19	.02		.09				.04	.01	.18	.04		.02	19
20	.02	.12		.06			.33		1.16	.02			20
21		.02					.24		.86	.03		.06	21
22	.01				.12		.47		.03	.04		.52	22
23	.08				.21		.34					.04	23
24		.09			.12		.41	.05	.16		.05		24
25							.20	.48		.07	.04		25
26				.02			.46	.05	.11	.05	.19	.37	26
27			.01					.33	.21		.12	.04	27
28		.03	.26						.02		.01	.13	28
29		X	.08						1.11	.02		.05	29
30		X	.28						.02		.09	.07	30
31		X	.23	X		X		.02	X		X		31
Total	3.30 ✓	1.72 ✓	1.25 ✓	1.90 ✓	1.75 ✓	1.22 ✓	5.73 ✓	2.18 ✓	10.66 ✓	2.25 ✓	2.01 ✓	4.53 ✓	YEAR'S TOTAL 38.50
Rain Days.	15	14	11	14	10	5	18	15	26	22	13	24	187

W, 6,500, VII. 16. w w c

G+Br 1870

26 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tickenham Road, Clevedon.
in the County of Somerset.
by J. Harger Pye

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Clevedon.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 70. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40		.03		.05		33		.04	.12		.78	1
2	.12		.06		.01		.24		.22		.04	.26	2
3	.17		.22		.04				.07		.12	.54	3
4	.35	.16	.46			.09	.30	.05	.19			.09	4
5		.26	.88		.01		.05		.53		.02	24	5
6	.20	.12	.20									.11	6
7	.25		.30	.12									7
8	.09		.16	.16		.02							8
9	.10		.04	.06							.15		9
10			.47		.06					.02		.10	10
11	.02		.32	.18	.11	.02	.24			.02	.01	.13	11
12	.09		.08	.02		.26				.06	.04		12
13	.12	.02		.25			.02		.03			.05	13
14	.83	.10		.47			.16		.03	.01		.02	14
15				.04								.19	15
16	29	.76			.02						.12	.01	16
17	16	.39		.02		.07					.14		17
18	.05		.50				.03	.63	.03		.16		18
19	.26	.23	.73			.18	87	.41	.01		.04	.12	19
20	.36	.14	.22			.10		.16			.01	.03	20
21		.72	.01					.01	.02			.03	21
22		.13				.02	12		.36		.02	.16	22
23										.97	.05	.01	23
24				.02		.12			.03	.88	.22	.56	24
25	.10					.02		.40			.04	.04	25
26	.19	.01	.07	.14		.02		.10	.12		.02	.44	26
27	.13	.03	.07	.08				.52				.02	27
28	.03		.33					.09			.29	.41	28
29	.02			.05						.02	.07	37	29
30				.14		.33		.28		.02	.24	.40	30
31	.02		.01									.08	31
TOTAL	4.35	3.07	5.16	1.75	.30	1.25	2.36	2.65	1.68	2.12.	1.80	5.19	YEAR'S TOTAL 31.68
Days with ·01 in. or more	23	13	20	14	9	12.	10	10	13	9	19	25	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1785

MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tickenham Rd Pumping Station Clevedon,
in the County of Somerset
by J. Harger Pye

Lat. Long.
Time of Observation 9 A M.
Nearest Railway Station Clevedon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·20	·26		·39	·21	·17	·12	·16	·41	1
2	·02		·02	·08			·42	·27	·02	·16		·11	2
3	·02	·04		·08			·23		·01	·14			3
4			·02	·04			·04	·79		·25			4
5			·11	·12	·17		·48	·03		24			5
6			·12		·43		·06			·14	·01		6
7	·04		·01	·04	·06		·04				·02		7
8	·02			·56	·14		·35	·09					8
9	·34	·27	·03	·69		·11	·02	·10	·06				9
10	1·05	·20	·03	·22		·15	·26						10
11	·08		·05	·31	·42	·03	·11						11
12	·14	·04		·09		·60	·03				·08		12
13	·05	·03	·36	·11			—					·01	13
14	·03	·03	·34	·29		·04	·03		·10	·72	·43		14
15	·07	·09	·04	·16	·16	·04			·15	·62	·25		15
16						·13	·55	·01	·36	·12	·32		16
17	·15		·01		·23	·27		·14	·48	·02		·01	17
18	·13			·01	·06	·06		·55	·21			·01	18
19		·36		·25		·09							19
20		·05		·12		·27	·02		·07			·14	20
21				·02						·05		·02	21
22				·02			·07	·13	·01			·34	22
23							·65	·06				·46	23
24			·21				·02	·01			·01	·14	24
25		·05	·07				·46	·01					25
26	·27		·28				·01				·07	·08	26
27	·17	·01	·04	·01	·08	·64	·02					·12	27
28	·61		·10		·02	·03	·02					·03	28
29	·06		·16	·04	·15	·11	·08				·13	·36	29
30	·05	✕	·02	·06		·34	·37		·27		·46	·43	30
31	·30	✕	·26	✕	·03	✕			✕	·20	✕	24	31
TOTAL	3·60	1·17	2·28	3·50	2·21	2·91	4·73	2·40	1·91	2·78	1·94	2·91	YEAR'S TOTAL 32·34
Days with ·01 in. or more	19	11	20	22	13	15	21	13	12	12	11	16	188
Days with ·04 in. or more	15	8	13	18	11	13	16	9	9	11	8	12	143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CLEVEDON
OLD STREET

SOMERSET
1911 -17, 19 - 1920

R 11

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Old Street
in the County of So
by Jos. Hanger Pye

wdon
5 in.
ve Ground 1 ft. 9½ in.
Sea Level 277 ft.
0 am
Name
Distance Direction

IMPORTANT NO the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea year in the space provided for it at the end of th ement of rain, the selection and placi ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0 85		0.02	0.03	005			005			004	0 01	1
2			005	020	0.31			027	002	007	028	0.10	2
3					040			001			015	0.14	3
4			0 22					001		001	024	0.42	4
5			0.05					011		001	028	0.02	5
6			0 04					006			0.17	0.40	6
7											062		7
8			019								005	0.20	8
9											022	0.25	9
10		0.06	050		006						003	0.19	10
11			001		004						074	0.32	11
12	0.29		053						002		041	0.12	12
13					068				062	038	004	0.39	13
14		0.09								002	001	0.72	14
15		003				010					030	0.21	15
16		005				006					023	0.31	16
17		008				008					006	0.17	17
18		047	009	016		044				001		0.19	18
19		001		007		018			019	010		0.38	19
20	001	003	007	020					015	009		0.26	20
21		015						001	013	041		0.31	21
22		003	021	004		030			001	018		0.38	22
23		017	017						004	017		0.35	23
24		019				046		044	002	023			24
25		011		020		008		001		011		045	25
26		005		039	002			009		024	010		26
27		070	012					049	007		002	0.13	27
28		020		052		001		002			009	0.01	28
29				009		055			006	032		001	29
30								033		025	002	006	30
31							004			028		001	31
Total	1.15	2.42	2.27	1.90	1.56	2.26	004	190	133	288	4.10	6.51	TOTAL for year 28.32
No. of Rain Days.	(9.)	16	14	10	7	10	1	13	11	17	21	30	(159)

Estimated number of days same as at Tickenham viz 7 day upto 11th Incl

W. 8,000, X. '11.

See note at back

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Old Street Clevedon

in the County of Somerset 2

by Jos. Hayes Esq. Clevedon Water Co

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0½ in.
" " " Sea Level 277 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0 85		0.02	0.03	005			005			004	0 01	1
2			005	0 20	0.31			027	002	007	028	0.10	2
3					040			001			015	0.14	3
4			0 22					001		001	024	0.42	4
5			0.05					011		001	028	0.02	5
6			0 04					006			0.17	0.40	6
7											062		7
8			019								005	0.20	8
9											022	0.25	9
10		0.06	050		006						003	0.19	10
11			001		004						074	0.32	11
12	0.29		053						002		041	0.12	12
13					068				062	038	004	0.39	13
14		0.09								002	001	0.72	14
15		003				0 10					030	0.21	15
16		005				006					023	0.31	16
17		008				008					006	0.17	17
18		047	009	016		044				001		0.19	18
19		001		007		018			019	010		0.38	19
20	001	003	007	020					015	009		0.26	20
21		015						001	013	041		0.31	21
22		003	021	004		030			001	018		0.38	22
23		017	017						004	017		0.35	23
24		019				046		044	002	023			24
25		011		020		008		001		011		0 45	25
26		005		039	002			009		024	010		26
27		070	012					049	007		002	0.13	27
28		020		052		001		002			009	0.01	28
29				009		055			006	032		001	29
30								033		025	002	0 06	30
31							004			028		001	31
Total	1.15	2.42	2.27	1.90	1.56	2.26	004	190	133	288	4.10	6.51	TOTAL for year 28.32
No. of Rain Days.	(9.)	16	14	10	7	10	1	13	11	17	21	30	(159)

Estimated number of days same as at Tickenham viz 7 day up to 11th Incl

W. 8,000, X. '11. See note at back

FORM A.
BRITISH RAINFALL.

-5 MAR 1913

Ex MS

REGISTER OF RAINFALL IN 1912

Kept at Old St. Clevedon

in the County of Somerset. 2

by Jos: Harger: Supt Clevedon Water Compy

Lat. Long.

Time of Observation 9 o. am

Nearest Railway Station G. W. R. Clevedon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9½ in.

" " " " Sea Level 27'·7" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			016			0.46				071		017	1
2			009			0.91	0.27			001	002		2
3	001		016			0.19	0.01	035	007				3
4	025		051		0.02	003		002			014		4
5	046	019	013		0.02			036				007	5
6	033	005			009		005	052			002	006	6
7	036	017	013		007	0.36		003				009	7
8		015	024			014	005					045	8
9		010	007	0.18			001	025			003		9
10	011	008	c			022		002			013	003	10
11	008	002	001								001	064	11
12	003	061	006	0.11	002		004					007	12
13	004		002									034	13
14	008	001	090		018			003				003	14
15	014	013	001		006	0.66		004				045	15
16	044		030			003		047		011	010	003	16
17	035(a)		025			006		088			003	042	17
18	019	003	029					081		005		018	18
19	010	007	005			009	026	068		014		001	19
20	001	001	019		0.12		002	010		044			20
21	001	016	008		0.81		002	037		009			21
22	037	039	019		0.10		003	038		001			22
23	019	034	035			002		073		014	002	1.19	23
24	023		009			031		002			008		24
25						061		0.87		022	030		25
26		004					010	017		045	078		26
27		001				032	089			1.08			27
28						013	039	088	003	030	035		28
29						002	047	002	038	041			29
30					049	007	019		005	017			30
31			035		013		058	003				1·69	31
Total	3.78	2.56	4.63	0.29	2.11	4.63	3.38	8.03	053	4.33	196	5.92	YEAR'S TOTAL 42·15
Rain Days.	21	18	23	2	12	18	16	23	4	15	13	26	191

(a) Snow was spilled by boys. probably fall was 0.6. see Tickenham Rd

W. 7,500, XI. 12

FORM A. BRITISH RAINFALL.

25 MAR 1914

REGISTER OF RAINFALL IN 1913

Cox. Hole

Kept at Old St Clevedon

in the County of Somerset 2

by Jos: Harger. Sgr. Clevedon Water Company

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	005	020	031	004	008	~~304~~			021		005	004	1
2		021	001	006	006				001	022	019	001	2
3		001	009		031					019	001	010	3
4	134	001	011		013	001	001		091	030		012	4
5		009	005		026	019	004		033		018	005	5
6		007	017		005	020	001			050	014	054	6
7		017			015	015	025			034	028	001	7
8		004			014	002				006		002	8
9	002	007		001	015	034		010	005		004		9
10	022							008		026	021		10
11	041	001		007	011					003	085	004	11
12		001			008		001	003	004	001	039		12
13		001	005				001		056		016		13
14	020		062	002					003	014	006	002	14
15	030	007	015	099				006	008		005		15
16	021		050	005				003	006		004		16
17	011						002		001		004		17
18	006		007	016							004	004	18
19	019		001		001	009			020				19
20	036		012	003						001	020	046	20
21				018	018		018				037		21
22	081		057		002	013		004	025				22
23	003					003		030			013		23
24	011	003		005							001		24
25				022					002		001		25
26				019				006					26
27	010		007	031						009		–	27
28	044		002	031	002					013		–	28
29			047	027				014		027	002	–	29
30	048									042	004	–	30
31	011		002		032			007				–	31
Total	555	090	341	296	207	116	053	091	276	297	351	145	YEAR'S TOTAL 28.18
Rain× Days. Estd	23	14	18	16	~~16~~ 17	9	8	10	14	15	23	15?	~~181~~ 182

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

17 APR 1915

Kept at Old St. Clevedon

in the County of Somerset 2

by J. Harger Pye

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Clevedon

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0.07		0.07	0.36	0.43			0.01	0.08	1
2					0.01		0.76	0.08			0.58	0.54	2
3			0.05	0.17	0.45						0.16	0.12	3
4	0.30		0.09	0.30	0.22		0.21	0.03			0.47	0.75	4
5			0.07	0.33	0.03		0.03				0.05	0.02	5
6		0.03	0.06	004			0.27	0.07			0.03	0.14	6
7		0.59	0.37	0.18	0.18	0.01	0.38	0.07	0.01			0.06	7
8	0.22		0.58	0.03	0.02	0.75		0.09	0.15			0.01	8
9	0.29	0.05	0.28	017	0.02	084		0.02	0.10				9
10		0.12		0.14	0.15				0.32		0.01	0.02	10
11		0.06	0.43			026	051				0.04	0.51	11
12		0.15	0.12						0.32		0.04	0.08	12
13		0.40	0.55				0.01		0.47	0.26	0.03	0.22	13
14		0.20	0.40				0.01	0.29	0.03	0.08	0.25		14
15		0.01	0.22					0.46	0.60		0.45		15
16			0.01				0.05		0.25				16
17		0.49	0.30				0.03		0.01			0.53	17
18		0.05					0.13					0.33	18
19		0.10	0.38				0.89					0.02	19
20		0.14				012					0.02	0.14	20
21		0.27	0.02				0.05			0.10	0.02	0.01	21
22		0.04	0.03	~~0.38~~	0.38	0.10		016		0.15			22
23		0.04	0.15	~~0.05~~	0.05		0.01			0.16			23
24			0.02				0.21	0.45		0.08	0.08		24
25	0.08		0.10							0.42		0.48	25
26			0.03							0.10	0.28	0.29	26
27	0.01			~~0.07~~	0.07					0.12	0.30	0.25	27
28	0.04	016	0.07								0.50	0.72	28
29	0.45		0.27	~~0.19~~	0.19					0.08	0.14		29
30	0.03	×	0.03							0.23	0.46	0.62	30
31	0.01	×		×	0.05	×	0.36		×	0.15	×	0.01	31
Total	1.43	2.90	4.63	1.43	1.82	2.15	4.27	2.25	2.26	1.93	3.92	5.95	YEAR'S TOTAL 34.94
Rain Days.	13 ~~9~~	17	25	9	14	7	17	13	10	12	20	23	180

W. 8,000. X. 14.

2149

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
29 JAN 1916

Kept at Old St Pumping Station Clevedon

in the County of Somerset

by Clevedon Water Company

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	021	013			0.15			003	015	030		015	1
2	007	014	019				001	062	026	002		017	2
3	008	003	010					007				028	3
4	002	002		0.38	017		0.83	001				092	4
5	008	030		007				014				024	5
6	036	003		021			0.35	003				035	6
7	034	033		007			0.39	002				023	7
8	024	027		005				009			010		8
9	002	005		005				005			018	1.07	9
10	020	002	007	002						001	001	004	10
11	001		008	001							089	004	11
12	015	019		011	043					025	016	001 ~~077~~	12
13		035			078		016	005	028		003	~~004~~	13
14	010						015	002	002			·77 077	14
15	023				007		004	016	008	007	008	004 ~~019~~	15
16		072			050		081	004					16
17		023			075		001	010					17
18		026											18
19					008		032						19
20	025			021	002					006		007	20
21	005	022					001			019			21
22	008	003	045	004			072		002			019	22
23			025				003		002	082		058	23
24			004	001		002	006		024	058		025	24
25						016	026					027	25
26		008				017	016			008		041	26
27		007				011	015		001	040		001	27
28		004							058	010			28
29						026		003		019	002	006	29
30						046					018	021	30
31	023						005	020		044		030	31
Total	272	357	1.18	1.23	2.95	1.18	4.51	(1.66)	1.66	3.51	1.65	666	YEAR'S TOTAL 32.42
Rain Days.	18	20	7	15	9	6	18	16	10	14	9	23	165

The record for August was lost, & the quantity registered at Tickenham Rd. has been entered here

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cmd by own stats

FORM A.
BRITISH RAINFALL.
12 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Old St. Clevedon.
in the County of Somerset
by I. Harger Pye

Lat. Long.
Time of Observation 9. A.M
Nearest Railway Station ~~Cl~~ 1/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.12				0.09	0.12	0.67	~~0.04~~	0.01	0.45	0.10		1
2	0.89	0.04	0.01		0.05	0.02		~~0.01~~	0.01	1.42	0.05		2
3		0.72			0.17	0.03				0.25	0.31		3
4	0.28	0.15			0.27	0.78		~~0.08~~	0.08	0.20	0.35		4
5	0.07	0.01			0.15	0.15				0.03	0.04		5
6	0.04	0.30			0.36	0.29	0.31			0.24	0.35		6
7	0.02	0.24	0.10		0.22					0.06	0.33	0.19	7
8		0.18	003		0.28	0.05					0.01	0.17	8
9		0.03			0.08	0.18	0.05			0.02	0.06	0.07	9
10		0.42	0.02	0.07	0.03	0.03				0.06		0.03	10
11	0.05		0.05	0.18	0.09	0.13							11
12	003	0.18	0.03	002	0.24			0.02		0.22			12
13		0.51	0.21	004			0.15	0.28		0.05			13
14		0.35	0.02	0.03	023					0.07			14
15		0.17	0.10	0.08					0.08	0.01			15
16	0.03	0.06		0.45				1.74	0.01	0.02			16
17	0.08	0.15		0.07					0.20	0.39	0.26		17
18		0.05	0.21						0.04	0.05	0.13		18
19	0.14		0.43	(0.04)							0.10		19
20	0.14	0.08	0.47	0.03							0.05	0.55	20
21	0.23	0.10	0.41		0.07	0.01		048				0.27	21
22	0.02					0.17				0.28	0.11	0.55	22
23		0.17		0.17		0.03				0.08	0.17	0.35	23
24		0.04		0.10	1.41					0.46			24
25		(.40) 009	0.30			0.01		035		0.13	0.16		25
26		001	0.04		0.02	0.19			0.35	0.25	0.02		26
27	0.13	028	1.30			0.08			0.26	0.48		~~0.88~~	27
28		047				0.05		1.75	0.10	0.40		0.88	28
29			007			0.41			0.01	0.27		0.60	29
30		X								0.46		0.03	30
31		X		X		X		0.04	X	0.49	X	0.04	31
Total	2.27	5.20 ✓	3.80	1.28 ✓	3.76	2.73	1.18	4.66	1.15	6.84	2.60	3.73	YEAR'S TOTAL 39.20
Rain Days.	15	25 ✓	17	12.	16	18	4	Estd (12)	11	26	17	12	(185)

W. 8,000, VIII. 16

Eud

1995

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

FEB 1918

Kept at old Shed, Clevedon

in the County of Somerset

by

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Clevedon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03		0.21	0.40		0.12		1.52			0.07		1
2	0.03			0.08		0.15				0.02	0.08		2
3	0.01	0.12		0.09			0.16			1.49			3
4		0.15	0.09				0.12			0.15			4
5			0.17	0.26		0.24			0.43		0.17		5
6	0.20		0.13			0.01		2.57		0.08	0.26		6
7	0.05						0.10			0.14	0.02	0.08	7
8	0.16		0.16	0.09			0.65		0.22	0.74	0.18	0.15	8
9			0.06		0.12				0.21				9
10	0.20		0.25	0.18					0.05				10
11			1.02	0.42	0.15				0.08	0.11	0.04		11
12			0.03		0.35	0.50				0.70			12
13			0.12	0.06		0.07			0.08	0.05			13
14			0.12	0.01									14
15				0.01			0.08	098		0.18		0.18	15
16	0.02			0.09						0.06		0.09	16
17		019		0.09	0.19		0.33		0.37	0.11	0.02		17
18		0.04			0.03		0.42		0.96				18
19		0.63	0.04			0.11			0.03		0.02		19
20	0.01	0.15			0.26	0.25			0.05				20
21		0.01	0.34			0.05				0.02			21
22			0.02			0.08				0.14			22
23		0.11				0.02				0.02	0.01		23
24		0.01				0.08	0.09			0.31			24
25		0.05	0.03					3.53					25
26									0.31	0.23	0.07		26
27						098	0.01				0.02		27
28			0.11		0.95						0.01	0.04	28
29			0.07			030				0.43		0.18	29
30		X					0.05			027			30
31		X	0.20	X		X			X	0.05	X		31
Total	0.71	1.46	3.15	1.72	2.05	2.96	2.01	8.60	2.79	5.30	0.97	0.67	YEAR'S TOTAL 32.39
Rain Days.	9	11	18	12	(10) X	15	10	X (26)	11	22	13	6 6	(163)

W. 8,000. X. 14. This record being incomplete the figures of the Tickenham record have been inserted where marked X

FORM A2.
BRITISH RAINFALL.

27 APR 20

REGISTER OF RAINFALL IN 1919

Kept at Old St. Clevedon

in the County of Somerset.

by J. Harger Pye

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 28 ft.

Time of Observation 9. AM.

Nearest Railway Station
Name Clevedon
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40		·04		·06		·27			·12		·77	1
2	12	01	04		01		22		22			27	2
3	17		24		05				07		69	56	3
4	35	16	47			13	44	05	23			10	4
5		32	74				22		63		02		5
6	18	14	21										6
7	10		30	14									7
8	18		17			02							8
9	14		04	07							07		9
10			46		06							14	10
11			29	20	12		24					16	11
12	01		08	02		24				08	06		12
13	10	02		26			01					08	13
14	83	09		47	02		22		04			12	14
15	31			04						01		17	15
16	17	73									14	01	16
17	05	43			09	11					18	01	17
18			55				03	63	02		18	07	18
19	26	24	60			16	85	41			06		19
20	36	16	23					16			01	10	20
21		85						01	01			05	21
22		09				01	09		35		03	15	22
23										93	17		23
24		08				16			03	1·07	25	1·17	24
25	20							40			05		25
26	07	13	08	09		01		10	13				26
27	14		05					52			03		27
28	02		37	18				09			24	1·36	28
29	02			06						02	06		29
30				16		29		28		01	23		30
31					09								31
Total	4·18	3.45	4.96	1·69	50	1·13	2.59	(2.65)	1·73	2·24	1·97	5.29	TOTAL for year 32.38
No. of Rain Days	21	14	18	11	8	9	10	(10)	10	7	17	(24)	(159)

Estimated. Taken from Tickenham Road Record

9,000, IX. '10.

1784

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1920

Kept at Old St. Clevedon
in the County of Somerset
by J. Harger Pye

Lat. Long.
Time of Observation 9. AM.
Nearest Railway Station Clevedon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10. in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

(* Measured at ·52, but polluted by boys. Corrected to Tickenham Record)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·45	·28		·43			·09	·16	·44	1
2		·05					·22	·44	·01	·24		* (·11)	2
3			·05							·16			3
4	·05						·27	·85		·22			4
5					·20		·30	·03		·15			5
6			·33	1·91	·49		·07			·13			6
7			·02				·03				·04		7
8		·03			·23		·32	·24					8
9	1·60	·26	·03			·14	·02		·05				9
10		·20	·03			·25							10
11			·05		·40	·04	·43						11
12	·26	·05		·55		·58							12
13	·05		·40										13
14	·04	·07	·35	·33		·04	·04		·12	·50	·54		14
15	·07	·01	·05	·19	·14			·64	·20	82	·24		15
16	·19				·02	·43	·63		·32	·11	·33		16
17			·01	·02	·25	·22			·49	·01		·01	17
18	·14				·08	·06			·16			·01	18
19		·35		·35		·10							19
20				·16		·26	·02		·04			·15	20
21		·07		·02			·02			·07		·02	21
22				·03			·07			·01		·38	22
23							·64	·20				·46	23
24			·24									·17	24
25		·04	·23				·52	·04	·01				25
26	·29		·43			·02	·01				·11	·09	26
27	·23		·11	·01		·63						·13	27
28	·65	·02	·15		·16	·03	·03					·01	28
29	·06		·03	·06		·07	·09				·16	·38	29
30		X		·03	·02	·35	·36		·29		·47	·49	30
31	·38	X	·03	X		X			X	·18	X	·26	31
Total	4·01	1·15	2·54	4·11	2·27	3·22	4·52	2·44	1·69	2·69	2·05	3·11	YEAR'S TOTAL 33·80
Rain Days.	Whilst we believe the total Rainfall figures to be accurate, the number of Rain Days are not reliable owing to absence from home of the observer, and we have not entered these.												

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

—
CLEVEDON
W. W.
TICKENHAM RD
SOMERSET

1911

REG

Kept at Tickenham Roa
in the County of Somer
by Jos: Hargo: Esqr. Cl

in.
round 7 ft. 7 in.
ea Level 68. 7 ft.
m
ame Clevedon
istance 1¼ Direction SExE

IMPORTANT NOTE. … he result entered to the
previous day. If an Obse … sal rule, he is earnestly
requested to add the readi … r in the space provided
for it at the end of this … ent of rain,
the selection and placing … ish Rainfall
Organization are given in ' … plication to
Dr. H. R. MILL, 62, Camd

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				004	005			012			003	001	1
2				013	024			027		005	025	009	2
3			001		030			001			008	012	3
4			020					002	001		013	030	4
5	0.17		003					005		001	023	002	5
6	033		003					002			012	027	6
7	002										053		7
8	014		014								003	015	8
9	004										0.17	019	9
10	006	003	036		004							013	10
11	026	001			002						072	028	11
12			046						001		026	014	12
13			001		030				060	004	002	033	13
14		006								002		071	14
15		004				008				001	023	017	15
16						005					022	018	16
17		002				006					005	016	17
18		027	007	010		035				001		012	18
19		001		002		033			012	023	001	026	19
20	002	001	007	016					019	013		031	20
21		008				001		003	004	030		026	21
22	001	} 011	022	002		028			001	011		034	22
23	001		015						003	016	001	017	23
24		010				037		045	004	027		013	24
25		004		015		007		002		004		015	25
26		005		034	002		002	007		018	009	024	26
27		040						050	004		002	011	27
28		031	013	044				003			005		28
29				008		045			003	025			29
30								041		017	002	003	30
31										025			31
Total	1.06	1.54	1.88	1.48	097	205	002	2.00	1.12	2.23	3.27	5.37	TOTAL for year 22·99
No. of Rain Days.	10	16	13	10	7	10	1	13	11	17	21	27	156

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Tickenham Road works Clevedon

in the County of Somerset

by Jos: Hargr: Engr. Clevedon Water Comp.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 7 ft. 7 in.
" " " Sea Level 68. 7 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Clevedon
Distance 1¼ Direction SExE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				004	005			072			003	001	1
2				013	024			027		005	025	009	2
3			001		030			001			008	012	3
4			020					002	001		013	030	4
5	0.17		003					005		001	023	002	5
6	033		003					002			012	027	6
7	002										053		7
8	014		014								003	015	8
9	004										0.17	019	9
10	006	003	036		004							013	10
11	026	001			002						072	028	11
12			046						001		026	014	12
13			001		030				060	004	002	033	13
14		006								002		071	14
15		004				008				001	023	017	15
16						005					022	018	16
17		002				006					005	016	17
18		027	007	010		035				001		012	18
19		001		002		033			012	023	001	026	19
20	002	001	007	016					019	013		031	20
21		008				001		003	004	030		026	21
22	001	011	022	002		028			001	011		034	22
23	001		015						003	016	001	017	23
24		010				037		045	004	027		013	24
25		004		015		007		002		004		015	25
26		005		034	002		002	007		018	009	024	26
27		040						050	004		002	011	27
28		031	013	044				003			005		28
29				008		045			003	025			29
30								041		017	002	003	30
31										025			31
Total	1.06	1.54	1.88	1.48	097	205	002	2.00	1.12	2.23	3.27	5.37	TOTAL for year 22·99
No. of Rain Days.	10	16	13	10	7	10	1	13	11	17	21	27	156

W. 8,000, X. '11.

CLUTTON

COUNCIL SCHOOL

SOMERSET

1911 – 15, 17 – 1920

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

R

at Clutto

in the County of S

by Jno.

5 in.

e Ground 1 ft. 6 in.

Sea Level 420 ft.

a.m

Name Clutton

Distance 300 Direction E

IMPORTANT NOT the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea year in the space provided for it at the end of th ement of rain, the selection and placi ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	N.W ·02	N.E	W.N.W ·53	N.W	N.W ·01	E.N.E	W.N.W	S ·02	E.W	N.N.W	S.W	S.S.W ·01	1
2	N	N.E	W.N.W ·03	W ·11	S.S.W	E.N.E	W.N.W	S	E	N.N.W	S.W ·03	S ·04	2
3	E.N.E ·03	N.N.E	W.N.W ·02	N.N.E	S.W ·61	S.E	W.N.W	W.S.W ·31	E	E.N.E ·05	W.S.W ·32	S.W ·22	3
4	N.E	N.E	N	N.N.E	N.W ·53	N.N.E	W.N.W	W.S.W	S.E	N.E ·01	W.S.W ·11	W.S.W ·08	4
5	N.N.E	N.N.E	N ·23	N.N.E	W.N.W	N.N.E	W.N.W	W.S.W ·66	N.N.W	E.N.E ·06	S.W ·27	W.S.W ·41	5
6	S.S.W ·18	N.N.E	W ·05	N.N.E ·01	N.W	N.E	W.N.W	W ·08	N.W	N.N.E ·02	W.S.W ·58	S.S.W	6
7	S.W ·51	N.E	N ·12	N.N.E	S.S.W	N.N.E	N	W.S.W	N.W	N.N.E	S.S.W ·26	·51	7
8	N.W ·01	N.E	S.W	N.N.E	E.N.E	N.E	E.N.E	W.S.W	N.W	N.E	S.S.W ·61		8
9	W.S.W ·15	S.E	N.N.W ·18	N.N.E	N.E	N.N.W	N.E	W	N.N.W	N.E	S.W	S.S.E	9
10	W.N.W ·29	S.S.W	S.W ·01	N.N.E	N.E	N.N.E	E.N.E	W	E.S.E		S.S.W ·11	S.S.E ·91	10
11	W.N.W ·12	N.W ·04	N ·62	N.E	N.N.E ·19	N.W	E.N.E	W.S.W	S.S.E	E.S.E	S.W ·66	S.S.E ·41	11
12	N ·43	N.W	S.W ·01	N.E	N.E ·06	S.W	E.N.E	S.E	S.S.E ·01	S.E	S.S.W ·38	S.S.E ·19	12
13	N	S.S.W	N ·63	N.W	S.W ·06	W.N.W	E.N.E	E.S.E		E.S.E ·04	S.W	S ·21	13
14	N	S.S.W	N.N.W ·03	N.W	W.S.W ·01	N.W	E.N.E	S.E	N ·31	S.E	S ·12	S.S.W ·49	14
15	S.W	N.W ·09	N.W	W.N.W	W.S.W	N.W	W.N.W	E	N.N.W	N.E	S.W ·39	S.S.E ·82	15
16	E.N.E	W.S.W ·05	N.N.W ·01	W.N.W	N.N.E	W.N.W	W.N.W	N.E	N.N.W	N.E ·01	S.W	S.W	16
17	S.S.W	W.S.W ·04	N.N.E	S	N.N.E	S.S.W ·24	W.N.W	N.W	N.W	E.N.E	W.N.W ·51	N.N.W ·64	17
18	N.W	W.N.W ·05	N.E	S ·12	N.N.E	W.S.W ·08	W	N	S.S.W	E.S.E	N.W ·06	S.S.W ·48	18
19	N.W	N.W ·41	N.E ·09	S ·08	E.N.E ·01	S.W ·35	W	N.W	S	S.E ·04	N.W ·05	S.S.W ·34	19
20	S.W	N.W	N.E ·01	W.N.W	N.E	W	S.S.W	S.E	W.S.W ·19	W.S.W ·15	W.N.W ·04	N.W ·33	20
21	W.S.W	S.W ·03	N.N.E ·12	S.W	N.W	S.S.W ·01	S.S.W	S.E	·11	W.S.W	N	N ·35	21
22	S.W	W ·42	N.E ·06	S.W ·04	N.W	S.S.W ·07	W.S.W	N.E ·75	W.S.W	W.S.W ·65	N.N.E	S.E ·28	22
23	S.W ·06	W ·08	E.N.E ·27	S.W	N.W	W.S.W ·09	N.N.E	N	W.S.W	W.S.W ·36	N.N.E	S ·58	23
24	S.W	W ·34	N.E ·28	W.N.W	N.N.W	W.N.W ·02	N.N.E	S.W	·03	S.W ·14	N.E	W ·15	24
25	W.S.W	N.W ·27	N.N.E	W	S.S.W	W ·45	W	S.E	W.S.W	S.S.W ·92	N.E	S.W ·11	25
26	W.N.W	N.W ·11	N.N.E ·01	S.W ·21	N.E	S.S.W ·02	W.N.W ·01	N.E ·06	W.S.W	S.S.W ·04	N.N.E ·03	W.S.W ·26	26
27	W.S.W ·01	S.W ·03	N.E	S.W ·42	E.N.E ·08	W.N.W	W.N.W	S.W ·02	E	W.S.W ·16	S.W	W ·28	27
28	S.W	W.S.W ·33	E ·17	W.S.W ·08	N.E ·01	W	W.N.W	S.S.W	W.N.W ·13	N.E ·01	W.S.W ·03	W ·19	28
29	S.E		N.N.E	W.S.W ·21	N.N.E	W.S.W	S.S.E	W.N.W	W.N.W	N.E	W.N.W	W.N.W ·01	29
30	N.N.E		N.E	W.S.W ·55	N.N.E	W.S.W ·35	S.S.W	N.W	W.N.W ·12	S.W ·31	W	W.S.W ·01	30
31	E.N.E		N.E		N.N.E		S.W	N.N.W	N.N.E	S.S.W ·26		W.S.W ·01	31
Total	1·81	2·29	3·48	1·83	1·57	1·72	·01	1·90	·90	3·23	4·56	8·32	TOTAL for year 31·62
No. of Rain Days.	11	14	21	10	10	10	1	7	7	17	18	27	153

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1917

Kept at Clutton Council School

in the County of Somerset

by Jno. Pullen

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 420 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Clutton
Distance 300 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	N.W ·02	N.E	W.N.W ·53	N.W	N.W ·01	E.N.E	W.N.W	S ·02	N.W	N.N.W	S.W	S.S.W ·01	1
2	N	N.E	W.N.W ·03	W ·11	S.S.W	E.N.E	W.N.W	S	E	N.N.W	S.W ·03	S ·04	2
3	E.N.E ·03	N.N.E	W.N.W ·02	N.N.E	S.W ·61	S.E	W.N.W	W.S.W ·31	E	E.N.E ·05	W.S.W ·32	S.W ·22	3
4	N.E	N.E	N	N.N.E	N.W ·53	N.N.E	W.N.W	W.S.W	S.E	N.E ·01	W.S.W ·11	W.S.W ·08	4
5	N.N.E	N.N.E	N ·23	N.N.E	W.N.W	N.N.E	W.N.W	W.S.W ·66	N.N.W	E.N.E ·06	S.W ·27	W.S.W ·41	5
6	S.S.W ·18	N.N.E	W ·05	N.N.E ·01	N.W	N.E	W.N.W	W ·08	N.W	N.N.E ·02	W.S.W ·58	S.S.W	6
7	S.W ·51	N.E	N ·12	N.N.E	S.S.W	N.N.E	N	W.S.W	N.W	N.N.E	S.S.W ·26	·51	7
8	N.W ·01	N.E	S.W	N.N.E	E.N.E	N.E	E.N.E	W.S.W	N.W	N.E	S.S.W ·61		8
9	W.S.W ·15	S.E	N.N.W ·18	N.N.E	N.E	N.N.W	N.E	W	N.N.W	N.E	S.W	S.S.E	9
10	W.N.W ·29	S.S.W	S.W ·01	N.N.E	N.E	N.N.E	E.N.E	W	E.S.E		S.S.W ·11	S.S.E ·91	10
11	W.N.W ·12	N.W ·04	N ·62	N.E	N.N.E ·19	N.W	E.N.E	W.S.W	S.S.E	E.S.E	S.W ·66	S.S.E ·41	11
12	N ·43	N.W	S.W ·01	N.E	N.E ·06	S.W	E.N.E	S.E	S.S.E ·01	S.E	S.S.W ·38	S.S.E ·19	12
13	N	S.S.W	N ·63	N.W	S.W ·06	W.N.W	E.N.E	E.S.E		E.S.E ·04	S.W	S ·21	13
14	N	S.S.W	N.N.W ·03	N.W	W.S.W ·01	N.W	E.N.E	S.E	N ·31	S.E	S ·12	S.S.W ·49	14
15	S.W	N.W ·09	N.W	W.N.W	W.S.W	N.W	W.N.W	E	N.N.W	N.E	S.W ·39	S.S.E ·82	15
16	E.N.E	W.S.W ·05	N.N.W ·01	W.N.W	N.N.E	W.N.W	W.N.W	N.E	N.N.W	N.E ·01	S.W	S.W	16
17	S.S.W	W.S.W ·04	N.N.E	S	N.N.E	S.S.W ·24	W.N.W	N.W	N.W	E.N.E	W.N.W ·51	N.N.W ·64	17
18	N.W	W.N.W ·05	N.E	S ·12	N.N.E	W.S.W ·08	W	N	S.S.W	E.S.E	N.W ·06	S.S.W ·48	18
19	N.W	N.W ·41	N.E ·09	S ·08	E.N.E ·01	S.W ·35	W	N.W	S	S.E ·04	N.W ·05	S.S.W ·34	19
20	S.W	N.W	N.E ·01	W.N.W	N.E	W	S.S.W	S.E	W.S.W ·19	W.S.W ·15	W.N.W ·04	N.W ·33	20
21	W.S.W	S.W ·03	N.N.E ·12	S.W	N.W	S.S.W ·01	S.S.W	S.E	·11	W.S.W	N	N ·35	21
22	S.W	W ·42	N.E ·06	S.W ·04	N.W	S.S.W ·070	W.S.W	N.E ·75	W.S.W	W.S.W ·65	N.N.E	S.E ·28	22
23	S.W ·06	W ·08	E.N.E ·27	S.W	N.W	W.S.W ·09	N.N.E	N	W.S.W	W.S.W ·36	N.N.E	S ·58	23
24	S.W	W ·34	N.E ·28	W.N.W	N.N.W	W.N.W ·02	N.N.E	S.W	·03	S.W ·14	N.E	W ·15	24
25	W.S.W	N.W ·27	N.N.E	W	S.S.W	W ·45	W	S.E	W.S.W	S.S.W ·92	N.E	S.W ·11	25
26	W.N.W	N.W ·11	N.N.E ·01	S.W ·21	N.E	S.S.W ·102	W.N.W ·01	N.E ·06	W.S.W	S.S.W ·04	N.N.E ·03	W.S.W ·26	26
27	W.S.W ·01	S.W ·03	N.E	S.W ·42	E.N.E ·08	W.N.W	W.N.W	S.W ·02	E	W.S.W ·16	S.W	W ·28	27
28	S.W	W.S.W ·33	E ·17	W.S.W ·08	N.E ·01	W	W.N.W	S.S.W	W.N.W ·13	N.E ·01	W.S.W ·03	W ·19	28
29	S.E		N.N.E	W.S.W ·21	N.N.E	W.S.W	S.S.E	W.N.W	W.N.W	N.E	W.N.W	W.N.W ·01	29
30	N.N.E		N.E	W.S.W ·55	N.N.E	W.S.W ·35	S.S.W	N.W	W.N.W ·12	S.W ·31	W	W.S.W ·01	30
31	E.N.E		N.E		N.N.E		S.W	N.N.W	N.N.E	S.S.W ·26		W.S.W ·01	31
Total	1·81	2·29	3·48	1·83	1·57	1·72	·01	1·90	·90	3·23	4·56	8·32	TOTAL for year 31·62
No. of Rain Days.	11	14	21	10	10	10	1	7	7	17	18	27	153

W. 8,000, X. '11.

[illegible] 25·11·13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 9 JAN 1913

Kept at Clutton Council

in the County of Somerset

by Jno Fuller (+ boys of gardening class)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 4200 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Clutton G.W.R
Distance 300 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·01	·22	·50	·25		·76		·37	1
2			·42	·01		·21	·30	·01	·03	·02		·02	2
3						·20	·10		·06		·05	·02	3
4	·44	·01	1·20		·44	·26	·02	·63	·01		·15	·01	4
5	·34	·04	·28		·04	·01		·45			·02	·17	5
6	·52	·16	·02		·15	·03	·31	1·01			·02	·08	6
7		·28	·13	·15		·53		·06			·01	08 ·08 ~~·04~~	7
8	·37	·25	·52			·18	·08	·62			·13	·04	8
9	·04		·37			·06		·07				·51	9
10	·06	·12				·11		·19			·02	·511	10
11	·04	·08	·01				·01	·02			·01	·51 ~~·23~~	11
12	·03	·68	·03									·23	12
13	·01	·02	·04								·03	·07	13
14	·17		·72		·30			·22				·08	14
15	·09		·02		·19	·72		·05				·89	15
16	·66		·42			·04		·17		·07		·09	16
17	·75		·04		·02	·08		·69			·10	·15	17
18	·08	·08	·91					·10			·02	·21	18
19	·13	·08	·14			·05	·10	·46		·31		·03	19
20	·03	·02	·81		·38		·15	·24		·62			20
21	·02	·08	·31		·50		·09	·11		·46	·01	·21	21
22	·46	·11	·01		·09		·01	·17		·04		·38	22
23	·35	·37	·25		·01	·02		·70		·14	·08	·84	23
24	·08	·52	·08			·28		·14			·02	·24	24
25	·01		·01			·35	·05	·73			·45	·48	25
26		·11					·15	·17		·41	·60	·34	26
27		·04					·72			·95	·05	·57	27
28		·16				·08	·25	·58	·12	·55	·42	·59	28
29		·08				·02		·05	·37	·40		·11	29
30			·01			·06		·01	·15	·65		·01	30
31	·02		·27				·60	·01				·31	31
Total	4·70	3·29	7·02	·16	2·13	3·51	3·44	7·61	·74	5·38	2·19	7·75	TOTAL for year 47·92
No. of Rain Days.	22	20	24	2	11	20	16	27	6	13	18	30	209

W. 8,000, X. '11.

Ex JL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
21 JAN 1914

Kept at Clutton Council School
in the County of Somerset 1
by Jno Pullen

Lat. 51°20′ Long. 2°31′
Time of Observation 9 a.m
Nearest Railway Station Clutton G.W.R
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·24	·33	·09	·06				·40		·13	·13	1
2	·06	·15	·02	·11					·03	·06	·29	·01	2
3	·14	·03	·18	·01	·33		·06				·01	·33	3
4	1·09	·01	·06		·47				·60		·02	·02	4
5	·03	·07			·13	·47	·23				·02	·09	5
6	·06	·09	·15		·12	·22	·04			·85	·08	·57	6
7	·03	·63	·01		·35	·17	·06			·42		·02	7
8	·02	·06		·01	·31	·05	·01			·08		·03	8
9		·15	·03	·01		·15	·02	·15	·10	·01	·21	·02	9
10	·27		·02	·02	·41		·04			·13	·08		10
11	·78	·01	·03	·11	·01	·10		·05		·19	·66	·03	11
12	·11		·01		·39						·10		12
13	·04	·03	·04				·05	·11			·15		13
14	·16		·52	·09					·03	·03	·04	·03	14
15	·15	·08	·31	·55				·03			·31	·05	15
16	·34		·65	·23			·03	·11	·20		·06		16
17	·07	·01	·02	·07		·02	·08		·03		·18		17
18	·06		·28			·02					·06		18
19	·51		·01		·09	·18					·01		19
20	·21		·13		·01		·02			·08	·08		20
21	·01		·22	·08	·17		·14		·01				21
22	·81		·61	·09	·03	·06	·01	·04	·16	·01	·53		22
23	·01					·02		·12	·01		·09	·29	23
24	·13	·03		·03		·01		·17			·01		24
25	·01	·06		·16							·02		25
26		·04		41				·26				·10	26
27	·05		·13	·30						·16		·19	27
28	·22	·33	·24	·27				·11	·01	·06	·01	·07	28
29	·03		·49	·42	·01					·30		·08	29
30	·68			·01						·40	·13		30
31	·12		·06					·29					31
Total	6·51	2·02	4·55	3·07	2·89	1·47	·79	1·44	1·58	2·78	3·28	2·06	YEAR'S TOTAL 32·44
Rain Days.	29	17	24	20	15	12	13	11	11	14	24	17	207

W.7,000, XI. 13

W in 83

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
15 JAN 15

Kept at Council Schools Clutton

in the County of Somerset

by Jno Fullen

Lat. 51° 20′ Long. 2° 32″ W

Time of Observation 9 a.m

Nearest Railway Station Clutton G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 427 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	~~·01~~	·01	·05		·06	–				·34	·03	1
2		·01	·10	·06			·35				·95	·34	2
3			·33	·23	·35		·61				·05	·18	3
4	·15		·25	·38	·28		·18				·62	·67	4
5	·21			·64	·09						·08	·23	5
6	·01	·23	·14	·26	·04		·12	·32				·17	6
7		·42	·23	·27	·64		·39	·04			·05	·16	7
8	·12	·01	·78	·16	·08	·48	·21	·12	·42		·01		8
9			·36	·23	·05	·75	·14						9
10	·23	·10	·02	·17	·03	·01			·11		·01	·01	10
11		·11	·67		·12	·29					·05		11
12		·07	·09		·01		·06		·29	·21	·06	·01	12
13		·39	·22		–				·43	·24	·20	·58	13
14		·01	·78			·02	·01	·29	·02		·54	·46	14
15	·01		·23					·42	·01			·18	15
16			·01					·01	·35	·04		·02	16
17		·64	·31				·11		·01			1·13	17
18		·03	·03									·36	18
19		·18	·43			·01	·25				·03	·21	19
20		·57	·27			·19	·75					·13	20
21		·43	·01			·18				·15			21
22		·03	·02	·01	·16			·08		·17			22
23		·05	·25		·04	·25		·01					23
24		·01	·07		·12	·02	·14			·47	·11		24
25	·06		·11		·01		·21	·32		·53	·01	·28	25
26	·01		·01				·09			·06	·31	·45	26
27	·07		–							·03	·26	·15	27
28	·01	·13	·03		·01					·15	·58	·61	28
29	·22		·19		·34					·13	·16	·02	29
30		X	·02		·09					·18	·41	·24	30
31	·02	X		X		X			X	·12	X	·22	31
Total	1·14	3·42	5·97	2·46	2·46	2·26	3·62	1·61	1·64	2·48	4·83	6·84	YEAR'S TOTAL 38·73
Rain Days.	13	18	28	11	17	11	15	9	8	13	20	24	187

W. 8,000. X. 14.

entered 9th v 16

cord pr auth 5.v.16 W.L.M'C

2882

FORM A. BRITISH RAINFALL.

19 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Clutton Council School

in the County of Somerset

by Jno Fuller

Lat. 51° 20′ Long. 2° 31′

Time of Observation 9. a. m.

Nearest Railway Station Clutton G. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 420. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·13	·01	–	·01	–	–	·11	·32	·09	·02	·12	1
2	·43	·27	·11	·15	·04	–	·03	·16	·09	·12	–	·27	2
3	·03	·08	·12	–	·15	–	·05	·56	–	–	–	·13	3
4	·02	·03	·01	·03	·06	–	·09	·03	–	–	–	·48	4
5	·12	·03	–	·04	–	–	–	·04	–	–	–	·17	5
6	·21	·05	–	·23	–	–	·31	·08	–	–	–	·09	6
7	·50	·07	–	·02	·02	–	·22	·35	–	–	–	·18	7
8	·33	·32	–	·14	–	–	–	·11	–	–	·07	·01	8
9	–	·1	–	–	–	–	–	·01	–	–	·35	·88	9
10	·15	·01	·12	·08	–	–	–	·35	–	–	–	–	10
11	·02	–	·05	–	·01	–	–	·09	–	–	·84	·03	11
12	·13	·21	–	·21	·46	–	–	·56	–	–	·29	·08	12
13	·03	·57	–	·01	1·04	–	·02	·02	·12	–	–	·01	13
14	·13	·23	–	–	–	–	·04	·67	·01	·02	–	·69	14
15	·44	–	–	·01	·22	–	·05	·38	·11	·01	·15	·17	15
16	–	1·51	–	–	·33	–	·65	·62	–	·04	–	–	16
17	–	·76	–	–	·61	–	–	·01	–	–	–	–	17
18	·01	·30	–	·01	·01	–	·01	–	–	·01	–	–	18
19	·01	–	·02	–	·05	–	·32	–	–	–	–	–	19
20	·26	–	–	·11	–	–	–	–	–	·01	–	·29	20
21	·11	·07	–	·01	·01	–	·04	–	–	–	–	·19	21
22	–	·35	–	·03	·05	·02	·76	–	·01	–	·01	·22	22
23	·03	·05	·46	–	–	–	·12	–	·08	·63	–	·61	23
24	–	–	·18	–	–	–	·64	–	–	·87	–	·32	24
25	–	–	·01	–	–	·17	·29	–	–	·03	–	·18	25
26	–	·14	·01	–	–	·07	·13	–	·01	–	–	·68	26
27	–	·16	–	–	–	·11	·12	–	·01	·23	–	·01	27
28	–	·07	–	–	–	·05	–	·03	·87	·04	–	–	28
29	–		·01	–	–	·36	–	~~·03~~	·12	·07	·07	·04	29
30	·35	X	–	–	–	·13	·11	–		·43	·26	·23	30
31	–	X	–	X	–	X	–	·12	X	1·04	X	·21	31
Total	3·53	5·51	1·11	1·08	3·07	·91	4·00	3·70	1·75	3·64	2·06	6·29	YEAR'S TOTAL 36·65 36·65
Rain Days.	20	22	12	14	15	7	19	19	12	15	9	25	188

W. 8,000. X. 15.

✓ Exd CJE

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

29 JAN

Kept at Clutton Council School
in the County of Somerset
by Jno Pullen

Lat. 51° 20' Long. 2° 30'
Time of Observation 9 a.m
Nearest Railway Station Clutton G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 420. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·18	·37		·21		1·20	·61	·01	·07		1
2				·08		·31							2
3				·32			·28	·01		·91	·06		3
4		·11	·17				·12	·14	·01	·25			4
5			·22	·38		·15		·44	·61		·19	·01	5
6	·22		·57						·01	·37	·24		6
7	·29						·63		·06	·39	·01		7
8	·24		·21	·32		·67	·51	·87	·07	·57	·11	·07	8
9				·31	·07		·02	·14		·25		·01	9
10	·11		·42		·01			·16	·36	·02			10
11	·04	·02	·41	·56				·54	·21	·27		·01	11
12			·02	·14	·35			·40	·01		·01	·01	12
13			·11		·01			·13	·07	·58			13
14	·01		·33	·27				·91		·15			14
15	·02						·62	·01		·22		·30	15
16				·32			·18		·03	·27			16
17			·02	·24	·16		·52	·12	·84	·07			17
18	·06	·12		·01		·01	·66	·02	·64	·01	·04		18
19		·41	·06			·02		·01	·07				19
20		·11	·04		·47	·05			·02	·01	·02		20
21			·31					·01		·07			21
22			·02			·08	1·69	·08		·01			22
23					·06	·07		·44		·01		·04	23
24						·61	·07	·22	·01	·14			24
25		·25	·06			·02	·01	·01	·02	·65	·02		25
26								·71	·25	·41	·03		26
27					1·05	·02		2·00					27
28			·15			·72		·85			·04		28
29			·11			3·02	·02	·18		·27	·02		29
30		X				·42	·13	·24					30
31		X	·13	X		X		·02	X	·06	X		31
Total	·99	1·02	3·54	3·32	2·18	6·38	5·46	9·86	3·90	5·97	·86	·45	YEAR'S TOTAL 43·93
Rain Days.	8	6	19	12	8	15	14	26	18	24	13	7	170

170

W. 8,000, VIII. 16

19

FORM A.
BRITISH RAINFALL.

25. 1. 19

REGISTER ~~W~~ Df OF RAINFALL IN 1918

Kept at Clutton Council School
in the County of Somerset
by Jno Pullen

Lat. 51° 20′ Long. 2° 31′
Time of Observation 9 a. m
Nearest Railway Station Clutton G. W. R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	–	·08	·03	–	–	·21	–	·01	·81	·12	1
2		–	–	·11	–	–	–	·51	–	·02	·12	·48	2
3		·11	·02	·15	–	–	–	·07	·12	·08	·02	·02	3
4		–	·01	·03	–	–	–	·04	–	–	·85	·12	4
5	–	·06	–	·03	·36	–	–	~~1·8~~ ·18	·03	·21	·03	·02	5
6	·4	·52	–	·38	–	–	–	·02	–	·26	–	–	6
7	·02	·23	–	·01	·77	–	–	–	·62	·31	–	–	7
8	·01	–	–	–	·01	–	·48	–	·76	·14	·01	·15	8
9	·02	–	–	·38	–	·35	–	–	·76	·12	·01	·18	9
10	·03	·29	–	·21	–	–	·47	–	·38	·16	·37	·37	10
11	–	–	·02	·02	·34	–	·35	–	·34	–	·07	·18	11
12	–	·01	·29	–	·04	–	1·98	–	·12	–	·02	·09	12
13	·21	–	–	–	·34	–	·01	–	–	·08	–	–	13
14	·76	–	·05	–	–	·01	·51	–	·49	·06	–	·34	14
15	1·31	–	–	·41	·04	–	·31	–	·29	·01	–	·32	15
16	·39	–	–	·67	–	–	·03	–	·17	·03	–	·29	16
17	1·12	–	·06	·12	–	·16	·16	·17	·09	·01	–	·33	17
18	·07	–	–	–	–	–	·03	–	·38	–	–	·22	18
19	·13	–	–	–	–	–	·08	·06	·71	–	–	·07	19
20	–	·22	–	–	–	·01	·81	·01	·21	–	·02	–	20
21	1·04	–	–	·11	–	–	·12	–	·82	·04	–	·11	21
22	–	–	–	–	–	·01	·32	–	·57	·06	–	·42	22
23	·18	–	–	–	·25	·01	·54	–	·05	–	–	·11	23
24	·01	·05	–	–	–	–	·03	–	·12	–	·08	–	24
25	–	·01	–	·01	–	–	·25	–	·01	·08	·01	·02	25
26	–	–	–	–	–	–	·54	·68	·08	–	·12	·32	26
27	–	–	–	–	–	–	–	–	·56	–	·21	·04	27
28	–	·14	·04	·01	–	–	–	–	·47	–	–	·21	28
29	–	–	·07	–	–	–	–	·26	·21	–	–	·02	29
30	–	X	·36	–	–	–	–	·05	·01	·07	–	·13	30
31	–	X	·3	X	–	X	–		X	·02	X		31
Total	4·10	1·65	1·22	2·73	2·18	·55	7·02	~~3·88~~ 2·26	8·37	1·77	2·75	4·68	YEAR'S TOTAL ~~40·90~~ 39·28
Rain Days.	15	11	10	16	9	6	18	12	25	19	15	25	181

Form B.1.

1808

JAN 6 20

METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.

To be filled and returned to

THE SUPERINTENDENT,
BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE, LONDON, N.W.1

Copies of this form will be supplied with pleasure.

RAINFALL IN 1919

NOTE.—Records taken in millimetres should not be entered on this form.

At Clutton Council School

In the County of Somerset

PLEASE FILL IN.

Rain Gauge

Diameter of Funnel 5 in.

Height of Top
Above Ground 1 ft 6 in
Above Sea Level 427 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches	Inches	Date.	
JAN.	6·49	1·31	3rd	21
FEB.	3·14	·46	21st	14
MAR.	4·73	1·07	19th	19
APR.	2·00	·47	18th	14
MAY	·77	·27	1st	8
JUNE	1·30	·31	22nd	6
JULY	2·84	·89	19th	15
AUG.	2·43	·58	27th	11
SEPT.	1·23	·35	5th	9
OCT.	2·01	1·09	23rd	9
NOV.	2·44	·49	29th	17
DEC.	6·91	·91	24th	27
Total	36·29	922		170

Signed W. Jno Pullen

Titles

[Please fill in the other side also.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

Ordnance Map

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
House	20'	15'	N

In order that the position may be accurately entered on a map please mention

Latitude 51° 20' **N.**

Longitude 2° 31'

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	G.W.R Clutton	yds 300	E
Church		600	S.W

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

(x s) (66052) Wt. 21958/218 15,000 10-19 W B & L

170 36.29

1808

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Clutton Council School
in the County of Somerset
by J. Pullen (Boys of Gardening Class)

Lat. 51° 20" Long. 2° 31'
Time of Observation 9 a.m.
Nearest Railway Station Clutton G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 427 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41	–	–	·11	·27	–	·57	·02	·01	·29	–	·94	1
2	·15	–	·02	–	·09	–	·06	–	·31	·01	·11	·21	2
3	1·31	–	·04	–	·09	–	–	–	·11	–	·07	–	3
4	·62	·12	·51	–	·03	·05	·21	·07	·21	–	–	·01	4
5	·03	·33	·84	–	·05	–	·03	–	·35	–	–	·38	5
6	·57	·06	·12	–	–	–	–	–	–	–	–	·21	6
7	·21	–	·54	·06	–	–	–	–	–	–	–	·01	7
8	·23	–	–	·03	–	–	–	–	·06	–	–	–	8
9	·06	–	·19	·04	–	–	–	–	–	–	·18	–	9
10	–	–	·18	·03	·04	–	–	–	–	–	–	·42	10
11	–	–	·36	·18	·19	–	·37	–	–	–	–	·02	11
12	·05	–	·09	·03	–	–	·02	–	–	·09	–	·24	12
13	·15	–	·01	·47	–	·22	·02	–	–	·07	·05	·05	13
14	1·10	·21	–	·41	–	–	·16	–	–	·01	–	·05	14
15	·37	·31	–	–	–	–	–	–	–	–	·01	·27	15
16	·21	·45	–	–	–	–	·01	–	–	–	·13	·04	16
17	–	·39	–	–	·01	–	–	·01	–	–	·22	·02	17
18	–	·01	–	–	–	–	·18	·35	–	–	·11	–	18
19	·26	·25	1·07	–	–	–	·89	·58	–	–	·27	·13	19
20	·36	·12	·22	–	–	–	·01	·20	–	·01	–	·15	20
21	·02	·46	·01	–	–	·30	·21	–	–	–	·01	·08	21
22	–	·38	–	–	–	·31	·09	–	–	·43	·02	·32	22
23	–	–	·01	–	–	–	–	·01	·14	1·09	·11	·05	23
24	–	–	–	·04	–	–	·01	–	·02	·01	·27	·91	24
25	–	–	–	–	–	·20	–	·38	·02	–	·06	·08	25
26	·02	·04	·16	·02	–	–	–	·19	–	–	–	·75	26
27	·26	·01	·03	–	–	–	–	·58	–	–	·01	·07	27
28	·07	–	·29	·31	–	–	–	·04	–	–	–	·45	28
29	·03	–	–	·08	–	–	–	–	–	–	·49	·08	29
30	–	×	–	·19	–	·22	–	–	–	–	·32	·73	30
31	–	×	·04	×	–	×	–	–	×	–	×	·24	31
TOTAL	6·49	3·14	4·73	2·00	·77	1·30	2·84	2·43	1·23	2·01	2·44	6·91	YEAR'S TOTAL 36·29
Days with ·01 in. or more	21	14	19	14	8	6	15	11	9	9	17	27	140

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 179

21 JAN 192

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION**

REGISTER OF RAINFALL IN 1920.

Kept at Clutton Council School
in the County of Somerset
by W. Jno Pullen. (Gardening Class)

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01	—	·23	·71	—	·25	·03	·05	·25	·22	·57	1
2	·08	—	·02	·12	·01	—	·75	·25	·11	·20	—	—	2
3	·02	·09	—	·09	—	—	1·07	—	—	·61	—	—	3
4	—	·01	·06	·15	—	—	·11	·54	·01	·17	—	—	4
5	—	—	·13	·09	·14	—	·62	·01	—	·15	—	·01	5
6	—	—	·31	·02	·42	—	·42	—	—	·12	—	·08	6
7	·04	—	·03	·07	—	—	·11	—	—	·01	·02	—	7
8	·02	·13	—	·35	·11	—	·41	—	—	·01	·01	—	8
9	·15	·09	·05	·75	—	·16	·19	·07	·01	·01	—	—	9
10	·96	·32	·03	·03	—	·16	·55	—	—	—	—	—	10
11	·12	·01	·15	·39	·31	·74	·07	—	—	·01	—	—	11
12	·21	·03	·01	·22	·01	·01	·09	—	—	·01	·15	—	12
13	·11	·11	·32	·07	—	—	—	—	—	—	·01	—	13
14	·18	·01	·28	·64	·06	·01	·32	—	·10	·25	·45	—	14
15	·01	·20	·02	·42	—	·03	·02	—	·07	·42	·15	—	15
16	·01	·01	·01	—	—	·17	—	—	·05	·12	·47	—	16
17	·09	—	·05	·32	·28	2·54	·01	—	·40	—	·04	—	17
18	·06	—	·01	·06	·05	—	·09	·42	·20	—	—	·03	18
19	·04	·17	—	·23	·11	·12	—	—	·01	—	—	·02	19
20	·03	·21	—	·23	—	·32	—	—	·01	—	—	·38	20
21	·02	—	—	·01	—	—	·09	·14	·01	·01	—	—	21
22	·01	·01	—	—	—	·01	·09	·02	·01	·01	—	·13	22
23	·01	·01	—	—	—	—	1·01	·01	—	·01	—	·42	23
24	·05	—	·08	—	—	—	—	—	·01	·01	·10	·15	24
25	·27	·07	·07	·02	—	·01	·33	—	·01	·01	—	·01	25
26	·27	·01	·24	·01	—	·72	·04	—	·01	—	·11	·10	26
27	·21	·03	·14	·13	—	·01	—	—	—	—	—	·30	27
28	·94	·01	·11	·01	·06	·01	—	—	—	—	·25	·01	28
29	·22	·01	·27	—	·06	—	—	—	·01	—	—	·45	29
30	·25	X	·03	·01	·01	·25	—	—	—	—	—	·34	30
31	—	X	·25	X	·02	X	—	—	X	·74	X	·30	31
													YEAR'S TOTAL
TOTAL	4·40	1·55	2·67	4·67	2·36	5·27	6·64	1·49	1·08	3·13	1·98	3·30	38·54 ✓
Days with ·01 in. or more	27	21	~~22~~ 23	25	15	16	21	9	17	20	12	16	~~227~~ 222
Days with ·04 in. or more	18	9	15	18	11	9	19	5	7	10	9	11	141 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COMBE

ST. NICHOLAS VIC

SOMERSET

1917 – 1920

✓ REGIS

FORM A.
BRITISH RAINFALL.

Kept at Combe, St. Nic

in the County of Some

by F. H. Wheaton.

uge in.

round ft. in.

Sea Level ft.

IMPORTANT NOTE. … e result entered to the previous day. If an Obse… sal rule, he is earnestly requested to add the readin… in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·61	·04		·04		1
2						·14		·04					2
3							·72			·31	·39		3
4							·08			·27		·03	4
5						·07		·36	·08	·07	·12		5
6										·20	·19	·05	6
7							·80	·35		·34	·08		7
8							·45	·31	·05	·51	·17	·14	8
9					·02		·16	·06	·09	·18	·05		9
10								·40		·04			10
11								·17	·01	·21	·08		11
12					·66					·31	·02	·02	12
13						·02		1·33	·07	·12			13
14							·30	·37	·02	·02			14
15							·08	·09		·19		·22	15
16							·50	·01		·41		·20	16
17					·03		·28	·21	·65	·10			17
18						·04	·26		·83				18
19					·03	·09			·23				19
20					·40	·12	·07		·12				20
21						·22		·08		·14			21
22					·01			·23		·11	·03		22
23					·08	·03		·27		·06		·17	23
24					·02	·04	·23	·12			·04		24
25								·16	·07	·11	·02		25
26					·59	·06		·62	·11	·04	·04		26
27					·40	·30		1·26		·02	·02		27
28					·12	1·97		·30					28
29					·02	·55	·10			·70	·03	·26	29
30		X			·05		·41	·20		·13			30
31		X		X	·27	X		·05	X	·18	X		31
Total					2·70 ✓	3·65 ✓	4·44 ✓	7·60 ✓	2·37 ✓	4·77 ✓	1·32 ✓	1·09 ✓	YEAR'S TOTAL
Rain Days.					14 ✓	13 ✓	14 ✓	23 ✓	13 ✓	24 ✓	15 ✓	8 ✓	

W. 8,000, IX. 17.

✓

REGIS

FORM A. BRITISH RAINFALL.

Kept at Combe, St. Nicholas

in the County of Somerset

by F. H. Wheaton. per H. A. Boys

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·61	·04		·04		1
2						·14		·04					2
3							·72			·31	·39		3
4							·08			·27		·03	4
5						·07		·36	·08	·07	·12		5
6										·20	·19	·05	6
7							·80	·35		·34	·08		7
8							·45	·31	·05	·51	·17	·14	8
9					·02		·16	·06	·09	·18	·05		9
10								·40		·04			10
11								·17	·01	·21	·08		11
12					·66					·31	·02	·02	12
13						·02		1·33	·07	·12			13
14							·30	·37	·02	·02			14
15							·08	·09		·19		·22	15
16							·50	·01		·41		·20	16
17					·03		·28	·21	·65	·10			17
18						·04	·26		·83				18
19					·03	·09			·23				19
20					·40	·12	·07		·12				20
21						·22		·08		·14			21
22					·01			·23		·11	·03		22
23					·08	·03		·27		·06		·17	23
24					·02	·04	·23	·12			·04		24
25								·16	·07	·11	·02		25
26					·59	·06		·62	·11	·04	·04		26
27					·40	·30		1·26		·02	·02		27
28					·12	1·97		·30					28
29					·02	·55	·10			·70	·03	·26	29
30					·05		·41	·20		·13			30
31					·27			·05		·18			31
Total					2·70 ✓	3·65 ✓	4·44 ✓	7·60 ✓	2·37 ✓	4·77 ✓	1·32 ✓	1·09 ✓	YEAR'S TOTAL
Rain Days.					14 ✓	13 ✓	14 ✓	23 ✓	13 ✓	24 ✓	15 ✓	8 ✓	

W. 8 000, IX. 17.

from Original
[illegible] to Rev H. a Boys

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Chard Combe St Nicholas

in the County of Somersetshire

by FH Wheaton Rev H a Boys

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.09		.13	.02			}		.03	1.36		1
2		.23		.05				.74		.02	.02	.31	2
3		.21	.03	.18	.08			.26			.29		3
4		.02	.01	.02					.02	.02	.99	.34	4
5		.02	.18	.07				.42	.41	.17	.03	.11	5
6	.23	.20		.25	.04			.18	.36	.15		.25	6
7		.20			.22				.19	.07	.40	.27	7
8	.19	28					.01		.28	.32	.03	.05	8
9		.08		.09		.21	.81		.47	.06		.43	9
10	.10			.40			.19		.20	.19	.01	.52	10
11		.03	.07	.03			.54		.24	.16	.09	.13	11
12		.12	.08		.31		.08		.03			.02	12
13	.40	.02			.19	.13	.33		.80	.10		.05	13
14	.16	.01					.01		.11	.19		.22	14
15	1.53			.51	.04		.49		.05	.06		.38	15
16	.22			.47	.06		.08		.41	.04		.13	16
17	94		.02	.31		.07	.38	.04	.05	.01		.24	17
18	.70		.04			.92	.14		.33	.03		.28	18
19	.74	.03	.04				.24	.05	.06	.05		.17	19
20	.03	.12					.04	.02	.24	.20			20
21	.04			.19			.09		.44	.10	02	.32	21
22				.03	.18		.80		.14	.15	.03	.38	22
23	.13						.60	.04	.11		.04	.10	23
24	.01	.16			.12	.06	.	.26	.06	.02	.13	.05	24
25	02			.10			.27	.68		.01	.12	.03	25
26					.20		43	.18	.05	03	.15	.16	26
27		.14	.14	05			.67		.31	.01	.12	.01	27
28		.12	.17						.08	.03		.09	28
29	02		.28						1.06	.02	.03	.04	29
30		X	.37						.04	.15	.11	.02	30
31		X	.50	X		X		.23	X	.08	X		31
Total	5.46	2.08	1.93	2.88	1.46	1.39	6.20	3.10	6.54	2.47	3.97	5.10	YEAR'S TOTAL 4258
Rain Days.	16	18	13	16	11	5	19	13	26	28	18	27	210

W. 6,500, VII. 18. w w c

1578

20 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Combe St. Nicholas, Chard

in the County of Somerset

by F. H. Wheaton per Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65		·18	·04	·26								1
2	·25		·04		·04								2
3	·76		·46		·07								3
4	·62	·66	·53			·06							4
5	·08	·30	1·19										5
6	1·15	·37											6
7	·47		·43	·13									7
8	·40		·20										8
9	·12		·04	·24									9
10	·11		·20			·06							10
11	·06		·46	·15	·27								11
12	·19		·13	·02									12
13	·10	·06	·04	·60		·16							13
14	·63			1·05	·30								14
15	·22	·16		·08									15
16	·09	·60			·04								16
17		·58											17
18	·15	·42	·65										18
19	·97	·40	·66			·06							19
20	·68	·07	·12			·28							20
21		·90											21
22		·13											22
23				·06		·03							23
24													24
25	·14			·15		·12							25
26	·16		·16	·11		·06							26
27	·22		·23										27
28	·01		·17										28
29	·03			·13									29
30				·09		·11							30
31													31
TOTAL	8·26	4·65	5·89	2·85	·98	·94							YEAR'S TOTAL
Days with ·01 in. or more	24	12	18	13	6 8	9							

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Aldridge, Combe St. Nicholas

in the County of Somerset

by per Boyes

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·97	1
2												·04	2
3											·15	·34	3
4											}	·08	4
5											·16 }	·15	5
6											·02	·30	6
7												·03	7
8													8
9											·56		9
10											·02	·69	10
11												·12	11
12											·06 ?	·17	12
13												·11	13
14												·53	14
15												·20	15
16											}	·02	16
17											·35 }		17
18											·11	·02	18
19											·22	·06	19
20											·03	·03	20
21											·01	·12	21
22											·02	·17	22
23											·07	·04	23
24												·39	24
25											·03	·17	25
26											·08	·60	26
27												·07	27
28											·40	·38	28
29												·07	29
30		X									·45	·65	30
31		X		X		X			X		X	·50	31
TOTAL											2·74	7·02	YEAR'S TOTAL
Days with ·01 in. or more											19 ?	28	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

MAR 1921

Kept at Combe St Nicholas, Chard

in the County of Somersetshire

by per Boys Rev G Aldridge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·01	·10	·51		·35	·03	06	·15	·20	·43	1
2	·58		·01	·17			·45	·48	·04	·18		·15	2
3	·09			·07	·03		·30			·90		·05	3
4		·03	·06	·03			·15	·49	·01	·35		·01	4
5		·02	·13	·03	·20		·15	·12		·17			5
6			·40				·44	·02		·11			6
7	·02		·04	·42			·12				·01		7
8	·12	·06			·13		·70			·02		·14	8
9	·86	·07	·01	·25	·01		·36						9
10	1·01	·14	·07	·02		·19	·44						10
11	·35	·02	·15	·65	27	·30	·18			·01			11
12	·23	·05	·02	·14		·02	·04			·01	·08		12
13	·27	·10	·65			·15				·06	·02		13
14	·03	·06	·28	1·18		·01	·06		·15	·07	·35		14
15	·02	·23	·07	·31	·16		·25		·03	·23	·05	·05	15
16		·03	·04		·06	·14			·22	·21	·04		16
17	·02	·01	·02	·61		·07	·02		·29	·01		·01	17
18	·09		·02	·10	·39	·04	·03	·37	·16			·02	18
19	·03	·05		·48	·10	·14	·01	·02		·01			19
20	·02	·19		·38	·06	·25						·36	20
21				·07		·30	·12	·02	·02	·02		·07	21
22	·03		·01	·13			·04			·01		·53	22
23	·04			·01		·02	·68	·09		·01		·42	23
24	·02		·21	·01	·05			·02			·34	·07	24
25	·06	·07	·08		·09		·55		·01		·02	·01	25
26	·70	·01	·25		·03		·13				·24	·11	26
27	·80	·02	·15	·15	·01	·01	·02			·02	·07	·31	27
28	·39	·02		·06		·30	·11				·01	·06	28
29	·14	·02	·50	·04		·05	·01				·30	·21	29
30	·04	X	·01	·05	·05	·02	·05		·55	·01	·38	·38	30
31		X	·49	X		X	·02		X	·52	X	·22	31
TOTAL	6·02	1·20	3·68	5·46	2·15	2·01	5·78	1·66	1·54	3·08	2·11	3·61	YEAR'S TOTAL 38·30
Days with ·01 in. or more	25	19	25	28	18	16	27	10	11	21	14	21	235
Days with ·04 in. or more	17	10	17	23	14	11	21	5	7	11	10	16	162

From Mr

REGIS 911

COMBEDOWN

SOMERSET

1911 - 18

FORM A2.
BRITISH RAINFALL.
11 JUN 1912

Kept at Combe Down,

in the County of Some

by Miss E. K.

p 5 in.

bove Ground 5 ft. – in.

„ Sea Level 500 ft.

n { Name

Distance Direction

IMPORTANT NOTE.—I nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												-	1
2												·37	2
3												·10	3
4												·54	4
5												-	5
6												·66	6
7												-	7
8												·37	8
9												·60	9
10												·16	10
11												·18	11
12												·26	12
13												·68	13
14												·95	14
15												-	15
16												·79	16
17												·19	17
18												·39	18
19												·57	19
20												·35	20
21												·25	21
22												·42	22
23												·20	23
24												·15	24
25												·23	25
26												·25	26
27												·23	27
28												·01	28
29												-	29
30												·03	30
31												-	31
Total												8·93	TOTAL for year
No. of Rain Days.												25	

W. 8,000, X. '11.

From M

REGI 911

FORM A2.
BRITISH RAINFALL.
11 JUN 1912

Kept at Combe Down, Bath

in the County of Somerset

by Miss E. K. Scriven

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 5 ft. - in.
" " " Sea Level 500 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												-	1
2												·37	2
3												·10	3
4												·54	4
5												-	5
6												·66	6
7												-	7
8												·37	8
9												·60	9
10												·16	10
11												·18	11
12												·26	12
13												·68	13
14												·95	14
15												-	15
16												·79	16
17												·19	17
18												·39	18
19												·57	19
20												·35	20
21												·25	21
22												·42	22
23												·20	23
24												·15	24
25												·23	25
26												·25	26
27												·23	27
28												·01	28
29												-	29
30												·03	30
31												-	31
Total												8·93	TOTAL for year
No. of Rain Days.												25	

W. 8,000, X. '11.

corrd fr autho 25.11.13 A JC.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Combe Down

in the County of Somerset

by Miss E K Scriven

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 5 ft. — in.
" " " Sea Level 500 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bath
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·10	—	—	·16	·17	—	·02	·84	—	·24	1
2	—	—	·28	·03	—	·12	·26	—	—	·02	—	—	2
3	·09	—	·45	·01	—	·26	·07	·53	·09	—	·04	·04	3
4	·24	—	1·00	—	·10	·56	—	·14	—	—	·19	—	4
5	·73	—	·07	—	·15	·10	—	·75	—	—	·01	·24	5
6	·20	·34	·05	—	·14	—	·02	·76	—	—	·02	·19	6
7	—	·46	·25	—	·04	·56	—	·11	—	—	·01	·21	7
8	·37	·01	·66	—	—	·05	·04	·15	—	—	—	·03	8
9	·05	—	·28	·19	—	·12	·01	—	—	—	—	·04	9
10	—	·14	—	—	—	·16	—	·23	—	—	·07	·35	10
11	·15	·05	·04	—	—	·02	—	—	—	—	—	·36	11
12	·02	·38	·08	·04	—	—	·02	—	—	—	·05	—	12
13	—	·02	·02	—	—	—	—	·06	—	—	—	·26	13
14	—	·01	·44	—	·46	—	—	·06	—	·01	—	·06	14
15	·08	·07	—	—	·17	·52	—	·02	—	—	·02	·58	15
16	—	·01	·17	—	—	·03	—	·13	—	·10	·04	·07	16
17	·44	—	} ×	—	—	·05	—	·67	—	—	·02	·19	17
18	—	—	} ·95 ×	—	—	—	—	·21	—	·09	·01	·06	18
19	—	·08	·03	—	—	—	·15	·31	—	·13	—	·01	19
20	—	·02	·43	—	·02	—	·13	·19	—	·55	—	—	20
21	·19	·08	·28	—	·89	—	—	·12	—	·28	—	—	21
22	·49	—	·24	—	·19	·06	·20	·35	—	·02	·01	·07	22
23	·34	·27	·55	—	—	·18	·01	·74	—	—	·16	·74	23
24	·05	·38	·08	—	—	·25	·05	·13	—	·08	·01	·32	24
25	—	·02	—	—	—	·18	—	·76	—	·10	·24	·49	25
26	—	—	—	—	—	—	·55	·23	—	·44	·65	·24	26
27	—	—	—	—	—	·18	1·30	—	—	1·23	—	·48	27
28	—	·15	—	—	—	·02	·12	·57	·20	·56	·50	·58	28
29	—	·16	·02	—	—	—	·30	·04	·46	·45	—	·05	29
30	—		—	—	—	·18	·17	—	·18	·34	—	—	30
31			·08		·04		·38	·03		·02		·08	31
Total	3·44	2·65	6·55	·27	2·26	3·76	3·95	7·29	·95	5·26	2·05	5·98	TOTAL for year 44·35
No. of Rain Days.	14	18	24 ~~23~~	4	2·20 10	20	18	24	5	17	17	25	196 ~~195~~

W. 8,000, X. '11.

cor for arith 25.III.14

82

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 JA 1914

Kept at Combe Down n. Bath

in the County of Somerset

by Miss E. K. Scriven

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Bath G.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at ~~9 a.m. on 1st January of the following year in the space provided~~ for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·25	·24	·10	·08	—	·04	—	·47	·01	·23	·26	1
2	·02	·14	·01	·09	·03	—	—	—	·01	·06	·11	·01	2
3	·18	·02	·14	·02	·74	—	—	—	—	·20	·01	·50	3
4	·92	—	·02	—	·35	—	—	—	1·13	·36	·04	·10	4
5	·02	·06	·15	—	·22	·20	·18	—	·34	—	·01	·16	5
6	·02	·06	·19	—	·05	·11	·05	—	—	·65	·10	·78	6
7	·03	·40	·04	—	·32	·23	·04	—	—	·60	·13	·01	7
8	—	·09	·01	—	·20	·06	·01	—	—	·36	—	·02	8
9	·01	·20	·07	·01	·04	·09	—	·70	·14	—	·10	·06	9
10	·28	·02	·03	·03	—	—	—	·05	—	·16	·15	·01	10
11	·80	—	·02	·15	·24	—	—	·08	—	·06	·39	·06	11
12	·06	·03	—	—	·01	—	—	—	—	·02	·09	—	12
13	·02	—	·03	—	—	—	·07	·05	·16	—	·20	—	13
14	·12	·02	—	·07	—	—	·01	·02	·01	·14	·08	·02	14
15	·18	·12	·52	·87	—	—	—	·11	·03	—	·13	—	15
16	·26	—	·65	—	—	·01	—	—	·01	—	·02	—	16
17	·10	—	—	·05	—	—	·08	—	·05	—	·09	·02	17
18	·12	—	·37	·25	—	—	·01	—	·01	—	·04	—	18
19	·74	—	·01	—	·04	·03	·05	—	·43	·03	—	—	19
20	·04	—	·14	·10	—	·02	—	—	—	—	·13	—	20
21	—	—	·25	·17	·16	—	·16	—	—	—	·44	—	21
22	·67	—	·52	·04	·05	—	—	·04	·24	·14	—	—	22
23	—	—	—	—	—	·12	—	·15	·01	—	·06	·27	23
24	·08	·01	—	·04	—	—	—	·11	—	·02	—	—	24
25	—	·15	—	·10	—	—	—	—	—	·01	·02	·08	25
26	—	—	—	·55	—	—	—	·19	—	·01	—	·27	26
27	·01	—	·18	·34	—	—	—	—	—	·13	·01	—	27
28	·28	—	·03	·26	—	—	—	—	·01	·10	—	·09	28
29	·03		·48	·63	—	—	—	·07	—	·41	·04	—	29
30	·64		·02	—	—	—	—	·04	—	·37	·14	—	30
31	·14		·01		·01		—	·36		—		—	31
Total	5·79	1·57	4·13	3·87	2·54	·87	·70	1·94	3·05	3·84	2·76	2·72	YEAR'S TOTAL 33·78
Rain Days.	26	1·57 14	24	19	14 15	9	11	14 13	15	20	24	17	207

33·78

W. 7,500, XI. ·12

Cod. 11.III.15 W DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Combe Down
in the County of Somerset
by Miss Emma K. Scriven

Lat. 51-20 N Long. 2-25 W
Time of Observation 9 a.m.
Nearest Railway Station Bath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·04	—	·03	·01	·36	—	—	·15	·09	1
2	·01	—	—	·05	—	·02	·73	·02	—	—	·86	·43	2
3	—	—	·04	·21	·26	—	·02	·18	—	—	·13	·12	3
4	·15	—	·15	·33	·24	—	·19	·22	—	—	·72	·60	4
5	·04	—	·18	·46	·03	—	·32	·06	—	·01	·65	·09	5
6	·01	·09	·04	·28	·08	·02	·06	·08	—	—	·03	·33	6
7	—	·76	·20	·20	·64	·03	·32	·08	—	—	·01	·11	7
8	·08	·02	[illegible]	·10	·05	·40	·06	·09	·15	—	—	—	8
9	·18	—	·31	·27	·03	·82	—	·06	·27	—	—	—	9
10	·01	·27	·02	·13	·01	—	—	—	·33	·01	·02	·02	10
11	—	·13	·32	·01	·25	·21	·09	—	—	—	·05	·46	11
12	—	[illegible]	·44	—	—	—	—	—	·38	—	·12	·36	12
13	—	·39	·40	—	—	—	—	—	·27	·22	·08	·49	13
14	—	·48	·10	—	—	·02	—	·20	·32	·49	·26	—	14
15	—	·01	·23	—	—	—	—	·55	·01	·02	·16	·07	15
16	—	—	·01	—	—	—	·13	—	·34	—	—	—	16
17	—	·48	·23	—	—	—	—	—	·02	—	—	·73	17
18	—	—	·02	—	—	—	·33	—	—	—	—	·42	18
19	—	·16	·57	—	—	—	·55	—	·02	—	·07	·06	19
20	—	·30	·06	—	—	—	—	—	—	·22	—	·27	20
21	—	·45	·02	—	—	·02	—	—	—	·23	·02	—	21
22	—	·02	—	—	·12	·32	—	·04	·01	·30	—	—	22
23	—	·07	·19	—	·13	·01	—	—	—	·21	—	—	23
24	—	—	·05	—	·02	—	·06	—	—	·54	·09	—	24
25	·04	—	·15	—	—	—	·01	·15	—	·06	·01	·39	25
26	—	·02	·07	—	—	—	·05	·06	—	·08	·53	·53	26
27	·07	—	—	—	·02	—	—	·01	—	·03	·10	·11	27
28	·01	·09	·15	—	·02	—	—	—	—	·18	·39	1·00	28
29	·20		·07	—	·05	—	—	·01	—	—	·37	—	29
30	·01		·03	—	—	—	—	—	—	·27	·63	·91	30
31	·01		—		·01		·18	—		·51		·10	31
Total	·82	3·82	4·65	2·03 2·02	1·96	1·90	3·17	2·17	1·76	3·38	4·85	7·58 7·57	YEAR'S TOTAL 38·09
Rain Days.	13	17	26	11	16	11	16	16	11	16	22	22	197

38·07

W.7,000, XI. 13

Cad [illegible] 5.V.16

2086

FORM A.
BRITISH RAINFALL.
6 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Combe Down - n - Bath
in the County of Somerset
by Emma E Scriven

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Bath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·51	·13	—	—	·07	—	—	·14	·29	·30	·02	·14	1
2	·40	·37	·22	·15	—	—	—	·65	·08	·24	—	·34	2
3	·73	·07	·06	·08	·18	—	·01	·03	—	—	—	·27	3
4	·01	·04	·01	—	·01	—	·02	—	—	—	—	·47	4
5	·06	·82	—	·02	—	—		·12	—	—	—	·36	5
6	·38	·03	—	·35	—	—	·52	·10	—	·02	—	·11	6
7	·36	·56	—	·06	·49	—	·22	·04	—	—	·01	·26	7
8	·30	·39	—	·09	—	—	·02	·09	—	—	·10	—	8
9	·03	·04	—	·11	—	—	—	·04	—	—	·35	·97	9
10	·11	—	·08	·08	—	—	—	·03	—	·02	·02	·16	10
11	·06	—	·06	·04	·02	—	—	·05	—	—	1·10	·07	11
12	·32	·32	—	·16	·38	—	—	·46	—	·02	·32	—	12
13	·05	·70	—	—	·75	—	—	·04	·16	·01	·02	—	13
14	·15	·01	—	—	—	—	·13	·69	·05	·11	—	·70	14
15	·41	—	—	·04	·15	—	·15	·10	·04	·05	·38	·09	15
16	—	~~1·25~~	—	—	·54	—	·97	·03	—	—	·03	·17	16
17	—	·63	·02	—	·61	—	·64	·01	—	·01	—	·14	17
18	—	·30	—	—	—	—	—	—	—	—	·01	—	18
19	·01	·02	—	—	·07	—	·22	—	—	—	—	—	19
20	·37	—	—	·03	·02	—	—	—	—	·07	—	·18	20
21	·10	·19	—	—	·01	—	·02	—	—	·09	—	·24	21
22	·06	·44	·51	·02	—	—	·60	—	—	—	—	·24	22
23	—	·05	·20	—	—	·01	·32	—	·19	·93	—	·55	23
24	—	—	·02	·08	—	—	·70	—	·56	1·02	—	·28	24
25	—	—	—	·01	—	·39	·04	—	—	·01	—	·09	25
26	·01	·14	—	—	—	·02	·08	—	·01	—	—	·50	26
27	—	·06	—	—	—	·20	·03	—	—	·37	—	·01	27
28	—	·02	·03	—	—	·01	—	—	·75	·03	—	—	28
29	—		—	—	—	·41	—	·05	—	—	·14	·04	29
30	·24		—	—	—	·74	—	—	—	·46	·34	·21	30
31	·02		—		—		·04	·05		1·07		·28	31
Total	4·69	6·55	1·21	1·32	3·38 3·33	1·78	1·39	2·69	2·04	4·83	2·84	7·03	YEAR'S TOTAL 42·64 42·67
Rain Days.	22	22	10	15	13	7	18	18	9	19	13	25	190

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exe DL

2071

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Combe Down. W. Bath

in the County of Somerset

by (Miss) E. H. Scriven

Lat. 51·20 N Long. 2·25 W
Time of Observation 9 a.m
Nearest Railway Station Bath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	—	—	—	·21	·08	·27	—	·04	·63	·33	—	1
2	·71	·10	·36	—	·05	—	·02	—	·72	·80	·06	—	2
3	·01	1·18	—	—	·25	—	—	—	·26	·40	·18	—	3
4	·18	·10	—	—	·02	·50	—	—	—	·19	·65	—	4
5	·02	·01	·04	—	·35	·08	—	—	—	·03	·25	—	5
6	·17	·15	·05	—	·21	·21	·35	—	—	·09	·95	—	6
7	·03	·10	·20	—	·03	—	—	—	—	·15	·40	·23	7
8	·01	·02	·05	—	·22	·67	—	—	—	·01	—	·14	8
9	—	·09	·01	—	·12	·12	·02	—	—	·10	·02	·13	9
10	—	·48	·03	·11	·02	·01	·01	—	—	·03	·02	·05	10
11	·02	—	·11	·10	—	·02	—	—	—	—	—	·01	11
12	·12	·10	—	·02	·22	—	·17	—	—	·09	·02	—	12
13	—	·45	·09	—	·01	—	—	·21	—	—	·01	—	13
14	—	·47	·09	·03	·17	—	—	·20	—	—	—	—	14
15	·02	·26	·08	·05	·15	—	—	·02	—	·06	—	—	15
16	·03	·04	—	·34	·05	—	·10	·80	—	·03	—	—	16
17	·13	·18	—	·05	—	—	—	·08	·40	·64	·06	—	17
18	·03	·02	·09	·04	—	—	—	—	·03	—	·42	·05	18
19	·24	—	·37	·15	—	—	—	—	—	—	·09	—	19
20	·23	·05	·50	—	—	—	—	—	—	—	·14	(1·25)	20
21	·10	—	·65	·02	·16	—	—	—	—	—	·01		21
22	·02	—	—	·02	—	·05	—	—	—	·31	·01	·62	22
23	·02	·15	—	·15	—	·04	—	·21	—	·26	·25	·17	23
24	—	·10	·02	·01	·71	·09	—	·06	—	·56	·03	·30	24
25	—	·40	·10	—	·02	·01	—	·29	—	—	·17	·17	25
26	·01	—	·15	—	—	·29	—	·70	·20	·46	·02	—	26
27	·13	·07	1·15	—	—	—	·66	·12	·23	·53	—	—	27
28	—	·36	·15	·36	—	·12	—	·05	·03	·61	·01	·64	28
29	—	—	·08	—	—	·28	—	1·62	·03	·78	—	·76	29
30	—	X	·01	—	—	—	·01	—	—	·57	—	·03	30
31	—	X	—	X	—	X	—	·83	X	·15	X	·04	31
Total	2·41	4·88	4·38	1·45	2·97	2·57	1·61	4·39	1·54	7·48	4·10	4·59	YEAR'S TOTAL 42·37
Rain Days.	21	22	23 22	14	18	15	9	13	9	23	22	16	204

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.
2. JAN 1918

1939

Kept at Combe Down - nr Bath

in the County of Somerset

by (Miss) E. K. Scriven

Lat. 51-20N Long. 2-25 W

Time of Observation 9 a.m.

Nearest Railway Station Bath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. in.

" " " " Sea Level 500 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·03	·26	·22	—	·14	—	·66	·25	—	·06	—	1
2	·04	—	—	·32	—	·22	—	·08	—	—	·06	—	2
3	·09	—	—	·02	—	—	·42	·02	—	·76	—	—	3
4	—	·24	·11	—	—	—	·09	·08	—	·26	—	—	4
5	·28	—	·22	·26	—	·18	—	—	·43	·38	·16	—	5
6	—	—	·54	—	—	·04	—	—	—	·16	·15	—	6
7	·23	—	—	—	—	—	·19	·17	—	·19	—	·01	7
8	·27	—	·17	·12	—	—	·29	·64	·05	·51	·11	·11	8
9	—	—	·09	·01	·12	—	·01	·36	·07	·10	·17	—	9
10	·17	—	·36	·16	·01	—	—	·24	·06	·01	—	·01	10
11	·04	—	·56	·31	—	—	—	·26	·04	—	·02	—	11
12	·07	—	·01	—	·54	—	—	·45	·12	·75	·01	·01	12
13	·01	—	·16	·01	—	·04	—	·30	·01	·09	—	·01	13
14	·01	—	·25	·13	—	—	·01	·50	·01	—	—	—	14
15	·01	—	—	—	—	—	·51	·12	—	·06	·01	·20	15
16	—	·07	—	·19	·04	—	·35	·01	·02	·45	—	·04	16
17	—	—	—	·23	·23	·01	·69	·10	·52	·08	·01	—	17
18	—	·02	—	·01	—	·02	·38	·02	·52	·01	—	—	18
19	—	·43	·07	—	—	·03	—	—	·05	—	·01	—	19
20	·01	·08	·06	—	·39	·11	—	·04	·01	—	·01	—	20
21	—	—	·28	—	—	·03	—	—	—	·03	—	—	21
22	—	—	·04	—	—	·73	—	·08	—	·07	—	—	22
23	—	·11	—	—	·16	—	—	·38	—	—	·01	·07	23
24	—	·05	·02	—	—	·39	·09	·15	—	·09	·02	—	24
25	—	·10	·01	—	—	—	—	—	·03	·62	—	—	25
26	—	—	·03	—	·23	—	—	·68	·22	·29	·03	—	26
27	—	—	—	—	·80	·03	—	1·08	—	—	—	—	27
28	—	·01	·14	—	·19	2·92	—	·63	·01	—	·03	·01	28
29	—	✕	·11	—	—	·20	·08	·03	—	·50	·01	·17	29
30	—	✕	·28	—	—	—	·16	·19	·01	·37	—	·01	30
31	—	✕	·10	✕	—	✕	·02	·08	✕	·04	✕	·03	31
Total	1·24	1·14	3·87	1·99	2·71	5·09	3·29	7·35	2·43	5·82	·88	·68	YEAR'S TOTAL 36·49
Rain Days.	13	10	22	13	10	15	14	26	18	22	17	12	192

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
7·1·18

REGISTER OF RAINFALL IN 1918

Kept at Hillesley Avenue Combe Down Bath

in the County of Somerset

by Miss E. K. Scriven

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·05	·05	—	—	·31	··3	—	·55	·01	1
2	—	·02	—	·18	—		—	·37	—	—	·03	·36	2
3	—	·06	·01	·30	·16		—	·23	—	·06	·02	·01	3
4	—	·02	·01	·02	—		—	·04	·09	·02	1·05		4
5	—	·02	—	·01	·22		—	22	·01	·21	·04		5
6	·10	·30	—	·34	—		—	·0	·02	·20	—	·15	6
7	·01	·26	—	·06	·02	·01	—	·02	—	·32	·26	·02	7
8		·03	—	—	—	—	—	—	·16	·27	—	·07	8
9		·29	—	·45	—	·22	·34	—	·69	·12	·02	·32	9
10	·01	—	—	·17	—	—	·37	—	·53	·17	—	·15	10
11	·10	·10	·02	·01	—	—	·22	—	·28	·01	·03	·02	11
12		·15	·04	—	·39	—	·21	—	·44	—	—		12
13	·16	·01	—	—	·05	—	·21	—	··2	·06	—	·43	13
14	·22	—	·02	—	—	·02	·35	—	·48	·10	—	·12	14
15	1·31	—	—	·47	·05	·08	·38	—	·29	·03	—		15
16	·45	—	—	·46	—	·05	·01	—	·21	·01	—	·43	16
17	·26	—	·03	·06	—	—	·45	·17	··9	·03	—	·27	17
18	·77	—	—	—	—	·54	·17	—	·26	·01	—	·18	18
19	·16	·01	·17	·01	—	—	·6	·03	·41	·04	—		19
20	·01	·09	—	·36	—	·01	·35	—	·10	·03	—		20
21	·10	·08	—	·01	—	·01	·20	—	·92	·08	·02	·25	21
22	·02	—	—	—	·06	—	·49	—	·26	·01	—	·40	22
23	·08	—	—	—	·20	·05	·66	—	·13	—	·03		23
24		—	—	—	—	·03	—	·05	—	—	·04		24
25		—	—	—	—	—	·25		·11	·01	·04		25
26		—	—	—	—	—	·52	·73	··6	·02	·16	·22	26
27	—	—	·03	—	—	—	—		·25	—	·10	··8	27
28	—	·21	·19	—	—	—	—	·20	··1	—	·18	·25	28
29	—	✕	·08	—	—	—	—	—	1·21	—	·02	··2	29
30	—	✕	·31	—	—	—			·07	·03	·04	·12	30
31	—	✕	·18	✕	—	✕		··2	✕	·03	✕		31
Total	3·68	1·78	[illegible]	[illegible]	1·80	1·02	5·15	2·23	7·07	1·87	2·55	3·08	YEAR'S TOTAL 35·33
Rain Days.	15	~~18~~ 16	12	16	9	10	[illegible]	[illegible]	26	23	17	21	194

1·09 8·88

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

CRAN~~MORE~~ HALL

SOMERSET

1911 - 1917

REGIS 9 11

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Estate Office, Cr ...p 8 in.

...bove Ground 1 ft. 8 in.

in the County of Somer „ Sea Level 600 ft.

by E. B. White 9 A m

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	..	·33	·18	·01			·04			·04	·03	1
2	·02		·03	·09	·48			·29		·07	·41	·26	2
3	..		·03	..	·37			·05			·19	·13	3
4	..	·01	·16	Snow ·01				..	·04	·06	·36	·47	4
5	·10		·03	Snow ·01				·73		·14	·28	·04	5
6	·52		·15								·21	·41	6
7	·03			·01						..	·46	·01	7
8	·23		·28								·03	·42	8
9	·23	Snow ..	·03					·04			·06	·46	9
10	·16	·05	·59		·41				·01		·02	·51	10
11	Snow ·03 rain ·51	·01	·01		·09	—					·67	·40	11
12			Snow ·17 rain ·85	}1·02	..		—		·02		·33	·23	12
13			·02						·25	·64	·24	·52	13
14		·17					..			·01	·01	·90	14
15		·14	·04			·04				·01	·59	·19	15
16		·02	..			·36					·62	·60	16
17		·02	..	..		·09					·18	·40	17
18		·42	·08	·10	·02	·34				·02	·05	·47	18
19		·15		·06		·88			·47	·29	·04	·45	19
20	·03	·02	·09	·30					·10	·06		·41	20
21		·44	·01	·02				·17		·59		·42	21
22	·09	·01	·27	·12		·01				·85		·65	22
23	..	·27	·09	·04		·19			·29	·14	·02	·35	23
24		·48	..		·01	·57		·10		·71		·16	24
25	·02	·21		·52		·15		·02	·04	·03		·40	25
26		·08		·48	·10	·01		·04		·22	Snow ·03	·58	26
27		·87	·23	·20		~~·67~~		·15	·16	..	Snow ·04	·27	27
28		·58		·30				·11			·06	·02	28
29				·36		·67	·03		·21	·94			29
30				·10		·17			·01	·26	·13	·03	30
31			..		·05					·20		·01	31
Total	2·02	3·95	3·49	3·10	1·54	3·48	·03	1·74	1·60	5·24	5·07	10·20	TOTAL for Year 41·46
No. of Rain Days	12	18	19	17	9	12	1	11	11	18	24	30	182

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Estate Office, Cranmore Hall
in the County of Somerset.
by E. B. White

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 8 in.
" " " Sea Level 600 ft.
Time of Observation 9 A.M.
Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	..	.33	.18	.01			.04			.04	.03	1
2	.02		.03	.09	.48			.29		.07	.41	.26	2
3	..		.03	..	.37			.05			.19	.13	3
4	..	.01	.16	Snow .01				..	.04	.06	.36	.47	4
5	.10		.03	Snow .01				.73		.14	.28	.04	5
6	.52		.15								.21	.41	6
7	.03			.01						..	.46	.01	7
8	.23		.28								.03	.42	8
9	.23	Snow ..	.03					.04			.06	.46	9
10	.16	.05	.59		.41				.01		.02	.51	10
11	Snow .03 Rain .51	.01	.01		.09						.67	.40	11
12			Snow .17 Rain .85 } 1.02		..				.02		.33	.23	12
13			.02						.25	.64	.24	.52	13
14		.17					..			.01	.01	.90	14
15		.14	.04			.04				.01	.59	.19	15
16		.02	..			.36					.62	.60	16
17		.02	..	..		.09					.18	.40	17
18		.42	.08	.10	.02	.34				.02	.05	.47	18
19		.15		.06		.88			.47	.29	.04	.45	19
20	.03	.02	.09	.30					.10	.06		.41	20
21		.44	.01	.02				.17		.59		.42	21
22	.09	.01	.27	.12		.01				.85		.65	22
23	..	.27	.09	.04		.19			.29	.14	.02	.35	23
24		.48	..		.01	.57		.10		.71		.16	24
25	.02	.21		.52		.15		.02	.04	.03		.40	25
26		.08		.48	.10	.01		.04		.22	Snow .03	.58	26
27		.87	.23	.20		~~.67~~		.15	.16	..	Snow .04	.27	27
28		.58		.30				.11			.06	.02	28
29				.36		.67	.03		.21	.94			29
30				.10		.17			.01	.26	.13	.03	30
31			..		.05					.20		.01	31
Total	2.02	3.95	3.49	3.10	1.54	3.48	.03	1.74	1.60	5.24	5.07	10.20	TOTAL for year 41.46
No. of Rain Days	12	18	19	17	9	12	1	11	11	18	24	30	182

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
10 MAR 1913

Kept at Cranmore Hall Shepton Mallet
in the County of Somersetshire
by E B Whish   Rev H A Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.10			.25	.38	.02	.02	.79		.57	1
2		.02	.37			.20	.27	.03			.05	.01	2
3	.04		.16	.01		.42	.29	.58	13		.06	.26	3
4	.40	.02	.73		.06	.27		.07			.31		4
5	.53	.03	.45		.12			.56			.02	.26	5
6	1.14	.29	.04		.12		.38	.92			.01	.20	6
7	.07	.27	.11	.01	.25	.73	.03	.36			.02	.13	7
8	.41	.22	.58	.04		.11	.05	.34	.05			.02	8
9	.04	.02	.46	.20		.05	.04	.08			.04	.68	9
10	.02	.12				.11	.01	.23			.09	.28	10
11	.13	.07	.05					.01			.01	.68	11
12	.07	.45	.14	.04			.03				.02	.01	12
13			.06			.20		.03			.03	.23	13
14	.20		.63		.15	.02		.65		.02		.05	14
15	.06	.14	.02	02	.30	.98		.14				1.30	15
16	.88	.01	.56		.30	.01		.21		.20	.04	.07	16
17	1.31		.10		.01	.11		1.08			.04	.10	17
18	.04		.68					.18		.25	.01	.15	18
19	.06	28	.20			.10		.14		.06	.03	.02	19
20	.06		.54		.04	.05	.15	1.63		72	.05		20
21	.01	.20	.54		.46		.01	.20		.54			21
22	.40	.36	.06		.44		.08	.47		.05	.05	.05	22
23	.29	.45	.56			.15	.01	1.45		.10	.33	.45	23
24	.12	.06	.07			.33	.02	.02		.02		.24	24
25	05	.01				.20		.62		.10	.42	.65	25
26		.02					.21	.11		.51	.47	.34	26
27		.04	.02			.18	.87			1.20	.05	.61	27
28		.10	.02			.10	.05	.44	.10	.62	.55	.53	28
29		.06	.01			.42	.16	.06	.46	.50	.04	.05	29
30					.02	.10	.40	.01	.24	.36			30
31			.51				36	.10		.06		.32	31
Total	6.33	3.24	7.77	.32	2.27	5.09	3.80	10.74	1.00	6.10	2.74	8.26	YEAR'S TOTAL 57.66
Rain Days.	22	22	27	6	12	22	20	29	6	17	23	27	233

W. 7,500, XI. '12

FORM A.
BRITISH RAINFALL.

8 APR 1914

~~From~~
Mid-Wessex.

REGISTER OF RAINFALL IN 1913.

Kept at Cranmore Hall

in the County of Somerset.

by Edward B Whish
Rev. H. A. Boys.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·35	·19	·05	-	-	-	-	·33	·03	·23	·46	1
2	·06	·11	·10	·13	·05	-	·08	-	·02	·04	-	-	2
3	·23	·01	·10	·01	·53	-	-	-	-	·01	·12	·26	3
4	1·12	-	·09	·01	·65	·01	-	-	1·00	·16	·05	·35	4
5	·05	·07	-	-	·36	·58	-	-	·45	—	·02	·20	5
6	·06	·05	·18	-	·04	·26	·12	-	·02	·72	·04	·66	6
7	·02	·30	·07	-	·42	·07	·14	-	-	·70	·21	·01	7
8	·01	·09	-	-	·25	·05	·01	-	-	·47	·01	·05	8
9	-	·10	·11	-	·14	·32	-	·42	·11	·02	·13	·13	9
10	·15	-	·17	-	·04	·02	-	-	-	·42	·16	-	10
11	·56	-	·11	·41	·15	·10	-	-	-	·11	·46	·03	11
12	-	·01	-	-	·16	-	·01	-	·05	-	·22	-	12
13	·03	·01	·18	-	-	·01	-	·06	·54	-	·25	-	13
14	·11	·01	·19	·10	·05	-	-	-	·10	·07	·53	·06	14
15	·25	·10	·40	·75	-	-	-	-	·03	-	·25	-	15
16	·30	-	·87	·01	-	-	·04	-	-	-	·03	-	16
17	·09	·02	·02	·07	-	-	·14	-	-	-	-	·05	17
18	·12	-	·23	·22	-	-	·03	-	-	-	·15	-	18
19	·71	-	·04	-	·14	·21	·04	-	·71	-	·10	-	19
20	·05	-	·17	·05	-	-	-	-	—	·20	·40	-	20
21	—	-	·02	·15	·25	-	·15	-	-	·03	·60	-	21
22	1·64	-	·33	·16	·06	·07	-	·12	·26	·03	-	-	22
23	·03	-	-	-	-	·04	-	-	-	-	·03	·58	23
24	·19	·02	·01	·17	-	-	-	·20	-	-	·05	—	24
25	-	·14	-	·27	-	-	-	-	-	·01	·08	·17	25
26	-	·04	-	·29	-	-	-	·29	-	-	·01	·30	26
27	·04	-	·20	·28	-	-	-	-	-	·06	·02	·06	27
28	·22	-	·06	·45	-	-	-	-	-	·10	-	·13	28
29	·06		·63	·44	-	-	-	·07	-	·28	·03	·02	29
30	·57		-	·14	-	-	-	-	-	·41	·24	-	30
31	·24		·05		·03		-	·57		·02		-	31
Total	6·91	1·43	4·52	4·16	3·32	1·74	·76	1·73	3·62	3·89	4·42	3·52	YEAR'S TOTAL 40·02
Rain Days.	25	16	24	20	16	12	10	7	12	20	26	17	205

W.7,000, XI. 13

D.J. [illegible] 11·III·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 1915

Kept at Cranmore Hall.
in the County of Somerset.
by Edward B. Whish.

Lat. 51°11'12" Long. 2°27'
Time of Observation 9 a.m.
Nearest Railway Station Cranmore Junct.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Below is the 1914 including what was measured Jan. 1. 15.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·04		·01	·20	·42			·17	·08	1
2	·01			·09	·02		·68	·10			·96	·50	2
3	·02		·56	·21	·41		·17	·93			·15	·11	3
4	·23		·69	·30	·11		·22	·28			·64	·46	4
5	·28		·57	·79	·38		·12				·07	·22	5
6		·20	·16	·44	·23		·71	·12			·03	·22	6
7	·08	·58	·25	·24	·33	·05	·38	·23	·01			·23	7
8	·36	·06	1·81	·01	·41	·42	·04	·38	·18			·02	8
9	·55		·47	·26	·05	·76		·18	·28				9
10	·11	·12	·01	·05	·25				·50		·05	·01	10
11		·21	·98	·01	·06	·27	·08		·07		·11	·40	11
12		·09	·28		·02				·38		·10	·34	12
13		·44	·40						·25	·24	·29	·64	13
14	·02	·28	·26					·34	·16	·46	·34	··	14
15	··		·33				·40	·91	·04	·07	·16	··	15
16			·01				·09		·23				16
17		·51	·26				·04		·01			·72	17
18		·07	·18				·61		·02			·92	18
19		·18	·63				1·00				·07	·10	19
20		·37	·23			·01						·22	20
21		·56	·01			·15				·14		·02	21
22		·07	·01		·15	·31		·10		·26		··	22
23		·24	·29		·06	·04	·02			·62			23
24		·66	·13		·12		·07			·28	·40	·04	24
25	·07		·25				·04	·37		·56	·04	·40	25
26	··		···				·09	·06			·49	·55	26
27	·10		··				·02			·16	·29	·25	27
28	·03	·25	·19		·01					·07	·40	1·25	28
29			·12		·10		·10			·27	·28	·02	29
30	·01	×	·13				·			·28	·50	·92	30
31	·05	×	·04	×		×	·25		×	·35	×	·35	31
													YEAR'S TOTAL
Total	1·92	4·29	9·27	2·44	2·71 ✓	2·02	5·33	4·42	2·13	3·70	5·54	8·99	52·76 ✓
Rain Days.	14	17	28	11	16 ✓	9	21	13	12	13	20	25	199 ✓

W. 8,000. X. 14.

From originals returned.
est 98

2062

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 MAY 1916

Kept at Cranmore Hall Estate Office.

in the County of Somerset.

by Edward B Whish
per Rev. H. A. Boys.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.40	.41			.16			.20	.09	.30	.07	.28	1
2	.47	.40	.35	.28		.03		1.14	.03	.16		.48	2
3	.35	.07	.21	.26	.23	.11	.06					.52	3
4	.01	.02			.02							.39	4
5	.15	.58	.06	.05				.35				.33	5
6	.68	.05		.41			.83	.16			.01	.15	6
7	.41	.77		.06	.57		.23	.01		.01		.44	7
8	.53	.37		.02				.10			.03	.16	8
9	.01	.03		.13				.05			.69	.92	9
10	.47	.04	.04	.03			.01	.16		.01	.01	.05	10
11	.05	.01	.24	.03			.06	.22			.73	.11	11
12	.24	.36			.61			.55		.10	.37		12
13	.04	1.23			1.18			.08			.03		13
14	.41	.04					.24	.70	.36	.03		1.55	14
15	.44	.05		.01	.25		.18	.05	.12	.01	.15	.21	15
16		.79			.34		1.36	.05	.01			.16	16
17		.50			.70			.44		.01		.02	17
18		.32			.10						.02		18
19					.09		.39						19
20	.67			.12	.01							.09	20
21	.15	.20					.17					.34	21
22	.09	.36	.53	.04		.02	1.05		.02	.01		.30	22
23	.01	.08	.09				.56		.19	1.11		.38	23
24				.08			.06		.42	.92		.38	24
25			.04	.03		.15	.35					.33	25
26		.10				.11	.14					.71	26
27		.09				.18	.34			.42		.02	27
28		.22				.04		.02	.80	.19			28
29						.20	.05		.08		.13	.04	29
30	.24			.01		.07				.60	.49	.29	30
31	.03						.07	.03		.98		.28	31
Total	5.85	7.09	1.56	1.56	4.26	.91	6.15	4.31	2.12	4.86	2.73	8.93	YEAR'S TOTAL 50.33
Rain Days.	21	24	8	15	12	9	18	17	10	15	12	26	186

187

W. 8,000. X. 15.

for Mid Wessex m   S W R

2003

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Cranmore Hall Estate Office

in the County of Somersetshire

by Revd H A Boys E B Whish

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Funnel of Rain Gauge ……… in.

Height of top of Gauge above Ground ……… ft. ……… in.

" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14				.36	.08	.03		.12	.42	.61		1
2	.39	.09	.01		.19		.08		.01	1.19	.02		2
3	.08	.91			.02				.16	.59	.25		3
4	.27	.10			.16	.80	.04		.32	.47	.62		4
5	.11	.01	.04		.37	.68				.11	1.00		5
6	.01	.33	.02		.17	.07	.76			.19	.66		6
7	.24	.15	.27		.15	.08	.01			.09	.54	.23	7
8		.19	.04		.33						.08	.12	8
9		.02			.32	.23				.19	.10	.03	9
10		.60	.04	.14	.09	.01	.05			.04	.04	.24	10
11	.02	.01	.04	.18	.04	.21	.01		.03		.01		11
12	.29	.13	.05	.45	.20		.69	.01		.15	.01		12
13		.45	.23					1.52		.07			13
14	.01	.42	.02	.12	.30			.11		.02			14
15	.03	.52	.11	.03				15		.01			15
16	.03	.12		.51	.04		.04	1.18		.02			16
17	.24	.35		.08				.03	1.05	.71	.12		17
18	.01	.17	.17	.31					.18	.12	.30		18
19	.16		.49	.49							.32	.13	19
20	.36	.05	.59								.23	.60	20
21	.07	.11	.44	.02	.03		.03				.03	.79	21
22	.04		.02		.04	.05				.34	.08	.51	22
23	.02	.18		.11		.05		.17		.12	.25	.29	23
24		.29	.07	.09	.77	.21		.06		.67	.05	.26	24
25		.45	.28		.09			.78		.01	23		25
26	.05	.05	.20			.27		.03	.80	.52	.04	.01	26
27	.08	.17	1.42			.01		.81	.54	.29			27
28		.36	.11			.03		05	.01	.51	.01	.88	28
29		.48	.08			.56		3.34	.48	1.06	01	.63	29
30		X	.01							.42		.05	30
31		X		X		X		.19	X	.05	X	.10	31
Total	2.65	6.71	4.75	2.53	3.67	3.34	1.74	8.43	3.70	8.38	5.61	4.87	YEAR'S TOTAL 56.38
Rain Days.	21	26	23	12	18	15	10	14	11	26	24	15	215

W. 8,000, VIII. 16

from M.S.

1918

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 APR 1918

Kept at Cranmore.

in the County of ~~E. B. Whish~~ Somerset

by E. B. Whish for H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02												1
2	·10					·16							2
3	·06					·07							3
4													4
5	·53	·20				·23							5
6													6
7	·45												7
8	·66												8
9													9
10	·17												10
11	·10												11
12													12
13													13
14													14
15													15
16	·02	·12											16
17													17
18		·06				·02							18
19	·02	·43				·04							19
20		·16				·20							20
21		·01				·06							21
22													22
23		·19											23
24		·06				·36							24
25		·12											25
26													26
27		·04				·11							27
28						4·35							28
29						·79							29
30		X											30
31		X		X		X			X		X		31
Total	2·13 ✓	1·39 ✓				6·39 ✓							YEAR'S TOTAL
Rain Days.	10 ✓	10 ✓				11 ✓							

W. 8 000, IX. 17.

CREWKERNE
MARKS BARN
SOMERSET
– 1920

RE

FORM A.
BRITISH RAINFALL.
2 APR 1919

Kept at Crewkern

in the County of S

by Miss D.F. Blak

g.

Rain Gauge .... in.

above Ground .... ft. .... in.

„ Sea Level .... ft.

IMPORTANT … and the result entered to the previous day. If a… universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … surement of rain, the selection and pl… British Rainfall Organization are giv… on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·63	·10		·04		1
2								·06					2
3								·02	·02	·17	·32		3
4								·02		·16			4
5								·01	·21	·06	·08		5
6										·03	·19	·04	6
7								·21		·22	·10		7
8								·42	·05	·24	·08	·15	8
9								·12	·06	·12	·08		9
10								·31	·04	·02			10
11								·22		·15	·05		11
12										·27	·01	·01	12
13								·35	·02	·08			13
14								·22				·02	14
15								·07		·17		·47	15
16								·02	·02	·33		·12	16
17								·16	·59	·12			17
18									·42	·02			18
19									·14				19
20								·06	·04			·05	20
21								·07	·01	·05			21
22								·36		·05			22
23								·16		·12			23
24								·08		·05	·06		24
25								·08	·05	·03			25
26								·67	·08	} ·05	·01		26
27								·99		}			27
28												·07	28
29								·09		·72	·01	·12	29
30		X						·13		·03	·01		30
31		X		X		X		·02	X	·13	X	·04	31
Total							#	5·55 ✓	1·85 ✓	3·39 ✓	1·04 ✓	1·09 ✓	YEAR'S TOTAL
Rain Days.								26 ✓	15 ✓	25 ✓	13 ✓	10 ✓	

W. 8,000, IX. 17.

RE[illegible]

FORM A. BRITISH RAINFALL.
2 APR 1918

Kept at Crewkerne, Marks Barn
in the County of Somerset
by Miss D. Blake per H A Boys

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·63	·10		·04		1
2								·06					2
3								·02	·02	·17	·32		3
4								·02		·16			4
5								·01	·21	·06	·08		5
6										·03	·19	·04	6
7								·21		·22	·10		7
8								·42	·05	·24	·08	·15	8
9								·12	·06	·12	·08		9
10								·31	·04	·02			10
11								·22		·15	·05		11
12										·27	·01	·0[illegible]	12
13								·35	·02	·08			13
14								·22				·02	14
15								·07		·17		·47	15
16								·02	·02	·33		·12	16
17								·16	·59	·12			17
18									·42	·02			18
19									·14				19
20								·06	·04			·05	20
21								·07	·01	·05			21
22								·36		·05			22
23								·16		·12			23
24								·08		·05	·06		24
25								·08	·05	·03			25
26								·67	·08	}·05	·01		26
27								·99					27
28												·07	28
29								·09		·72	·01	·12	29
30		✗						·13		·03	·01		30
31		✗		✗		✗		·02	✗	·13	✗	·04	31
Total							#	5·55 ✓	1·85 ✓	3·39 ✓	1·04 ✓	1·09 ✓	YEAR'S TOTAL
Rain Days.								26 ✓	15 ✓	25 ✓	13 ✓	10 ✓	

W. 8,000, IX. 17.

~~W.~~ C [illegible]

FORM A. BRITISH RAINFALL.

2. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Marlis Barn, Crewkerne
in the County of Somerset
by Miss V. Blake.

Lat. 50° 53′ Long. 2° 48′
Time of Observation 9 am.
Nearest Railway Station Crewkerne. 3 m.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		~~05~~											
1		·05 ~~·32~~		·11	·14			·72		·02	1·30	·02	1
2		·32 ~~·14~~		·05				·33		·01	·03	·24	2
3		·14 ~~·02~~	·02	·04	·15			·05	·01		·09	·01	3
4		·02	·01					·10	·28	·09	1·04	·27	4
5			·25		·04			·39	·63	·17	·14	·05	5
6	·18	·14		·16				·12	·12	·04		·19	6
7		·15			·30	·01			·17	·10	·37	·27	7
8	Snow ·05	·23							·19	·21	·01	·06	8
9	Snow. ·01	·03		·09		·13	·46		·55	·04	·01	·42	9
10	·09			·24			·19		·22	·20	·02	·49	10
11			·08	·01			·81		·16	·64	·05	·04	11
12		·06	·05		·29		·06		·05	·02		·01	12
13	Snow. ·28	·02			·05	·11	·18		·49	·04		·01	13
14	·15				·03	·03	·05		·09	·11		·17	14
15	1·34			·30	·04	·03	·42		·03	·28		·24	15
16	Snow ·84		·02	·40		~~·03~~	·03		·42			·08	16
17				·41		~~·03~~	·22	·01				·19	17
18	·88					·72	·07		·39	·04		·17	18
19	·08	·05		·01			·10		·03	·04		·11	19
20	·08	·07	·03	·15		·02	·11		·15	·10			20
21	·05	·02				·01	·02		·39	·20		·20	21
22	·03				·06		·54		·10	·29	·02	·08	22
23	·08				·12	·01	·87		·01		·03	·04	23
24	·01	·15				·01	·02		·08		·08	·05	24
25	·01				·04		·17	·60			·08	·01	25
26		·01		·07			·20		·02	·04	·05	·09	26
27		·11	·04				·01	·06	·18	·01	·14	·01	27
28		Snow ·13	·14							·01	·01	·03	28
29			·11						1·23		·01	·01	29
30		✕	·50						·04	·14	·08	·01	30
31		✕	·08	✕	~~1·2~~	✕		·03	✕	·02	✕		31
Total	4·16	1·70	1·33	2·04	1·26	1·08	4·53	2·41	6·03	2·86	3·56	3·57	YEAR'S TOTAL 34·53
Rain Days.	17	17	12	13	11	10	19	10	25	24	19	29	206

W, 6,500. VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Mark's Barn, Crewkerne

in the County of Somerset.

by V Blake.

Lat. 50° 53′ - 3½ Long. 2° 48′ - 49′ W.

Time of Observation 9 a.m.

Nearest Railway Station 3 miles S. E. by S.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	Snow. ·01	·10	01	·07		·66		·01	·30	·01	1·03	1
2	·10	Snow ·01	·03		·03		·03		·23	·01	·03	·02	2
3	Snow. ·82		·27		·02				·26		·08	·10	3
4	Sleet ·25	·37	·89					·05	·58		·01	·09	4
5	muddy ·03	·27	·76		·03	·03	·06		·28		·07	·05	5
6	·92	·23	·03						·01		·02	·22	6
7	·28		·32	·11							·01	·04	7
8	·42		·18								·01		8
9	·09		·02	·19	·04						·43		9
10	·17		·18	01	·02					07	·02	·56	10
11	·02		·27	·11	·26		·26					·06	11
12	·12		·03			·01	·03			02	sleet ·06	·04	12
13	·06	·01	·04	·61			·04			06		·11	13
14	·49	·05		·61	·14		·13		·07	03		·34	14
15	·20	·13		·02	·03					09		·16	15
16	·05	·56			·01			·21			·14		16
17	·01	Rain & Snow ·48									·08		17
18	·01	·10	·66				·18	·01	·01		·07		18
19	·73	·29	64			·01	·75	·38	·35		·15	·05	19
20	·68	·03	09			·38		·37	·01		Rain & Hail ·02	·01	20
21	·01	·70					·03		02			·07	21
22		·01	01				·10		·49			·04	22
23			Snow. 01			·02					·02		23
24		·01		02		·07	·02			·38	·08	·29	24
25	·10			11		·03	·01	·27		·82	·01	·11	25
26	·07	·01	Sleet & Rain ·10	02		·02	·01	·03	·03	·01		·43	26
27	·21			19		·01		·64				·03	27
28			Snow ·33					·74			Sn. & Rain ·33	·30	28
29	·01		03	06				·11		09		·04	29
30		×		11		·22		·50		02	·44	·45	30
31	Snow. ·01	×	Snow. 01	×		×			×		×	·43	31
TOTAL	6·26	3·27	5·00	2·18	·65	·80	2·31	3·31	2·35	1·90	2·09	5·07	YEAR'S TOTAL 35·19
Days with ·01 in. or more	26	17	23	14	10	10	14	11	13	12	21	25	196

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1792

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Mark's Barn Crewkerne

in the County of Somerset

by Miss V Blake.

Lat. 50°53 - 50°54 N Long. 2°48' - 2°49' W.

Time of Observation 9 a.m.

Nearest Railway Station Crewkerne LSWR $2\frac{1}{2}$ m.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·13	·38		·45			·13	·25	·51	1
2	·65		·02	·15	·01		·22 ~~·45~~	·60	·10	·05		·12	2
3	·06	·09		·04			·48			·65		·03	3
4			·02	·03			·68	·44		·46			4
5			·10	·29	·02		·38	·23		·19			5
6			·36	·08	·15		·14						6
7	·07		·01	·27	·07		·58						7
8	·17	·11		·21	·03		·38					·04	8
9	·40	·02	·01	·07		·13	·06						9
10	·64	·07	·07	·03		·15	·34						10
11	·29	·01	·11	·52	·24	·02	·09				·01	Snow ·01	11
12	·18	·03	·02	·17		·23	·03				·13	Snow ·01	12
13	·20	·03	·62	·07						·12		Snow ·01	13
14	·01	·06	·29	·70			·01		·13	·65	·29	·01	14
15		·12	·11	·31	·17	·06	·01			·22	·01		15
16		·01	·01	·01	·02	·04	·30		·37				16
17	·01		·01	·19	·21	·02	·02		·35				17
18	·07		·05	·04	·08	·15	·17	·37	·11			·01	18
19	·01			·20	·04	·13	·01						19
20	·07	·24		·17		·29	·01					·39	20
21				·01			·05		·12	·06		·07	21
22	·02			·10			·04	·01				·38	22
23	·01						·70	·01				·31	23
24	·02	·02	·21					·02			·12	·07	24
25	·01	·05	·09	~~·75~~	·15		·36					·01	25
26	·31		·19			·01	·04				·16	·14	26
27	·73		·11	·09		·11					·02	·31	27
28	·64	·01	·13	·04			·05					·07	28
29	·48		·23	R & Hail ·15	·07						·23	·18	29
30	·12			·03	·06		·03		·55	·09	·36	·30	30
31	·02		·30							·51		·14	31
TOTAL	5·13	·87	3·10	4·10	1·65	1·34	5·63	1·68	1·73	3·13	1·58	3·12	YEAR'S TOTAL 33·06
Days with ·01 in. or more	24	14	23	26	15	12	26	7	7	11	10	21	196
Days with ·04 in. or more	15	7	15	21	10	9	19	4	7	11	7	14	139

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CREWKERNE
RES.

SOMERSET
19 – 1920

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

REGIS

Kept at The Crewkerne ... m.
...ewkerne

in the County of Som... in.

by E. H. Munfor... ...ound 1 ft. in.

...a Level 426 ft.

IMPORTANT NOTE.– ... result entered to the previous day. If an Observ... ...l rule, he is earnestly requested to add the reading ... the space provided for it at the end of this pa... ...of rain, the selection and placing of ... Rainfall Organization are given in "... ...ication to Dr. H. R. Mill, 62, Camden...

Jan. 1, following.

Date.	Jan.	Feb.	March.	Ap				Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12			·52	·01		·05	~~·86~~		·48	1
2			·48	·02		·04	·16	·14		·86	·02		2
3			·17			·40		1·05	·03	·02	·	·04	3
4	·15		1·20			·09		·05			·26		4
5	·56	·18	·17		·02	·11		·75			·01	·32	5
6	·25				·17	·06		·79				·05	6
7	·03	·76	·32		·07	·80		·13					7
8	·44	·31	·87			·33	·24	·11				·34	8
9	·08	·06	·22	·06		·10		·08				·28	9
10	·05	·20	·02					·01			·01	·31	10
11	·07	·09	·01					·01			·04	·37	11
12	·01	·44	·09	·10				·25				·02	12
13								·03		·02		·04	13
14	·23		·41		·49			·01		·03		·04	14
15	·60	·12			·17	·50	·08	·02				·29	15
16	·93	·02	·36		·07	·01		·11		·05	·05	·02	16
17	·25		·09		·02	·07		1·14			·03	·03	17
18	·13	·04	·31					·25			·03	·05	18
19	·16	·06	·14			·10	·11	·30			·01	·04	19
20	·15	·03	·41		·07	·01	·02	·47		·31			20
21		·23	·27		·63			·11		·13			21
22	·56	·19	·05		·11		·08	·06		·14		·03	22
23	·27	·44	·16			·02		·37		·19	·08	·23	23
24		·04	·01			·50		·08				·28	24
25	·25					·11		·29		·15	·20		25
26		·02					·04	·05		·54	·35	·72	26
27			·02			·47	·64			1·52	·01	·26	27
28		·08				·13	·06	·53	·26	·64	·64	·75	28
29		·18	·02				·15	·12	·67	·50	·01	·01	29
30					·03	·43	·17	·07	·28	·19			30
31			·34				·41	·01				·13	31
Total	5·17	3·47	6·26	·18	1·85	4·80	2·17	7·39	1·29	5·29	1·75	5·13	YEAR'S TOTAL 44·75
Rain Days.	20	20	24	4	11	20	(19)	30	5	15	15	26	(209)

W. 7,500, XI. ·12

REGIS

W

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at The Crewkerne Water Supply Co's Office

in the County of Somerset 3

by E. H. Mumford

Time of Observation 9 a.m.

Nearest Railway Station Crewkerne

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·12			·52	·01		·05	~~·86~~		·48	1
2			·48	·02		·04	·16	·14		·86	·02		2
3			·17			·40		1·05	·03	·02	·	·04	3
4	·15		1·20			·09		·05			·26		4
5	·56	·18	·17		·02	·11		·75			·01	·32	5
6	·25				·17	·06		·79				·05	6
7	·03	·76	·32		·07	·80		·13					7
8	·44	·31	·87			·33	·24	·11				·34	8
9	·08	·06	·22	·06		·10		·08				·28	9
10	·05	·20	·02					·01			·01	·31	10
11	·07	·07	·01					·01			·04	·37	11
12	·01	·44	·09	·10				·25				·02	12
13								·03		·02		·04	13
14	·23		·41		·49			·01		·03		·04	14
15	·60	·12			·17	·50	·08	·02				·29	15
16	·93	·02	·36		·07	·01		·11		·05	·05	·02	16
17	·25		·09		·02	·07		1·14			·03	·03	17
18	·13	·04	·31					·25			·03	·05	18
19	·16	·06	·14			·10	·11	·30			·01	·04	19
20	·15	·03	·41		·07	·01	·02	·47		·31			20
21		·23	·27		·63			·11		·13			21
22	·56	·19	·05		·11		·08	·06		·14		·03	22
23	·27	·44	·16			·02		·37		·19	·08	·23	23
24		·04	·01			·50		·08				·28	24
25	·25					·11		·29		·15	·20		25
26		·02					·04	·05		·54	·35	·72	26
27			·02			·47	·64			1·52	·01	·26	27
28		·08				·13	·06	·53	·26	·64	·64	·75	28
29		·18	·02				·15	·12	·67	·50	·01	·01	29
30					·03	·43	·17	·07	·28	·19			30
31			·34				·41	·01				·13	31
Total	5·17	3·47	6·26	·18	1·85	4·80	2·17	7·39	1·29	5·29	1·75	5·13	YEAR'S TOTAL 44·75
Rain Days.	20	20	24	4	11	20	(19✓)	30	5	15	15	26	(209✓)

W. 7,500, XI. 12

✓ cd/yc 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2 - JAN 1914

Kept at The Crewkerne Water Supply Co's Office 3

in the County of Somerset

by C. H. Mumford

Lat. .... Long. ....

Time of Observation 9. a. m

Nearest Railway Station Crewkerne

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·31	·13	·05	·14				·18	·05	·19		1
2	·06	·07	·04	·12	·13		·06			·68	·13		2
3	·34		·04	·02	·30				·04	·04		·18	3
4	1·11		·03		·34				·43	·26	·08	·11	4
5	·06	·05	·01		·07	·11	·03		·54		·11	·23	5
6	·06	·12	·13		·03	·21	·04			1·83	·01	·38	6
7	·03	·27	·06		·77	·04	·11			·62	·35	·01	7
8	·02	·08			·25		·01					·01	8
9		·05		·01	·06	·05	·10	·06	·05	·02	·38	·02	9
10	·50	·02				·01		·03		·23	·26		10
11	·75	·02		·12	}	·03				·19	·76		11
12		·01			·45 }				·10	·02	·14	·02	12
13	·07	·01	·01					·11	·49		·10		13
14	·55		·07	·07					·24	·03	·09		14
15	·27	·02	·22	·33				·05	·20		·03	·01	15
16	·10		·36	·03		·01		·05					16
17	·02		·02	·02					·06				17
18	·03		·27	·12							·04		18
19	·84		·11	~~·16~~		·10	·03		·38	·03			19
20	·17		}	·16		·03				·21	·14		20
21			·25 }	·26	·07			·01		·04	·59		21
22	·31		·43	·30		·09	·01	·03	·12	·01		·12	22
23						·02				·01	·10	·71	23
24		·03		·05						·01			24
25		·04		·20								·04	25
26				·80				·20				·17	26
27	·08		·29	·46	·14					·07			27
28	·15		·06	·49						·46		·04	28
29	·13		·57	·35				·07		·30			29
30	·51			·08	·02			~~1·39~~		·72			30
31	·13		·05				·08	1.39		·10			31
Total	6·29	1·09 ✓	3.15	4.04	2.77	·70	·47	2·00	2·83	5·93	3·50	2·05	YEAR'S TOTAL 34·82 ✓
Rain Days.	23	14	21	20	14	11	9	10	12	22	17	14	187 ✓

W.7,000, XI. 13

Ex LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 FEB 1915

Kept at The Crewkerne Water Supply Co. Office
in the County of Somerset 3
by Edward H. Mumford

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Crewkerne
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05				.07	.54			.22	.07	1
2				.01	.10		.43	.03			1.49	.43	2
3			.06	.13	.55		.02	.15			.07	.07	3
4	.12		.03	.29	.08		}	.25			.62	.54	4
5	.03		.06	.24	.11		.34 }				.10	.05	5
6		.30	.01	.11	.02						.01	.44	6
7		.72	.08	.01	.07	.02	.13	.06	.05		.01	.27	7
8	.02		.65	.07	.13	.24		.10				.04	8
9	.01		.55	.53	.06	1.49		.25	.71				9
10	.05	.40	.01	.09	.02	.03			.27			.01	10
11		.17	.34		.18	.16	.21				.02	.45	11
12		.15	.07						.20	.05		.47	12
13		.50	.34						.10	.20	.21	.65	13
14		.29	.25			1.80	.06	.65		.31	.59	.06	14
15	.02		.17					.53		.09	.30	.01	15
16			.01				.01		.29				16
17		.50	.21									.61	17
18		.03	.05			.13	.37		.05			.34	18
19		.05	Snow }				1.35		.14		.09	.02	19
20		.69	.62 }									.55	20
21		.75	.01			.24				.28		.04	21
22		.06			.22	.05	.10	.02		.38			22
23		.09	.22		.02	.01	.05			.34		.02	23
24		.08	.02		.17					.33	.06		24
25	.05		.24				}	.44		.51	.03	.39	25
26	.02		.16				.23 }	.16		.03	.31	.55	26
27	.21									.03	.10	.27	27
28		.10	.52		.05					.06	.18	.92	28
29	.17		.20		.19		.12			.21	.52	.02	29
30		✕	.10			.06				.34	.32	.83	30
31	.13	✕		✕	.04	✕	.37		✕	.61	✕	.26	31
Total	.83	4.58	5.03	1.4[illegible]	2.01	4.23	3.86	3.18	1.81	3.77	5.25	8.38	YEAR'S TOTAL 44.71
Rain Days.	11	16	27	9	16	11	17	12	8	15	19	27	188

W. 8,000. X. 14.

88

~~328~~
2154

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at The Reservoir Crewkerne
in the County of Somersetshire **3** Exe ff
by E. H. Murford

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·20						·32	·10	·26		·30	1
2	·46	·17	13	·13		·03		·68		·10		·31	2
3	·05	·21	·09	·06	·34					·10		·40	3
4	·03	·13			·05							·22	4
5	·05	·75		·04			·62	·15				·56	5
6	·78	x		·37			·76					·14	6
7	·14	x ·63		·11			·12					·30	7
8	·11	·48						·13			·04	·04	8
9		·02		·02							·25	·43	9
10	·26	·23	·05	·05	·01					·04	·02	·06	10
11	·11	·16		·13				·13		·04	1·00	·01	11
12	·26	·46		·15	·58			·28		·11	·41		12
13	·03	·40			·86			·03	·11				13
14	·04	·03					·16	·19	·02	·04	·10	·97	14
15	·10	·01			·23		·07	·01	·01	·05	·14	·10	15
16		1·41			·19		·65					·16	16
17		·59			·24			·23				·01	17
18		·15			·03								18
19					·30		·15						19
20	·16			·10		·05				·05		·06	20
21	x	·08					·15			·46		·11	21
22	x ·27	·06	·23	·04		·05	·47		·01			·27	22
23			·11				·07		·21	2·08	·01	·29	23
24				·06			·22		·22			·40	24
25			·08	·05		·37	·81					·23	25
26		·18				·08	·21					·72	26
27		·11				·80	·19		·02	·72			27
28		·03				·14		·01	·63	·26	·01	·02	28
29						·42	·76	·02		·02	·23	·07	29
30	·11	×				·11				·66	·60	·54	30
31		×		×		×	·17		×	·86	×	·21	31
Total	3·44	6·49	·69	1·31	2·83	2·05	5·58	2·18	1·33	5·85	2·81	6·93	YEAR'S TOTAL 41·49
Rain Days.	18	23	6	13	10	9	16	12	9	16	11	26	169

W. 8,000. X. 14.

Ex D L

2051

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at the Crewkerne Water Supply Co. Office
in the County of Somerset
by Edward H. Mumford

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Crewkerne
Diameter of Funnel of Rain Gauge 8" in. —
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.19		.02		.45	.03	.03		.27	.28	.80		1
2	.13	.09							.04	.22	.19		2
3	.02	1.11			.20		.10		.05	.65	.38		3
	.11	.12			.18	.20			.03	.21			4
5	.01	.01	.06S		.11	.04				.03	1.18		5
6	.04	.11	.02S		.16	.05	.73			.08	.92		6
7	.06	.05	.16S			.18	.18			.10	.83	.17	7
8	.01	.08	.15S		.27	.11					.11	.13	8
9		.12			.06	.14				.17	.08		9
10		.41		.04	.04		.03			.06	.02	.31	10
11				.02		.04	.06						11
12	.01	.04		.03	.09		.02	.05		.01	.02		12
13		.29	.11				.01	1.11		.01	.01		13
14	.02	.32	.17		.02			.12		.06			14
15		.05	.08	.09				.08		.03			15
16	.11	.11		.24			.05	.33	.01	.06			16
17	.17	.17		.08				.03	.19	.48	.35		17
18	.02	.03	.20						.20	.04	.18	.10	18
19	.05		.70	.03							.15	.05	19
20	.15	.29	.30	.02							.16	1.09	20
21	.01	.13	.25		.07							.56S.	21
22		Snow				.10				.53	.02	.66	22
23		Snow		.02		.05		.23		.05	.17	.05	23
24		Snow		.15	1.39	.04		.05		.86	.09	.35	24
25		Snow	.11		.09			.70	.04	~~.20~~	.15	.06	25
26		Snow	.08			.28			1.07	.80	.13		26
27		Snow	1.07					.61	.21	.22		.02	27
28		Snow	.04					.10	.51	.56		.19	28
29		1.535	.03			.34		2.74	.45	.54		.25	29
30								.05	.02	.50			30
31								.06		.18		.03	31
Total	1.11	5.06	3.55	.72	3.13	1.60	1.21	6.26	3.09	6.73	5.94	4.02	YEAR'S TOTAL 42.42
Rain Days.	16	26	18	10	14	13	9	15	13	25	21	16	196

W. 8,000, VIII. 16

Dl ✓

2051

275

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The Reservoir, Crewkerne

in the County of Somersetshire

by E. H. Munford

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

26. JAN 191

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15	·24		·27		·55			·04	·01	1
2				·14		·07		·05	·06				2
3	·01			·07			·34	·02		·15	·39		3
4		·04	·22				·02	·01		·22		·01	4
5	·08		·34	·35		·06		·01	·16	·08	·03		5
6			·04			·01				·05	·16		6
7	·27						·48	·19		·22	·08	·04	7
8	·14			·07			·40	·49	·05	·30	·11	·14	8
9			·29	·01	·03		·14	·15	·03	·13	·09		9
10	·19		·32	·20				·39	·04	·03			10
11	·01		·72	·15	·02	·07		·19		·12	·06		11
12	·08		·04		·31					·29			12
13			·17	·04		·02		·34	·05	·08			13
14			·03	·11			·32	·10	·02			·01	14
15				·05			·42	·17		·15		·45	15
16		·12		·15			·02	·05	·01	·32		·06	16
17		·01		·14			·27	·16	·55	·12			17
18		·09			·01	·01	·15		·37	·04			18
19		·39	·13			·07			·14				19
20		·03	·04		·29	·13	·01	·11	·07			·04	20
21					·01			·03		·06			21
22	·01		·17			·10		·28		·07			22
23		·13			·06	·01		·15		·05		·02	23
24		·02	·01			·03	·14	·14		·05	·04		24
25		·08					·04	·19	·09	·03			25
26			·02		·34	·03		·77	·15	·09	·02		26
27					·44	·23		1·00		·02			27
28		·03	·08		·25	1·65		·15				·02	28
29		X	·08		·01	·52	·25			·80	·03	·12	29
30		X	·26				·55	·11		·04			30
31		X	·10	X	·02	X			X	·17	X	·02	31
Total	·79	·94	3·21	1·72	1·79	3·28	3·55	5·80	1·79	3·68	1·05	·94	YEAR'S TOTAL 28·54
Rain Days.	8	10	21	13	12	16	15	25	15	25	11	12	183

W. 8,000, VIII. 16

2051 87

FORM A.
BRITISH RAINFALL
1.19

REGISTER OF RAINFALL IN 1918

Kept at the Crewkerne Water Co.s Office
in the County of Somerset
by Edward H. Mumford

Lat. .... Long. —
Time of Observation 9 a.m.
Nearest Railway Station Crewkerne
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·01	·13			·77		·02	1·17	·02	1
2		·44		·19				·20		·05	·02	·24	2
3		·20	·01	·06	·18			·04	·03	·08	·12	·01	3
4		·04	·01					·10	·23		1·43	·34	4
5		·01	·26		·06			·35	·85	·19	·09	·07	5
6	·16	·14		·20				·10	·15	·09		·20	6
7		·15			·27				·30	·05	·32	·33	7
8	Snow ·03	·26							·20	·20		·06	8
9		·02		·08		·14	·55		·65	·07		·44	9
10	·10			·31			·29		·12	}	·03	·46	10
11			·06	·02			1·12		·21	·73	·05	·05	11
12		·06	·08		·28		·10		·05	·01			12
13	Snow }	·02			·29		·20		·55	·05		·01	13
14	·39				·04	·16	·03		·13	·20		·18	14
15	1·30			·33	·04		·40		·02	·16		·33	15
16	Snow }		·03	·28		·06	·04		·62			·10	16
17	·66		·01	·28			·23		·02			·18	17
18	·62					·65	·31		·35	·04		·24	18
19	·11	·05	·02	·01			·14		·04	·04		·11	19
20	·04	·08		·12			·04		·23	·08			20
21	·05	·03				·01	}		·40	·20		·26	21
22	·04				·06		·74		·18	·05		·10	22
23	·07				·12		·81	·01	·05		·09	·07	23
24		·16				·02	·13		·09		·06	·06	24
25	·02				·02		·11	·59		·01	·08		25
26				·06			·23		·01	·03	·04	·06	26
27		·10	·04					·08	·15		·18		27
28		·12	·14							·01		·03	28
29		×	·18						1·19	·01	·01	·02	29
30		×	·45						·05	·16	·09		30
31		×	·05	×		×		·11	×	·03	×		31
Total	3·59	1·93	1·34	1·95	1·49	1·04	5·47	2·35	6·87	2·56	3·78	3·97	YEAR'S TOTAL 36·34
Rain Days.	15	17	13	13	11	6	18	10	26	25	15	25	194

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 2051

REGISTER OF RAINFALL IN 1919.

Kept at the Crewkerne Water Supply Co. Office

in the County of Somerset

by Edward H. Mumford

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Crewkerne

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34		·15		·13				·02	·29		·84	1
2	·11		·02	·07	·03		·70		·20	·04	·03	·01	2
3			·26		·03		·02		·29		·10	·12	3
4	1·13	·43	·80			·04		·07	·62		·01	·06	4
5	·04	·23	·77		·02		·14		·35		·08	·05	5
6	·72	·22	·03								·02	·24	6
7	·24		·34	·12								·03	7
8	·33		·20										8
9	·05		·05	·34	·02						·44		9
10	·11		·11							·04	·08	·67	10
11	·01		·41	·15	·36		·19					·06	11
12	·13		·03	·05		·02	·03			·02		·03	12
13	·07		·05	·74			·05			·07	·06	·17	13
14	·30	·04		·72	·12		·12		·04	·01		·56	14
15	·19	·16		·01	·03					·10		·21	15
16	·02	·43			·03			·15			·14	·01	16
17											·10		17
18	·10	·49	·58				·22	·02			·09		18
19	·65	·42	·57			·02	·85	·39	·32		·17	·04	19
20	·62	·02	·10			·41		·32				·03	20
21	·01	·84					·05		·03			·08	21
22		·03	·01				·08		·19			·06	22
23						·02				·35	·02	·02	23
24				·01		·10				·82	·07	·32	24
25	·09			·09		·03		·32				·12	25
26			·05			·01	·02	·12	·04			·38	26
27	·27		·04	·16				·65				·01	27
28			·32					·64			·22	·42	28
29	·01		·03	·07				·16		·08		·02	29
30				·10		·27		·56		·01	·57	·45	30
31			·01				·06					·36	31
TOTAL	5·54	3·31	4·93	2·63	·77	·92	2·53	3·40	2·10	1·83	2·20	5·37	YEAR'S TOTAL 35·53
Days with ·01 in. or more	24	12	22	13	9	9	13	11	10	11	16	27	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1789

2051

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at the Crewkerne Water Supply Co. Office

in the County of Somerset

by Edward H. Mumford

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Crewkerne

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground — ft. 12 in.

" " " " Sea Level 426 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·15	·40		·40	·65	·08	·17	·24	·73	1
2	·57		·02	·13			·32		·05	·03		·19	2
3	·07	·08		·05	·01		·50		·03	·50		·07	3
4				·06			·53	·57		·52			4
5			·13	·10	·07		·39	·43		·17			5
6			·29	·08	·20		·21			·13			6
7	·02			·28			·55						7
8	·15	·08		·23	·03		·36					·05	8
9	·48	·02		·07		·13	·03						9
10	·57	·07	·10	·02		·18	·37						10
11	·22		·11	·47	·23	·02	·10						11
12	·20	·03		·16		·29	·03				·24	Snow	12
13	·21	·06	·65	·07					·	·04		Snow	13
14	·01	·05	·33	·60					·13	·40	·27	·05	14
15		·09	·14	·36	·17	·05			·02	·20	·05		15
16		·01	·01	·04	·03	·02	·34		·30	·05		·	16
17			·01	·51	·18	·02	·01		·38				17
18	·10		·	·10	·17	·19	·21	·38	·19			·01	18
19	·01			·19	·12	+✓							19
20	·01	·21		·25		+·60						·36	20
21				·02			·11		·01			·05	21
22	·01			·10			·02					·43	22
23	·02						·69	·02				·39	23
24	·03	·01	·28					·01			·15	·10	24
25		·06	·10		·25		·46						25
26	·37		·18		·03	·01	·05				·23	·13	26
27	·85			·11		·15					·02	·33	27
28	·65		·25	·04	·02	·03	·06					·08	28
29	·36	·01	·23	·08							·59	·31	29
30	·24	✕	·31	·03	·11	·18	·04		·54		·48	·45	30
31	·02	✕		✕		✕			✕	·49	✕	·11	31
TOTAL	5·22	·78	3·15	4·30	2·02	1·87	5·78	2·06	1·73	2·70 ~~·40~~	2·27	3·84	YEAR'S TOTAL 35·72
Days with ·01 in. or more	23	13	18	26	15	14	22	6	10	11	9	~~17~~ 19	~~186~~
Days with ·04 in. or more	15	8	13	23	10	8	18	4	7	10	8	16	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE

CREWKERNE

B~~M~~INCOMBE HSE

SOMERSET

1911-1920

FORM A. BRITISH RAINFALL.

2 - JAN 1912

Kept at Mincombe H … Crewkerne

in the County of Som … 2 in

by Miss Sparks … 5 in.

… Ground 1 ft. 3 in.

Sea Level 293 ft.

NOTE.—Rain should be measur … instructions for the measurement of rain and particulars as to the Bri … ers," sent post-free on application to Dr. H. R. MILL, 62, Camden Squ

Date	Jan.	Feb.	March.							ct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1			·18								0·05	0·04	1
2										20	·18	·27	2
3		·01	·01	·04	·14						·08	·30	3
4			·06	·01				·02	·01		·11	·37	4
5	·12		·12	·01				·38		·07	·12		5
6	·26		·07					·02		·04	·09	·94	6
7	·08										·45		7
8	·02		·19								·05	·95	8
9	·03										·09	·66	9
10	04		·36		·29						·05	44	10
11	46	03	·05		·08						·62	·04	11
12			·88		·01						07	·25	12
13									·21	05	·03	·46	13
14										·02	·02	1·12	14
15			·02			·04					·38	·02	15
16		·01	·02			·45				·01	·54	·21	16
17		·01	·08			·11				·01	·16	·76	17
18		·01	·04	0·30	·06	·19				·02	·06	·62	18
19		·15	·18	·02		·12			·33	·17	·07	·46	19
20	·06	·06	08			·02			·17	·13		·49	20
21	·01	·04	·02			·01			·03	·68		·15	21
22	·13	·12	·02	·02		·01			·12	·29		·44	22
23		·03	·08	·01		·41			·03	·10	·04	·26	23
24		·11	·03			·40		·09		·48		·22	24
25		·11		·08		·16			·06	·09		·13	25
26	·02	·06	·10	·30	45	·02		·04		·21		·19	26
27		·03	·02	·02				·06	05	·31	·04	·09	27
28		·15		·29				·14			·04		28
29		X		·92		·29		·04	·09	·29	·02	·03	29
30		X				·04	·11			·01	·17	·04	30
31		X		X		X			X	01	X	·01	31
Total	1·23	0·93	2·61	2·11	1·27	2·27	0·11	1·00	1·10	3·09	3·53	9·94	TOTAL for year 29.19
No. of Rain Days	11	15	21	14	7	14	1	9	10	20	24	28	174

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

RE Y.

FORM A.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Wincombe House Crewkerne

in the County of Somerset 3

by Miss Sparks F.R.Met.S.

Lat. Long.

Nearest Railway Station Crewkerne

Time of Observation 9 a.m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 293 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·18	·07							0·05	0·04	1
2				·02	·24			·21		·20	·18	·27	2
3		·01	·01	·04	·14						·08	·30	3
4			·06	·01				·02	·01		·11	·37	4
5	·12		·12	·01				·38		·07	·12		5
6	·26		·07					·02		·04	·09	·94	6
7	·08										·45		7
8	·02		·19								·05	·95	8
9	·03										·09	·66	9
10	04		·36		·29						·05	44	10
11	46	03	·05		·08						·62	·04	11
12			88		·01						07	·23	12
13									·21	05	·03	·46	13
14										·02	·02	1·12	14
15			·02			·04					·38	·02	15
16		·01	·02			·45				·01	·54	·21	16
17		·01	·08			·11				.01	·16	·96	17
18		·01	·04	0·30	·06	·19				·02	·06	·62	18
19		·15	·18	·02		·12			·33	·17	·07	·46	19
20	·06	·06	08			·02			·17	·13		·49	20
21	·01	·04	·02			·01			·03	·58		·15	21
22	·13	·12	·02	·02		·01			·12	·29		·44	22
23		·03	·08	·01		·41			·03	·10	·04	·26	23
24		·11	·03			·40		·09		·48		·22	24
25		·11		·08		·16			·06	·09		·13	25
26	·02	·06	·10	·30	45	·02		·04		·21		·19	26
27		·03	·02	·02				·06	05	·31	·04	·09	27
28		·15		·29				·14			·04		28
29		X		·92		·29		·04	·09	·29	·02	·03	29
30		X				·04	·11			·81	·17	·04	30
31		X		X		X			X	81	X	·01	31
Total	1·23	0·93	2·61	2·11	1·27	2·27	0·11	1·00	1·10	3·09	3·53	9·94	TOTAL for year 29·19
No. of Rain Days	11	15	21	14	7	14	1	9	10	20	24	28	174

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

✓ cord by Boys 6.III.13 Exa

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 2 JAN 1913

Kept at Bincombe House Crewkerne 3

in the County of Somerset

by Miss Sparks F. R. Met. Soc.^y

Lat. Long.

Nearest Railway Station Crewkerne

Time of Observation 9 AM.

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 293 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.15			0.49	0.01	0.07	0.04	0.72		0.32	1
2			0.48	0.02		0.06	0.14	0.06		0.02	0.02	0	2
3			0.13	0.02		0.47	0.12	1.04	0.05			0.02	3
4	0.14		1.38		0.01	0.10		0.02			0.19		4
5	0.58	0.18	0.23		0.01	0.08		0.56	0.01		0.02	0.27	5
6	0.29	0.16	0.11		0.10	0.06	0.14	0.85			0.02	0.06	6
7	0.04	0.61	0.27	0.01	0.04	0.84		0.11				0.21	7
8	0.40	0.25	0.84	0.01		0.80	0.03	0.02				0.03	8
9	0.03	0.05	0.20	0.05		0.08	0.02	0.07				0.28	9
10	0.06	0.14	0.09			0.06	0.02	0.02			0.02	0.29	10
11	0.03	0.09	0.01				0.02	0.03				0.38	11
12		0.42		0.09			0.04	0.19			0.04	0.62	12
13								0.03			0.02	0.03	13
14	0.20	—	0.35		0.49			0.04		0.05		0.01	14
15	0.55	09		0.01	0.25	0.47		0.04				0.24	15
16	0.93	04	.37		0.06	1.02		0.08		0.05	0.06	0.03	16
17	0.89	—	0.08		0.04	0.06		0.83			0.04	0.03	17
18	0.11	03	0.33					0.35				0.06	18
19	0.02	05	0.12			0.01	0.09	0.33		0.02		0.03	19
20	0.11	03	0.44		0.06		0.03	0.42		0.31		0.02	20
21	0.01	17	0.25		0.57		0.02	0.10		0.02		0.02	21
22	0.48	25	0.04		0.14		0.03	0.05		0.15		0.03	22
23	0.27	53	0.08			0.04		0.25		0.14	0.07	0.14	23
24	0.11	03	0.04			0.43	0.01	0.05		0.22		0.25	24
25	0.14	01				0.09	0.03	0.33		0.21	0.24	0.51	25
26		—					0.04			0.31	[illegible]	0.24	26
27		03	0.02			0.38	0.04			1.26	[illegible]	0.24	27
28		05				0.07	0.64	0.56	0.21	0.56	0.71	0.41	28
29		25	0.02			[illegible]	0.10	0.13	0.68	0.58	0.04	0.01	29
30		X	0.01		0.02	0.52	0.16	0.03	0.27	0.19			30
31		X	0.33	X		X	0.39		X	0.02	X	0.08	31
Total	5.39	3.46	6.37	0.21	1.79	5.14	2.12	6.66	1.26	4.83	1.92	4.56	TOTAL for year 43.71
No. of Rain Days.	20	21	25	7	[illegible]	[illegible]	21	[illegible]	6	17	[illegible]	[illegible]	[illegible]

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1 JAN 1914

Kept at Bincombe House Crewkerne

in the County of Somerset 3

by Miss Sparks F.R.Met.Soc.y

Lat. Long.

Nearest Railway Station Crewkerne

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 293 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·05	·16				·19	·02	·18		1
2	·05	·35	·17	·10	·13		0·02		·01	·35	·16		2
3	·32	·10	·01	·05	·27				·08	·02	·01	·15	3
4	1·12		·05		·42		·01		·38	24	·06	·13	4
5	·05		02		·04	·10	·03		·70		·11	·25	5
6	·04	·05	02		·03	·20	·04			2·06	·01	·38	6
7	·03	·09	10		·37	·03	·14			54	·28	·02	7
8		·32	·03		·22		·01	·01		·04	·01		8
9		·09		03	·07	·10	·12	06	·04	·01	·36	·02	9
10	·30	·06		·02	·02			·02		·24	·27		10
11	·77	·02		12	·15	·03				·16	·67	·02	11
12	·16				·30	·03			0·07		·16	·02	12
13			·01		·01			·11	·44	·01	·07		13
14	·50		·02	·05					·25		07		14
15	·27	02	·08	·52				·04	·19	·21	·04	·03	15
16	·08		·28	·13		·01		·03	·05		·01		16
17	·02		·03	·03					·01		·01		17
18	07		·27	·13							·03		18
Rl 19	·62		·12			09	0·03		39 ·44	·02	·10		19
20			·12	·13		·02				·18	·10		20
21	·21		·13	·28	·05		0·01			·04	·60		21
22	·26		·43	·42		·07	0·02	·02	·12	·01		·10	22
23	·04		·02			·02				·01	·08	·68	23
24		02		·05						·02			24
25		·05		·12				·20			·07	·04	25
26				·52						·02		·16	26
27			·24	·56	·06					07			27
28	·10		05	·42						·59		·07	28
29	·12	×	·50	32				07		·18			29
30	·40	×	01	·14	·01					67			30
31	·19	×	·03	×		×	·05	1·21	×	·18	×		31
Total	5·92	1·17	2·74	4·18	2·31	0·78	[illegible]	1·[illegible]	2·92	6·00	3·46	2·04	TOTAL for year 33·61
No. of Rain Days.	22	11	23.	21.	16	11	11	10	14.	21	23	11	200

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Esc MQ

2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bincombe House
in the County of Somerset Crewkerne
by Miss Sparks . F.R.Met.S.

3

RAIN GAUGE.
Lat. Lon.
Time of Observation 9. a.m.
Diameter 5"
Height of top above Ground 1ft·3"
" " Sea Level 293.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11				·19	·51			·20	·10	1
2							·40	·14			1·34	·58	2
3			·07	·14	·09		·06	·23			·08	·10	3
4	14		·02	·24	·48		·20	·23			·67	·68	4
5	04		·07	·26	·11		·09				·07	·06	5
6	02	·27	·02	·12	·15		·01	·02				58	6
7		·96	·08	01	·02	·01	·14	·08	·06			·39	7
8		·04	·60	04	·67	·34	·01	08	·02			·10	8
9		·02	·48	29	·14	1·09		·25	·73				9
10	·03	·35	·02	09	·14	04	·22		·28			·01	10
11		17	·53		·11	·17					·02	·47	11
12		·06	·06		·07				24	07	·02	·49	12
13		17	·27				·01		10	21	·19	·65	13
14		·05	·26			1·45	·04	·67	·02	29	47		14
15	·04		·15				·02	·44	·02	·08	·31	·01	15
16			·02				·01		·26			·03	16
17		47	·20						·01			·70	17
18		·16	07			·60	·32		·04			·40	18
19		·03	·47				1·35		·10		·06	·02	19
20		·40	·45									·60	20
21		57	·14			·30				·31		·10	21
22		·13			·25	·08	09			·36			22
23		·02	·22		·04		03			·37		·02	23
24		·07	·03		·18					·29	·05		24
25	07	·01	·23		·01		·06	·39		·48	02	48	25
26	03	·03	·18				·24	·14		·06	·38	83	26
27	22						·04			·03	·10	29	27
28	01	07	·45		·04					·07	·23	1·07	28
29	12	X	·16		·24		·12			·22	·60	·02	29
30	03	X	·06			·19				38	·35	1·04	30
31	05	X		X	·04	X	·23		X	71	X	0·33	31
Totals	0·80	4·05	5·42	1·19	2·18	4·30	3·94	3·18	1·90	3·93	5·16	10·14	46·22
Total from Jan. 1	12	20	27	8	17	10	22	12	[illegible]	[illegible]	18	27	100

K/1,000/1/01. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

W D.L. and by Boys. 6.V.16

2155

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Wincombe House Crewkerne

in the County of Somerset

by Miss Sparks

3

Lat. .... Long. ....
Nearest Railway Station Crewkerne 3
Time of Observation 9. A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " Sea Level 293 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65	·40						·37	·12	·30	·04	·25	1
2	·43	26	·08	·13		0.01		·50	·05	·10		32	2
3	·04	·30	·11	·06	·35			·02		·09		·40	3
4	·03	·15			·04			·04				·30	4
5	·06	93		·06	·02		·28	·22				·52	5
6	73	·13		·40			·71					·18	6
7	·17	·47		·11			·12				·01	30	7
8	·15	43						·15			·04	·05	8
9		·03		·03				·01			·30	54	9
10	·21	·23	04	·06						·03	·01	·05	10
11	·10	·12		·14				·08		·03	·04	·04	11
12	·19	49		·20	·59			·26	·01	·11	·40		12
13	·15	97			·85			·10	·09	·04	·11		13
14	·03	07					·20	·24	·10	04		1·09	14
15	·13	01			·23		·10				·17	·14	15
16		1·98			·18		·77					16	16
17		·82						·22				·01	17
18		·22			·03			·01					18
19	·03	·01			·23		·14						19
20	·13			·12		0.04				·05		·06	20
21	·19	·09		·05		·04	·07		·02	·38		·11	21
22		07	·23				60		·01			·26	22
23		·048	·12				·13		·20	1·98		·31	23
24				·08			21		24	·50		·51	24
25			·06	·05		·38	·55					·27	25
26		·16				·04	·54		·01			·85	26
27		·11				·98	30		·01	·60		·02	27
28		·04				·04			·66	·15	·02	·01	28
29		X				·12	·22	·02		·62	·28	·06	29
30	·13	X				·40				68	73	·65	30
31	·01	X		X		X	·16		X	·87	X	26	31
Total	3·42	8·53	·64	1·49	2·52	2·05	5·13	2·24	1·52	5·95	3·15	3·72	TOTAL for year 44·36
No. of Rain Days	16	[illegible]	[illegible]	[illegible]	9	[illegible]	16	14	12	7	12	27	179

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Exe D L Cordley Boys (after correspondence with obs) 2093

FORM A. BRITISH RAINFALL. 3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bincombe House Crewkerne
in the County of Somerset
by Miss Sparks F.R.Met.S.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Crewkerne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 9 AM

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23		·06		·67	·02	02		25	24	73		1
2	·15	·10			·85				04	22	21		2
3	·01	1.76			·23				05	66	·44		3
4	11	·12			·15	·02	06		05	·16	1·12		4
5		·04	07		·10	·05					40		5
6	·03	12	·02		·21	·05	·68			·02	1·20		6
7	·07	·20	27		·06	·22	·50			07	87	·19	7
8		·15	·10		·23	·28				08	·12	·13	8
9		·07	·05		·08	18	·06			12	·07	·23	9
10	·01	·39		·04	·03	·01	·04			·06	·01	·18	10
11	·01	·01	·01	·3		·03							11
12		04	11	·05	·09			·05		·01			12
13		·30	16	02			·03	·9		·01			13
14		49	·12		·03			·14		·05			14
15		·08	·15	·08				·19		·03			15
16	·11	·10		·23			·05	·30	·03	·17			16
17	·16	19		·10				05	·20	42	·43		17
18	·02	·04	19						·24	·06	·14	·10	18
19	·08	·34	73	·02							·15		19
20	·20		·34								·25	Bls 1.44	20
21	·02	·15	24		·07						·01	·33	21
22	·11		57			·9				·59	·03	·68	22
23	·01	15	01	·03		·04		·33		06	·16	·07	23
24		·08		·08	1.36	05		·05		·97	·08	·20	24
25		·71	13		·03			·76	03		20	·05	25
26		·15	·05			·34		14	1.32	·91	12		26
27		·18	1·34			·01		46	·22	·33	01		27
28		·22	·03		01	·23		·09	·46	·63		·20	28
29		·61	05			·31		2·85	·42	38		18	29
30		X						·04	·02	48	·04		30
31		X		X		X		·07	X	·33	X	·04	31
Total	1·23	7·0	~~6·40~~ 4·80	·66	3·38	1·73	1·44	6·48	3·33	7·06	6·79	4·02	YEAR'S TOTAL 47·93
Rain Days.	16	26	22	10	11	16	8	15	13	25	22	14	

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.
JAN 1918

Kept at Bincombe House, Crewkerne

in the County of Somerset

by

Lat. Long.
Nearest Railway Station Crewkerne
Time of Observation 9 AM
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.16	.07		.23		.64	.03		.05		1
2				.37		.10		.06			.31		2
3	.01			.07			.37	.02		.18	.36		3
4		.08	.16				.03	.01		.21		.01	4
5	.08		.34	.36		.06		.04		.08	.05		5
6			.03			.02				.03	.18		6
7	.27						.57	.21		.26	.12	.02	7
8	.12		.09	.09			.42	.46	.07	.29	.12	.14	8
9			.13	.03	.02		.14	.15	.03	.14	.11		9
10	[illegible]		.38	.27				.35		.01	.06		10
11	.12		.75	.24	.02	.06		.28	.07	.13			11
12	.06		.02	.02	.31	.02		.01		.31			12
13			.17	.08		.02		.30	.04	.09		.01	13
14			.03	.13			.29	.10	.01			.02	14
15				.08			.77	.20		.14		.45	15
16		.16		.12			.03	.05		.32		.20	16
17	.04	.01		.14	.03		.26	.14	.59	.14		—	17
18		.08		.02			.13	.01	.39	.03			18
19		.44	.14		.02	.08			.13				19
20		.08	.04		.27	.15		.12	.12			.05	20
21			.20			.21		.03		.05			21
22	.03		.04			.11		.31		.06			22
23		.12			.07			.15		.08		.02	23
24		.04	.02				.17	.11		.03	.04	.01	24
25		.09	.03				.03	.08	.06	.04			25
26					.35	.07		.85	.12	.04	.02		26
27			.04			.22		1.09		.02			27
28		.04	.09		.22	1.88		.18				.05	28
29		X	.10		.01	.58	.29			.79		.13	29
30		X	.21				.55	.13		.06		.01	30
31	.01	X		X	.01	X		.01	X	.14	X	.04	31
Total	.90	1.14	3.17	2.07	1.33	3.83	4.04	6.09	1.66	3.67	1.12	1.16	TOTAL for year 30.18
No. of Rain Days	10	10	21	16	[illegible]	[illegible]	14	28	[illegible]	[illegible]	11	14	157

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

1·56

Price 2d.

~~[illegible]~~ [illegible] 88

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Bincombe House
in the County of Somerset Crewkerne
by Miss Sparks F. R. Met. S.

Lat. Long.
Nearest Railway Station Crewkerne
RAIN GAUGE. Time of Observation 9. a.m
Diameter ~~7~~ in. 5.
Height of top above Ground 1 ft. 3 in.
" " Sea Level 295. ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.16		.09	.14			80		.03	1.29	.05	1
2		.36		.15				22		02	.04	.22	2
3		38	.02	.05	.16			06	.03		.11	.02	3
4		.18	02					09	25		1.15	.02	4
5		.03	28		.06			37	.73	18	.11	.28	5
6	.18	.12		.23					.15	12		.17	6
7	.02	.12			.31	.01			.21	05		.19	7
8	04	.30							23	20	42	.22	8
9	09	.02		.09		.14	.49		70	05	.12	.05	9
10	.12			.28			19		25	20	.02	.45	10
11			.07	.02			1.80		18	.60	[illegible]	.54	11
12		08			.30		.11		.05	.01		.04	12
13	32				.29	.02	.10		.51	.05			13
14	.13				.03		03		.12	.14		.15	14
15	1.30			40	.04	.01	42		.01	.10		.25	15
16	.49		.05	.31		09	.03		.01	.01		.10	16
17	23			.35			.11		.03	.03		.20	17
18	.90					.86	.15		34	.04		.23	18
19	.10	.05		.17			.14		.25	09		.22	19
20	.15	.07				.01	.39		40	.19			20
21	.15	.02		.01		.01	.03		.15	.04	.01	.20	21
22	.03						68		.15		.02	.10	22
23	.07				08	.02	.63	.02	.05		.07	.05	23
24	.01	.18			.12		.14		09	.02	.06	.09	24
25					.03	.01	.16	.62		.03	08		25
26		.01		.06			.28		.02	.02	04	.07	26
27		.10	.03			.01		.08	14	.01	.14		27
28		14	.20							.01	.01	.01	28
29		X	.15						1.23	.16	.32	.02	29
30		X	.54						06	.05	.06		30
31		X	.10	X		X		.05	X		X		31
Totals	4.22	2.36	1.44	2.31	1.56	1.19	5.17	2.31	6.92	2.54	3.72	3.94	37.57
Total from Jan. 1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	19	25	[illegible]

K/1000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 19~~18~~ 1919.

FORM A. BRITISH RAINFALL.

1875

Kept at Dinnington House Crewkerne

in the County of Somerset

by Miss Sparks F.R.Met.S.

Lat. .... Long. ....

Nearest Railway Station Crewkerne

Time of Observation 9. A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 293 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	·02	·10		·09		·67		·02	·26		1·03	1
2	·13		·03		·02		·03		·28	·02	·02	·02	2
3	·87		·25		·02				·30		·10	·18	3
4	·30	·22	·92			·04		·06	·63		·02	·07	4
5	·84	·25	·86		·02		·11		·40		·08	·02	5
6	1·00	·19	·03								·02	·27	6
7	·29		·33	·13								·04	7
8	·47		·20										8
9	·67		·03	·22	·03						·48		9
10	·14		·13							·05	·04	·65	10
11	·01		·28	·14	·30		·25					·07	11
12	·11		·03	·05		·05	·04			·03	·09	·03	12
13	·16	·01	·03	·74			·04			·05		·12	13
14	·46	·05		·80	·14		·14		·06			·44	14
15	·21	·12		·03	·04		·02	·12		·11		·19	15
16	·06	·50						·01			·15	·02	16
17	·01	·59						·10			·11		17
18	·01	·03	·71				·23	·10	·05		·09		18
19	·85	·36	·62				·86	·01			·09	·04	19
20	·76	·03	·09			45						·04	20
21	·02	·79					·06		·03		·01	·08	21
22		·03					·11		·35		·01	·08	22
23			·02			·02				·36	·02	·02	23
24			·02	·02		·08				·85	·08	·30	24
25	·10			·12		·03		·34				·15	25
26	·10		·06	·01		·02	·02	·11	·05			·48	26
27	·25	·02	·04	·21			·02	·88				·05	27
28			·32	·07				·65			·30	·37	28
29		X	·03					·24		·09		·04	29
30		X		·12		·32		·60		·01	·55	·49	30
31	·02	X		X		X	·02	(·01)	X		X	·39	31
Total	6·81	3·21	5·13	2·66	0·66	1·01	2·62	3·83 ~~4·92~~	2·17	1·83	2·26	5·74	Total for Year
No. of Rain Days.	26	15	22	13	8	9	15	13	12	10	18	27	184

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

37·93

Price 2d.

[illegible] 1790

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bincombe House Crewkerne
in the County of Somerset
by Miss Sparks

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Crewkerne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			04	15	43		43						1
2				14			29						2
3				05			57						3
4							50						4
5							43						5
6				·09	19		19						6
7				30	–		61						7
8					·03							05	8
9						12	03						9
10						17	38						10
11	24			62	24	03							11
12						27	04					S	12
13			68	06								S	13
14				82					14				14
15			14		18	5				20			15
16					·04	2	35			06			16
17					21	2	·02		38				17
18					16	18			17				18
19				19	10	11							19
20		23		22	–	38							20
21				04									21
22				13			03						22
23							89						23
24	03	·02	24					·03					24
25		·06			·17		45						25
26					·04	03	04						26
27	87				–	12	02						27
28	65			05	·06	·02							28
29				14	–	·02					31	18	29
30	18	✕			·09	·15	·03						30
31		✕	32	✕	–	✕			✕		✕		31
Total			3·48	4·60	2·04	1·69	6·24					3	Year's Total 36·90
Days with ·01 in. or more						15							189
Days with ·04 in. or more						9							~~145~~ 146

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

CREWKERNE
MEREFIELD HSE
SOMERSET
1911 - 1920

FORM A2. BRITISH RAINFALL.
26 JAN 1912

340

REG 1911

Kept at Merefield

in the County of S. So

by J. Tompsett

f top in.

op above Ground ft. in.

„ Sea Level ft.

tation { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·07				·04				·04	1
2				·02	·33			·22		·20	·20	·42	2
3			·01		·20						·09	·13	3
4			·06						·01		·14	·475	4
5	·11		·04					·30		·06	·13		5
6	·35		·10					·01		·04	·08	1·15	6
7	·04										·53	·005	7
8	·03		·20								·045	1·125	8
9	·03										·09	·93	9
10	·05	·03	·53		·34						·025	·61	10
11	·47				·01						·81	·05	11
12			·92					·03			·085	·31	12
13									·21	·02	·02	·51	13
14										·02		1·35	14
15		·01	·02			·04					·48	·01	15
16	~~·005~~	·02	·01			·47					·61	·73	16
17		·02	·08			·135				·02	·18	·95	17
18		·17	·05	·34	·05	·16				·02	·05	·76	18
19		·06		·015		·09			·36	·17	·075	·52	19
20	·05	·04	·17			·005			·11	·11		·61	20
21	·01	·15	·01			·01			·03	·71		·16	21
22	·13	·02	·06	·02					·13	·30		·52	22
23		·15	·02			·42			·03	·20	·04	·475	23
24	·01	·11				·42		·10		·45		·23	24
25		·05		·09		·145		·01	·07	·08		·14	25
26		·04		·39	·44			·02		·29	·02	·245	26
27		·25	·10	·02				·06	·05	·41	·02	·10	27
28		·26		·37				·15			·05		28
29				1·17			·14		·07	·23			29
30						·16		·02		·22	·285	·04	30
31						·035				·01			31
Total	1·285	1·38	2·38	2·505	1·37	2·09	·14	·96	1·07	3·56	4·055	12·595	TOTAL for year 33·37
No. of Rain Days	11	15	16	10	6	~~12~~ 11	1	11	10	19	22	27	~~160~~ 159

9,000, IX. '10.

DL

340

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL 1911

Kept at Merefield House, Crewkerne

in the County of S. Somerset 3

by J. Tompsett

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·07				·04				·04	1
2				·02	·33			·22		·20	·20	·42	2
3			·01		·20						·09	·13	3
4			·06						·01		·14	·475	4
5	·11		·04					·30		·06	·13		5
6	·35		·10					·01		·04	·08	1·15	6
7	·04										·53	·005	7
8	·03		·20								·045	1·125	8
9	·03										·09	·93	9
10	·05	·03	·53		·34						·025	·61	10
11	·47				·01						·81	·05	11
12			·92					·03			·085	·31	12
13									·21	·02	·02	·51	13
14										·02		1·35	14
15		·01	·02			·04					·48	·01	15
16	·005	·02	·01			·47					·61	·73	16
17		·02	·08			·135				·02	·18	·95	17
18		·17	·05	·34	·05	·16				·02	·05	·76	18
19		·06		·015		·09			·36	·17	·075	·52	19
20	·05	·04	·17			·005			·11	·11		·61	20
21	·01	·15	·01			·01			·03	·71		·16	21
22	·13	·02	·06	·02					·13	·30		·52	22
23		·15	·02			·42			·03	·20	·04	·475	23
24	·01	·11				·42		·10		·45		·23	24
25		·05		·09		·145		·01	·07	·08		·14	25
26		·04		·39	·44			·02		·29	·02	·245	26
27		·25	·10	·02				·06	·05	·41	·02	·10	27
28		·26		·37				·15			·05		28
29				1·17			·14		·07	·23			29
30						·16		·02		·22	·285	·04	30
31						·035				·01			31
Total	1·285	1·38	2·38	2·505	1·37	2·09	·14	·96	1·07	3·56	4·055	12·595	TOTAL for year 33·37
No. of Rain Days	11	15	16	10	6	11 ~~12~~	1	11	10	19	22	27	~~160~~ 159

9,000, IX. '10.

No. 2 Guage
on the roof of Sitting Room or Library

Dec 5 taken from new g. Eox ~~Hole~~

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

Kept at Merefield House Crewkerne

in the County of Somerset 3

by John Tompsett

RAIN GAUGE
Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground 14 ft. 6 in.
" " " Sea Level 240 ft. 6 in

Time of Observation 9 am

Nearest Railway Station
Name Crewkerne
Distance 1¼ Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.07				.04				.04	1
2				.02	.32			.22		.20	.20	.44	2
3			.01		.20						.09	.12	3
4			.06						.01		.14	.53	4
5	.11		.04					.30		.07	.13	(1.15)	5
6	.34		.10					.01		.04	.08	Blown over	6 *
7	.04										.51	.01	7
8	.02		.20								.04	1.16	8
9	.03										.086	.97	9
10	.05	.03	.51		.34						.025	.59	10
11	.43				.01						.76	.05	11
12			.88								.09	.70	12
13								.03	.22	.02	.025	.49	13
14										.02		1.37	14
15		.01	.02			.04					.47	.01	15
16		.02	.01			.465					.61	.71	16
17		.02	.09			.14				.02	.17	.92	17
18		.18	.05	.34	.06	.17				.02	.05	.77	18
19		.06		.02		.10			.36	.17	.07	.53	19
20	.05	.04	.17			.005			.12	.11		.62	20
21	.01	.16	.01			.01			.03	.72		.14	21
22	.13	.03	.06	.02					.12	.30		.625	22
23		.16	.02			.43			.03	.21	.04	.47	23
24	.01	.11				.41		.10		.44		.23	24
25		.06		.09		.155		.01	.07	.08		.14	25
26		.04		.38	.44			.02		.29	.02	.23	26
27		.25	.10	.02				.06	.05	.38	.02	.095	27
28		.25		.37				.15			.05		28
29				1.17		.16	.15		.07	.23			29
30						.045		.02		.21	.295	.035	30
31										.01			31
Total	1.22	1.42	2.33	2.50	1.37	2.13	0.15	0.96	1.08	3.54	3.97	~~11.495~~ ~~add 1.15~~ (12.645)	TOTAL for Year 33.31 5
No. of Rain Days	11	15	16	10	6	12	1	11	10	19	22	27	160 ✓

7,000. X. '09.

* On this date No 1 Guage recorded 1.15 which I have added } making the total for the month 12.645 inches

DL ✓

341

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Merefield House, Crewkerne

in the County of Somersetshire 3

by J. Tompsett

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·22			·55		·12	·04	·85		·47	1
2			·50	·01		·05	·16	·06		·02	·02		2
3	·005		·14			·42	·10	1·04	·04			·04	3
4	·15		1·49		·015	·09		·03			·29		4
5	·64	·18	·23		·01	·08		·60			·005	·36	5
6	·315	·17	·01		·17	·05	·13	·92				·05	6
7	·03	·71	·31	·01	·07	·94		·11				·30	7
8	·56	·34	·95	·01		·66	·02	·02				·03	8
9	·10	·05	·27	·04		·09	·015	·07				·31	9
10	·03	·18	·01				·01	·02			·02	·36	10
11	·08	·08					·01	·01			·04	·54	11
12	·02	·51	·16	·10			·035	·20				·03	12
13								·03			·02	·04	13
14	·26		·44		·48			·05		·05		·04	14
15	·72	·19		·01	·22	·49						·31	15
16	1·07	·04	·54		·05	·01		·10		·04	·06	·01	16
17	·37		·09		·015	·05		1·19				·02	17
18	·12	·04	·37					·34			·03	·04	18
19	·02	·08	·14			·07	·15	·22			·01	·03	19
20	·15	·03	·51		·07		·03	·42		·34			20
21		·23	·35		·58		·01	·08		·15			21
22	·50	·36	·05		·12		·03	·06		·14		·05	22
23	·30	·55	·19			·03		·37		·23	·09	·22	23
24	·12	·04	·02			·47		·06				·36	24
25	·16					·13	·01	·33		·23	·27	·59	25
26		·03					·04	·05		·54	·49	·31	26
27		·01	·02			·47	·63			1·55	·01	·37	27
28		·06				·11	·04	·60	·26	·69	·72	·76	28
29		·27	·03				·14	·12	·75	·59	·03	·01	29
30					·025	·48	·16		·30	·22			30
31			·40				·45			·02		·15	31
Total	5·72	4·15	7·44	·18	1·825	5·24	2·17	7·22	1·39	5·66	2·10	5·80	TOTAL for year 48·895
No. of Rain Days.	21	21	24	6	12	~~20~~ 19	~~18~~ 19	27	5	15	15	26	210

48895

W. 8,000, X. '11.

88 ✓

REGISTER OF RAINFALL IN 1913

357

FORM A.
BRITISH RAINFALL.

28 JAN 1914

27 H.6

3/

Kept at Merefield House, Crewkerne
in the County of Somerset
by J. Tompsett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·39	·24	·05	·18				·19	·02	·23		1
2	·05	·10		·15	·13		·05		·01	·68	·20	·01	2
3	·47		·05	·02	·30				·10	·05		·21	3
4	1·58		·03		·46		·01		·39	·25	·07	·13	4
5	·07	·05	·01		·05	·06	·03		·68		·13	·29	5
6	·09	·11	·13		·03	·25	·04			1·75		·47	6
7	·04	·44	·02		·67	·02	·11			·55	·38	·01	7
8	·02	·13			·35	·01	·01			·02		·01	8
9		·05		·01	·13	·04	·09	·06	·04		·48	·01	9
10	·47	·01						·02		·20	·34		10
11	·99	·01		·12	·11	·01				·16	·71	·01	11
12					·39				·04		·20	·02	12
13	·07		·01					·10	·55		·12		13
14	·48		·08	·05					·24	·02	·08		14
15	·33	·02	·25	·61				·03	·24		·03		15
16	·10		·44	·04		·01			·05				16
17	·03		·03	·03									17
18	·09		·40	·15							·03		18
19	·83		·12			·07	·03		·42	·02			19
20	·25		·12	·18		·02				·21	·20		20
21			·15	·36	·06		·03	·05		·04	·67		21
22	·40		·49	·23		·07		·03	·13	·02		·09	22
23	·01		·01			·01					·09	·73	23
24		·02		·04									24
25		·04		·15						·01		·05	25
26				·97				·22				·19	26
27	·06		·27	·64	·11			·02		·07			27
28	·18		·07	·49						·52		·04	28
29	·13		·65	·36				·08		·35			29
30	·56			·08	·01			·01		·88			30
31	·20		·04				·06	1·28		·08			31
Total	7·50	1·37	3·61	4·73	2·98	·57	·46	1·90	3·08	5·90	3·96	2·27	YEAR'S TOTAL 38·33
Rain Days.	24	12	21	20	14	11	10	11	13	20	16	~~14~~ 15	187

W. 7,500, XI. '12

From Mid-Wessex Assocn

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

23 MAR 1915

Kept at Merefield House, Crewkerne

check J.

in the County of Somerset - 3.

by J. Tompsett

Rev. H. Boys.

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " Sea Level .... ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				–	–	–	·06	·53				·11	1
2				·015	·09	–	·45	·02				·62	2
3				·12	·57	–	·03	·17				·08	3
4				·27	·10	–	·18	·25				·70	4
5				·25	·15	–	·08	–				·05	5
6				·08	·02	–	–	–				·60	6
7				–	·08	·03	·13	·07				·29	7
8				·04	·13	·28	–	·08				·08	8
9				·38	·05	1·06	–	·25				–	9
10				·075	·03	·02	–	–				·02	10
11				–	·10	·15	·20	–				·50	11
12				–	–	–	–	–				·51	12
13				–	–	–	–	–				·75	13
14				–	–	1·55 T.	·05	·68				·08	14
15				–	–	–	–	·39				·01	15
16				–	–	–	–	–				–	16
17				–	–	–	–	–				·78	17
18				–	–	·43 T.	·33	–				·35	18
19				–	–	–	1·24	–				·02	19
20				–	–	–	–	–				·58	20
21				–	–	·34	–	–				·06	21
22				–	·19	·07	·08	·01				–	22
23				–	·03	·64	·03	–				·01	23
24				–	·18	–	–	–				·01	24
25				–	–	–	·06	·41				·37	25
26				–	–	–	·20	·09				·94	26
27				–	–	–	·04	–				·29	27
28				–	·04	–	–	–				1·08	28
29				–	·21	–	·10	–				·02	29
30				–	–	·09	·34	–				1·00	30
31					·02		–	–				·26	31
Total				1·23	1·99	4·06	3·60	2·95				10·17	TOTAL for year [illegible]
No. of Rain Days				8	16	11	17	12				28	

Note on April return.
A 5 in. rain gauge has been placed about 20 yds further N. higher position and more exposed. The percentage of difference appears to be more when the wind is N.W., the 5 in. gauge being more exposed.

[illegible]

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

82

336

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Merefield House, Crewkerne

in the County of Somersetshire 3

by J. Tompsett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03				.06	.55			.23	.10	1
2				.015	.09		.47	.02			1.54	.59	2
3			.07	.135	.57		.03	.18			.06	.07	3
4	.13		.02	.29	.10		.19	.27			.68	.64	4
5	.04		.06	.28	.15		.08				.07	.05	5
6		.29	.01	.11	.02						.01	.61	6
7		1.23	.10		.08	.03	.14	.07	.05		.01	.29	7
8	.04		.73	.05	.13	.28		.09				.07	8
9	.01		.54	.40	.05	1.08		.25	.81			—	9
10	.04	.59		.09	.03	.02			.30		.01	.02	10
11		.19	.43		.10	.16	.20				.01	.53	11
12		.13	.07						.22	.05		.54	12
13		.52	.38						.10	.21	.22	.80	13
14		.32	.35			1.58	.04	.71		.31	.50	.08	14
15	.02		.19					.43		.09	.34	.01	15
16									.32			—	16
17		.58	.25									.81	17
18		.05	.05			.47	.34		.03			.36	18
19		.04	.40				1.29		.07		.08	.02	19
20		.64	.14									.60	20
21		.78	.01			.32				.32		.05	21
22		.05			.19	.07	.08	.01		.38			22
23		.15	.25		.03	.04	.03			.37		.01	23
24		.08	.02		.18					.27	.07	.01	24
25	.05		.23				.05	.43		.46	.02	.37	25
26		.02	.18				.21	.08		.03	.37	.87	26
27	.22						.04			.03	.11	.31	27
28		.11	.53		.04					.05	.24	1.08	28
29	.27		.20		.22		.10			.23	.75	.02	29
30			.08			.09				.34	.43	1.00	30
31	.14				.02		.38			.76		.25	31
Total	.96	5.77	5.32	1.37	2.00	4.14	3.73	3.09	1.90	3.90	5.75	10.16	YEAR'S TOTAL 48.09
Rain Days.	10	17	25	8	16	11	17	12	8	15	20	28	187

W.7,000, XI. 13

82

215
329

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Merefield House Crewkerne

in the County of Somersetshire

3

by J. Tompsett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·62	·17						·32	·13	·29		·27	1
2	·48	·26	·09	·14		·02		·51		·08		·34	2
3	·05	·27	·12	·06	·36					·06		·43	3
4	·03	·15			·04			·05				·33	4
5	·05	·94		·05			·52	·18				·60	5
6	·80	·13		·46			·69					·17	6
7	·17	·56		·12			·10				·02	·37	7
8	·16	·50						·14			·04		8
9		·02		·03							·36	·04	9
10	·21	·21	·04	·05						·04		·55	10
11	·08	·10		·15				·07		·03	1·03	·06	11
12	·19	·51		·20	·60			·26		·10	·40	·04	12
13	·02	·54			·92			·05	·08		·10		13
14	·04	·05					·16	·22	·03	·03		1·27	14
15	·14				·22		·08			·07	·17	·15	15
16		1·79			·18		·84					·15	16
17		·78			·26			·16					17
18		·19			·02								18
19	·01				·26		·13						19
20	·14			·11		·04				·07		·06	20
21	·20	·09					·05			·41		·11	21
22	·11	·07	·24	·04		·04	·67					·32	22
23		·02	·12				·10		·23	1·91	·02	·33	23
24				·06			·19		·25	·52		·47	24
25				·04		·37	·67					·30	25
26		·18				·04	·20					·91	26
27		·11				·91	·31		·02	·64		·01	27
28		·04				·13		·01	·69	·16	·02	·01	28
29						·45	·20	·02		·02	·27	·11	29
30	·14	×				·10				·64	·71	·67	30
31		×		×		×	·15		×	1·07	×	·32	31
Total	3·64	7·68	·61	1·51	2·86	2·10	5·06	1·99	1·43	6·14	3·14	8·39	YEAR'S TOTAL 44·55
Rain Days.	19	23	5	13	9	9	16	12	7	17	11	26	167

W. 8,000. X. 14.

Dh

Ex Dh

2094

~~3~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Merefield House, Crewkerne

in the County of Somersetshire

by E. A. Tompsett

J Tompsett

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		·06		·72	·02	·01		·26	·23	·77		1
2	·18	·09							·03	·22	·15		2
3	·02	1·62			·20	—			·03	·69	·49		3
4	·10	·14		—	·15	·19	·07		·03	·15	1·06		4
5		·02	·05		·12	·05				·03	·41		5
6	·04	·14	·02		·19	·02	·72			·14	1·24		6
7	·07	·07	·26		·05	·17	·40			·07	·91	·21	7
8		·13	·08		·22	·20					·11	·17	8
9		·08			·07	·16	·05			·12	·06	·24	9
10		·43		·04	·03	—	·03			·05	·01	·15	10
11	·02		·02	·03		·04							11
12	·02	·04	·10	·01	·07			·05			·01		12
13		·33	·15	·01			·02	·99		·01			13
14	·01	·45			·01			·15		·05			14
15		·08	·08	·07				·15		·01			15
16	·11	·09		·28			·04	·37	·01	·10			16
17	·23	·20		·07				·08	·19	·47	·49		17
18	·02	·02	·20						·22	·05	·11	·10	18
19	·10		·72	·01							·18	·05	19
20	·22	·35	·34								·12	1·24	20
21	·01	·17	·26		·06						·02	·60	21
22						·08				·47	·02	·64	22
23	·01	·06		·02		·04		·22			·26	·06	23
24		·07		·11	1·22	·04		·04		·97	·08	·30	24
25		·87	·14		·05			·74	·03		·18		25
26		·09	·04			·29		·13	1·37	·80	·07		26
27		·10	1·37			·01		·45	·23	·31			27
28		·24						·08	·51	·63		·34	28
29		·51	·04			·34		2·74	·45	·43		·20	29
30		×						·01	·02	·49			30
31		×		×		×		·06	×	·22	×	·04	31
Total	1·34	6·39	3·93	·65	3·16	1·65	1·34	6·26	3·38	6·71	6·75	4·34	YEAR'S TOTAL 45·90
Rain Days.	16	25	17	10	14	14	8	15	13	23	21	14	190

W. 8,000. X. 15.

8L Exe D1 2002 276

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

26. JAN 1918

Kept at Merefield House, Crewkerne

in the County of Somersetshire

by E. A. Tompsett

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17	·41		·27		·61	·02		·04		1
2				·12		·09		·05	·05				2
3				·05			·38	·02		·19	·36		3
4		·08	·21				·02			·21		·01	4
5	·09		·38	·37		·05		·02	·17	·06	·07		5
6			·03			·02				·03	·18		6
7	·28						·61	·19		·26	·12	·03	7
8	·12		·09	·07			·41	·52	·04	·31	·11	·13	8
9			·14	·01	·02		·12	·15	·03	·13	·09		9
10	·30		·45	·28				·37	·03	·01			10
11	·02		·80	·23	·02	·07		·19		·14	·05		11
12	·04		·01		·33					·32			12
13			·19	·08		·02		·34	·01	·08			13
14				·13			·31	·09	·01			·02	14
15				·04			·66	·18		·18		·46	15
16		·14		·13			·02	·07		·35		·20	16
17	·01			·14			·29	·18	·64	·13			17
18		·10			·01	·01	·13		·45	·01			18
19		·47	·11			·05			·15				19
20		·07	·03		·29	·14	·03		·12			·04	20
21			·17			·24		·01		·05			21
22	·02		·01					·33		·06		·02	22
23		·15			·08			·15		·08			23
24		·03	·02			·02	·15	·11		·05	·03		24
25		·10	·02					·10	·07	·02			25
26					·33	·07		·83	·13	·03	·01		26
27					·48	·23		1·10					27
28		·03	·08		·20	1·86		·12				·03	28
29			·09			·55	·26			·90	·01	·12	29
30		X	·21				·53	·12		·04			30
31		X	·06	X	·01	X			X	·13	X	·02	31
Total	·88	1·17	3·27	2·06	1·77	3·69	3·92	5·85	1·92	3·77	1·07	1·08	YEAR'S TOTAL 30·45
Rain Days.	8	9	20	13	10	15	14	23	14	24	11	11	172

W. 8,000, VIII. 16

8/2 Ex 8/2 ~~260~~ 89

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

30. 1. 19

Kept at Merefield House, Crewkerne

in the County of Somersetshire

by J. Tompsett

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·06	·14			·81		·01	1·31	·01	1
2	·01	·42		·16				·18		·01	·02	·30	2
3		·17	·01	·05	·15			·04	·02	·10	·10		3
4		·03	·01					·10	·25		1·42	·38	4
5			·31		·04			·37	·76	·20	·07	·07	5
6	·17	·16		·24				·04	·17	·11		·22	6
7		·15			·32				·24	·04	·41	·36	7
8	·03	·29							·20	·23	·01	·05	8
9	·01	·02		·08		·14	·59		·72	·05	·01	·48	9
10	·10			·28			·22		·23	·21	·02	·52	10
11			·07	·02			1·06		·18	·55	·04	·04	11
12		·08	·06		·31		·10		·07				12
13	·24	·02			·22		·19		·54	·06		·01	13
14	·19				·03	·16	·03		·11	·15		·17	14
15	1·45			·37	·04		·43		·02	·22		·30	15
16	·31		·02	·30		·12	·03		·56			·08	16
17	·25			·35			·23		·03			·23	17
18	·91					·89	·17		·34	·03		·22	18
19	·10	·04	·03				·13		·04	·03		·12	19
20	·05	·10		·18			·36		·24	·09			20
21	·05	·03					·02		·46	·18		·22	21
22	·03				·07		·75		·15	·03	·02	·10	22
23	·09				·12	·01	·60	·01	·02		·07	·06	23
24		·17					·13		·09		·06	·08	24
25	·02				·02		·15	·64		·01	·08		25
26				·05			·27		·01	·02	·05	·10	26
27		·09	·04			·01		·07	·14	·02	·12		27
28		·13	·22								·01	·02	28
29			·13						1·25	·01		·01	29
30		X	·49						·03	·18	·08		30
31		X	·07	X		X		·04	X	·03	X		31
													YEAR'S TOTAL
Total	4·21	1·95	1·46	2·14	1·46	1·33	5·26	2·30	6·87	2·57	3·90	4·15	37·80
Rain Days.	17	16	12	12	11	6	18	10	26	24	18	24	194

W. 8,000, IX. 17.

82

1876

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Merefield House, Crewkerne

in the County of Somersetshire

by J. Tompsett

Lat. ………… Long. …………

Time of Observation …………

Nearest Railway Station …………

Diameter of Funnel of Rain Gauge ………… in.

Height of top of Gauge above Ground ………… ft. ………… in.

" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·55		·11		·10		·64		·01	·30		1·11	1
2	·14	·02	·03		·01		·03		·18	·01	·03	·01	2
3	·80		·26		·02				·31		·10	·11	3
4	·27	·35	·86			·03		·05	·80		·01	·06	4
5	·03	·28	·81		·02		·09		·31		·08	·05	5
6	1·01	·21	·03								·02	·25	6
7	·32		·36	·11								·04	7
8	·46		·18										8
9	·07		·03	·21	·04				—		·52		9
10	·12		·20						—	·04	·03	·69	10
11			·36	·15	·34		·23		—			·06	11
12	·12		·02	·04		·02	·02		—	·01	·08	·02	12
13	·07		·04	·74			·04		—	·05		·17	13
14	·55	·05		·84	·13		·12		·05	·02		·49	14
15	·21	·13		·03	·04					·09		·21	15
16	·04	·57			·03			·14			·17	·01	16
17		·45									·10		17
18	·03	·02	·72				·23	·01			·10		18
19	·87	·37	·63			·02	·96	·40	·36		·19	·04	19
20	·71	·02	·09			·42		·37			·01	·02	20
21	·01	·82					·04		·03			·07	21
22		·03					·09		·30			·04	22
23			·01			·02				·35	·02	·02	23
24				·02		·08	·01			·85	·07	·32	24
25	·12			·12		·03		·37				·14	25
26	·07		·07	·01		·01		·08	·04			·51	26
27	·26	·01	·04	·20				·80				·03	27
28			·34					·67			·29	·38	28
29	·02		·02	·06				·18		·09		·04	29
30		X		·11		·22		·50		·01	·61	·59	30
31	·02	X	·01	X		X	·01		X		X	·43	31
Total	6·87	3·33	5·22	2·64	·73	·85	2·51	3·52	2·39	1·82	2·43	5·91	YEAR'S TOTAL 38·22
Rain Days.	24	14	22	13	9	9	13	11	10	11	17	27	180

38·22
74

W. 6,500. VII. 18. W W C

30² [illegible] 1791

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920..

Kept at Crewkerne, Merefield House
in the County of Somersetshire
by J. Tompsett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·02	·14	47		·43		·07	·17	29	55	1
2	·68			·15			·29	·68	·04	·04		·13	2
3	·07	·09		·04			·50			·71		·05	3
4			·02	03			·50	·59		·49			4
5			·17	·30	·04		·44	·65		·15			5
6			·38	·09	·20		·20			·10			6
7	·01			·32			·64						7
8	·16	·08		·24	·02		·39					·04	8
9	·56	·02		·06		·12	·03						9
10	·78	·08	·08	·02		·16	·41						10
11	·31		·11	·59	·23	·01	·10						11
12	·22	·03	·04	·22		·25	·02				·25	·01	12
13	·22	·06	·69	·05						·03		·01	13
14	·02	·06	·29	·85					·16	·35	·33	·01	14
15		·14	·12	·48	·17	·04			·02	·18	·04		15
16		·01	·01	·02	·02	·02	·37		·30	·05			16
17	·01			·23	·21	·02	·01		·38				17
18	·09		·06	·07	·16	·17	·31	·41	·15			·02	18
19	·01			·18	·09	·16							19
20	·01	·25		·21		·37						·45	20
21				·03			·06		·01			·08	21
22	·01			·18			·02					·40	22
23							·89	·01				·36	23
24	·02	·02	·29					·01			·15	·10	24
25		·07	·08		·19		·49						25
26	·38		·19		·02	·03	·04				·16	·16	26
27	·94		·12	·11		·12					·02	·34	27
28	73		·16	·04	·02	·01	·04					·07	28
29	·57	·02	·23	·13							·37	·25	29
30	·18			·03	·08	·17	·01		·63		·41	·39	30
31	·02		·33							·59		·17	31
Total	6·03	·93	3·39	4·81	1·92	1·64	6·19	2·35	1·76	2·86	2·00	3·59	Year's Total 37·47 –
Days with ·01 in. or more	23	13	19	26	14	14	22	6	9	11	9	19	185
·04	14	8	16	21	10	9	17	4	7	10	8	15	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL
S. made

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REG

CUTCOMBE
WHEDDON CROSS

SOMERSET
1911 - 1920

Kept at Wheddon C
in the County of S. Som
by W. J. Tovey

in.
ound ft. in.
Level ft.
ne
tance Direction

IMPORTANT NOTE.- ... he result entered to the previous day. If an Obse... sal rule, he is earnestly requested to add the reading ... in the space provided for it at the end of this ... t of rain, the selection and placing ... h Rainfall Organization are given in " ... lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12		·06	·20	·06			·04		·05		·03	1
2			·04	·03	·40			·30		·25	·28	·33	2
3		·02	·06	·05	·53			·01	·03		·56	·13	3
4		·01	·09		·04			·08		·09	·57	·95	4
5	·33	·01	·30					·26		·11	·43	·10	5
6	·62		·19	·06				·10			·21	·70	6
7	·08		·02					·02			·84	·02	7
8	·06		·16								·14	1·19	8
9	·07		·04								·51	·54	9
10	·16	·06	·65		·48							·53	10
11	·50		·10		·18						1·00	·48	11
12	·07	·02	·77						·08		·41	·50	12
13									·65		·11	·64	13
14		·08								·02	·02	·92	14
15	·01	·04	·04			·09					·69	·10	15
16		·06				·19				·02	·22	·60	16
17		·09	·16	·07		·29					·20	·68	17
18		·88	·23	·40		·47	·03			·11	·24	·97	18
19	·02	·11	·02	·22		1·16			·12	·17	·21	·91	19
20	·03	·07	·18	·24		·07			·38	·27	·03	·48	20
21	·02	·40	·02	·03		·14		·64	·56	·49		·33	21
22	·03	·10	·03	·07		·36			·20	·44		·70	22
23	·08	·40	·06			·14			·17	·27	·03	·33	23
24	·03	·52				·60		·16		·43		·25	24
25	·05	·13		·16		·16		·02	·13	·30		·33	25
26	·01	·21		·68	·20	·02	·04	·15		·26		·44	26
27		·65	·27	·34				·34	·19	·23		·18	27
28		·30	·03	·62				·05	·01		·20	·03	28
29			·01	·33		·60	·26	·03	·20	·65	·02		29
30						·04	·01				·23	·03	30
31							·08			·32		·01	31
Total	2·29	4·16	3·53	3·50	1·89	4·33	·42	2·20	2·72	4·48	7·15	13·43 13·43	TOTAL for year 50·10
No. of Rain Days	18	20	23	15	7	14	5	14	12	18	22	30	198

9,000, IX. '10.

Dh

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REG

Kept at Wheddon Cross, Cutcombe

in the County of S. Somerset 5

by W. J. Tovey

RAIN GAUGE	Pattern
	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	" " " Sea Level ... ft.
Time of Observation	
Nearest Railway Station	Name
	Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12		·06	·20	·06			·04		·05		·03	1
2			·04	·03	·40			·30		·25	28	·33	2
3		·02	·06	·05	·53			·01	·03		·56	·13	3
4		·01	·09		·04			·08		·09	·57	·95	4
5	·33	·01	·30					·26		·11	·43	·10	5
6	·62		·19	·06				·10			·21	·70	6
7	·08		·02					·02			·84	·02	7
8	·06		·16								14	1·19	8
9	·07		·04								·51	·54	9
10	·16	·06	·65		·48							·53	10
11	·50		·10		·18						1·00	·48	11
12	·07	·02	·77						·08		·41	·50	12
13									·65		·11	·64	13
14		·08								·02	·02	·92	14
15	·01	·04	·04			·09					·69	·10	15
16		·06				·19				·02	·22	·60	16
17		·09	·16	·07		·29					·20	·68	17
18		·88	·23	·40		·47	·03			·11	·24	·97	18
19	·02	·11	·02	·22		1·16			·12	·17	·21	·91	19
20	·03	·07	·18	·24		·07			·38	·27	·03	·48	20
21	·02	·40	·02	·03		·14		·64	·56	·49		·33	21
22	·03	·10	·03	·07		·36			·20	·44		·70	22
23	·08	·40	·06			·14			·17	·27	·03	·33	23
24	·03	·52				·60		·16		·43		·25	24
25	·05	·13		·16		·16		·02	·13	·30		·33	25
26	·01	·21		·68	·20	·02	·04	·15		·26		·44	26
27		·65	·27	·34				·34	·19	·23		·18	27
28		·30	·03	·62				·05	·01		·20	·03	28
29			·01	·33		·60	·26	·03	·20	·65	·02		29
30						·04	·01				·23	·03	30
31							·08			·32		·01	31
												13·43	TOTAL for year
Total	2·29	4·16	3·53	3·50	1·89	4·33	·42	2·20	2·72	4·48	7·15	13·43	50·10
No. of Rain Days	18	20	23	15	7	14	5	14	12	18	22	30	170

82 card for author 25.11.13

? early months too big

345

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Wheddon Cross

in the County of Somersetshire 5

by W. J. Tovey

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.84		.03	1.15	.03	.13	.26	1.74		.34	1
2			1.49	.05		.99	.23			.06	.08		2
3	.03	.02	.58		.02	.32	.18	1.18	.21		.02	.07	3
4	.49	.02	3.00		.07	.26	.01	.09			.38	.01	4
5	.99	.21	.45		.06	.02		.55			.05	.22	5
6	.91	.12	.03		.29			.47			.04	.07	6
7	.08	.52	.10		.16	1.11		.82			.03	.17	7
8	.76	.33	.59	.04	.02	.66	.03	.36	.02			.07	8
9	.03	.44	1.13	.14		.76	.05	.14			.05	.35	9
10	.27	.28	.05			.35	.07	.33	.07		.35	.13	10
11	.06	.29	.06				.19	.01			.20	.43	11
12	.07	1.22	.60		.02	.02	.23				.02	.38	12
13	.30	.02	.02					.28		.09		.42	13
14	.17	.07	1.07		.10			.18		.03		.35	14
15	.46	.13	.05	.02	.38	1.24		.06		.02		.32	15
16	.70	.03	.85		.10	.02		.43		.43	.02	.38	16
17	.31		.13		.04	.12		1.18		.01	.02	.43	17
18	.10	.04	.72			.01		1.26		.16	.02	.28	18
19	.06	.24	.35			.10	.43	.97		.29	.09	.09	19
20	.22	.08	1.14		.09	.02	.28	.43		1.24	.20	.03	20
21	.02	.24	1.12		1.28		.11	.38		.43	.08		21
22	.85	.84	.35		.77		.11	.62		.07	.07	.22	22
23	1.00	.92	.72		.07	.03	.08	1.38		.49	.18	.34	23
24	.15	.10	.43			.87		.03		.02	.01	.26	24
25	.01	.02	.02			1.37	.10	.75		.14	.35	.50	25
26		.27	.02				.03	.21		1.45	.47	.41	26
27		.05				.98	.98	.01		1.97	.15	.46	27
28	.01	.14				.41	.77	1.65	.30	.59	.32	.75	28
29		.19				.25	.98	.23	.81	.36		.42	29
30			.05			.14	.50		.07	.34		.04	30
31			1.15				.94	.09		.04		1.20	31
Total	8.05	6.83	17.11	.25	3.50	11.20	6.33	14.22	1.74	9.97	3.20	9.14	TOTAL for year 91.54
No. of Rain Days.	24	683 26	28	4	16	23	21	28	7	21	23	29	250

Bad

W. 8,000, X. '11.

82

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
28 JAN 19
357

Ex-H6

Kept at Wheddon Cross

in the County of Somerset

by W. J. Tovey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May. new	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1					·06				·15	·02	·34	·49	1
2					·15				·07	·06	·25	·03	2
3					·44		·01		·09	·02	·02	·44	3
4					·15	·03			·50	·03	·08	·36	4
5					·17	·43	·13		·74		·20	·49	5
6					·04	·19	·24			·50	·28		6
7					·77	·19	·22			·92	·34	·01	7
8					·56	·02	·02	·08		·04		·02	8
9					·22	·19		·05	·19	·01	·44	·05	9
10					·15	·10		·10		·28	·24		10
11					·25	·11			·04	·07	·90	·09	11
12					·18	·04			·10		·76		12
13							·03	·14	·34	·05	·37		13
14									·13		·26		14
15									·11		·36	·05	15
16							·02	·09	·49	·02	·11		16
17									·02		·10		17
18						·02	·01		·38		·25		18
19					·05	·09	·07		·20	·07	·02		19
20									·09	·34	·49		20
21					·13			·13			·25		21
22					·02	·22	·08	·34	·02	·02			22
23						·04		·17			·06	·59	23
24						·02		·04			·07		24
25									·07	·02	·04	·08	25
26								·04		·01		·59	26
27										·72	·01	·10	27
28					·04					·60		·25	28
29					·02			·02		·20			29
30										·92	·05		30
31					·35			·36		·02			31
Total					3·75	1·69	·83	1·56	3·73	4·94	6·29	3·64	YEAR'S TOTAL
Rain Days.					18	14	10	12	18	22	25	15	

W.7,000, XI. 13

8L

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JAN 1914

557

W. H3b

Kept at Wheddon Cross
in the County of Somerset
by W. J. Tovey

Old Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	A	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·04		·45	·09									1
2	·14		·33	·49									2
3	·20		·49	·03	·46		·01						3
4	1·96		·57	·08	·17	·04							4
5	·17		·10		·26	·46	·13						5
6	·22		·51		·05	·27	·25						6
7	·08	1·26	·06		1·18	·20	·23						7
8	·04		·02		·77	·02	·02	·08					8
9			·11	·12	·27	·21		·05					9
10	1·14		·11	·03	·16	·11		·10					10
11	1·52		·06	·57	·28	·11							11
12	·45		·02	·02	·20	·05							12
13	·09		·68				·03	·14					13
14	·44		·88										14
15	·18		1·30	2·95									15
16	·36		1·55	·27			·02	·09					16
17	·26		·10	·28									17
18	·36		·88	·74		·03	·01						18
19	·46		·23		·04	·10	·07						19
20	·42		·35	·35									20
21			·21	·03	·14			·13					21
22	·68		1·57		·03	·22	·08	·37					22
23	·08		·02			·05		·17					23
24	·15			·32		·02		·05					24
25				·84									25
26	·03			1·86				·04					26
27	·39		·38	·50									27
28	·19		·15	·32	·04								28
29	·07		1·33	·37	·02			·02					29
30	1·33		·02	·02									30
31	·54		·50		·35			·37					31
Total	11·99	3·29	12·98	10·28	4·42	1·89	·85	1·61					YEAR'S TOTAL
Rain Days.	28	10	28	21 22	16	14	10	12					

W. 7,500, XI. ·12

Dl 342

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wheddon Cross

in the County of Somersetshire

by W. J. Tovey

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·07	·10		·20	·47	·41			·28	·07	1
2			·08	·10	·02		·76	·14			·28	·67	2
3	·02		·50	·20	·58			·01				·12	3
4	·32		·09	·49	·16		·47	·15			·68	1·06	4
5	·16		·36	·47	·18			·03				·13	5
6		·09	·11	·39	·12		·24	·09			·06	·51	6
7	·03	·56	·46	·19	·16	·26	·45	·25	·05			·10	7
8	·15		·95	·05	·32	·86		·18				·02	8
9	·22	·02	·50	·26	·11	·82		·23	1·28			·01	9
10	·16	·41	·06	·59	·11	·04			·40			·04	10
11		·22	·81		·12	·35			·04		·14		11
12		·72	·10			·01			·49	·04	·14	·49	12
13		·59	·50				·05		·36	·48	·89	·76	13
14		·41	·68				·02	·56	·02	·28	·53	·16	14
15	·03	·02	·49					·42		·05	·62	·15	15
16			·08				·04		·46			·13	16
17		·67	·34				·04		·04			·97	17
18	·02	·12	·21				·04		·12			·15	18
19		·05	·53				2·90		·06		·13	·26	19
20		·44	·26			·07						·34	20
21		·42								·32			21
22		·08		·02	·16	·51		·07		·33		·03	22
23		·10	·22		·02	·05	·07			·19			23
24			·04		·04		·13	·09		·02	·22		24
25	·15		·43				·27	·51		·59	·03	·59	25
26	·10	·02	·41				·31	·14		·14	·42	·70	26
27	·03	·03								·23	·45	·75	27
28	·02	·25	·19		·10				·02	·52	·20	·97	28
29	·50		·35		·11					·28	·69	·08	29
30	·03		·23							·74	·79	·90	30
31	·10				·05		·46			·82		·54	31
Total	2·04	5·23	9·05	2·86	2·36	3·17	6·71	3·28	3·34	5·03	6·55	10·70	YEAR'S TOTAL 60·32
Rain Days.	16	20	27	11	16	10	16	15	12	15	17	27	202

W.7,000, XI. 13

82

2207
~~336~~

Cord pr auth 6.V.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Wheddon Cross

in the County of Somersetshire

by W. J. Tovey

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·52	·21			·06			·55	·41	·39	·02	·34	1
2	·12	·22	·21	·09		·03		·17	07	·03		·56	2
3		·14	·19	·11	·15								3
4	·15	·23	·02		·06		·37					1·21	4
5	·27	·35						·20				·72	5
6	·55	·30		·42			·46	·03					6
7	·62	·78		·11			·16	·01				·38	7
8	·47	·58						·16			·18	·09	8
9	·35	·27		·29				·03			·46	1·03	9
10	·20	·10	·06					·19		·16	·05	·03	10
11	·16	·46					·02	·05		·16	1·34	·13	11
12	·12	·77		·17	·72			·27	·01	·15	·33		12
13	·43	·61			1·25		·08	·02	·10		·22	·11	13
14	·25						·20	·32	·08	·13		1·33	14
15	·52	·08			·25		·34		·06	·01	·41	·13	15
16	·01	1·44		·02	·14		1·72	·03				·03	16
17	·46	·23			·18					·01		·03	17
18		·45					·01			·01			18
19		·07		·07	·22		·19						19
20				·16		·04				·13			20
21	·44	·21				·03	·17			·33		·71	21
22	·23	·08	·24	·12		·10	·37			·09		·60	22
23			·19			·07	·13		·05	·79		·89	23
24				·02			·11		·02	·78		·57	24
25		·36	·17			·61	·37			·05		·37	25
26						·32	·14		·21			·77	26
27		·08				·10	·08		·05	·72		·09	27
28	·11	·07				·01	·02	·02	·85	·16		·02	28
29						·06			·02	·01	·18	·25	29
30										·67	·31	·56	30
31	·15						·14	·15		1·32		·31	31
Total	6·13	8·09	1·08	1·58	3·03	1·37	5·08	2·20 2·26	1·93	6·10	3·50	11·26	YEAR'S TOTAL 51·35 ~~51·25~~
Rain Days.	20	23	7	11	9	10	19	15	12	20	10	26	182

W. 8,000. X. 14.

Dl 2142 ~~298~~

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Wheddon Cross
in the County of Somersetshire
by W. J. Tovey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36		·01		·25	·22	·28		·03	·29	·03		1
2	·72		·05		·08				·11	·50	·16		2
3	·01	1·23	—		·21	·05	·07	—	·29	·61	·33	·05	3
4	·62	·20			·49	·84			·11	·27	·81		4
5	·05	·23	·22	·03	·38	·28				·16	·56		5
6	·21	·44			·15	·11	·57			·26	·71		6
7	·06	·20	·19		·40					·03	·71	·20	7
8		·24	·15		·34	·46					·46	×	8
9		·03	·01		·22	·01	·02			·13	·12	× ·34	9
10	·03	·53	·08	·12	·03	·04				·13	·03	·04	10
11			·06	·21		·02			·01				11
12	·07	·20	·05	·11	·24		·17	·05		·23			12
13		·61	·13	·10			·01	·28	·03	·04	·01		13
14		·81	·03	·02	·10			·50		·23		·01	14
15	·03	·73	·10					1·08		·14			15
16	·04	·16		·32			·02	·37		·19			16
17	·23	·40		·32					·57	·41	·50		17
18	×	·76	·29	·20					·16	·18		·14	18
19	× ·42	·05	·15	·35							·29		19
20	·46	·53	·37								·16	·60	20
21	·31	·37			·04						·01	·12	21
22	·02			·01		·17		·04		·90	·02	·70	22
23			·03	·07		·15		·22		·09	·46	·27	23
24	·05	·21	·10	·22	·40	·05		·11		·74	·05	·27	24
25	–	·51	·25			·02		·49	·06	·03	·39	·05	25
26	× ·06	·31	·19		·01	·17		·27	·85	·71	·05		26
27	·04		·79			·14		·15	·43	1·14			27
28		·44				·03		·07		·49		·79	28
29		·41	·15			·67		3·55	·42	·58		·73	29
30		×				·04		·03		·36		·06	30
31		×		×		×		·13	×	·40	×	·10	31
Total	3·79	9·60 9·66	3·40	2·08	3·34	3·47 3·47	1·14	7·34	3·07	9·24 9·24	5·86	4·47	YEAR'S TOTAL 56·80 56·80
Rain Days.	20 ~~19~~	23	21	14	15	18	7	15	12	26	20	17	208

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wheddon Cross

in the County of Somersetshire

by W. J. Tovey

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·14	·38		·21		·92	·06		·04		1
2	·05			·21		·21		·02					2
3	·10			·12			·56			1·62	·79		3
4		·40	·22				·05		·04	·40		·01	4
5	·32			·40		·21			·10	·24	·32		5
6			·64			·02				·30	·45	·07	6
7	·36						·66	·14		·50	·09		7
8	·05		·16	·16		·05	·62	·58	·04	·82	·35	·15	8
9			·05	·10			·01	·68		·83	·24		9
10	·23		·48	·35				·15	·02	·10	·13		10
11	·07		·54	·39				·26		·32	·11		11
12	·17		·01		·44			·32		·76		·01	12
13	·06		·35	·15		·07		·81	·21	·20		·01	13
14			·05					·32	·05	·10			14
15				·16			·10		·01	·56		·25	15
16		·09		·13			·08	·02		·10	·02	·36	16
17		·02	·01	·29	·02		·35	·22	·29	·13	·02		17
18				·04	·05	·08	·48	x }	·98	·02	·02		18
19	·05	·41	·08			·62		x ·04 }	·02		·03		19
20			·04		·72	·10			·02		·03		20
21			·15			·58		·02		·10	·02		21
22	·03							·63		·18	·01		22
23					·20	·01		·85		}	·01	·05	23
24		·20				·06	·16	·30		·68 }	·30	·01	24
25		·01	·12					y }	·02	·45	·07		25
26		·09			·27			x ·75 }	·18	·22	·11		26
27					·19	·27	·01	1·25		·20	·01		27
28			·15		·14	5·43		·82			·01		28
29			·20			1·13	·01	·02		·58	·06	·59	29
30		X	·07					·39		·31	·03		30
31		X	·12	X	·26	X		·43	X	·19	X	·02	31
Total	1·54	~~1·02~~ 1·22	3·53	2·88	2·29	9·05	3·09	9·94	2·04	9·91	3·27	1·53	YEAR'S TOTAL 50·29 ~~50·09~~
Rain Days.	12	7	19	13	9	15	12	25 23	14	26	24	11	187

W. 8,000, VIII. 16

95

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30.1.19

131
~~264~~

Kept at Wheddon Cross
in the County of Somersetshire
by W. J. Tovey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·16		·16	·07			·60	·13		1·07		1
2		·16		·09				·48	·01	·02	·03	·61	2
3		·26	·04	·11	·10				·13	·09	·03	·03	3
4		·07		·02				·07	·05	·11	1·10	·59	4
5		·04	·10	·11				·51	·49	·51	·14	·12	5
6		·87		·50					·10	·30		·04	6
7	·15	·24		·06		·01		·02	·61	·46		·19	7
8		·09			·26				·46	·41			8
9	·11	·19		·05		·41	·12		·64	·18		·45	9
10	·17	·01		·22		·09	1·02		·37	·11		·69	10
11	·09	·09	·14	·07			·33		·42	·07	·58	·19	11
12	·02	·32	·35		·20	·02	·19		·07	·01		·09	12
13	·46	·11				·01	·04		·60	·12		·66	13
14			·02		·02	·04	·61		·05	·16		·22	14
15	2·42	·03		·12		·07	·43		·65	·21		·79	15
16	·49			1·57		·12	·07	·06	·31	·02		·32	16
17	·61			·55	·03		·29	·11	·01			·36	17
18	1·30		·09			·85	·26		1·12	·14		·45	18
19	·24	·05	·05	·03			·13		·13	·07		·39	19
20	·21	·27		·08		·05	·30		·23	·23			20
21	·12	·10		·11		·04	·05		·82	·11		·35	21
22	·01	·01			·30		·47		·23	·01		·61	22
23	·18	·10			·15		·39		·37		·05	·21	23
24		·28					·26	·13	·18		·28		24
25					·11		·59	·93		·07	·13	·11	25
26		·08			·03		·89	·03	·30	·04	·16	·37	26
27		·13	·12				·13		·31	·01	·44	·13	27
28		·11	·32						·02	·02	·38	·27	28
29			·20						1·68			·13	29
30		×	·55						·02	·04		·21	30
31		×	·34	×		×		·15	×	·06	×		31
Total	6·58	3·77	2·32	3·85	1·27	1·71	6·57	3·09	10·51	3·58	4·39	8·58	YEAR'S TOTAL 56·22
Rain Days.	15	23	12	16	10	11	19	11	29	26	? 12	26	210

W. 8 000, IX. 17.

8h

~~W~~ D L   crd for auth

1921
~~[illegible]~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Wheddon Cross

in the County of Somersetshire

by W. J. Tovey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·71		·10	·02	·28		·43		·01	·55	·01	1·37	1
2	·22		·07		·05		·22		·05	·04	·07	·38	2
3	·03		·25		·05				·07		·25	·62	3
4	1·31	·29	·52			·06	·18	·06	·61			·26	4
5	·05	·26	1·49						·05		·08	·47	5
6	·61	·28	·27								·03	·40	6
7	·41		·67	·13								·30	7
8	·22		·21	·03	·02	·03							8
9	·49		·05	·17	·14						·68		9
10	·01		·77	·03	·03	·01				·06	·03	·25	10
11	·11		}	·19	·22	·02	·09					·25	11
12	·24		·85 }	·03		·57				·15	·08	·02	12
13	·31	·02	·06	·59					·17	·17		·15	13
14	·83	·09		1·03	·63				·02			·25	14
15	·57	·06		·18						·26		·54	15
16	·20	1·28			·01						·20	·03	16
17	·02	1·15				·10					·92	·05	17
18	·11	·03	·54				·12	·36			·35	·07	18
19	·50	·29	·47			·11	·62	·82	·46		·36	·14	19
20	·67	·22	·26			·12		·17	·17		·08	·29	20
21	·04	1·07	·03				·40	·03	·06	·01	·01	·40	21
22		·21				·03	·11		·05		·10	·21	22
23								·02		·63	·21	·17	23
24						·12			·07	1·37	·31	·64	24
25	·23			·02		·05		·75	·01	·01	·25	·29	25
26	·15		·36	}				·09	·33	·05		·81	26
27	·23	·01	·02	·44 }			·05	·57				·15	27
28	·03		·50	·07				·18			·38	·74	28
29	·05		·01	·28		·01		·20		·19		·40	29
30		X	·11	·19		·30		·45		·11	·65	·92	30
31	·03	X	·04	X		X	·02		X		X	·38	31
Total	8·38	5·26	7·65	3·40 ~~3·48~~	1·43	1·53	2·24	3·70	2·13	3·60	5·05	10·95	YEAR'S TOTAL 55·32 ~~55·40~~
Rain Days.	27	14	23	16	9	13	10	12	14	13	20	29	200

55·40
55

W. 6,500, VII. 18. W W C

2/307 refd July 10 done 6.W.21 and formula — Obs says July 10 correct 1834

FORM

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cutcombe, Wheddon Cross
in the County of Somersetshire
by H. H. P. Bouverie W. J. Lovey

Lat. ...... Long. ......
Time of Observation ......
Nearest Railway Station ......
Diameter of Funnel of Rain Gauge ...... in.
Height of top of Gauge above Ground ...... ft. ...... in.
" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·19	·23		·68	·14	13	·53	·41	·75	1
2	·21			·15	}		·27	·19	·11	·11		·30	2
3	·15	·08	·03	·08	10 }		·45	·01	·02	1·10		·23	3
4				·01			·14	·84		·17		·01	4
5			·28		·19		·46	·21	·01	·27			5
6			·33		·49		·08			·37	·07		6
7	·17		·06	·12	·08		·45		·02		·02		7
8	·32	·07		·65	·14			·08		·02			8
9	1·26		·03	·25		·28	·20						9
10	2·18	·41	·09	·29		·34	·30	·01			·04		10
11	·38		·29	·56	·34	·06	·17						11
12	·60			·72	·05	·05	·10				·22	·04	12
13	·18	·10	·55	·08					·01	·02	·01		13
14	·10	·04	·52	86			·14		·23	·26	1·12	·05	14
15	·03	·20	·15	·80	·12	·42			·15	·44	·12		15
16		·01	·07	·10	·02	·14	·14	·01	·41	·49	·18		16
17	·13			·28	·41	·23			·17	·02	·01	·08	17
18	·34			·03	·05	·04	·04	·21	·15			·08	18
19	·12	·29		·60		·19		·06		·01		·01	19
20	·09	·02		·60		·10	·02					·41	20
21				·08			·02			·07		·39	21
22	·05			·07		·02	·25	·03	·04		·07	·79	22
23			·02				·83	·17				·94	23
24	·08	·03	·40	·03	·12							·45	24
25	·03	·02	·36	·03	·23		·92				·01	·01	25
26	·39		·40		·01	·02	·09		·01	·01	·26	·16	26
27	·63	·18	·23	·21	·18	·60	·06				1·04	·41	27
28	·70	·02	·38	·11	·02	·10					·06	·13	28
29	·47	·01	·58	·06		}	·07				·35	·67	29
30	·43	×	·35	·16		·35 }	·14		·49	·08	·43	·57	30
31	·38	×	·17	×		×	·02	·01	×	·83	×	·25	31
TOTAL	~~9·60~~ 9·51	1·48	5·29	7·12	2·78	2·94	6·04	1·97	1·95	4·80	4·42	6·73	YEAR'S TOTAL ~~55·12~~ 55·03
Days with ·01 in. or more	25	14	20	26	~~17~~ 18	~~16~~ 16	24	13	14	17	17	21	~~223~~ 225
06	23	8	17	22	14	13	21	8	9	12	13	18	178

(44,261). Wt. 21,758—218. 7500. 10/19. Gp.132. A.&E.W.

METEOROLOGICAL OFFICE—AIR MINISTRY.

IMPORTANT.

All communications should be addressed to THE SUPERINTENDENT.
In reply to this letter quote No.

Telephone : NORTH 142.

NATIONAL SCHEME FOR DISABLED MEN

BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE,
LONDON, N.W.1.

8 APR 1921

6th April 1921.

W.J.Tovey Esq.,
Cutcombe Estate Office,
Watercombe
Dunster
Taunton,

Dear Sir,

Rainfall at Wheddon Cross.

In preparing for publication the rainfall return for last year which you have been so kind as to send us, we have been struck by the reading of .41 inch on February 10th 1920. All other stations in the neighbourhood record~~ing~~ed about an inch more. We should therefore be greatly obliged if you would not mind referring to your original register, and letting us know whether by any chance an inch was omitted on that day.

With apologies for troubling you,

Yours faithfully,

John Glasspoole

for SUPERINTENDENT.

Wheddon Cross

April 8th 1921

Dear Sir

I find my accounts have agree with the enclosed a/c for Feb 10 - 1920

I cannot guarantee it but I think it to be quite correct

Yours truly

W. J. Jones